

**Standards Manager Web Standards List**  
**AIA-Aerospace Industries Association of American**

<b>Id</b>	<b>Number</b>	<b>Title</b>	<b>Year</b>	<b>Organization</b>	<b>Page</b>
1	NASM90726	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNF-2A - Rev 3	2018	AIA	
2	NASM24373	CASTERS, RIGID AND SWIVEL, PRECISION, PNEUMATIC TIRED - Rev 2	2018	AIA	
3	NA0087-0088	NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, C BORED, 900 MPa, METRIC, 235 °C, 425 °C - Rev 5	2018	AIA	
4	NA0036	BOLT, CLOSE TOLERANCE, HEXAGON HEAD, ALLOY STEEL, 1100 MPa, METRIC - Rev 6	2018	AIA	
5	NASM28728	DIAL, CONTROL, MULTI-TURN COUNTERS, GENERAL SPECIFICATION FOR - Rev 2	2018	AIA	
6	NAS1201	CHAIN, BEAD COMPONENTS AND ASSEMBLY - Rev 8	2018	AIA	
7	NAS412	FOREIGN OBJECT DAMAGE (FOD) PREVENTION GUIDANCE DOCUMENT - Rev 2	2018	AIA	
8	NAS1758	NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, 220 KSI, 450 °F - Rev 3	2018	AIA	
9	NA0147	INSERT, SCREW THREAD, KEY LOCKED, A286 CRES, MINIATURE, METRIC - Rev 3	2018	AIA	
10	NASM51862	SCREW, TAPPING, THREAD FORMING, TYPE AB, FLAT 82° COUNTERSUNK HEAD, CROSS-RECESSED - Rev 2	2018	AIA	
11	NAS3401	WRAP, WITH STIFFENER - Rev 3	2018	AIA	
12	NASM21042	NUT, SELF-LOCKING, 450° F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, NON-CORROSION RESISTANT STEEL - REV 2	2018	AIA	
13	NASM16187	STUD, CONTINUOUS THREAD, BOLT-STUD, B16 ALLOY STEEL, HIGH TEMPERATURE SERVICE 875-1,000 °F - Rev 2	2018	AIA	
14	NAS1023	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, NON-CSK - Rev 7	2018	AIA	
15	NAS1411	BAND, MARKER, BLANK - Rev 4	2018	AIA	
16	NAS9300-020	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 020: GOVERNANCE AND PRESERVATION PLANNING	2018	AIA	
17	NAS1399	RIVET, BLIND, 100° FLUSH HEAD, LOCKED SPINDLE - Rev 11	2018	AIA	
18	NAS3427	MULTIPLE LEAD DEVICES, INDIVIDUAL PACKAGING OF - Rev 3	2018	AIA	
19	NASM21065	NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, CRES, 125 KSI Ft <sub>u</sub> , 450 °F & 800 °F - Rev 2	2018	AIA	
20	NAS1687	RIVET, BLIND, NICKEL-COPPER AND NICKEL ALLOY, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 4	2018	AIA	
21	NASM23964	BOLT, SELF-RETAINING, POSITIVE LOCKING - Rev 2	2018	AIA	
22	NAS9300-013	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 013: REFERENCE PROCESS DESCRIPTION ARCHIVAL STORAGE	2018	AIA	
23	NAS1762	ELBOW REDUCER, 90°, FLARELESS TUBE TO SWIVEL - Rev 4	2018	AIA	
24	NAS1675	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE SELF-LOCKING - Rev 6	2018	AIA	
25	NAS9929	NUT, SELF-LOCKING, ALLOY STEEL AND CRES, ALL METAL, HEX AND HEAVY HEX, 800 °F	2018	AIA	
26	NASM22978	FASTENER, ROTARY, QUICK-OPERATING, HIGH-STRENGTH - Rev 2	2018	AIA	
27	NASM51975	SCREW, SHOULDER, SOCKET HEAD, HEXAGON ALLOY STEEL OR NONFERROUS ALLOYS, UNC-3A - Rev 5	2018	AIA	
28	NAS890	STANDARD SHANK CONFIGURATIONS FOR CUTTING TOOLS	2018	AIA	
29	NAS1834	INSERT, MOLDED IN, CSK AND THRU CLEARANCE HOLE, SANDWICH PANEL - Rev 7	2017	AIA	
30	NASM35650	NUT, PLAIN, HEXAGON, UNF-2B - Rev 2	2017	AIA	
31	NAS1832	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - Rev 10	2017	AIA	

32	004010	Aerospace Industry Implementation Instructions for X12 Transaction Sets, Edition 3	2017	AIA	
33	NASM21258	WASHER, KEY, RETAINING, WHEEL BEARING - Rev 3	2017	AIA	
34	NAS1424-1432	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP-TYPE - Rev 6	2017	AIA	
35	NAS537	BUSHING, SLEEVE, PRESS FIT, UNDERSIZE INSIDE DIAMETER - Rev 10	2017	AIA	
36	NASM90354	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, ALLOY STEEL, 112 KSI Fsu - Rev 3	2017	AIA	
37	NASM27986	FASTENERS, SNAP, STYLE 7, RIVET TYPE - Rev 2	2017	AIA	
38	NASM1312-10	FASTENER TEST METHODS METHOD 10 STRESS RUPTURE - Rev 2	2017	AIA	
39	NASM24692	PIN, TAPERED, PLAIN - Rev 2	2017	AIA	
40	NAS1077	FITTING END, HOSE, STANDARD DIMENSIONS FOR FLARELESS TUBE - Rev 2	2017	AIA	
41	NAS591	COUPLING, RIGID TUBE CONNECTOR, ALUMINUM - Rev 7	2017	AIA	
42	NASM20427	RIVET, SOLID, 100? COUNTERSUNK HEAD, CARBON STEEL, CORROSION-RESISTANT STEEL, NICKEL-COPPER AND COPPER - Rev 3	2017	AIA	
43	NAS1835	INSERT, MOLDED IN, BLIND THREADED, LOCKING, NONLOCKING, FLOATING, SANDWICH PANEL - Rev 9	2017	AIA	
44	NAS3351	STUD AND MANDREL TEST FIXTURE, SELF-LOCKING NUTS - Rev 2	2017	AIA	
45	NASM51981	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A - Rev 2	2017	AIA	
46	NAS1738	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 5	2017	AIA	
47	NAS1925	CLAMP, HOSE - Rev 3	2017	AIA	
48	NASM5501/32	CAP, "D" TYPE, ESD PROTECTIVE, ELECTRICAL CONNECTOR - Rev 2	2017	AIA	
49	NAS839	CAP, BEADED HOSE CONNECTION, PLASTIC, PROTECTIVE - Rev 2	2017	AIA	
50	NASM17830	NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 °F AND 450 °F, NON-METALLIC INSERT, 300 SERIES CRES - Rev 2	2017	AIA	
51	NAS9300-120	Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data PART 120: CAD 3D Explicit Geometry with Presentation of Product and Manufacturing Information - Rev 1	2017	AIA	
52	NAS538	BUSHING, FLANGED, PRESS FIT, UNDERSIZE INSIDE DIAMETER - Rev 11	2017	AIA	
53	NASM45595/5	WASHER, SADDLE, ALUMINUM ALLOY - Rev 2	2017	AIA	
54	NAS9300-110	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 110: Long Term Archiving and Retrieval of CAD mechanical 3D Explicit geometry information - Rev 1	2017	AIA	
55	NAS807	TWIN SEAPLANE FLOATS - Rev 2	2017	AIA	
56	NAS500	SPACER, NUT, PLATE, COUNTERSUNK - Rev 11	2017	AIA	
57	NA0084	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, CRES REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 4	2017	AIA	
58	NASM1312-11	FASTENER TEST METHODS METHOD 11 TENSION FATIGUE - Rev 2	2017	AIA	
59	NAM14290	CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC - Rev 2	2017	AIA	
60	NAS9923	WASHER, COUNTERSUNK, HIGH STRENGTH - Rev 1	2017	AIA	
61	NASM21143/2	PIN, STRAIGHT, HEADLESS, (DOWEL) (.0002 UNDER SIZE), CRES 303 - Rev 2	2017	AIA	
62	NASM51021	SETSCREW, HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 3	2017	AIA	
63	NAS1763	TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - Rev 4	2017	AIA	
64	NA0083	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 4	2017	AIA	

65	NAS9300-011	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 011: REFERENCE PROCESS DESCRIPTION DATA PREPARATION	2017	AIA	
66	NASM1312-23	FASTENER TEST METHODS METHOD 23 TENSILE STRENGTH OF PANEL FASTENERS - Rev 2	2017	AIA	
67	NAS1794	NUT, SELF-LOCKING, COUNTERBORE REPLACEABLE ELEMENT - Rev 4	2017	AIA	
68	NAS1101	SCREW, MACHINE, FLAT FILLISTER HEAD, FULL THREAD, OFFSET CRUCIFORM - Rev 13	2017	AIA	
69	NAS1395	INSERT, SCREW THREAD, SELF-LOCKING AND NON SELF-LOCKING, METAL, HEAVY-DUTY - Rev 10	2017	AIA	
70	NASM83459	RIVET, TITANIUM, BIMETAL, 95 KSI Fsu, GENERAL SPECIFICATION FOR - Rev 2	2017	AIA	
71	NAS1743	SCREW, SELF-LOCKING, FLAT FILLISTER HEAD, FULL THREAD, PATCH TYPE - Rev 7	2017	AIA	
72	NAS9300-001	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 001: STRUCTURE	2017	AIA	
73	NA0013-0018	RIVET, SOLID, COUNTERSUNK 100° HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC - Rev 2	2017	AIA	
74	NAS1546-1552	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), TENSION, STUMP-TYPE - Rev 4	2017	AIA	
75	NAS1192	PERFORMANCE SPECIFICATION FOR HARD ANODIC COATINGS ON ALUMINUM ALLOYS - Rev 4	2017	AIA	
76	NASM1312-3	FASTENER TEST METHODS METHOD 3 HUMIDITY - Rev 2	2017	AIA	
77	NASM33557	NONSTRUCTURAL RIVETS FOR BLIND ATTACHMENT; LIMITATIONS FOR DESIGN AND USAGE - Rev 2	2017	AIA	
78	NASM43770/10	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH - Rev 2	2017	AIA	
79	NAS9300-200	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 200: FUNDAMENTALS AND CONCEPTS FOR LONG TERM ARCHIVING AND RETRIEVAL OF PRODUCT STRUCTURE INFORMATION	2017	AIA	
80	NASM33537	INSERT, SCREW THREAD, HELICAL COIL, INCH SERIES, COARSE AND FINE THREAD, STANDARD ASSEMBLY DIMENSIONS FOR - Rev 3	2017	AIA	
81	NASM51966	SETSCREW, HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 2	2017	AIA	
82	NASM35793	HANDLE, BAIL, CHEST, SURFACE MOUNTING, PLAIN HOLES - Rev 2	2017	AIA	
83	NASM1312-24	FASTENER TEST METHODS METHOD 24 RECEPTACLE TORQUE-OUT, PANEL FASTENERS - Rev 2	2017	AIA	
84	NAS1169	WASHER, DIMPLED, 100° - Rev 8	2017	AIA	
85	NAS596	NUT, RIGID TUBE CONNECTOR, CRES - Rev 7	2016	AIA	
86	NASM1312-20	FASTENER TEST METHODS, METHOD 20, SINGLE SHEAR - Rev 2	2016	AIA	
87	NASM35678	PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CORROSION RESISTING STEEL - Rev 2	2016	AIA	
88	NAS387	SCREW, 100° OVAL RECESSED HEAD, MACHINE (COARSE & FINE THREAD) - Rev 3	2016	AIA	
89	NAS965	DRILLS, HIGH SPEED STEEL AND COBALT, THREADED SHANK, 1/16 INCH THRU F - Rev 11	2016	AIA	
90	NAS1095	FLARELESS FITTING CONNECTIONS, FABRICATION AND ASSEMBLY - Rev 2	2016	AIA	
91	NASM24066/2	CLIP, SOLID, SPRING TENSION - Rev 2	2016	AIA	
92	NAS7500-7516	BOLT, SHEAR, 100° FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 6	2016	AIA	
93	NAS1474	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - Rev 11	2016	AIA	
94	NAS44	BUSBAR, ELECTRICAL - Rev 8	2016	AIA	
95	NAS1553	KNOB, HAND, GROUND SUPPORT EQUIPMENT - Rev 6	2016	AIA	
96	NASM51838	PIN, STRAIGHT, STEEL, DRILL ROD - Rev 2	2016	AIA	
97	NASM33781	RECESS, OFFSET CRUCIFORM, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 4	2016	AIA	
98	NAS1779	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT C_BORED, FLOATING, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 3	2016	AIA	
99	NAS357	TUBE, CONTROL, ALUMINUM ALLOY - Rev 6	2016	AIA	

100	NAS987	TOOL HOLDER, NOSE CONFIGURATION - MACHINE TOOLS - Rev 2	2016	AIA	
101	NAS672	PLATING, HIGH STRENGTH STEELS, CADMIUM - Rev 9	2016	AIA	
102	NASM27039	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS - Rev 5	2016	AIA	
103	NAS6303-6320	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 10	2016	AIA	
104	NASM21079	NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI Ftu, 250 °F - Rev 2	2016	AIA	
105	NASM16491	GROMMET, METALLIC, GENERAL SPECIFICATION FOR - Rev 2	2016	AIA	
106	NAS359	TUBE ASSEMBLY, CONTROL, STEEL, WITH WELDED CLEVIS AND THREADED ROD ENDS - Rev 8	2016	AIA	
107	NAS6403-6420	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD, REDUCED MAJOR THREAD DIAMETER, SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 14	2016	AIA	
108	NASM21082	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 2	2016	AIA	
109	NAS986	End Mills, Finishing, High Speed Steel .125 Inch Thru 3.000 Inch Diameter - Rev 4	2016	AIA	
110	NASM14181	BOLT, TENSION, NICKEL ALLOY 718, 220 KSI Ftu, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 5	2016	AIA	
111	NASM16491/2	GROMMET, METALLIC, OBLONG, WITH FLAT WASHER (TYPE IV) - Rev 2	2016	AIA	
112	NAS593	NUT, RIGID TUBE CONNECTOR, ALUMINUM - Rev 7	2016	AIA	
113	NASM35333	WASHER, LOCK, FLAT, INTERNAL TOOTH - Rev 4	2016	AIA	
114	NASM51106	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A - Rev 2	2016	AIA	
115	NAS1790	BOLT, 100° FLUSH HEAD, 160 KSI UTS - Rev 6	2016	AIA	
116	NAS1028	NUT, SELF-LOCKING, PLATE, CORNER, REGULAR HEIGHT, CSK - Rev 6	2016	AIA	
117	NASM24625	SCREW, TAPPING, THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL - Rev 2	2016	AIA	
118	NAS1394	INSERT, SCREW THREAD, SELF-LOCKING AND NON SELF-LOCKING, METAL, LIGHTWEIGHT - Rev 9	2016	AIA	
119	NAS653-658	BOLT, SHEAR, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM, SHORT THREAD, .1900 TO .5000, 95 KSI Fsu - Rev 11	2016	AIA	
120	NASM21055	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2016	AIA	
121	NASM27120	CLEVIS, ROD END, TURNBUCKLE (GENERAL PURPOSE) - Rev 2	2016	AIA	
122	NASM35198	SCEW, MACHINE, FLAT COUNTERSUNK HEAD, 82° CROSS-RECESSED, BRASS, UNC-2A - Rev 2	2016	AIA	
123	NAS1321	RIVET, SLUG, SLEEVELESS - Rev 4	2016	AIA	
124	NA0184	SPACER, NUT, PLATE, UNIVERSAL, METRIC - Rev 2	2016	AIA	
125	NASM51861	SCREW, TAPPING, THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED - Rev 4	2016	AIA	
126	NAS1635	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, FULL THREAD, NON-LOCKING AND SELF-LOCKING - Rev 5	2016	AIA	
127	NAS1033	NUT, SELF-LOCKING, PLATE, RIGHT ANGLE, REGULAR HEIGHT, CBORE, FLOATING - Rev 7	2016	AIA	
128	NASM35812	CLEVIS, ROD END, ADJUSTABLE AND PLAIN, STEEL - Rev 2	2016	AIA	
129	NASM51109	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, CRES, PASSIVATED, UNC-2A - Rev 2	2016	AIA	
130	NA0060	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 750 MPa SHEAR, METRIC - Rev 5	2016	AIA	
131	NASM565	SETSCREW, HEXAGON AND FLUTED SOCKET, HEADLESS - Rev 4	2016	AIA	
132	NAS1516-1522	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), PULL-TYPE - Rev 4	2016	AIA	
133	NASM17988	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, T HANDLE - Rev 2	2016	AIA	

134	NASM51110	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, CRES, PASSIVATED, UNF-2A - Rev 2	2016	AIA	
135	NAS7014-7022	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE - Rev 4	2016	AIA	
136	NAS577	NUT, SELF-LOCKING, BARREL, FLOATING, 180 KSI Ft <sub>u</sub> - Rev 17	2016	AIA	
137	NAS1047	TURNBUCKLE ASSEMBLY, FORGED CARBON STEEL, JAW AND JAW, FOR GROUND SUPPORT EQPT - Rev 6	2016	AIA	
138	NASM16218	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC - Rev 2	2016	AIA	
139	NASM20601	RIVET, BLIND, STRUCTURAL, PULL STEM, SELF-PLUGGING, 100° FLUSH HEAD, TYPE II - Rev 2	2016	AIA	
140	NAS1053	BOLT, EYE, ASSEMBLY, FORGED CARBON STEEL - Rev 6	2016	AIA	
141	NASM51977	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A - Rev 3	2016	AIA	
142	NAS1475-1482	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° HEAD (NASM20426), TENSION, PULL-TYPE - Rev 4	2016	AIA	
143	NASM27384	RIVET, BLIND, DRIVE TYPE - Rev 2	2016	AIA	
144	NASM43770/11	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY - Rev 2	2016	AIA	
145	NASM8907	BOLT, ALLOY STEEL, SHEAR AND TENSILE (156 KSI MIN F <sub>su</sub> AND 260 KSI MIN Ft <sub>u</sub> ), 450 °F, EXTERNAL WRENCHING, FLANGED HEAD - Rev 2	2016	AIA	
146	NASM22529/2	GROMMET, CUSHION COMPOSITE, EDGING - Rev 2	2016	AIA	
147	NA0201-0204	POST, ELECTRICAL, MECHANICAL EQUIPMENT STUD TYPE, METRIC - Rev 2	2016	AIA	
148	NAS1793	NUT, SELF-LOCKING, PLATE, CORNER, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 °F AND 800 °F - Rev 4	2016	AIA	
149	NAS1352	SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF-LOCKING, ALLOY STEEL, CORROSION-RESISTANT STEEL AND HEAT-RESISTANT STEEL, UNRC-3A AND UNRC-2A - Rev 13	2016	AIA	
150	NAS1795	RETAINING CLIP, REPLACEABLE NUT PLATE - Rev 4	2016	AIA	
151	NASM51871	SCREW, TAPPING, HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD - Rev 2	2016	AIA	
152	NAS1282	HOOK, SNAP, BOLT - Rev 4	2016	AIA	
153	NASM51851	SCREW, TAPPING, THREAD CUTTING, TYPE D, HEXAGON HEAD, SLOTTED - Rev 2	2016	AIA	
154	NASM21266	GROMMET, PLASTIC, EDGING - Rev 2	2016	AIA	
155	NASM51834	STUD, LOCKED IN, KEY-LOCKED, HEAVY DUTY - Rev 2	2016	AIA	
156	NASM8831	FASTENERS, ALLOY STEEL, 450 °F EXTERNALLY THREADED, 180 KSI Ft <sub>u</sub> , 108 KSI F <sub>su</sub> , FATIGUE RATED - Rev 5	2016	AIA	
157	NAS1070	WASHER, PLAIN, OVERSIZE FOR ALUMINUM TERMINALS - Rev 5	2016	AIA	
158	NAS3500	TECHNICAL DATA PACKAGE: COMPOSITION, COMMUNICATION, AND APPLICATION - Rev 1; Includes Access to Additional Content	2016	AIA	
159	NAS1213	STRAP ASSEMBLY, TIE DOWN BUCKLE - Rev 4	2016	AIA	
160	NASM21090	SCREW, SELF-LOCKING, 250 °F, STEEL, 55 KSI Ft <sub>u</sub> , PAN HEAD, CROSS RECESSED - Rev 2	2016	AIA	
161	NA0085-0086	NUT, SELF-LOCKING, PLATE, FLOATING, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C_BORED, 1100 MPa, METRIC, 235 °C, 425 °C - REV 3	2016	AIA	
162	NAS77	BUSHING, FLANGED, PRESS FIT STEEL, CRES, BRONZE & COPPER - Rev 15	2016	AIA	
163	NASM45595/4	WASHER, SADDLE, CARBON STEEL - Rev 2	2016	AIA	
164	NA0093-0094	NUT, SELF-LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, CBORED, 1100 MPa, METRIC, 235 °C, 425 °C - Rev 3	2016	AIA	
165	NASM82496	SCREWS, MACHINE, SELF-SEALING, INTEGRAL O-RING - Rev 3	2016	AIA	
166	NA0270	BUSHING, SLEEVE, PLAIN, PRESS FIT, REAM TYPE, METRIC - Rev 2	2016	AIA	

167	NAS1493	LOCKNUT, BEARING RETAINING - Rev 8	2016	AIA	
168	NASM45938/1	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (FLOATING, 400 °F) - Rev 2	2016	AIA	
169	NAS1727	NUT, SELF-LOCKING, ALIGNING, 450 °F AND 800 °F - Rev 6	2016	AIA	
170	NAS522	COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE - Rev 3	2016	AIA	
171	NAS9927	SAFETY MANAGEMENT SYSTEM PRACTICES FOR DESIGN AND MANUFACTURING	2016	AIA	
172	NAS6203-6220	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 11	2016	AIA	
173	NAS1300	THUMBSCREW - Rev 3	2016	AIA	
174	NASM21044	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, 125 KSI Ftu AND 60 KSI Ftu - Rev 2	2016	AIA	
175	NASM91525	KNOB, CONTROL, BAR, METAL AND PLASTIC - Rev 2	2016	AIA	
176	NASM21094	BOLT, SELF-LOCKING, 250 °F, STEEL, 75 KSI Fsu, 125 KSI Ftu, HEX HEAD - Rev 2	2016	AIA	
177	NAS1580	BOLT, SHEAR, 100° FLUSH HEAD, OFFSET CRUCIFORM, OFFSET CRUCIFORM _ RIBBED AND DOVETAIL SLOT, 95 KSI Fsu - Rev 15	2016	AIA	
178	NAS1713	CLAMP, LOOP, CUSHIONED, CENTER MOUNTING - Rev 6	2016	AIA	
179	NASM51870	SCREW, TAPPING, HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, FLAT COUNTERSUNK HEAD, CROSS RECESSED - Rev 3	2016	AIA	
180	NA0152	BOLT, EYE, ALLOY STEEL, 1100 MPa, METRIC - Rev 3	2016	AIA	
181	NASM24665	PIN, COTTER (SPLIT) - Rev 2	2016	AIA	
182	NAS1714	CLAMP, LOOP, CUSHIONED, ELONGATED - Rev 5	2016	AIA	
183	NASM63540/7	STUD, SELF-LOCKING, BROACHING TYPE - Rev 3	2016	AIA	
184	NA0154	RIVETS, SOLID, ALUMINUM AND ALUMINUM ALLOY, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 2	2016	AIA	
185	NASM501	SCREW, MACHINE, FILLISTER HEAD, FINE THREAD - Rev 2	2016	AIA	
186	NAS1731	NUT, BLIND, SERRATED HEAD, SELF-LOCKING, 450 °F - Rev 3	2016	AIA	
187	NASM43770/1	SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER - Rev 2	2016	AIA	
188	NASM35191	SCREW, MACHINE, 82° FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A - Rev 2	2016	AIA	
189	NASM51965	SETSCREW, HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 2	2016	AIA	
190	NAS1039-1041	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, REGULAR HEIGHT, CSK - Rev 7	2016	AIA	
191	NASM122196-122235	INSERT, CRES, HELICAL COIL, COARSE THREAD, 2-1/2 DIA NOMINAL LENGTH - Rev 2	2016	AIA	
192	NASM45938/1	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH, SELF-CLINCHING, KNURLED COLLAR, FLOATING, 450 °F AND 600 °F - Rev 2	2016	AIA	
193	NAS1766	NUT, SELF-LOCKING, PLATE, CORNER, COUNTERBORED, FLOATING, 125 KSI Ftu, 450 °F AND 800 °F - Rev 3	2016	AIA	
194	NAS576	THREAD LENGTH FOR SELF-LOCKING NUTS - Rev 4	2016	AIA	
195	NAS1333-1346	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING - Rev 7	2016	AIA	
196	NASM43770/2	SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE - Rev 2	2016	AIA	
197	NASM21262	SCREWS, SELF LOCKING, 250 °F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI Ftu, (SOCKET HEAD CAP SCREWS) - Rev 2	2016	AIA	
198	NAS1783	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, COUNTERBORED, 160 KSI, 250 °F, 450 °F, 800 °F - Rev 3	2016	AIA	
199	NAS411-1	HAZARDOUS MATERIALS TARGET LIST - Rev 1; Includes Access to Additional Content	2016	AIA	

200	NASM1312-22	FASTENER TEST METHODS METHOD 22 RECEPACLE PUSH-OUT, PANEL FASTENERS - Rev 2	2016	AIA	
201	NAS467	BOLT, HEX HEAD, BRASS, ELECTRICAL - Rev 7	2016	AIA	
202	NAS1870	NUT, SELF-LOCKING, PLATE, TWO LUG, 125 KSI Ftu, 450 °F & 800 °F - Rev 4	2016	AIA	
203	NASM3498	SCREW ASSEMBLY, PANEL - Rev 2	2016	AIA	
204	NAS1349	CASTER, LIGHT DUTY, RIGID AND SWIVEL - Rev 4	2016	AIA	
205	NAS1715	CLAMP, LOOP, CUSHIONED - Rev 7	2016	AIA	
206	NASM90725	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNC-2A - Rev 3	2016	AIA	
207	NAS1923	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 3	2016	AIA	
208	NAS1413	PINS AND COLLARS, SWAGE LOCKING - Rev 10	2016	AIA	
209	NASM8975	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CRES, HEAT RESISTANT STEEL AND TITANIUM, GENERAL SPECIFICATION FOR - Rev 2	2016	AIA	
210	NAS549	WASHER, NONMETALLIC, INSULATING, ELECTRICAL - Rev 6	2016	AIA	
211	NAS6703-6720	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 11	2016	AIA	
212	NAS897	REAMERS, CHUCKING, RIGHT-HAND CUT, 0.0938 THROUGH 1.5000 INCH - Rev 3	2016	AIA	
213	NAS380	NAS DOCUMENTS, PREPARATION AND MAINTENANCE, IN THE INCH SYSTEM OF UNITS - Rev 18	2016	AIA	
214	NA0071	BOLT, ALLOY STEEL, 1550 MPa TENSILE, PROCUREMENT SPECIFICATION - Rev 3	2016	AIA	
215	NASM21387	KNOB, ROUND ILLUMINATED AND NON-ILLUMINATED, SMALL - Rev 2	2016	AIA	
216	NAS1769	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, OVERSIZE - Rev 9	2016	AIA	
217	NA0059	BOLT, TENSION, CLOSE TOLERANCE, SPLINE DRIVE, A286 CRES, 1250 MPa, METRIC - Rev 4	2016	AIA	
218	NASM90353	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100° FLUSH HEAD, ALLOY STEEL, 112 KSI Fsu - Rev 3	2016	AIA	
219	NAS1759	NUT, SELF-LOCKING, DOUBLE HEXAGON, SHEAR, 450 °F - Rev 3	2016	AIA	
220	NASM6812	FASTENERS, EXTERNALLY THREADED, ALLOY STEEL, CORROSION RESISTANT STEEL, ALUMINUM, 60,000 PSI TO 125,000 PSI - Rev 4	2016	AIA	
221	NAS1463	CLIP, SPRING TENSION - Rev 4	2016	AIA	
222	NASM51095	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A, PLAIN AND SELF-LOCKING - Rev 2	2016	AIA	
223	NASM45909	STUD, LOCKED IN, RING LOCKED, SERRATED, GENERAL SPECIFICATION FOR - Rev 2	2016	AIA	
224	NASM51932	PIN, STRAIGHT, HEADLESS, DRILLED FOR COTTER PINS - Rev 2	2016	AIA	
225	NA0075-0076	NUT, CAPTIVE WASHER, SHEAR TYPE, SELF-LOCKING CBORED, 1100 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2016	AIA	
226	NASM33750	RECESS, DOVETAIL SLOT AND CONICAL DOVETAIL SLOT, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 2	2016	AIA	
227	NAS1775	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 3	2016	AIA	
228	NA0124	SCREW, CLOSE TOLERANCE, 100° REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 7	2016	AIA	
229	NASM20604	RIVET, BLIND, NON-STRUCTURAL, UNIVERSAL HEAD, CLASS 1 - Rev 3	2016	AIA	
230	NAS5314	SCREW, SHEAR, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2016	AIA	
231	NAS1724	FASTENER, SHEAR, 100° STANDARD FLUSH HEAD, TAPERED SHANK (TS), 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu, 156 KSI Fsu - Rev 4	2016	AIA	
232	NAS594	COUPLING, RIGID TUBE CONNECTOR, CRES - Rev 7	2016	AIA	

233	NAS5318	BOLT, SHEAR, FLAT PAN HEAD, CLOSE TOLERANCE, LONG THREAD, NON-LOCKING AND SELF-LOCKING, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2016	AIA	
234	NAS1719	RIVET, BLIND, 100° REDUCED FLUSH HEAD, (NAS1097 HEAD), MECHANICALLY LOCKED SPINDLE - Rev 4	2016	AIA	
235	NAS4450	PIN, CRIMP, PROTRUDING SHEAR HEAD - Rev 4	2016	AIA	
236	NASM27981	FASTENERS, SNAP STYLE 2A, SMALL WIRE SPRING, CLAMP TYPE - Rev 2	2016	AIA	
237	NAS5321	BOLT, SHEAR, 100 DEGREE FLUSH HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 108 KSI Fsu - Rev 2	2016	AIA	
238	NASM51096	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING - Rev 2	2016	AIA	
239	NAS355	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY, WITH RIVETED THREADED ROD ENDS - Rev 7	2016	AIA	
240	NASM302	PIN, ESCUTCHEON - Rev 2	2016	AIA	
241	NAS1383	STRAP ASSEMBLY, TWO PART ADJUSTABLE - Rev 7	2016	AIA	
242	NAS1770	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CBORE, 160 KSI, 450 °F, 800 °F - Rev 3	2016	AIA	
243	NAS1922	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 5	2016	AIA	
244	NAS1720	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE - Rev 4	2016	AIA	
245	NAS898	REAMERS, SOLID CARBIDE, RIGHT-HAND CUT, .1250 THROUGH .7500 - REV 1	2016	AIA	
246	NAS551	BOLT, UNIVERSAL FITTING - Rev 8	2016	AIA	
247	NASM51576	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL - Rev 2	2016	AIA	
248	NASM21-37	BOLT, CLEVIS - Rev 2	2016	AIA	
249	NASM20613	RIVET, SOLID, UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT - Rev 4	2016	AIA	
250	NAS1841-1854	STUD ASSEMBLY, THREADED, METAL, DOUBLE STEP - Rev 3	2016	AIA	
251	NASM35675	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTING STEEL - Rev 2	2016	AIA	
252	NASM51982	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A - Rev 2	2016	AIA	
253	NAS1193	LOCKING DEVICE, POSITIVE INDEX - Rev 11	2016	AIA	
254	NA0093-0094	NUT, SELF-LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, CBORED, 1100 MPa, METRIC, 235 °C, 425 °C - Rev 3	2016	AIA	0
255	NA0269	BUSHING, SLEEVE, FLANGED, PRESS FIT, REAM TYPE, METRIC - Rev 2	2016	AIA	0
256	NAS75	BUSHING, PLAIN PRESS FIT, STEEL OR CRES - Rev 10	2016	AIA	0
257	NAS77	BUSHING, FLANGED, PRESS FIT STEEL, CRES, BRONZE & COPPER - Rev 15	2016	AIA	0
258	NAS355	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY, WITH RIVETED THREADED ROD ENDS - Rev 7	2016	AIA	0
259	NAS522	COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE - Rev 3	2016	AIA	0
260	NAS596	NUT, RIGID TUBE CONNECTOR, CRES - Rev 7	2016	AIA	0
261	NAS653-658	BOLT, SHEAR, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM, SHORT THREAD, .1900 TO .5000, 95 KSI Fsu - Rev 11	2016	AIA	0
262	NAS1039-1041	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, REGULAR HEIGHT, CSK - Rev 7	2016	AIA	0
263	NAS1333-1346	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING - Rev 7	2016	AIA	0
264	NAS1383	STRAP ASSEMBLY, TWO PART ADJUSTABLE - Rev 7	2016	AIA	0
265	NAS1443	LOCKWASHER, BEARING, RETAINING - Rev 7	2016	AIA	0
266	NAS1473	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING - Rev 11	2016	AIA	0
267	NAS1474	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - Rev 11	2016	AIA	0
268	NAS1516-1522	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), PULL-TYPE - Rev 4	2016	AIA	0
269	NAS1553	KNOB, HAND, GROUND SUPPORT EQUIPMENT - Rev 6	2016	AIA	0
270	NAS1726	NUT, SELF-LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 F AND 800 F - Rev 5	2016	AIA	0

271	NAS1727	NUT, SELF-LOCKING, ALIGNING, 450 F AND 800 F - Rev 6	2016	AIA	0
272	NAS1766	NUT, SELF-LOCKING, PLATE, CORNER, COUNTERBORED, FLOATING, 125 KSI Ftu, 450 F AND 800 F - Rev 3	2016	AIA	0
273	NAS1769	RIVET, BLIND, 100°FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, OVERSIZE - Rev 9	2016	AIA	0
274	NAS1775	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, REDUCED RIVET SPACING, 160 KSI, 450 F, 800 F - Rev 3	2016	AIA	0
275	NAS1779	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT C_BORED, FLOATING, REDUCED RIVET SPACING, 160 KSI, 450 F, 800 F - Rev 3	2016	AIA	0
276	NAS1783	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, COUNTERBORED, 160 KSI, 250 F, 450 F, 800 F - Rev 3	2016	AIA	0
277	NAS1785	NULL	2016	AIA	0
278	NAS1795	RETAINING CLIP, REPLACEABLE NUT PLATE - Rev 4	2016	AIA	0
279	NAS1837	INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS1832, NAS1833, NAS1834, NAS1835, AND NAS1836 MOLDED IN INSERTS - Rev 6	2016	AIA	0
280	NAS1839	INSERT ASSEMBLY, THREADED METAL, HEAVY DUTY SELF-LOCKING, NON SELF-LOCKING - Rev 3	2016	AIA	0
281	NAS1870	NUT, SELF-LOCKING, PLATE, TWO LUG, 125 KSI Ftu, 450 F & 800 F - Rev 4	2016	AIA	0
282	NAS1923	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 3	2016	AIA	0
283	NAS5314	SCREW, SHEAR, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2016	AIA	0
284	NAS6303-6320	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 10	2016	AIA	0
285	NAS6403-6420	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD, REDUCED MAJOR THREAD DIAMETER, SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 14	2016	AIA	0
286	NAS6703-6720	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 11	2016	AIA	0
287	NAS7014-7022	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE - Rev 4	2016	AIA	0
288	NAS7500-7516	BOLT, SHEAR, 100°FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 6	2016	AIA	0
289	NASM565	SETSCREW, HEXAGON AND FLUTED SOCKET, HEADLESS - Rev 4	2016	AIA	0
290	NASM8831	FASTENERS, ALLOY STEEL, 450 F EXTERNALLY THREADED, 180 KSI Ftu, 108 KSI Fsu, FATIGUE RATED - Rev 5	2016	AIA	0
291	NASM16491-2	NULL	2016	AIA	0
292	NASM16491	GROMMET, METALLIC, GENERAL SPECIFICATION FOR - Rev 2	2016	AIA	0
293	NASM16555	PIN, STRAIGHT, HEADLESS, DOWEL, .0002 OVER NOMINAL SIZE - Rev 3	2016	AIA	0
294	NASM17984	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE - Rev 2	2016	AIA	0
295	NASM17985	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, T HANDLE - Rev 2	2016	AIA	0
296	NASM17986	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, L HANDLE - Rev 2	2016	AIA	0
297	NASM17987	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE - Rev 2	2016	AIA	0
298	NASM17988	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, T HANDLE - Rev 2	2016	AIA	0
299	NASM17989	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, L HANDLE - Rev 2	2016	AIA	0
300	NASM17990	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE - Rev 2	2016	AIA	0
301	NASM20601	RIVET, BLIND, STRUCTURAL, PULL STEM, SELF-PLUGGING, 100°FLUSH HEAD, TYPE II - Rev 2	2016	AIA	0
302	NASM20604	RIVET, BLIND, NON-STRUCTURAL, UNIVERSAL HEAD, CLASS 1 - Rev 3	2016	AIA	0
303	NASM21044	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, 125 KSI Ftu AND 60 KSI Ftu - Rev 2	2016	AIA	0
304	NASM21090	SCREW, SELF-LOCKING, 250 F, STEEL, 55 KSI Ftu, PAN HEAD, CROSS RECESSED - Rev 2	2016	AIA	0

305	NASM21094	BOLT, SELF-LOCKING, 250 F, STEEL, 75 KSI Fsu, 125 KSI FtU, HEX HEAD - Rev 2	2016	AIA	0
306	NASM21266	GROMMET, PLASTIC, EDGING - Rev 2	2016	AIA	0
307	NASM22529-1	NULL	2016	AIA	0
308	NASM22529-2	NULL	2016	AIA	0
309	NASM24665	PIN, COTTER (SPLIT) - Rev 2	2016	AIA	0
310	NASM27039	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS - Rev 5	2016	AIA	0
311	NASM27981	FASTENERS, SNAP STYLE 2A, SMALL WIRE SPRING, CLAMP TYPE - Rev 2	2016	AIA	0
312	NASM35671	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CARBON STEEL - Rev 2	2016	AIA	0
313	NASM51096	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING - Rev 2	2016	AIA	0
314	NASM51576	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL - Rev 2	2016	AIA	0
315	NAM1312-109	FASTENER TEST METHODS, METRIC, METHOD 109, STRESS CORROSION - Rev 2	2016	AIA	
316	NAS1073	GUARD, TWO-POSITION, TOGGLE-SWITCH, LOCK - Rev 3	2016	AIA	
317	NAS1443	LOCKWASHER, BEARING, RETAINING - Rev 7	2016	AIA	
318	NASM51400	PIN, STRAIGHT, HEADLESS - Rev 2	2016	AIA	
319	NASM45938-12	NULL	2015	AIA	0
320	NASM51575	SCREW, SHOULDER, SLOTTED-HEAD, CRES - Rev 2	2015	AIA	0
321	NASM51959	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82?, CRUCIFORM RECESS, CORROSION-RESISTANT STEEL, UNC-2A - Rev 2	2015	AIA	0
322	NASM81177	FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, GENERAL SPECIFICATION FOR - Rev 2	2015	AIA	0
323	NASM21334	CLAMP, LOOP, DOUBLE, CABLE OR TUBE, STEEL, PLAIN AND CUSHIONED - Rev 2	2015	AIA	0
324	NASM24693	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100°, CROSS RECESSED, UNC-2A AND UNF-2A - Rev 4	2015	AIA	0
325	NASM27577	BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI FSU, FLUSH HEAD, 450 ?F - Rev 2	2015	AIA	0
326	NASM28728-1	NULL	2015	AIA	0
327	NASM28728-2	NULL	2015	AIA	0
328	NASM28728-3	NULL	2015	AIA	0
329	NASM28728-4	NULL	2015	AIA	0
330	NASM27980	FASTENERS, SNAP, STYLE 2 (REGULAR WIRE SPRING CLAMP TYPE) - Rev 2	2015	AIA	0
331	NASM33540	SAFETY WIRING, SAFETY CABLING, COTTER PINNING, GENERAL PRACTICES FOR - Rev 3	2015	AIA	0
332	NASM33547	PINS, SPRING, FUNCTIONAL LIMITATIONS OF - Rev 2	2015	AIA	0
333	NASM27984	FASTENERS, SNAP, STYLE 5 (SCALLOPED BUTTON HEAD TYPE) - Rev 2	2015	AIA	0
334	NASM35190	SCREW, MACHINE, 82? FLAT COUNTERSUNK HEAD, CRUCIFORM RECESS, CARBON STEEL, CADMIUM PLATED, SELF-LOCKING AND NON-LOCKING, UNC-2A - Rev 3	2015	AIA	0
335	NASM35207	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, CARBON STEEL, CADMIUM PLATED, UNF-2A (IN./MM) - Rev 3	2015	AIA	0
336	NASM35276	SCREW, MACHINE, DRILLED, FILLISTER HEAD, SLOTTED, CORROSION RESISTANT STEEL, PASSIVATED, UNF-2A - Rev 2	2015	AIA	0
337	NASM35307	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNC-2A - Rev 2	2015	AIA	0
338	NASM35308	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNF-2A - Rev 2	2015	AIA	0
339	NASM35751	BOLT, SQUARE NECK, ROUND HEAD (CARRIAGE), STEEL, CADMIUM OR ZINC PLATED, UNC-2A - Rev 2	2015	AIA	0

340	NASM45938-4	NULL	2015	AIA	0
341	NASM45938-6	NULL	2015	AIA	0
342	NASM124771-124810	INSERT, CRES, HELICAL COIL FINE THREAD, 2-1/2 DIA NOMINAL LENGTH - Rev 2	2015	AIA	0
343	NASM124811-124850	INSERT, CRES, HELICAL COIL FINE THREAD, 3 DIA NOMINAL LENGTH - Rev 2	2015	AIA	0
344	TCS002	TRADE COMPLIANCE STANDARD 002 JURISDICTIONAL ANALYSIS AND CLASSIFICATION	2015	AIA	0
345	TCS003	TRADE COMPLIANCE STANDARD 003 FACILITY VISITS BY FOREIGN NATIONALS	2015	AIA	0
346	NASM85449	CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR - Rev 2	2015	AIA	0
347	NASM122236-122275	INSERT, CRES HELICAL COIL COARSE THREAD, 3 DIA NOMINAL LENGTH - Rev 2	2015	AIA	0
348	NAS1765	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, 125 KSI Ftu, 450 °F AND 800 °F - Rev 3	2015	AIA	0
349	NAS1768	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 8	2015	AIA	0
350	NAS1780	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, 100° CSK, 160 KSI, 450 °F, 800 °F - Rev 3	2015	AIA	0
351	NAS1782	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, 100° CSK, 160 KSI, 450 °F, 800 °F - Rev 3	2015	AIA	0
352	NAS1803	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, SPRING LOADED - Rev 3	2015	AIA	0
353	NAS1791	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 °F AND 800 °F - Rev 4	2015	AIA	0
354	NAS1792	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 °F AND 800 °F - Rev 3	2015	AIA	0
355	NAS1793	NUT, SELF-LOCKING, PLATE, CORNER, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 °F AND 800 °F - Rev 3	2015	AIA	0
356	NAS1953-1970	BOLT, SHEAR, HEXAGON HEAD, 108 KSI SHEAR, LONG THREAD - Rev 7	2015	AIA	0
357	NAS2015-2022	PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) PROTRUDING HEAD, PULL-TYPE - Rev 2	2015	AIA	0
358	NAS1982-1990	BOLT, SHEAR, BRAZIER HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev 11	2015	AIA	0
359	NAS2605-2612	BOLT, LOCK, SHEAR, PROTRUDING HEAD, STUMP-TYPE, TITANIUM ALLOY - Rev 9	2015	AIA	0
360	NAS2705-2712	BOLT, LOCK, SHEAR, 100 DEGREES HEAD, STUMP-TYPE, TITANIUM ALLOY - Rev 9	2015	AIA	0
361	NAS2813-2830	BOLT, SHEAR, HEXAGON HEAD, CLOSE TOLERANCE, SHORT THREAD, 108 KSI Fsu - Rev 4	2015	AIA	0
362	NAS3103-3110	BOLT, U - Rev 4	2015	AIA	0
363	NAS3426	ELECTRICAL HARNESS CABLE ASSEMBLIES, PACKAGING OF - Rev 3	2015	AIA	0
364	NAS4002	FASTENER, ALLOY STEEL, EXTERNALLY THREADED, 160 KSI Ftu, 95 KSI Fsu, 450 °F - Rev 11	2015	AIA	0
365	NAS4003	FASTENER, A286 CORROSION RESISTANT ALLOY, EXTERNALLY THREADED, 160 KSI Ftu, 95 KSI Fsu, 1000 °F - Rev 13	2015	AIA	0
366	NAS4004	FASTENER, 6AL-4V TITANIUM ALLOY, EXTERNALLY THREADED, 160 KSI Ftu, 95 KSI Fsu, 450 °F - Rev 16	2015	AIA	0
367	NAS7203-7216	BOLT, 100° HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, LONG THREAD, SELF-LOCKING AND NON-LOCKING - Rev 7	2015	AIA	0
368	NAS8500-8506	BIT, SCREWDRIVER, CRUCIFORM RECESS - Rev 3	2015	AIA	0
369	NAS9306	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE B AND E - Rev 5	2015	AIA	0
370	NAS9307	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE A, CLASS 1, CODE M - Rev 5	2015	AIA	0
371	NAS9308	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE A, CLASS 2, CODE M - Rev 5	2015	AIA	0
372	NAS9309	RIVET, BLIND, 100° FLUSH SHEAR HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE A, CLASS 3, CODE M - Rev 5	2015	AIA	0

373	NAS9313	RIVET, SOLID, CLOSE TOLERANCE, 100° FLUSH HEAD, ALUMINUM ALLOY, TITANIUM-COLUMBIUM ALLOY - Rev 2	2015	AIA	0
374	NAS9314	RIVET, SOLID, CLOSE TOLERANCE, 100°, FLUSH, REDUCED SHEAR HEAD, ALUMINUM ALLOY, TITANIUM-COLUMBIUM ALLOY - Rev 2	2015	AIA	0
375	NAS9311	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE B, CLASS 2, CODE M & C - Rev 5	2015	AIA	0
376	NAS9926	NUT, SELF-LOCKING, 12 POINT, A286 CRES, LOW HEIGHT, 160 KSI Ftu, 450 °F	2015	AIA	0
377	NASM315	NUT, PLAIN, HEXAGON, AIRFRAME - Rev 3	2015	AIA	0
378	NASM320	NUT, PLAIN, CASTELLATED, SHEAR - Rev 3	2015	AIA	0
379	NASM3212	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL SILICONE O-RING, PLAIN AND SELF-LOCKING - Rev 2	2015	AIA	0
380	NASM3213	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF-LOCKING - Rev 2	2015	AIA	0
381	NASM3214	NUT, PLAIN, CLINCH, FLUSH - Rev 2	2015	AIA	0
382	NASM5501-31	NULL	2015	AIA	0
383	NASM5591	FASTENERS, PANEL, NONSTRUCTURAL - Rev 2	2015	AIA	0
384	NASM5674	RIVETS, STRUCTURAL, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY, GENERAL SPECIFICATION FOR - Rev 2	2015	AIA	0
385	NASM14177	WASHER, RECESSED, COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 220 KSI Ftu - Rev 2	2015	AIA	0
386	NASM14198	LOCK, ROD END, EXTRA STRENGTH, HIGH PROFILE LUG - Rev 2	2015	AIA	0
387	NASM14200	NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 °F, STEEL, 125 KSI Ftu, REPLACEABLE NUT ELEMENT - Rev 3	2015	AIA	0
388	NASM14201	NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 °F, STEEL, 125 KSI Ftu, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR - Rev 3	2015	AIA	0
389	NASM14490	BOLT, WHEEL, NICKEL ALLOY 718, 220 KSI Ftu, 132 KSI Fsu, 450 °F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 1	2015	AIA	0
390	NASM20033-20046	BOLT, TENSION, HEXAGON HEAD, MACHINE, A286 CRES, 1200 °F, 140 KSI Ftu - Rev 3	2015	AIA	0
391	NASM20067	KEY, MACHINE, SQUARE IN CROSS SECTION, ONE END SQUARE, OTHER END ROUND - Rev 2	2015	AIA	0
392	NASM20605	RIVET, BLIND, NONSTRUCTURAL, 100° FLUSH HEAD - Rev 3	2015	AIA	0
393	NASM21048	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F AND 800 °F - Rev 2	2015	AIA	0
394	NASM21050	NUT, SELF-LOCKING, PLATE, TWO LUG, 100° CSK, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
395	NASM21054	NUT, SELF-LOCKING, PLATE, ONE LUG, 100° CSK, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
396	NASM21056	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
397	NASM21057	NUT, SELF-LOCKING, PLATE, CORNER, 100° CSK, LOW HEIGHT, ALLOY STEEL, 125 KSI Ftu, 450 °F - Rev 2	2015	AIA	0
398	NASM21058	NUT, SELF-LOCKING, PLATE, CORNER, 100° CSK, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
399	NASM21062	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
400	NASM21060	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450°F & 800°F - Rev 2	2015	AIA	0
401	NASM21070	NUT, SELF-LOCKING, PLATE, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0

402	NASM21072	NUT, SELF-LOCKING, PLATE, ONE-LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ft <sub>u</sub> , 450 °F AND 800 °F - Rev 2	2015	AIA	0
403	NASM21074	NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ft <sub>u</sub> , 450 °F & 800 °F - Rev 2	2015	AIA	0
404	NASM21076	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ft <sub>u</sub> , 450 °F AND 800 °F - Rev 4	2015	AIA	0
405	NASM21077	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI Ft <sub>u</sub> , 250 °F - Rev 2	2015	AIA	0
406	NASM21084	NUT, SELF-LOCKING, STEEL, 220 KSI Ft <sub>u</sub> , 450 °F, FLANGED, MS33787 WRENCHING ELEMENT - Rev 2	2015	AIA	0
407	NASM21087	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ft <sub>u</sub> , 450 °F & 800 °F - Rev 2	2015	AIA	0
408	NASM21093	SCREW, SELF-LOCKING, 250 °F, STEEL, 55 KSI Ft <sub>u</sub> , 100° FLAT HEAD, CROSS RECESSED - Rev 2	2015	AIA	0
409	NASM21125	BOLT, SELF-RETAINING, POSITIVE LOCKING, CRES, 90 KSI F <sub>su</sub> , 63 KSI Ft <sub>u</sub> , PAN HEAD, 450 °F & 650 °F - Rev 2	2015	AIA	0
410	NASM21140	FASTENERS, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100° FLUSH HEAD, CORROSION RESISTING STEEL, 95 KSI F <sub>su</sub> - Rev 2	2015	AIA	0
411	NASM21207	SCREW, TAPPING, 100° FLAT HEAD, SPACED THREAD - Rev 3	2015	AIA	0
412	NASM21295	SCREWS, SELF LOCKING, 250 °F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, CRES, 80 KSI Ft <sub>u</sub> , (SOCKET HEAD CAP SCREWS) - Rev 2	2015	AIA	0
413	NA0010	STUD AND MANDREL TEST FIXTURE, SELF-LOCKING NUTS, METRIC - Rev 3	2015	AIA	0
414	NA0040-0041	NUT, SELF-LOCKING, PLATE, TWO LUG, FIXED, LOW HEIGHT, C'BORED, 1100 MPa, METRIC, 235 °C, 425 °C - Rev 3	2015	AIA	0
415	NA0045	BOLT, CLOSE TOLERANCE, HEXAGON HEAD, A286 CRES, 1100 MPa, METRIC - Rev 5	2015	AIA	0
416	NA0067	SCREW, DUAL WRENCHING, HEX HEAD/OFFSET CRUCIFORM, A286 CRES, FULL THREAD, 1100 MPa, METRIC - Rev 7	2015	AIA	0
417	NA0073-0074	NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FLOATING, LOW HEIGHT, CBORED, 1100 MPa, 235 °C, 425 °C - Rev 3	2015	AIA	0
418	NA0089	SCREW, PAN HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL, 1100 MPa, METRIC - Rev 4	2015	AIA	0
419	NA0134	RETAINER, FLOATING BARREL NUT, METRIC - Rev 2	2015	AIA	0
420	NA0138	KEY, WOODRUFF, CRES, METRIC - Rev 2	2015	AIA	0
421	NA0151	INSERT, SCREW THREAD, KEY LOCKED, A286 CRES, HEAVY DUTY, METRIC - Rev 4	2015	AIA	0
422	NA0258	PROCUREMENT SPECIFICATION, BOLT, METRIC, SELF-RETAINED, IMPEDANCE TYPE, 660 MPa SHEAR - Rev 1	2015	AIA	0
423	NAM51417	BOLT, MACHINE, HEX HEAD, FULLY THREADED, FINE THREAD, METRIC - Rev 3	2015	AIA	0
424	NAM51474	SCREW, CAP, HEX HEAD, FULLY THREADED, METRIC - Rev 2	2015	AIA	0
425	NAS301	WASHER, 2024 ALUMINUM ALLOY, FLAT, OVERSIZE OD - Rev 3	2015	AIA	0
426	NAS427	PIN, PULLEY GUARD - Rev 11	2015	AIA	0
427	NAS463	NUT SPACER, PLATE, PLAIN - Rev 11	2015	AIA	0
428	NAS494	TERMINAL, BALL TYPE CABLE - Rev 4	2015	AIA	0
429	NAS513	WASHER, ROD END, LOCKING - Rev 8	2015	AIA	0
430	NAS516	FITTING, LUBRICATION, .1250 INCH DRIVE, FLUSH TYPE - Rev 11	2015	AIA	0
431	NAS518	GAGE, 100 DEGREES FLAT HEAD FLUSHNESS - Rev 5	2015	AIA	0
432	NAS558	KEYS, SQUARE AND RECTANGULAR - Rev 7	2015	AIA	0
433	NAS562	CAM FOLLOWER NEEDLE BEARING, HIGH STRENGTH STUD - Rev 9	2015	AIA	0

434	NAS703	WIRE, ELECTRICAL, INSULATED, COPPER, HIGH TEMPERATURE, HOOK-UP AND GENERAL PURPOSE, FOR 200 °C SERVICE - Rev 5	2015	AIA	0
435	NAS723	SCREW, MINIATURE, 100° FLAT HEAD - Rev 4	2015	AIA	0
436	NAS724	SCREW, MINIATURE, BINDING HEAD - Rev 4	2015	AIA	0
437	NAS725	SCREWS, MINIATURE - Rev 4	2015	AIA	0
438	NAS853	FIELD FORCE, PROTECTION FROM - Rev 5	2015	AIA	0
439	NAS907	DRILLS, HIGH SPEED STEEL, COBALT, AND CARBIDE 1/16 INCH THRU 1/2 INCH - Rev 15	2015	AIA	0
440	NAS937	DRILLS, DOUBLE MARGIN STEPPED, HIGH SPEED STEEL AND COBALT, 1/8 INCH THRU 1/2 INCH - Rev 9	2015	AIA	0
441	NAS941	IDENTIFICATION MARKING OF TITANIUM SHEET - Rev 3	2015	AIA	0
442	NAS988	DRILLS, CARBIDE, DOUBLE-MARGIN, 1/8 INCH THRU 1 INCH	2015	AIA	0
443	NAS1042	SHACKLE, ANCHOR, FORGED CARBON STEEL, ROUND PIN (FOR GROUND SUPPORT EQUIPMENT) - Rev 4	2015	AIA	0
444	NAS1043	SHACKLE, CHAIN, FORGED CARBON STEEL, SCREW PIN (FOR GROUND SUPPORT EQUIPMENT) - Rev 3	2015	AIA	0
445	NAS1049	SLING LINK, WELDED, ALLOY STEEL, PEAR SHAPED, FOR GROUND SUPPORT EQUIPMENT - Rev 4	2015	AIA	0
446	NAS1055	RIVET, 100° FLUSH CLOSE TOLERANCE HEAD - Rev 6	2015	AIA	0
447	NAS1169	WASHER, DIMPLED, 100° - Rev 7	2015	AIA	0
448	NAS1199	RIVET, SOLID, 100° FLUSH HEAD, A286 CORROSION RESISTANT STEEL - Rev 6	2015	AIA	0
449	NAS1211	FITTING, TIE DOWN STRAP END - Rev 4	2015	AIA	0
450	NAS1241	RIVET, SOLID, 100° FLUSH HEAD, ALUMINUM ALLOY, MS20426 REPAIR - Rev 3	2015	AIA	0
451	NAS1251	BOLT, RING, SWIVEL - Rev 6	2015	AIA	0
452	NAS1385	STRAP ASSEMBLY, LOOP TYPE - Rev 8	2015	AIA	0
453	NAS1395	INSERT, SCREW THREAD, SELF-LOCKING AND NON SELF-LOCKING, METAL, LIGHTWEIGHT - Rev 9	2015	AIA	0
454	NAS1407	PIN, SPRING, COILED - Rev 2	2015	AIA	0
455	NAS1412	GASKET, SEALING, CUSTOM DESIGN - Rev 4	2015	AIA	0
456	NAS1436-1442	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° SHEAR HEAD, PULL-TYPE - Rev 4	2015	AIA	0
457	NAS1514	RADIOGRAPHIC STANDARD FOR CLASSIFICATION OF FUSION WELD DISCONTINUITIES - Rev 3	2015	AIA	0
458	NAS1525-1532	PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, PULL-TYPE - Rev 4	2015	AIA	0
459	NAS1554	GROMMET, PTFE, SPLIT - Rev 5	2015	AIA	0
460	NAS1555-1562	PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, STUMP-TYPE - Rev 6	2015	AIA	0
461	NAS1581	BOLT, SHEAR, 100° FLUSH REDUCED HEAD, OFFSET CRUCIFORM, OFFSET CRUCIFORM _ RIBBED AND DOVETAIL SLOT, 95 KSI FSU - Rev 13	2015	AIA	0
462	NAS1630-1634	SCREW, MACHINE, PAN HEAD, SHORT THREAD, OFFSET CRUCIFORM - Rev 10	2015	AIA	0
463	NAS1637	HANDLE, LATCHING, INTERNAL & EXTERNAL RELEASE, COMPONENTS & ASSEMBLY - Rev 3	2015	AIA	0
464	NAS1674	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, FLUSH HEAD, MILLABLE & NONMILLABLE, SELF-LOCKING - Rev 7	2015	AIA	0
465	NAS1676	WASHER, LOCK, SPRING, HELICAL, HI-COLLAR - Rev 3	2015	AIA	0
466	NAS1711	STRAP, RETAINING, CUSHIONED, RECTANGULAR, OPEN BOTTOM - Rev 6	2015	AIA	0
467	NAS1722	RIVET, BLIND, SELF-PLUGGING, MECHANICALLY LOCKED SPINDLE - Rev 3	2015	AIA	0
468	NAS1734	NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, 450 °F - Rev 6	2015	AIA	0
469	NAS1735	NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, CLOSED END, 450 °F - Rev 4	2015	AIA	0
470	NAS1736	NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, INSTALLATION DATA FOR - Rev 3	2015	AIA	0
471	NAS1757	NUT, SELF-LOCKING, 450 °F, HEXAGON, LOW HEIGHT, 80 KSI - Rev 3	2015	AIA	0
472	NAS1760	FITTING END, FLARELESS ACORN, STANDARD DIMENSIONS FOR - Rev 6	2015	AIA	0

473	NAS1742	SCREW, SELF-LOCKING, PAN HEAD, FULL THREAD, PATCH TYPE - Rev 4	2014	AIA	0
474	NAS1744	SPLICE, CONDUCTOR, SOLDER STYLE, HOT AIR OR INFRARED, SHRINKABLE, INSULATED, IMMERSION RESISTANT - Rev 5	2014	AIA	0
475	NAS1751	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 5	2014	AIA	0
476	NAS1752	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 6	2014	AIA	0
477	NAS1753	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 6	2014	AIA	0
478	NAS1754	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, FLUSH HEAD, MILLABLE & NON-MILLABLE, SELF-LOCKING, 1/64 OVERSIZE - Rev 5	2014	AIA	0
479	NAS1755	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 5	2014	AIA	0
480	NAS1716	CLAMP, LOOP, CUSHIONED, SADDLE - Rev 5	2014	AIA	0
481	NAS1677	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO PIECE - Rev 7	2014	AIA	0
482	NAS1669	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF-LOCKING - Rev 7	2014	AIA	0
483	NAS1670	FASTENER, BLIND, INTERNALLY-THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF-LOCKING - Rev 7	2014	AIA	0
484	NAS1671	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD, SELF-LOCKING - Rev 10	2014	AIA	0
485	NAS1672	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD, SELF-LOCKING - Rev 8	2014	AIA	0
486	NAS1673	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD, SELF-LOCKING - Rev 8	2014	AIA	0
487	NAS1635	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, FULL THREAD, NON-LOCKING AND SELF-LOCKING - Rev 4	2014	AIA	0
488	NAS1636	WASHER, KEY, DUAL TAB - Rev 3	2014	AIA	0
489	NAS1611	PACKING, ETHYLENE PROPYLENE, PREFORMED O-RING, PHOSPHATE ESTER RESISTANT (-65 °F TO 250 / 300 °F) - Rev 12	2014	AIA	0
490	NAS1612	PACKING, ETHYLENE PROPYLENE PREFORMED, O-RING PHOSPHATE ESTER RESISTANT, STRAIGHT THREAD TUBE FITTING BOSS (-65 °F TO 250/300 °F) - Rev 8	2014	AIA	0
491	NAS1587	WASHER, PLAIN AND CSK, 1200 °F - Rev 5	2014	AIA	0
492	NAS1523	PACKING WITH RETAINER - Rev 5	2014	AIA	0
493	NAS1446-1452	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, SHEAR, PULL-TYPE - Rev 4	2014	AIA	0
494	NAS1494	TERMINAL, LUG, SINGLE HOLE TONGUE, SINGLE BARREL, PRESSURE GRIP TYPE - Rev 2	2014	AIA	0
495	NAS1454	ROD, CONTINUOUS THREAD - Rev 5	2014	AIA	0
496	NAS1455	CHAIN, WELDLESS FLAT TYPE LINK - Rev 2	2014	AIA	0
497	NAS1456-1462	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° HEAD (MS24694), TENSION, PULL-TYPE - Rev 4	2014	AIA	0
498	NAS1414-1422	PIN, SWAGE LOCKING, STEEL, 100° SHEAR HEAD, STUMP TYPE - Rev 6	2014	AIA	0
499	NAS1397	CLAMP, LOOP, NYLON - Rev 7	2014	AIA	0
500	NAS1368	GROMMET, PLASTIC FLIP TYPE - Rev 8	2014	AIA	0
501	NAS1370-1379	DUCT, AIR, FLEXIBLE, HELIX WIRE SUPPORTED - Rev 4	2014	AIA	0

502	NAS1329	NUT, BLIND RIVET, FLAT HEAD, INTERNAL THREAD, NON-LOCKING (FREE-RUNNING) AND SELF-LOCKING (PREVAILING TORQUE) - Rev 12	2014	AIA	0
503	NAS1330	NUT, BLIND RIVET, COUNTERSUNK HEAD, INTERNAL THREAD, NON-LOCKING (FREE-RUNNING) AND SELF-LOCKING (PREVAILING TORQUE) - Rev 12	2014	AIA	0
504	NAS1351	SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF-LOCKING, ALLOY STEEL, CORROSION-RESISTANT STEEL AND HEAT-RESISTANT STEEL, UNRF-3A - Rev 11	2014	AIA	0
505	NAS1352	SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF-LOCKING, ALLOY STEEL, CORROSION-RESISTANT STEEL AND HEAT-RESISTANT STEEL, UNRC-3A AND UNRC-2A - Rev 12	2014	AIA	0
506	NAS1252	WASHER, FLAT, 7075-T6 ALUMINUM ALLOY - Rev 5	2014	AIA	0
507	NAS1266-1270	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, TITANIUM ALLOY, 160 KSI Ftu - Rev 8	2014	AIA	0
508	NAS1271-1280	BOLT, TWELVE POINT, EXTERNAL WRENCHING, TITANIUM ALLOY - Rev 9	2014	AIA	0
509	NAS1283	FASTENERS, MALE THREADED, SELF-LOCKING - Rev 6	2014	AIA	0
510	NAS1284	BUCKLE, WEB STRAP, LIGHT DUTY - Rev 5	2014	AIA	0
511	NAS1287	NULL	2014	AIA	0
512	NAS1291	NUT, SELF-LOCKING, HEXAGON, LOW HEIGHT, LIGHT WEIGHT - Rev 14	2014	AIA	0
513	NAS1297	BOLT, SHOULDER-HEXAGON HEAD - Rev 6	2014	AIA	0
514	NAS1299	SCREW, 100° FLAT HEAD, SHOULDER - Rev 4	2014	AIA	0
515	NAS1301	SCREW, PAN HEAD, ASSEMBLED WASHERS - Rev 5	2014	AIA	0
516	NAS1219	SCREW, 100° FLUSH HEAD, DOVETAIL SLOT RECESS, FULL THREAD, SELF-LOCKING OPTIONAL - Rev 11	2014	AIA	0
517	NAS1200	RIVET, SOLID, 100° FLUSH SHEAR HEAD, A286 CORROSION RESISTANT STEEL AND NICKEL-COPPER - Rev 11	2014	AIA	0
518	NAS1201	CHAIN, BEAD COMPONENTS AND ASSEMBLY - Rev 7	2014	AIA	0
519	NAS1202-1210	BOLT, 100° CLOSE TOLERANCE HEAD AND SHANK, 160,000 PSI, SHORT THREAD - Rev 11	2014	AIA	0
520	NAS1193	LOCKING DEVICE, POSITIVE INDEX - Rev 10	2014	AIA	0
521	NAS1195	SHIM, MINIATURE ANCHOR NUT - Rev 5	2014	AIA	0
522	NAS1197	WASHER, 5052 ALUMINUM ALLOY - Rev 4	2014	AIA	0
523	NAS1198	RIVET, SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT STEEL - Rev 7	2014	AIA	0
524	NAS1129	STANDOFF, THREADED, SELF-CLINCHING - Rev 3	2014	AIA	0
525	NAS1131-1138	SCREW, MACHINE, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM - Rev 13	2014	AIA	0
526	NAS1149	WASHER, FLAT - Rev 6	2014	AIA	0
527	NAS1160	BOLT, SHOULDER, HEX HEAD, CLOSE TOLERANCE, CRES, A286, 95 KSI Fsu - Rev 6	2014	AIA	0
528	NAS1081	SETSCREW, SELF-LOCKING - Rev 17	2014	AIA	0
529	NAS1056	SPACER, SLEEVE-RIVET, HIGH TEMPERATURE, NON MAGNETIC - Rev 8	2014	AIA	0
530	NAS1057	SPACER, SLEEVE, SCREW AND BOLT, HIGH TEMPERATURE, NON MAGNETIC - Rev 10	2014	AIA	0
531	NAS1051	SAFETY HOOK, FORGED CARBON STEEL, SNAP, DIRECT EYE (FOR GROUND SUPPORT EQUIPMENT) - Rev 4	2014	AIA	0
532	NAS1034-1038	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, REGULAR HEIGHT, NON-CSK - Rev 7	2014	AIA	0
533	NAS1044	SHACKLE, CHAIN, FORGED CARBON STEEL, ROUND PIN (FOR GROUND SUPPORT EQUIPMENT) - Rev 4	2014	AIA	0
534	NAS965	Drills, High Speed Steel, and Cobalt Threaded Shank 1/16 Inch Thru F - Rev 10	2014	AIA	0
535	NAS898	REAMERS, SOLID CARBIDE, RIGHT-HAND CUT, .1250 THROUGH .7500	2014	AIA	0
536	NAS622	HOOK, SUPPORT, ELECTRONIC EQUIPMENT CLAMP - Rev 4	2014	AIA	0
537	NAS662	SCREW, MACHINE, FLAT 100 DEGREE HEAD, PLAIN AND SELF-LOCKING - Rev 13	2014	AIA	0
538	NAS659	BEARING, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION - Rev 4	2014	AIA	0

539	NAS671	NUT, PLAIN, HEXAGON, SMALL PATTERN, NONSTRUCTURAL - Rev 8	2014	AIA	0
540	NAS679	NUT, SELF-LOCKING, HEXAGON, LOW HEIGHT - Rev 11	2014	AIA	0
541	NAS573	CLAMP ASSEMBLY, ELECTRONIC EQUIPMENT - Rev 8	2014	AIA	0
542	NAS574	PIN, REAR MOUNTING, ELECTRONIC EQUIPMENT - Rev 9	2014	AIA	0
543	NAS561	PINS, SPRING, SLOTTED & COILED, HEAVY DUTY - Rev 9	2014	AIA	0
544	NAS600-606	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL - Rev 10	2014	AIA	0
545	NAS607	PIN, STRAIGHT, HEADLESS, DOWEL - Rev 7	2014	AIA	0
546	NAS617	PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, SYNTHETIC LUBRICANT RESISTANT - Rev 4	2014	AIA	0
547	NAS517	SCREW, SHEAR, 100° FLUSH HEAD, ALLOY STEEL, CROSS RECESS, CLOSE TOLERANCE, 95 KSI Fsu - Rev 6	2014	AIA	0
548	NAS520	COUPLING, FLEXIBLE, LOW PRESSURE, 450 °F AIR LINE - Rev 3	2014	AIA	0
549	NAS523	FASTENER CODE - Rev 31	2014	AIA	0
550	NAS509	NUT, JAM, DRILLED AND UNDRILLED - Rev 8	2014	AIA	0
551	NAS500	SPACER, NUT, PLATE, COUNTERSUNK - Rev 10	2014	AIA	0
552	NAS410 (REDLINE)	(REDLINE) NAS CERTIFICATION & QUALIFICATION OF NONDESTRUCTIVE TEST PERSONNEL - Rev 4	2014	AIA	0
553	NAS410	NAS CERTIFICATION & QUALIFICATION OF NONDESTRUCTIVE TEST PERSONNEL - Rev 4	2014	AIA	0
554	NAS451	PLUG, BUTTON - Rev 4	2014	AIA	0
555	NAS428	BOLT, MACHINE, CROWNED HEXAGON HEAD, ADJUSTING - Rev 11	2014	AIA	0
556	NAS287	TERMINAL, CHAIN TO CABLE (FOR SWAGING) - Rev 5	2014	AIA	0
557	NA0271	PROCUREMENT SPECIFICATION, METRIC FASTENERS, CRES 300 SERIES, EXTERNALLY THREADED, MJ THREAD, 500 MPa Ftu and 700 MPa Ftu - Rev 2	2014	AIA	0
558	NAS47	SPACER, SLEEVE, NONMETALLIC, EPOXY AND PHENOLIC, SCREW AND BOLT - Rev 3	2014	AIA	0
559	NAS61	SPACER, SLEEVE, NONMETALLIC, POLYAMIDE (NYLON), SCREW AND BOLT - Rev 3	2014	AIA	0
560	NAS67	GUIDE, FASTENER, LOW FORM, COWL, DZUS TYPE - Rev 6	2014	AIA	0
561	NAS76	BUSHING, PLAIN, PRESS FIT, COPPER & BRONZE - Rev 10	2014	AIA	0
562	NAS74	BUSHING, CLAMP-UP, BRONZE - Rev 7	2014	AIA	0
563	NA0247	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, GROOVED OUTER RING, - 54 °C TO 163 °C, METRIC - Rev 3	2014	AIA	0
564	NA0135	KEY, MACHINE, SQUARE CROSS SECTION, BOTH ENDS SQUARE, ALLOY STEEL, METRIC - Rev 2	2014	AIA	0
565	NA0136	KEY, MACHINE, SQUARE CROSS SECTION, BOTH ENDS SQUARE, CRES STEEL, METRIC - Rev 2	2014	AIA	0
566	NA0137	KEY, WOODRUFF, ALLOY STEEL, METRIC - Rev 2	2014	AIA	0
567	NA0091	SCREW, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL, 1100 MPa Ftu, METRIC - Rev 4	2014	AIA	0
568	NA0092	SCREW, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, TITANIUM ALLOY, 1100 MPa Ftu, METRIC - Rev 3	2014	AIA	0
569	NA0115	ANGLE, PLAIN, EXTRUDED, ALUMINUM ALLOY, METRIC - Rev 3	2014	AIA	0
570	NA0116	Angle, Bulb, Extruded, Aluminum Alloy, Metric - Rev 3	2014	AIA	0
571	NA0117	CHANNEL, EXTRUDED, ALUMINUM ALLOY, METRIC - Rev 3	2014	AIA	0
572	NA0118	TEE, EXTRUDED ALUMINUM ALLOY, METRIC - Rev 3	2014	AIA	0
573	NA0119-0120	BRACKET, 90 DEGREE ANGLE, 2-BOLT ATTACH, METRIC - Rev 2	2014	AIA	0
574	NA0068	SCREW, MACHINE, PAN HEAD, OFFSET CRUCIFORM, A286 CRES, FULL THREAD, 1100 MPa, METRIC - Rev 8	2014	AIA	0
575	NA0011	FIXTURE, STRESS EMBRITTLEMENT TEST, SELF-LOCKING NUTS, METRIC - Rev 3	2014	AIA	0

576	NA0012	FIXTURE, BEARING SURFACE SQUARENESS TEST, SELF-LOCKING NUTS, METRIC - Rev 2	2014	AIA	0
577	NA0001-0006	RIVET, SOLID, UNIVERSAL HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC - Rev 2	2014	AIA	0
578	NA0033-0034	NUT, SELF-LOCKING, HEXAGON, EXTENDED WASHER 1100 MPa, METRIC, 235 °C AND 425 °C - Rev 4	2014	AIA	0
579	NASM21296	BOLT, TENSION, STEEL, 260 KSI Ftu, 450 °F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 4	2014	AIA	0
580	NASM21297	BOLT, TENSION, STEEL, 220 KSI Ftu, 450 °F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 3	2014	AIA	0
581	NASM21299	WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 260 KSI Ftu - Rev 3	2014	AIA	0
582	NASM21318	SCREW, DRIVE, ROUND HEAD, TYPE U, STEEL, CARBON, CADMIUM PLATED - Rev 2	2014	AIA	0
583	NASM21322	CLAMP, LOOP, ALUMINUM, PLAIN AND CUSHIONED - Rev 2	2014	AIA	0
584	NASM21224	NUT, SELF-LOCKING, CASTELLATED, HEXAGON, COUNTERBORED, ASSEMBLED WASHER, 250 °F, NON-METALLIC INSERT (FOR SELF-RETAINING BOLTS) - Rev 2	2014	AIA	0
585	NASM21225	NUT, SELF-LOCKING, CASTELLATED, HEXAGON, 800 °F - Rev 2	2014	AIA	0
586	NASM21244	NUT, CASTELLATED, HEXAGON, COUNTERBORED ASSEMBLED WASHER, 450 °F, FOR SELF-RETAINING BOLTS - Rev 2	2014	AIA	0
587	NASM21134	BOLT, TENSION, STEEL, 180 KSI Ftu, 450 °F EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED - Rev 2	2014	AIA	0
588	NASM21141	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, CORROSION RESISTING STEEL, 95 KSI Fsu	2014	AIA	0
589	NASM21098	BOLT, SELF-LOCKING, STEEL, 160 KSI Ftu, 250 °F, 12 POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS) - Rev 2	2014	AIA	0
590	NASM21096	BOLT, SELF-LOCKING, 75 KSI Fsu, 125 KSI Ftu, PAN HEAD, CRUCIFORM RECESS - Rev 1	2014	AIA	0
591	NASM21069	NUT, SELF-LOCKING, PLATE, TWO-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2014	AIA	0
592	NASM21063	NUT, SELF-LOCKING GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 250 °F - Rev 2	2014	AIA	0
593	NASM20600	RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, PROTRUDING HEAD, TYPE II - Rev 2	2014	AIA	0
594	NASM20604	RIVET, BLIND, NON-STRUCTURAL, UNIVERSAL HEAD, CLASS 1 - Rev 3	2014	AIA	0
595	NASM20068	KEY, MACHINE, SQUARE IN CROSS SECTION, BOTH ENDS ROUND - Rev 2	2014	AIA	0
596	NASM20073	BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, FINE THREAD - Rev 2	2014	AIA	0
597	NASM20074	BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, COARSE THREAD - Rev 3	2014	AIA	0
598	NASM20065	KEY, MACHINE, RECTANGULAR IN CROSS SECTION, BOTH ENDS SQUARE - Rev 2	2014	AIA	0
599	NASM20066	KEY, MACHINE, SQUARE IN CROSS SECTION, BOTH ENDS SQUARE - Rev 2	2014	AIA	0
600	NASM20002	WASHER, COUNTERSUNK AND PLAIN, HIGH STRENGTH - Rev 3	2014	AIA	0
601	NASM20004-20024	BOLTS, INTERNAL WRENCHING, 160 KSI FTU AND 96 KSI FSU - Rev 4	2014	AIA	0
602	NASM14218	RIVET, SOLID, 120° FLUSH INTERFERENCE SHEAR HEAD - Rev 2	2014	AIA	0
603	NASM16555	PIN, STRAIGHT, HEADLESS, DOWEL, .0002 OVER NOMINAL SIZE - Rev 3	2014	AIA	0
604	NASM16556	PIN, STRAIGHT, HEADLESS (DOWEL) (.001 OVER NOMINAL SIZE) - Rev 2	2014	AIA	0
605	NASM16562	PIN, SPRING, TUBULAR, SLOTTED - Rev 2	2014	AIA	0
606	NASM16995	SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNC-3A - Rev 2	2014	AIA	0
607	NASM15795	WASHER, FLAT, METAL, ROUND, GENERAL PURPOSE - Rev 2	2014	AIA	0
608	NASM15981	FASTENERS, EXTERNALLY THREADED, SELF-LOCKING DESIGN AND USAGE LIMITATIONS FOR - Rev 2	2014	AIA	0
609	NASM14181	BOLT, TENSION, NICKEL ALLOY 718, 220 KSI Ftu, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 4	2014	AIA	0

610	NASM14155	WASHER, RECESSED COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 180 KSI Ftu - Rev 2	2014	AIA	0
611	NASM8975-6	NULL	2014	AIA	0
612	NASM8906	BOLT, ALLOY STEEL, SHEAR AND TENSILE (132 KSI MIN Fsu AND 220 KSI MIN Ftu), 450 °F, SPLINE DRIVE, GENERAL SPECIFICATION FOR - Rev 2	2014	AIA	0
613	NASM3036	GROMMETS, RUBBER, HOT-OIL AND COOLANT RESISTANT - Rev 2	2014	AIA	0
614	NASM316	NUT, JAM, HEXAGON - Rev 2	2014	AIA	0
615	NASM525	SCREW, WASHER HEAD - Rev 3	2014	AIA	0
616	NASM565	SETSCREW, HEXAGON AND FLUTED SOCKET, HEADLESS - Rev 4	2014	AIA	0
617	NASM970	WASHER, FLAT - Rev 2	2014	AIA	0
618	NASM3-20	BOLT, MACHINE, AIRCRAFT - Rev.3	2014	AIA	0
619	NASM42-49	BOLT, EYE - Rev 2	2014	AIA	0
620	NASM229	FASTENERS, INTERLOCKING SLIDE - REV 2	2014	AIA	0
621	NAS9312	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE B, CLASS 4, CODE M - Rev 5	2014	AIA	0
622	NAS9800	HEAD PROTRUSION GAGING, 100° FLUSH HEAD FASTENERS, GAGE BLOCK, GAGE DIAMETERS AND STYLUS - Rev 3	2014	AIA	0
623	NAS9922	SCREW, CAP, TENSION, INTERNAL WRENCHING, UNDRILLED AND DRILLED, LOCKING AND NON-LOCKING, 6AL-4V TITANIUM, 160 KSI Ftu - Rev 1	2014	AIA	0
624	NAS9315	RIVET, BLIND, SPINDLE, PULLING SERRATIONS, DIMENSIONS FOR - Rev 2	2014	AIA	0
625	NAS9301	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 1, CODE B AND E - Rev 6	2014	AIA	0
626	NAS9302	RIVET, BLIND, 100o FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE B AND E - Rev 6	2014	AIA	0
627	NAS9303	RIVET, BLIND, 100o FLUSH SHEAR HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE B AND E - Rev 6	2014	AIA	0
628	NAS9304	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE B AND E (OVERSIZE DIAMETER) - Rev 6	2014	AIA	0
629	NAS9305	RIVET, BLIND, 100 DEGREES FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE B AND E (OVERSIZE DIAMETER) - Rev 6	2014	AIA	0
630	NAS7900-7906	BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, RIBBED CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, SELF-LOCKING AND NONLOCKING - Rev 6	2014	AIA	0
631	NAS6974-6982	PIN, SWAGE LOCKING, A286 CRES, 100° SHEAR HEAD, STUMP-TYPE - Rev 4	2014	AIA	0
632	NAS7024-7032	PIN, SWAGE LOCKING, 108 KSI STEEL, 100° SHEAR/TENSION HEAD, PULL-TYPE - Rev 3	2014	AIA	0
633	NAS7034-7042	PIN, SWAGE LOCKING, ALLOY STEEL, 108 KSI Fsu, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE - Rev 3	2014	AIA	0
634	NAS6303-6320	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 10	2014	AIA	0
635	NAS4006	ALUMINUM COATING - Rev 5	2014	AIA	0
636	NAS4452	PIN, CRIMP, 100° FLUSH SHEAR HEAD - Rev 4	2014	AIA	0
637	NAS3306	FACILITY REQUIREMENTS FOR AIRCRAFT OPERATIONS - Rev 3	2014	AIA	0
638	NAS1930	RING, RETAINING - Rev 2	2014	AIA	0
639	NAS1924	CLAMP, HOSE - Rev 4	2014	AIA	0
640	NAS1831	POST, ELECTRICAL, MECHANICAL EQUIPMENT - Rev 4	2014	AIA	0
641	NAS1785	NULL	2014	AIA	0

642	NAS1789	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, FLOATING, LOW HEIGHT, REDUCED RIVET SPACING, CBORED, 160 KSI, 450 °F, 800 °F - Rev 3	2014	AIA	0
643	NAS1829	POST, ELECTRICAL, MECHANICAL EQUIPMENT, STUD TYPE - Rev 5	2014	AIA	0
644	NASM124651-124690	INSERT, CRES, HELICAL COIL, FINE THREAD, 1 DIA NOMINAL LENGTH - Rev 2	2014	AIA	0
645	NASM124691-124730	INSERT, CRES, HELICAL COIL, FINE THREAD 1-1/2 DIA NOMINAL LENGTH - Rev 2	2014	AIA	0
646	NASM122076-122115	INSERT, CRES, HELICAL COIL, COARSE THREAD, 1 DIA NOMINAL LENGTH - REV 2	2014	AIA	0
647	NASM122116-122155	INSERT, CRES, HELICAL COIL, COARSE THREAD, 1-1/2 DIA NOMINAL LENGTH - REV 2	2014	AIA	0
648	NASM122156-122195	INSERT, CRES, HELICAL COIL, COARSE THREAD, 2 DIA NOMINAL LENGTH - Rev 2	2014	AIA	0
649	NASM85449-1	NULL	2014	AIA	0
650	NASM90120	KNOBS, CONTROL, BAR, PLASTIC - Rev 2	2014	AIA	0
651	TCS001	TRADE COMPLIANCE STANDARD 001 (TCS001) _ DOCUMENT MARKING, STORAGE, AND ELECTRONIC TRANSMISSION OF TECHNICAL DATA	2014	AIA	0
652	NASM171401-171900	PIN, SPRING, CORROSION RESISTANT STEEL - Rev 3	2014	AIA	0
653	NASM45938-2	NULL	2014	AIA	0
654	NASM39087	HANDLE, BOW - Rev 2	2014	AIA	0
655	NASM35338	WASHER, LOCK-SPRING, HELICAL, REGULAR (MEDIUM) SERIES - Rev 3	2014	AIA	0
656	NASM35206	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, CARBON STEEL, UNC-2A - Rev 3	2014	AIA	0
657	NASM35275	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION-RESISTING STEEL, PASSIVATED, UNC-2A - Rev 2	2014	AIA	0
658	NASM33737	NUT, SHEET SPRING, INSTRUMENT MOUNTING - Rev 2	2014	AIA	0
659	NASM28728-5	NULL	2014	AIA	0
660	NASM28728-6	NULL	2014	AIA	0
661	NASM28728-7	NULL	2014	AIA	0
662	NASM28728-8	NULL	2014	AIA	0
663	NASM24671	SCREW, CAP, SOCKET HEAD, FLAT COUNTERSUNK, 82°, CORROSION-RESISTING STEEL, UNC-3A - Rev 2	2014	AIA	0
664	NASM24673	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION-RESISTING STEEL (UNF-3A) - Rev 2	2014	AIA	0
665	NASM24674	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED, CORROSION RESISTANT STEEL (UNC-3A) - Rev 2	2014	AIA	0
666	NASM24677	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED, ALLOY STEEL (UNC-3A) - Rev 2	2014	AIA	0
667	NASM24678	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED, ALLOY STEEL (UNF-3A) - Rev 2	2014	AIA	0
668	NASM21333	CLAMP, LOOP, STEEL, PLAIN AND CUSHIONED - Rev 2	2014	AIA	0
669	NASM22529	GROMMET, EDGING - Rev 2	2014	AIA	0
670	NASM21472	SCREW, SHOULDER, HEXAGON SOCKET-HEAD AND SLOTTED-HEAD, GENERAL SPECIFICATION FOR - Rev 2	2014	AIA	0
671	NASM81177-2	NULL	2014	AIA	0
672	NASM77072	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE - Rev 2	2014	AIA	0
673	NASM77073	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE FLAT, ONE HOLE - Rev 2	2014	AIA	0
674	NASM51963	SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 2	2014	AIA	0

675	NASM51964	SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 3	2014	AIA	0
676	NASM51958	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, CORROSION RESISTING STEEL, UNF-2A - Rev 2	2014	AIA	0
677	NASM51833	STUD, LOCKED IN, KEY-LOCKED, LIGHTWEIGHT - Rev 2	2014	AIA	0
678	NASM51023	SETSCREW, HEXAGON SOCKET, CUP POINT, CORROSION RESISTANT STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 2	2014	AIA	0
679	NASM51031	NULL	2014	AIA	0
680	NASM51038	NULL	2014	AIA	0
681	NASM51045	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, CORROSION RESISTANT STEEL, PASSIVATED, UNC-3A - Rev 2	2014	AIA	0
682	NASM51047	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, CORROSION RESISTANT STEEL, PASSIVATED, UNF-3A - Rev 2	2014	AIA	0
683	NASM47196	PREPARATION FOR AND INSTALLATION OF BUCK-TYPE RIVETS - Rev 2	2013	AIA	0
684	NASM45938-13	NULL	2013	AIA	0
685	NASM51975	SCREW, SHOULDER, SOCKET HEAD, HEXAGON ALLOY STEEL OR NICKEL-COPPER ALLOY, UNC-3A - Rev 4	2013	AIA	0
686	NASM63540-4	NULL	2013	AIA	0
687	NASM63540-5	NULL	2013	AIA	0
688	NASM83050	BOLT, SELF-RETAINING, IMPEDANCE TYPE - Rev 2	2013	AIA	0
689	NASM24627	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T, FLAT 82 degrees COUNTERSUNK HEAD, CRUCIFORM RECESS, CARBON STEEL - Rev 1	2013	AIA	0
690	NASM25049	KNOBS, CONTROL, ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR - Rev 1	2013	AIA	0
691	NASM27954	TURNBUCKLE, BODY, GENERAL PURPOSE - Rev 1	2013	AIA	0
692	NASM27039	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS - Rev 5	2013	AIA	0
693	NASM33537	INSERT, SCREW THREAD, HELICAL COIL, INCH SERIES, COARSE AND FINE THREAD, STANDARD ASSEMBLY DIMENSIONS FOR - Rev 2	2013	AIA	0
694	NASM27983	Fasteners, Snap, Style 4 (Three Way Locking Type) - Rev 1	2013	AIA	0
695	NASM35333	WASHER, LOCK, FLAT, INTERNAL TOOTH - Rev 3	2013	AIA	0
696	NASM45938-3	NULL	2013	AIA	0
697	NASM45915	STUD, LOCKED IN, KEY LOCKED, GENERAL SPECIFICATION FOR - Rev 1	2013	AIA	0
698	NASM45595-8	NULL	2013	AIA	0
699	NASM45938-5	NULL	2013	AIA	0
700	NASM45938-10	NULL	2013	AIA	0
701	NASM124731-124770	INSERT, CRES, HELICAL COIL FINE THREAD, 2 DIA NOMINAL LENGTH - Rev 2	2013	AIA	0
702	NASM85353-1	NULL	2013	AIA	0
703	NAS1830	POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE - Rev 3	2013	AIA	0
704	NAS1771	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, 160 KSI, 450 °F, 800 °F - Rev 2	2013	AIA	0
705	NAS1838	INSERTS, SCREW THREAD, METALLIC, KEYRING LOCKED, SPECIFICATION FOR - Rev 2	2013	AIA	0
706	NAS1802	SCREW, HEX HEAD, CRUCIFORM RECESS, FULL THREAD, A286 CRES, 160 KSI Ftu - Rev 9	2013	AIA	0
707	NAS1972-1980	BOLT, SHEAR, 100° FLUSH HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev. 7	2013	AIA	0
708	NAS2832-2840	BOLT, 100° FLAT HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 180 KSI - Rev 4	2013	AIA	0

709	NAS2842-2850	BOLT, BRAZIER HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 180 KSI - Rev 5	2013	AIA	0
710	NAS2852-2860	BOLT, 100° CROWN REDUCED HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev 4	2013	AIA	0
711	NAS2803-2810	BOLT, 100° HEAD, OFFSET CRUCIFORM, CLOSE TOLERANCE, 180,000 PSI - Rev 7	2013	AIA	0
712	NAS1992-2000	BOLT, FLAT, 100° REDUCED HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev 7	2013	AIA	0
713	NAS3400	VOLATILE CORROSION INHIBITOR - Rev 4	2013	AIA	0
714	NAS3401	WRAP, WITH STIFFENER - Rev 2	2013	AIA	0
715	NAS3402	BAG, TRANSPARENT, SINGLE ITEM - Rev 3	2013	AIA	0
716	NAS3403	BAG, TRANSPARENT, MULTIPLE ITEM - Rev 3	2013	AIA	0
717	NAS3404	BAG, TRANSPARENT, INDIVIDUAL BOX - Rev 3	2013	AIA	0
718	NAS3405	BAG, TRANSPARENT, SINGLE ITEM, WITH ACCESSORIES - Rev 3	2013	AIA	0
719	NAS4122	HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, EXTRUDED - REV 1	2013	AIA	0
720	NAS4160	PLATING, CADMIUM, ELECTRODEPOSITED, FOR FASTENERS - Rev 1	2013	AIA	0
721	NAS3453	Fasteners, Aerospace, Packaging of - Rev 1	2013	AIA	0
722	NAS3602	NULL	2013	AIA	0
723	NAS3620	NULL	2013	AIA	0
724	NAS3427	MULTIPLE LEAD DEVICES, INDIVIDUAL PACKAGING OF - Rev 2	2013	AIA	0
725	NAS3423	CONTOURED ITEMS, PACKAGING OF WAVEGUIDES, ETC. - Rev 2	2013	AIA	0
726	NAS3424	HOSE, HOSE ASSEMBLIES, PACKAGING OF - Rev 2	2013	AIA	0
727	NAS3434	PRECISION MACHINED ITEMS, PACKAGING OF - Rev 3	2013	AIA	0
728	NAS3437	WRAP, SINGLE FACE CORRUGATED PAPER - Rev 3	2013	AIA	0
729	NAS3439	BOX, MULTIPLE QUANTITIES, TIGHTLY PACKED - Rev 2	2013	AIA	0
730	NAS3443	NULL	2013	AIA	0
731	NAS3449	HOSES/TUBES, PREFORMED OR STRAIGHT, MULTIPLE PACKAGING OF - Rev 2	2013	AIA	0
732	NAS3451	CASTINGS, PACKAGING OF - Rev 2	2013	AIA	0
733	NAS6403-6420	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD, REDUCED MAJOR THREAD DIAMETER, SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 14	2013	AIA	0
734	NAS6603-6620	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, REDUCED MAJOR DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 9	2013	AIA	0
735	NAS6703-6720	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 11	2013	AIA	0
736	NAS6803-6820	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, LONG THREAD, REDUCED MAJOR THREAD DIAMETER, SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 9	2013	AIA	0
737	NAS5319	SCREW, SHEAR, 100 DEG FLUSH HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 95 KSI Fsu - Rev 3	2013	AIA	0
738	NAS5313	SCREW, SHEAR, FLAT FILLISTER HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 1	2013	AIA	0
739	NAS5317	SCREW, PAN HEAD, FULL THREAD, SELF-LOCKING, NAS1800 SIX LOBE RECESS - Rev 2	2013	AIA	0
740	NAS7100	RECESS, RIBBED CRUCIFORM, DIMENSIONS OF RECESS AND GAGES - Rev 9	2013	AIA	0
741	NAS7004-7012	PIN, SWAGE LOCKING, A286 CRES, 100° SHEAR/TENSION HEAD, PULL-TYPE - Rev 3	2013	AIA	0
742	NAS6914	PIN, SWAGE LOCKING, PH13-8Mo CRES, PROTRUDING HEAD, SHEAR, PULL-TYPE - Rev 2	2013	AIA	0
743	NAS6203-6220	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 10	2013	AIA	0
744	NAS6946-6952	PIN, SWAGE LOCKING, A286 CRES, 100 Degrees HEAD (MS24694), TENSION, PULL-TYPE - Rev 2	2013	AIA	0
745	NAS6955-6962	PIN, SWAGE LOCKING, A286 CRES, 100 Degrees HEAD (MS20426), TENSION, PULL-TYPE - Rev 2	2013	AIA	0

746	NAS6965-6972	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, TENSION, PULL-TYPE - Rev 2	2013	AIA	0
747	NAS7600-7616	BOLT, 100 Degrees HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, 6Al-4V TITANIUM ALLOY, SHORT THREAD, SELF-LOCKING AND NONLOCKING - Rev 7	2013	AIA	0
748	NAS8100-8106	SCREW, PAN HEAD, RIBBED CRUCIFORM RECESS, A286 CRES, FULL THREAD, SELF-LOCKING AND NONLOCKING - Rev 6	2013	AIA	0
749	NAS9924	CYBER SECURITY BASELINE - Rev 1	2013	AIA	0
750	NAS9925	FASTENER, RECESS DRIVE, 180 KSI, GENERAL SPECIFICATION FOR	2013	AIA	0
751	NAS10000	NA Documents Preparation and Maintenance in SI (Metric) Units - Rev 3	2013	AIA	0
752	NASM1312-6	FASTENER TEST METHODS, METHOD 6, HARDNESS - Rev 1	2013	AIA	0
753	NASM1312-9	FASTENER TEST METHODS METHOD 9 STRESS CORROSION - Rev 1	2013	AIA	0
754	NASM961	WASHER, FLAT, ELECTRICAL - Rev 2	2013	AIA	0
755	NASM1312-13	FASTENER TEST METHODS METHOD 13 DOUBLE SHEAR TEST - Rev 2	2013	AIA	0
756	NASM3369	BOLT, SELF-RETAINING, POSITIVE LOCKING, CRES, 90 KSI Fsu, 63 KSI Ftu, HEXAGON SLOTTED HEAD, 450 Degrees F AND 650 Degrees F - Rev 1	2013	AIA	0
757	NASM1312-11	FASTENER TEST METHODS METHOD 11 TENSION FATIGUE - REV 1	2013	AIA	0
758	NASM8907	BOLT, ALLOY STEEL, SHEAR AND TENSILE (156 KSI MIN Fsu AND 260 KSI MIN Ftu), 450 °F, EXTERNAL WRENCHING, FLANGED HEAD - Rev 1	2013	AIA	0
759	NASM8814	Rivets, Blind, Nonstructural Type - Rev 2	2013	AIA	0
760	NASM4751	CASTERS, RIGID AND SWIVEL, PRECISION HEAVY DUTY AND SHOCK ABSORBING - REV 1	2013	AIA	0
761	NASM5673	PIN, STRAIGHT, HEADED - Rev 1	2013	AIA	0
762	NASM7838	BOLT, INTERNAL WRENCHING, 160 KSI Ftu - Rev 4	2013	AIA	0
763	NASM8984	NUT, SELF-LOCKING, STEEL, 260 KSI FTU, 450 Degrees F - Rev 1	2013	AIA	0
764	NASM8975-1	NULL	2013	AIA	0
765	NASM14157	BOLT, WHEEL, TENSION, FLANGED, STEEL, 180 KSI Ftu, 450 °F, EXTERNAL SPLINE DRIVE - Rev 2	2013	AIA	0
766	NASM14164	NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 220 KSI Ftu, 450 degree F, SPLINE DRIVE - Rev 1	2013	AIA	0
767	NASM14491	NUT, WHEEL, SELF-LOCKING, FLANGED, NICKEL ALLOY 718, 220 KSI Ftu, 450 Degrees F, SPLINE DRIVE - Rev 1	2013	AIA	0
768	NASM16610	Pin, Tapered, Plain - Rev 1	2013	AIA	0
769	NASM14219	RIVET, SOLID, 120° FLUSH INTERFERENCE, TENSION TYPE HEAD - Rev 2	2013	AIA	0
770	NASM14222	NUT, SELF-LOCKING, 450 Degrees F, HEXAGON, REDUCED HEAD HEIGHT, RING BASE, CRES - Rev 1	2013	AIA	0
771	NASM16208	BOLT, TENSION, HEXAGON HEAD, FINISHED, CRES, UNC-2A, NON-MAGNETIC, 75 KSI FTU - Rev 3	2013	AIA	0
772	NASM16491-3	NULL	2013	AIA	0
773	NASM17828	NUT, SELF-LOCKING, HEXAGON REGULAR-HEIGHT, (NON-METALLIC INSERT) 250 °F OR 450 °F, NICKEL-COPPER ALLOY - Rev 1	2013	AIA	0
774	NASM20426	RIVET, SOLID, COUNTERSUNK 100°, PRECISION HEAD, ALUMINUM AND TITANIUM COLUMBIUM ALLOY - Rev 3	2013	AIA	0
775	NASM20470	RIVET, SOLID, UNIVERSAL HEAD, ALUMINUM ALLOY AND TITANIUM COLUMBIUM ALLOY - Rev 2	2013	AIA	0
776	NASM21042	NUT, SELF-LOCKING, 450 DEGREES F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, NON-CORROSION RESISTANT STEEL - REV 1	2013	AIA	0
777	NASM21043	NUT, SELF-LOCKING, 800 DEGREES F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, CRES - Rev 3	2013	AIA	0
778	NASM21045	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 450 °F, 125 KSI Ftu - Rev 3	2013	AIA	0
779	NASM21061	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 Degrees F - Rev 2	2013	AIA	0
780	NASM21066	NUT, SELF-LOCKING, GANG CHANNEL, 100 Degrees CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 250 Degrees F - Rev 1	2013	AIA	0

781	NASM21143-1	NULL	2013	AIA	0
782	NASM21133	NUT, SELF-LOCKING, STEEL, 180 KSI Ftu, 450 °F, FLANGED, MS33787 WRENCHING ELEMENT - Rev 2	2013	AIA	0
783	NASM21209	INSERT, SCREW THREAD, COARSE AND FINE, SCREW LOCKING, HELICAL COIL, CRES - Rev 3	2013	AIA	0
784	NASM21250	BOLT, TENSION, STEEL, EXTERNAL WRENCHING, FLANGED, 12-POINT, 180 KSI Ftu, 450 °F - Rev 2	2013	AIA	0
785	NA0007	METRIC FASTENERS, TITANIUM ALLOY, EXTERNALLY THREADED, 1100 MPa TENSILE, 660 MPa SHEAR - Rev 3	2013	AIA	0
786	NA0008	PROCUREMENT SPECIFICATION, METRIC FASTENERS, ALLOY STEEL, EXTERNALLY THREADED, 1100 MPa TENSILE, 660 MPa SHEAR - Rev 3	2013	AIA	0
787	NA0044	NUT, SELF-LOCKING, 425 °C, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 3	2013	AIA	0
788	NA0056	Rivet - Solid, Reduced Countersunk 100 Degree Head, Monel, Metric - Rev 1	2013	AIA	0
789	NA0057	PROCUREMENT SPECIFICATION, METRIC FASTENERS, ALLOY STEEL, EXTERNALLY THREADED, 1250 MPa TENSILE, 750 MPa SHEAR - Rev 3	2013	AIA	0
790	NA0150	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, HEAVY DUTY, METRIC - Rev 3	2013	AIA	0
791	NA0140-0144	WASHER, DIMPLED, 100 Degrees, METRIC - Rev 1	2013	AIA	0
792	NA0274	SCREW, CAP, SOCKET HEAD, FULL THREAD, 300 SERIES CRES, 500 MPa Ftu, METRIC - Rev 1	2013	AIA	0
793	NA0276	INSERT, SCREW THREAD, HELICAL COIL, FREE RUNNING AND SELF-LOCKING, TANGLESS, METRIC - Rev 3	2013	AIA	0
794	NA0161	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 1	2013	AIA	0
795	NAS77	BUSHING, FLANGED, PRESS FIT STEEL, CRES, BRONZE & COPPER - Rev 15	2013	AIA	0
796	NAM1312-111	FASTENER TEST METHODS, METRIC METHOD 111 TENSION FATIGUE - Rev 1	2013	AIA	0
797	NAS302-310	CABLE ASSEMBLY, SWAGED TYPE, TYPE I TERMINALS - Rev 6	2013	AIA	0
798	NAS312-320	CABLE ASSEMBLY, SWAGED TYPE, TYPE I AND TYPE II TERMINALS - Rev 6	2013	AIA	0
799	NAS322-330	CABLE ASSEMBLY, SWAGED TYPE, TYPE II TERMINALS - REV 7	2013	AIA	0
800	NAS0331	BEARING INSTALLATION AND RETENTION BY SWAGING OR STAKING. - REV 1	2013	AIA	0
801	NAS333-340	NULL	2013	AIA	0
802	NAS411-1	HAZARDOUS MATERIAL TARGET LIST	2013	AIA	0
803	NAS411	Hazardous Materials Management Program - Rev 3	2013	AIA	0
804	NAS412	FOREIGN OBJECT DAMAGE/ FOREIGN OBJECT DEBRIS (FOD) PREVENTION - Rev 1	2013	AIA	0
805	NAS469	NULL	2013	AIA	0
806	NAS467	BOLT, HEX HEAD, BRASS, ELECTRICAL - Rev 7	2013	AIA	0
807	NAS583-590	SCREW, SHEAR, 100° FLUSH HEAD, ALLOY STEEL, 95 KSI Fsu - Rev 16	2013	AIA	0
808	NAS580	INVOLUTE SPLINE, HOLE, 30 Degrees FULL FILLET - Rev 2	2013	AIA	0
809	NAS620	WASHER, FLAT, REDUCED OUTSIDE DIAMETER - Rev 8	2013	AIA	0
810	NAS621	FASTENERS, TITANIUM ALLOY PROCUREMENT SPECIFICATION - Rev 13	2013	AIA	0
811	NAS726	GEAR, SPUR, 20° INVOLUTE, LOW INERTIA, 48 AND FINER PITCH - Rev 1	2013	AIA	0
812	NAS809	SPECIFICATION, AIRCRAFT SEATS AND BERTHS - Rev 1	2013	AIA	0
813	NAS888	SIGHT LEVELS FOR OPTICAL TOOLING - Rev 1	2013	AIA	0
814	NAS901	TELESOPES AND COLLIMATORS FOR OPTICAL TOOLING - Rev 3	2013	AIA	0
815	NAS908	GLOSSARY OF OPTICAL TOOLING TERMS - Rev 2	2013	AIA	0
816	NAS938	MACHINE AXIS AND MOTION NOMENCLATURE - Rev 3	2013	AIA	0
817	NAS854	HAZARDOUS MATERIAL PACKAGING STANDARD PACKAGING AND SAFETY DATA SHEET NAS854 PREPARATION - Rev 2	2013	AIA	0

818	NAS851	GENERAL PACKAGING STANDARD INDEXES - Rev 7	2013	AIA	0
819	NAS852	QUALITY ASSURANCE, GENERAL GUIDANCE - Rev 1	2013	AIA	0
820	NAS876	Alignment Lasers for Optical Tooling - Rev 1	2013	AIA	0
821	NAS883	MIRROR TARGETS, OPTICAL TOOLING FRONT SURFACE AND PLANO-PARALLEL - Rev 1	2013	AIA	0
822	NAS886	JIG TRANSIT & JIG TRANSIT SQUARES FOR OPTICAL TOOLING - Rev 1	2013	AIA	0
823	NAS831	CAP, PROTECTIVE, ELECTRICAL CONNECTOR - Rev 1	2013	AIA	0
824	NAS837	PLUG, PROTECTIVE, ELECTRICAL CONNECTOR - Rev 1	2013	AIA	0
825	NAS942	NULL	2013	AIA	0
826	NAS970	TOOL HOLDERS-BASIC FOR NUMERICALLY CONTROLLED MACHINE TOOLS - Rev 3	2013	AIA	0
827	NAS953	NULL	2013	AIA	0
828	NAS954	NULL	2013	AIA	0
829	NAS955	NULL	2013	AIA	0
830	NAS956	NULL	2013	AIA	0
831	NAS960	NULL	2013	AIA	0
832	NAS983	NULL	2013	AIA	0
833	NAS984	NULL	2013	AIA	0
834	NAS985	NULL	2013	AIA	0
835	NAS972	NULL	2013	AIA	0
836	NAS979	NULL	2013	AIA	0
837	NAS1045	THIMBLE, HEAVY, WROUGHT STEEL, WIRE CABLE, FOR GROUND SUPPORT EQUIPMENT - Rev 4	2013	AIA	0
838	NAS995	SPECIFICATION FOR COMPUTERIZED NUMERICAL CONTROL (CNC) - Rev 2	2013	AIA	0
839	NAS987	TOOL HOLDER, NOSE CONFIGURATION - MACHINE TOOLS - Rev 2	2013	AIA	0
840	NAS1030	NUT, SELF-LOCKING, PLATE, ONE LUG, REGULAR HEIGHT, NON-CSK, BEVEL SEAT - Rev 5	2013	AIA	0
841	NAS1031	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, FLOATING - Rev 7	2013	AIA	0
842	NAS1032	NUT, SELF-LOCKING, PLATE, ONE LUG, REGULAR HEIGHT, NON-CSK, FLOATING - Rev 7	2013	AIA	0
843	NAS1101	SCREW, MACHINE, FLAT FILLISTER HEAD, FULL THREAD, OFFSET CRUCIFORM - Rev 12	2013	AIA	0
844	NAS1102	SCREW, MACHINE, FLAT 100 Degrees HEAD, FULL THREAD, OFFSET CRUCIFORM - Rev 10	2013	AIA	0
845	NAS1054	RIVET, PROTRUDING HEAD - Rev 5	2013	AIA	0
846	NAS1080	COLLAR, SWAGE LOCKING FOR PULL-TYPE AND STUMP-TYPE LOCKBOLTS - Rev 14	2013	AIA	0
847	NAS1130	INSERT, SCREW THREAD, HELICAL COIL, FREE RUNNING AND SELF-LOCKING, TANGLESS - Rev 5	2013	AIA	0
848	NAS1261-1265	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, SHORT THREAD, TITANIUM ALLOY, 160 KSI Ft <sub>u</sub> - Rev 7	2013	AIA	0
849	NAS1382	FITTING, TIE DOWN STRAP END, LIGHT DUTY - Rev 4	2013	AIA	0
850	NAS1396	CHAIN, WELDED TWIST LINK, SHORT LINK PATTERN - Rev 1	2013	AIA	0
851	NAS1423	NUT, PLAIN, HEXAGON, DRILLED JAM, THIN - Rev 4	2013	AIA	0
852	NAS1434	RADIOGRAPHIC STANDARDS FOR MAGNESIUM ALLOY CASTINGS - Rev 2	2013	AIA	0
853	NAS1563	GAGES, PINS AND COLLAR INSPECTION, SWAGE LOCKING - Rev 11	2013	AIA	0
854	NAS1535-1542	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM20426), TENSION, PULL-TYPE - Rev 4	2013	AIA	0
855	NAS1717	NULL	2013	AIA	0
856	NAS1718	NULL	2013	AIA	0
857	NAS1712	CLAMP, LOOP, CUSHIONED, RECTANGULAR - Rev 8	2013	AIA	0
858	NAS1686	RIVET, BLIND, ALUMINUM SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 4	2013	AIA	0

859	NAS1740	RIVET, BLIND, SELF-PLUGGING, MECHANICALLY LOCKED SPINDLE, BULBED. - Rev 9	2013	AIA	0
860	NAS1727	NUT, SELF-LOCKING, ALIGNING, 450 °F AND 800 °F - Rev 6	2012	AIA	0
861	NAS1737	INSTALLATION TORQUE LIMITS FOR 160 KSI THREADED FASTENER SYSTEMS SUBJECT TO PERIODIC REMOVAL - Rev 1	2012	AIA	0
862	NAS1738	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 4	2012	AIA	0
863	NAS1739	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 6	2012	AIA	0
864	NAS1723	EYELET, METALLIC, ELECTRICAL, ROLLED FLANGED TYPE - Rev 2	2012	AIA	0
865	NAS1724	FASTENER, SHEAR, 100° STANDARD FLUSH HEAD, TAPERED SHANK (TS), 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu, 156 KSI Fsu - Rev 3	2012	AIA	0
866	NAS1729	FASTENER, SHEAR, PROTRUDING HEAD, TAPERED SHANK (TS), OVERSIZE, 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu & 156 KSI Fsu - Rev 3	2012	AIA	0
867	NAS1730	FASTENER, TAPER SHANK - Rev 3	2012	AIA	0
868	NAS1731	NUT, BLIND, SERRATED HEAD, SELF-LOCKING, 450 °F - Rev 2	2012	AIA	0
869	NAS1732	NUT, BLIND, SERRATED HEAD, SELF-LOCKING, CLOSED END, 450 °F - Rev 2	2012	AIA	0
870	NAS1756	Streamer, Warning - Rev 3	2012	AIA	0
871	NAS1761	ELBOW, REDUCER, 45°, FLARELESS TUBE TO SWIVEL - Rev 3	2012	AIA	0
872	NAS1762	ELBOW REDUCER, 90°, FLARELESS TUBE TO SWIVEL - Rev 3	2012	AIA	0
873	NAS1763	TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - Rev 3	2012	AIA	0
874	NAS1764	TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON SIDE - Rev 3	2012	AIA	0
875	NAS1758	NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, 220 KSI, 450 °F - Rev 2	2012	AIA	0
876	NAS1747	SPLICE, CONDUCTOR AND SHIELD TERMINATION, SOLDER STYLE, HEAT SHRINKABLE, INSULATED, SPECIFICATION FOR - Rev 5	2012	AIA	0
877	NAS1687	RIVET, BLIND, NICKEL-COPPER AND NICKEL ALLOY, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 3	2012	AIA	0
878	NAS1688	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARED - Rev 1	2012	AIA	0
879	NAS1689	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS - Rev 1	2012	AIA	0
880	NAS1690	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARED - Rev 1	2012	AIA	0
881	NAS1691	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARELESS - Rev 1	2012	AIA	0
882	NAS1684	EYELET, METALLIC, ELECTRICAL, FLAT FLANGED TYPE - Rev 1	2012	AIA	0
883	NAS1703-1710	BOLT, 100° FLUSH HEAD, .0156 OVERSIZE, ALLOY STEEL, 160 KSI FtU - Rev. 10	2012	AIA	0
884	NAS1575	COVER, SWITCH FITTING BOX, WEATHERPROOF - Rev 2	2012	AIA	0
885	NAS1578	BOLT, SHEAR, FLAT PAN HEAD, CLOSE TOLERANCE, DOVETAIL SLOT, OFFSET CRUCIFORM, AND OFFSET CRUCIFORM-RIBBED, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 14	2012	AIA	0
886	NAS1613	PACKING, PREFORMED, ETHYLENE PROPYLENE RUBBER - Rev 6	2012	AIA	0
887	NAS1603-1610	BOLT, 100° HEAD, SLOTTED DOVETAIL, .0312 OVERSIZE, ALLOY STEEL, 160,000 PSI - Rev. 10	2012	AIA	0
888	NAS1620-1628	SCREW, MACHINE, FLAT 100° HEAD, SHORT THREAD, OFFSET CRUCIFORM - Rev. 12	2012	AIA	0
889	NAS1640	WASHER, LOCK, SPRING, NON-MAGNETIC - Rev 3	2012	AIA	0
890	NAS1645	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SHELL SIZE 12 - Rev 1	2012	AIA	0
891	NAS1564	REDUCER, FLARED TUBE - Rev 3	2012	AIA	0
892	NAS1565	Reducer, Flareless Tube - Rev 1	2012	AIA	0
893	NAS1566	REDUCER ASSEMBLY, FLARELESS TUBE - Rev 1	2012	AIA	0
894	NAS1453	EYELET, METALLIC, ELECTRICAL, PRINTED CIRCUIT BOARD, FUNNEL TYPE - Rev 1	2012	AIA	0

895	NAS1524	STANDARDIZATION SAVINGS, IDENTIFICATION & CALCULATION - Rev 4	2012	AIA	0
896	NAS1464	Clip, Spring Tension - Rev 6	2012	AIA	0
897	NAS1465-1472	PIN, SWAGE, LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, TENSION, PULL-TYPE - Rev 3	2012	AIA	0
898	NAS1473	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING - Rev 11	2012	AIA	0
899	NAS1474	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - Rev 11	2012	AIA	0
900	NAS1424-1432	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP-TYPE - Rev 5	2012	AIA	0
901	NAS1411	Band, Marker, Blank - Rev 3	2012	AIA	0
902	NAS1398	RIVET, BLIND, PROTRUDING HEAD, LOCKED SPINDLE - Rev 9	2012	AIA	0
903	NAS1399	RIVET, BLIND, 100° FLUSH HEAD, LOCKED SPINDLE - Rev 10	2012	AIA	0
904	NAS1400	RIVET, BLIND, SELF-PLUGGING, MECHANICALLY LOCKED SPINDLE - Rev 7	2012	AIA	0
905	NAS1401	WASHER, RADIUS - Rev 3	2012	AIA	0
906	NAS1384	STRAP ASSEMBLY, ONE PART - Rev 6	2012	AIA	0
907	NAS1390	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, MOISTURE RESISTANT, CLASS 2 - Rev 2	2012	AIA	0
908	NAS1353-1366	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING - Rev 7	2012	AIA	0
909	NAS1367	FITTINGS, COATED, LUBRICANT & SEALANT - Rev 9	2012	AIA	0
910	NAS1332	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE & DOUBLE ACTING - Rev 9	2012	AIA	0
911	NAS1333-1346	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING - Rev 7	2012	AIA	0
912	NAS1290	PROCUREMENT SPECIFICATION, THREADED SHEAR FASTENER, FLUSH & PROTRUDING TYPE FOR APPLICATIONS UP TO 1,400 °F, CORROSION AND HEAT RESISTANT NICKEL BASE ALLOY - Rev 3	2012	AIA	0
913	NAS1285	Safety Hook - Rev 3	2012	AIA	0
914	NAS1286	CONNECTING LINK - Rev 2	2012	AIA	0
915	NAS1298	SCREW, BRAZIER HEAD, SHOULDER - Rev 3	2012	AIA	0
916	NAS1292-1296	PIN, THREADED, SHEAR, 100° CSK HEAD - Rev 4	2012	AIA	0
917	NAS1281	HOOK, SNAP - Rev 8	2012	AIA	0
918	NAS1242	RIVET, SOLID, UNIVERSAL HEAD, ALUMINUM ALLOY, NASM20470 REPAIR - Rev 2	2012	AIA	0
919	NAS1223-1235	BOLT, SHEAR, HEXAGON HEAD, SELF-LOCKING - Rev 5	2012	AIA	0
920	NAS1221	BOLT, 100° FLUSH HEAD, SELF-LOCKING OPTIONAL - Rev. 12	2012	AIA	0
921	NAS1141-1148	SCREW, MACHINE, PAN HEAD, MODIFIED, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM - Rev. 10	2012	AIA	0
922	NAS1161-1168	SCREW, SELF-LOCKING, FLAT 100° HEAD, SHEAR, OFFSET CRUCIFORM - Rev. 11	2012	AIA	0
923	NAS1151-1158	SCREW, TENSION, MACHINE, FLAT 100° FLUSH HEAD, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM AND OFFSET CRUCIFORM- RIBBED, 160 KSI Ft <sub>u</sub> - Rev. 15	2012	AIA	0
924	NAS1170	Fastener, Chain - Rev 2	2012	AIA	0
925	NAS1171-1178	SCREW, SELF-LOCKING, PAN HEAD, SHEAR, OFFSET CRUCIFORM - Rev. 11	2012	AIA	0
926	NAS1179	NULL	2012	AIA	0
927	NAS1181-1188	Screw, Self-Locking, Flat Fillister Head, Close Tolerance, Offset Cruciform - Rev. 10	2012	AIA	0
928	NAS1189	SCREW, SELF-LOCKING, FLAT 100 DEG. HEAD, CRUCIFORM AND OFFSET CRUCIFORM RECESS, FULL THREAD - Rev 14	2012	AIA	0
929	NAS1190	SCREW, SELF-LOCKING, PAN HEAD, FULL THREAD, CRUCIFORM AND OFFSET CRUCIFORM RECESS - Rev 18	2012	AIA	0
930	NAS1191	SCREW, SELF-LOCKING, FLAT FILLISTER HEAD, FULL THREAD - Rev 11	2012	AIA	0
931	NAS1192	PERFORMANCE SPECIFICATION FOR HARD ANODIC COATINGS ON ALUMINUM ALLOYS - Rev 3	2012	AIA	0

932	NAS1216	SCREW, PAN HEAD, SLOTTED DOVETAIL RECESS, FULL THREAD, SELF-LOCKING OPTIONAL - Rev. 11	2012	AIA	0
933	NAS1077	FITTING END, HOSE, STANDARD DIMENSIONS FOR FLARELESS TUBE - Rev 1	2012	AIA	0
934	NAS1069	NULL	2012	AIA	0
935	NAS1070	WASHER, PLAIN, OVERSIZE FOR ALUMINUM TERMINALS - Rev 4	2012	AIA	0
936	NAS1062	STRIP, HIGH TEMPERATURE TERMINAL BLOCK, NUT INSULATING - Rev 3	2012	AIA	0
937	NAS1121-1128	SCREW, MACHINE, FLAT FILLISTER HEAD, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM, 160 KSI FTU - Rev 14	2012	AIA	0
938	NAS1097	RIVET, SOLID, 100° FLUSH SHEAR HEAD, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY - Rev 10	2012	AIA	0
939	NAS1099	WASHER, BEVEL 9-1/2° - Rev 3	2012	AIA	0
940	NAS1082	INSIGNIA, NATIONAL - Rev 2	2012	AIA	0
941	NAS1091	STREAMER ASSEMBLY, WARNING - Rev 6	2012	AIA	0
942	NAS1023	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, NON-CSK - Rev 6	2012	AIA	0
943	NAS1024	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, CSK - Rev 5	2012	AIA	0
944	NAS1025	NUT, SELF-LOCKING, PLATE, ONE LUG, REGULAR HEIGHT, NON-CSK - Rev 6	2012	AIA	0
945	NAS1026	NUT, SELF-LOCKING, PLATE, ONE LUG, REGULAR HEIGHT, CSK - Rev 5	2012	AIA	0
946	NAS1027	NUT, SELF-LOCKING, PLATE, CORNER, REGULAR HEIGHT, NON-CSK - Rev 6	2012	AIA	0
947	NAS1028	NUT, SELF-LOCKING, PLATE, CORNER, REGULAR HEIGHT, CSK - Rev 5	2012	AIA	0
948	NAS1029	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, BEVEL SEAT - Rev 5	2012	AIA	0
949	NAS996	NULL	2012	AIA	0
950	NAS997	NULL	2012	AIA	0
951	NAS998	NULL	2012	AIA	0
952	NAS999	NULL	2012	AIA	0
953	NAS1000	TUBE END, STANDARD DIMENSIONS FOR INSIDE DOUBLE FLARE - Rev 2	2012	AIA	0
954	NAS1046	CLIP, WIRE ROPE, FORGED CARBON STEEL, FOR GROUND SUPPORT EQUIPMENT - Rev 1	2012	AIA	0
955	NAS1052	S HOOK, ALLOY STEEL, FOR GROUND SUPPORT EQUIPMENT - Rev 3	2012	AIA	0
956	NAS1060	BUS, HIGH TEMPERATURE, TERMINAL BLOCK - Rev 3	2012	AIA	0
957	NAS981	NULL	2012	AIA	0
958	NAS982	NULL	2012	AIA	0
959	NAS973	NULL	2012	AIA	0
960	NAS974	NULL	2012	AIA	0
961	NAS975	NULL	2012	AIA	0
962	NAS976	NULL	2012	AIA	0
963	NAS977	NULL	2012	AIA	0
964	NAS978	NULL	2012	AIA	0
965	NAS989	NULL	2012	AIA	0
966	NAS990	NULL	2012	AIA	0
967	NAS991	NULL	2012	AIA	0
968	NAS993	NULL	2012	AIA	0
969	NAS994	NULL	2012	AIA	0
970	NAS961	NULL	2012	AIA	0
971	NAS962	NULL	2012	AIA	0
972	NAS963	NULL	2012	AIA	0

973	NAS964	NULL	2012	AIA	0
974	NAS957	NULL	2012	AIA	0
975	NAS958	NULL	2012	AIA	0
976	NAS959	NULL	2012	AIA	0
977	NAS966	NULL	2012	AIA	0
978	NAS967	NULL	2012	AIA	0
979	NAS838	PLUG, PROTECTIVE, FLARELESS TUBE END, PLASTIC - Rev 1	2012	AIA	0
980	NAS839	CAP, BEADED HOSE CONNECTION, PLASTIC, PROTECTIVE - Rev 1	2012	AIA	0
981	NAS840	PLUG, PIPE THREAD, PROTECTIVE, DUST AND MOISTURE SEAL - Rev. 1	2012	AIA	0
982	NAS841	CAPS, PROTECTIVE, DUST AND MOISTURE SEAL FOR BEAM SEAL FITTINGS - Rev 1	2012	AIA	0
983	NAS842	PLUGS, PROTECTIVE, FLARELESS TUBE END (METAL) - Rev 1	2012	AIA	0
984	NAS843	PLUG, TUBING, PROTECTIVE, DUST AND MOISTURE SEAL - Rev 1	2012	AIA	0
985	NAS844	CAP, TUBING, PROTECTIVE, DUST AND MOISTURE SEAL - Rev 1	2012	AIA	0
986	NAS845	PLUG, MACHINE SCREW, PROTECTIVE, PLASTIC - Rev 1	2012	AIA	0
987	NAS846	CAP, PIPE THREAD, PROTECTIVE, DUST AND MOISTURE SEAL - Rev. 1	2012	AIA	0
988	NAS847	CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL - Rev. 1	2012	AIA	0
989	NAS850	GENERAL PACKAGING STANDARD - Rev 7	2012	AIA	0
990	NAS833	PLUG, PROTECTIVE, FLARED HOSE OR TUBE ASSEMBLY - Rev 1	2012	AIA	0
991	NAS820	NULL	2012	AIA	0
992	NAS821	NULL	2012	AIA	0
993	NAS887	THEODOLITES FOR OPTICAL TOOLING - Rev 1	2012	AIA	0
994	NAS884	INTERFACE OPTICAL TOOLING NON-ALIGNMENT LASER HEAD - Rev 1	2012	AIA	0
995	NAS885	SCALES FOR OPTICAL TOOLING - Rev 1	2012	AIA	0
996	NAS877	ANGULAR TARGETS, SOLID, OPTICAL TOOLING 2-1/4 AND 1-1/2 OUTSIDE DIAMETERS - Rev 1	2012	AIA	0
997	NAS878	MOUNT OPTICAL TOOLING 3-1/2 - 8 THREAD - Rev 1	2012	AIA	0
998	NAS879	ADAPTER OPTICAL TOOLING 3-1/2 - 8 TO 5/8 - 11 THREAD - Rev 1	2012	AIA	0
999	NAS880	INTERFACE - OPTICAL TOOLING ELECTRONIC LEVEL - Rev 1	2012	AIA	0
1000	NAS881	INDEX BAR - OPTICAL TOOLING TOOLING BAR SYSTEM - Rev 1	2012	AIA	0
1001	NAS882	BAR - OPTICAL TOOLING TOOLING BAR SYSTEM - Rev 1	2012	AIA	0
1002	NAS835	CAP, PROTECTIVE, FLARED FITTING (METAL) - Rev 1	2012	AIA	0
1003	NAS836	PLUG, PROTECTIVE, FLARED TUBE, HOSE ASSEMBLY OR MS33649 OR AS5202 BOSS - Rev 1	2012	AIA	0
1004	NAS855	NULL	2012	AIA	0
1005	NAS875	NULL	2012	AIA	0
1006	NAS939	NULL	2012	AIA	0
1007	NAS940	NULL	2012	AIA	0
1008	NAS929	NULL	2012	AIA	0
1009	NAS930	NULL	2012	AIA	0
1010	NAS931	NULL	2012	AIA	0
1011	NAS932	NULL	2012	AIA	0
1012	NAS936	NULL	2012	AIA	0
1013	NAS944	NULL	2012	AIA	0

1014	NAS945	CAP, PROTECTIVE, NAS591 COUPLING - Rev 1	2012	AIA	0
1015	NAS946	CAP, PROTECTIVE, NAS593 NUT - Rev 1	2012	AIA	0
1016	NAS947	CAP, PROTECTIVE, BEADED TUBE ASSEMBLY - Rev 1	2012	AIA	0
1017	NAS949	NULL	2012	AIA	0
1018	NAS950	GASKET, DUMMY STOWAGE RECEPTACLE, ELECTRICAL - Rev 2	2012	AIA	0
1019	NAS951	NULL	2012	AIA	0
1020	NAS909	NULL	2012	AIA	0
1021	NAS910	NULL	2012	AIA	0
1022	NAS911	NULL	2012	AIA	0
1023	NAS912	NULL	2012	AIA	0
1024	NAS913	NULL	2012	AIA	0
1025	NAS914	NULL	2012	AIA	0
1026	NAS902	LINEAR TARGETS, SEE THRU, OPTICAL TOOLING 2-1/4 AND 1-1/2 OUTSIDE DIAMETERS - Rev 3	2012	AIA	0
1027	NAS903	SPHERICAL MOUNT ADAPTERS - OPTICAL TOOLING 2 AND 1 DIAMETER TARGETS - Rev 3	2012	AIA	0
1028	NAS904	BASE OPTICAL TOOLING SPHERICAL CUP MOUNT - Rev 2	2012	AIA	0
1029	NAS906	LINEAR TARGETS, SOLID, OPTICAL TOOLING 2-1/4 AND 1-1/2 OUTSIDE DIAMETERS - Rev 2	2012	AIA	0
1030	NAS889	OPTICAL SQUARES FOR OPTICAL TOOLING - Rev 1	2012	AIA	0
1031	NAS897	REAMERS, CHUCKING, RIGHT-HAND CUT, 0.0938 THROUGH 1.5000 INCH - Rev 2	2012	AIA	0
1032	NAS899	NULL	2012	AIA	0
1033	NAS900	MOUNT OPTICAL TOOLING SPHERICAL 2.2500 INSIDE BORE - Rev 3	2012	AIA	0
1034	NAS813	NULL	2012	AIA	0
1035	NAS814	NULL	2012	AIA	0
1036	NAS815	NULL	2012	AIA	0
1037	NAS816	NULL	2012	AIA	0
1038	NAS817	NULL	2012	AIA	0
1039	NAS818	NULL	2012	AIA	0
1040	NAS727	GEAR, SPUR, 20° INVOLUTE, LOW INERTIA, 48 AND FINER PITCH - Rev 1	2012	AIA	0
1041	NAS802	NULL	2012	AIA	0
1042	NAS808	NULL	2012	AIA	0
1043	NAS652	COUPLING, RIGID TUBE BULKHEAD CONNECTOR - Rev 4	2012	AIA	0
1044	NAS623	SCREW, SHEAR, PAN HEAD, ALLOY STEEL, CRUCIFORM RECESS, SHORT THREAD, 95 KSI Fsu - Rev 8	2012	AIA	0
1045	NAS624-644	BOLT, TENSION, ALLOY STEEL, TWELVE POINT, EXTERNAL WRENCHING, 180 KSI Ftu - Rev.9	2012	AIA	0
1046	NAS672	PLATING, HIGH STRENGTH STEELS, CADMIUM - Rev 8	2012	AIA	0
1047	NAS673-678	BOLT, TENSION, HEXAGON HEAD, CLOSE TOLERANCE, 6Al-4V TITANIUM ALLOY, 160 KSI Ftu - Rev 7	2012	AIA	0
1048	NAS660	BEARING, ROD END, PLAIN SHANK, SELF ALIGNING, ANTI-FRICTION - Rev 4	2012	AIA	0
1049	NAS661	BEARINGS, BALL AND ROLLER, ROD END, ANTI-FRICTION, AIRFRAME - Rev 6	2012	AIA	0
1050	NAS581	INVOLUTE SPLINE, SHAFT, 30° FULL FILLET - Rev 2	2012	AIA	0
1051	NAS595	RING, RIGID TUBE CONNECTOR, CRES - Rev 6	2012	AIA	0
1052	NAS597	FITTINGS, RIGID TUBE CONNECTOR, FLARED TUBE - Rev 4	2012	AIA	0
1053	NAS537	BUSHING, SLEEVE, PRESS FIT, UNDERSIZE INSIDE DIAMETER - Rev 9	2012	AIA	0
1054	NAS547	FASTENER, ROTARY, QUICK-OPERATING, HIGH STRENGTH - Rev 5	2012	AIA	0

1055	NAS563-572	BOLT, FULL-THREADED, 160 KSI STEEL, DRILLED HEAD - Rev 6	2012	AIA	0
1056	NAS576	THREAD LENGTH FOR SELF-LOCKING NUTS - Rev 3	2012	AIA	0
1057	NAS578	RETAINER, FLOATING BARREL NUT - Rev 9	2012	AIA	0
1058	NAS579	INVOLUTE SPLINE, 30° FULL FILLET - Rev 2	2012	AIA	0
1059	NAS531	CHARTS, ROCKWELL HARDNESS - Rev 3	2012	AIA	0
1060	NAS539	KNOB ASSEMBLY, TRANSILLUMINATED POINTER - Rev 5	2012	AIA	0
1061	NAS540	INVOLUTE SPLINES, 45° PRESSURE ANGLE, LOOSE FIT - Rev 4	2012	AIA	0
1062	NAS487	NUT, INSTRUMENT MOUNT - Rev 9	2012	AIA	0
1063	NAS488	NUT, J TYPE SHEET SPRING - Rev 5	2012	AIA	0
1064	NAS514	SCREW, MACHINE, 100 DEGREE, FLAT HEAD, FULL THREADED, ALLOY STEEL - Rev 9	2012	AIA	0
1065	NAS424	COUPLING, TUBE, FLARED FITTING, FEMALE THREAD - Rev 4	2012	AIA	0
1066	NAS0332	BEARING RETENTION SLEEVE, GROOVED OUTER FACE - Rev 1	2012	AIA	0
1067	NAS354	ROD CONTROL, SOLID STEEL - Rev 8	2012	AIA	0
1068	NAS357	TUBE, CONTROL, ALUMINUM ALLOY - Rev 5	2012	AIA	0
1069	NAS358	TUBE ASSEMBLY, CONTROL, STEEL, WITH WELDED THREADED ROD-ENDS - Rev 7	2012	AIA	0
1070	NAS359	TUBE ASSEMBLY, CONTROL, STEEL, WITH WELDED CLEVIS AND THREADED ROD ENDS - Rev 7	2012	AIA	0
1071	NAS360	TUBE, CONTROL, STEEL - Rev 2	2012	AIA	0
1072	NAS384	SCREW, 100° OVAL RECESSED HEAD, SHEET METAL - Rev 2	2012	AIA	0
1073	NAS388	SCREW, 82° OVAL RECESSED HEAD, MACHINE, COARSE & FINE THREAD - Rev 1	2012	AIA	0
1074	NAS390	WASHER, FLUSH TYPE, FINISHING - Rev 7	2012	AIA	0
1075	NAS399	LATCH, PUSH BUTTON, ADJUSTABLE - Rev 3	2012	AIA	0
1076	NAS396	NUT, U TYPE, COUNTERSUNK SHEET SPRING - Rev 3	2012	AIA	0
1077	NAS397	NULL	2012	AIA	0
1078	NAS184	STUD, FINE THREAD - Rev 4	2012	AIA	0
1079	NAS186	SPACER, STEPPED, SWAGE TYPE - Rev 3	2012	AIA	0
1080	NAS198	KNOB, CONTROL, 1.25 SPHERICAL, PLASTIC - Rev 4	2012	AIA	0
1081	NAM1312-113	FASTENER TEST METHODS, METRIC METHOD 113 DOUBLE SHEAR TEST - Rev 1	2012	AIA	0
1082	NAM14289	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO-PIECE, METRIC - Rev 1	2012	AIA	0
1083	NAM14290	CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC - Rev 1	2012	AIA	0
1084	NA0272	BOLT, CLOSE TOLERANCE, HEXAGON HEAD, 300 SERIES CRES, 500 MPa Ft <sub>u</sub> , METRIC - Rev 1	2012	AIA	0
1085	NAS24	TERMINAL, TANK STRAP, FORKED - Rev 5	2012	AIA	0
1086	NAS25	TRUNNION, TANK STRAP, THREADED - Rev 6	2012	AIA	0
1087	NAS27	TURNBUCKLE, TANK STRAP - Rev 8	2012	AIA	0
1088	NAS42	SPACER, SLEEVE, RIVET - Rev 11	2012	AIA	0
1089	NAS43	SPACER, SLEEVE, SCREW AND BOLT - Rev 12	2012	AIA	0
1090	NAS123	KNOB, CONTROL, 1 INCH DIA. X 5/8 OVAL, PLASTIC - Rev 6	2012	AIA	0
1091	NAS128	FILLER, KNOB LEVER SLOT - Rev 3	2012	AIA	0
1092	NAS129	DATA, STANDARD KNOB, ENGINEERING REFERENCE - Rev 4	2012	AIA	0
1093	NAS144-158	NULL	2012	AIA	0
1094	NAS121	KNOB, CONTROL, 1 INCH SPHERICAL - Rev 6	2012	AIA	0
1095	NAS174	NULL	2012	AIA	0

1096	NAS176	NULL	2012	AIA	0
1097	NA0168-0169	NULL	2012	AIA	0
1098	NA0174	DESIGN PARAMETERS FOR HEAD FORM OF SOLID RIVETS AND 100° REDUCED HEAD FOR BOLTS, METRIC - Rev 2	2012	AIA	0
1099	NA0175-0177	SPACER, SLEEVE, NON METALLIC, SCREW AND BOLT, METRIC - Rev 1	2012	AIA	0
1100	NA0179	WASHER, PLAIN AND COUNTERSUNK, METRIC - Rev 1	2012	AIA	0
1101	NA0180-0183	SPACER, SLEEVE, SCREW AND BOLT, METRIC - Rev 1	2012	AIA	0
1102	NA0190-0193	SPACER, SLEEVE, RIVET, METRIC - Rev 1	2012	AIA	0
1103	NA0231-0233	SPACER, STEPPED, SWAGE TYPE, METRIC - Rev 1	2012	AIA	0
1104	NA0235-0236	INSERT, SANDWICH PANEL, MOLDED IN, CSK, THRU CLEARANCE, AL ALLOY/CRES, METRIC - Rev 2	2012	AIA	0
1105	NA0237-0238	INSERT, SANDWICH PANEL, MOLDED IN, THRU CLEARANCE, AL ALLOY/CRES, METRIC - Rev 2	2012	AIA	0
1106	NAM1312-105	FASTENER TEST METHODS METRIC METHOD 105 STRESS DURABILITY - Rev 1	2012	AIA	0
1107	NAM1312-107	FASTENER TEST METHODS, METRIC METHOD 107 VIBRATION - Rev 1	2012	AIA	0
1108	NAM1312-108	FASTENER TEST METHODS, METRIC METHOD 108 TENSILE STRENGTH - Rev 1	2012	AIA	0
1109	NA0211-0213	POST, ELECTRICAL, MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC - Rev 2	2012	AIA	0
1110	NA0248	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, CHAMFERED OUTER RING, -54 °C TO 163 °C, METRIC - Rev 2	2012	AIA	0
1111	NA0249	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, WIDE, GROOVED OUTER RING, -54 °C TO 163 °C, METRIC - Rev 1	2012	AIA	0
1112	NA0250	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, WIDE, CHAMFERED OUTER RING, -54 °C TO 163 °C, METRIC - Rev 1	2012	AIA	0
1113	NA0252	BOLT, SHOULDER, HEXAGON HEAD, A286 CRES, 1100 MPa TENSILE, METRIC - Rev 1	2012	AIA	0
1114	NA0243	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, METRIC - Rev 1	2012	AIA	0
1115	NA0244	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, ALUM/STEEL, FLOATING, METRIC - Rev 1	2012	AIA	0
1116	NA0245	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES/CRES, FLOATING, METRIC - Rev 1	2012	AIA	0
1117	NA0145	INSERT, SCREW THREAD, KEY LOCKED, INSTALLATION AND REMOVAL PROCEDURE, METRIC - Rev 1	2012	AIA	0
1118	NA0114	SCREW, HEX HEAD, OFFSET CRUCIFORM, ALLOY STEEL, FULL THREAD, 1100 MPa, METRIC - Rev 7	2012	AIA	0
1119	NA0139	KEYWAY AND KEY SLOT DIMENSIONS METRIC - Rev 1	2012	AIA	0
1120	NA0153	BOLT, EYE, A286 CRES, 1100 MPa, METRIC - Rev 2	2012	AIA	0
1121	NA0155	BOLT, CLEVIS, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1122	NA0156	MALE THREADED FASTENERS, METRIC DESIGN, PARAMETERS FOR - Rev 1	2012	AIA	0
1123	NA0157-0158	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, _T_ HANDLE, METRIC - Rev 1	2012	AIA	0
1124	NA0159	SCREW, FAIRING WASHER, ASSEMBLY, ALLOY STEEL, OFFSET CRUCIFORM RECESS, FULL THREAD, 1100 MPa TENSILE, METRIC - Rev 3	2012	AIA	0
1125	NA0160	SCREW, FAIRING WASHER, ASSEMBLY, 6Al-4V TITANIUM ALLOY, OFFSET CRUCIFORM RECESS, FULL THREAD, 1100 MPa TENSILE, METRIC - Rev 3	2012	AIA	0
1126	NA0095	NUT, SELF-LOCKING, PLATE, CORNER, STEEL, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1127	NA0096	NUT, SELF-LOCKING, PLATE, CORNER, CRES, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2012	AIA	0
1128	NA0087-0088	NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, CBORED, 900 MPa, METRIC, 235 °C, 425 °C - Rev 4	2012	AIA	0

1129	NA0125	SCREW, CLOSE TOLERANCE, 100° REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPa SHEAR, METRIC - Rev 6	2012	AIA	0
1130	NA0126	BOLT, ADJUSTING, CROWN HEXAGON HEAD, ALLOY STEEL, FULL THREAD, 1100 MPa, METRIC - Rev 1	2012	AIA	0
1131	NA0127	SCREW, CAPTIVE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1132	NA0128	SCREW, CAPTIVE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1133	NA0129	SCREW, CAPTIVE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPa SHEAR, METRIC - Rev 3	2012	AIA	0
1134	NA0130	SCREW, CAPTIVE, PAN HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1135	NA0131	SCREW, CAPTIVE, PAN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1136	NA0132	SCREW, CAPTIVE, PAN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1137	NA0058	BOLT, CLOSE TOLERANCE, SPLINE DRIVE, ALLOY STEEL, 1250 MPa, METRIC - Rev 3	2012	AIA	0
1138	NA0069	SCREWS, CAP, HEXAGON SOCKET HEAD, FULL THREAD A-286, 1100 MPa, METRIC - Rev 7	2012	AIA	0
1139	NA0070	SCREW, MACHINE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, A286 CRES, 1100 MPa, METRIC - Rev 2	2012	AIA	0
1140	NA0077	NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1141	NA0078	NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG, CRES, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2012	AIA	0
1142	NA0079	NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1143	NA0080	NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG, CRES, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C, AND 425 °C - Rev 3	2012	AIA	0
1144	NA0081	NUT, SELF-LOCKING, PLATE, FIXED, CORNER, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1145	NA0082	NUT, SELF-LOCKING, PLATE, FIXED, CORNER, CRES, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC 235 °C AND 425 °C - Rev 3	2012	AIA	0
1146	NA0083	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1147	NA0084	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, CRES REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2012	AIA	0
1148	NA0121-0122	BRACKET, 90 DEGREE ANGLE, 2-RIVET ATTACH, METRIC - Rev 1	2012	AIA	0
1149	NA0090	SCREW, PAN HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, TITANIUM ALLOY, 1100 MPa, METRIC - Rev 2	2012	AIA	0
1150	NA0064-0066	NUT, THIN, WITH OPTIONAL LOCKWIRE HOLE, METRIC - Rev 2	2012	AIA	0
1151	NA0072	BOLT, ALLOY STEEL, 1800 MPa TENSILE, PROCUREMENT SPECIFICATION - Rev 2	2012	AIA	0
1152	NA0043	IDENTIFICATION OF MALE THREADED FASTENERS, METRIC - Rev 3	2012	AIA	0
1153	NA0039	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM ALLOY, 660 MPa, SHEAR, METRIC - Rev 5	2012	AIA	0
1154	NA0047	SCREW, CLOSE TOLERANCE, PAN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM ALLOY, 1100 MPa, METRIC - Rev 3	2012	AIA	0
1155	NA0048	HEAD PROTRUSION GAGING, METRIC 100° FLUSH HEAD FASTENERS GAGE BLOCK, GAGE DIAMETERS AND STYLUS - Rev 3	2012	AIA	0
1156	NA0049	NUT, SELF-LOCKING, CASTELLATED, REDUCED HEXAGON, 600 MPa, METRIC, 235 °C - Rev 2	2012	AIA	0

1157	NA0050	NUT, SELF-LOCKING, CASTELLATED, REDUCED HEXAGON, 1100 MPa TENSILE, METRIC, 235 °C - Rev 2	2012	AIA	0
1158	NA0051	RIVET, SOLID, UNIVERSAL HEAD, A286 CRES, METRIC - Rev 2	2012	AIA	0
1159	NA0052	RIVET, SOLID, UNIVERSAL HEAD, NICKEL-COPPER, METRIC - Rev 1	2012	AIA	0
1160	NA0053	RIVET, SOLID, COUNTERSUNK 100° HEAD, A286 CRES, METRIC - Rev 1	2012	AIA	0
1161	NA0054	RIVET, SOLID, COUNTERSUNK 100° HEAD, NICKEL-COPPER, METRIC - Rev 1	2012	AIA	0
1162	NA0055	RIVET, SOLID, REDUCED COUNTERSUNK 100° HEAD, A286 CRES, METRIC - Rev 1	2012	AIA	0
1163	NA0009	NUT, SELF-LOCKING, 235 °C, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 3	2012	AIA	0
1164	NA0013-0018	RIVET, SOLID, COUNTERSUNK 100° HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC - Rev 1	2012	AIA	0
1165	NA0036	BOLT, CLOSE TOLERANCE, HEXAGON HEAD, ALLOY STEEL, 1100 MPa, METRIC - Rev 5	2012	AIA	0
1166	NA0025	RECESS, OFFSET CRUCIFORM, DIMENSIONS OF RECESS, GAGE AND DRIVE, METRIC - Rev 4	2012	AIA	0
1167	NA0029-0030	NUT, SELF-LOCKING, SPLINE DRIVE, 1250 MPa, 235 °C, 425 °C, METRIC - Rev 3	2012	AIA	0
1168	NA0031-0032	NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FIXED, LOW HEIGHT, CBORED, 1100 MPa 235 °C, 425 °C - Rev 2	2012	AIA	0
1169	NASM21258	WASHER, KEY, RETAINING, WHEEL BEARING - Rev 2	2012	AIA	0
1170	NASM21323	STUD, STYLE I, SNAPSLIDE FASTENER - Rev 1	2012	AIA	0
1171	NASM21325	STUD, STYLE III, SNAPSLIDE FASTENER - Rev 1	2012	AIA	0
1172	NASM21326	STUD, STYLE IV, SNAPSLIDE FASTENER - Rev 1	2012	AIA	0
1173	NASM21327	FASTENER INSTALLATION, SNAPSLIDE	2012	AIA	0
1174	NASM21332	FASTENER, SNAPSLIDE - Rev 1	2012	AIA	0
1175	NASM21097	BOLT, SELF-LOCKING, 250 °F, CRES, 48 KSI Fsu, 80 KSI Ftu, PAN HEAD, CRUCIFORM RECESS - Rev 1	2012	AIA	0
1176	NASM21095	BOLT, TENSION, HEX HEAD, SELF-LOCKING, 250 °F, CRES, 80 KSI Ftu, 48 KSI Fsu - Rev 2	2012	AIA	0
1177	NASM21130	BOLT, SELF-RETAINING, POSITIVE LOCKING, CRES, 90 KSI Fsu, 63 KSI Ftu, 100° FLUSH HEAD, 450 °F & 650 °F - Rev 2	2012	AIA	0
1178	NASM21132	WRENCHING ELEMENT, EXTERNAL HEXAGON, FOR THREADED FASTENERS - Rev. 1	2012	AIA	0
1179	NASM21067	NUT, SELF-LOCKING GANG CHANNEL, 100° CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2012	AIA	0
1180	NASM21068	NUT, SELF-LOCKING, GANG CHANNEL, 100° CSK, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 1	2012	AIA	0
1181	NASM21047	NUT, SELF-LOCKING, PLATE, TWO-LUG, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 3	2012	AIA	0
1182	NASM21071	NUT, SELF-LOCKING, PLATE, ONE-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2012	AIA	0
1183	NASM21064	NUT, SELF-LOCKING GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2012	AIA	0
1184	NASM21059	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT STEEL, 125 KSI Ftu, 450 °F - Rev 2	2012	AIA	0
1185	NASM21085	NUT, SELF-LOCKING, STEEL, 260 KSI Ftu, 450 °F, FLANGED, MS33787 WRENCHING ELEMENT - Rev 1	2012	AIA	0
1186	NASM21086	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2012	AIA	0
1187	NASM21080	NUT, SELF-LOCKING, PLATE, ONE LUG, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 1	2012	AIA	0
1188	NASM21078	NUT, SELF-LOCKING, PLATE, TWO LUG, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 1	2012	AIA	0
1189	NASM21075	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2012	AIA	0
1190	NASM21073	NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2012	AIA	0
1191	NASM16206	BOLTS, MACHINE, HEXAGON HEAD, REGULAR, SEMI-FINISHED, ALUMINUM ALLOY, UNC-2A, NON-MAGNETIC - Rev 1	2012	AIA	0

1192	NASM21052	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F AND 800 °F - Rev 1	2012	AIA	0
1193	NASM21053	NUT, SELF-LOCKING, PLATE, ONE LUG, 100° CSK, LOW HEIGHT, ALLOY STEEL, 125 KSI Ftu, 450 °F - Rev 2	2012	AIA	0
1194	NASM20230	GROMMET, METALLIC, PLAIN AND ROLLED RIM, WITH WASHER, TYPE I AND TYPE III - Rev 2	2012	AIA	0
1195	NASM20613	RIVET, SOLID, UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT - Rev 3	2012	AIA	0
1196	NASM20615	RIVET, SOLID, UNIVERSAL HEAD, BRASS, COPPER, NICKEL-COPPER ALLOY - Rev 5	2012	AIA	0
1197	NASM20652-1	NULL	2012	AIA	0
1198	NASM20652	EYELETS, METALLIC, AND EYELET WASHERS, METALLIC - Rev 1	2012	AIA	0
1199	NASM20700	PIN, GROOVED, HEADLESS, LONGITUDINAL GROOVE - Rev 1	2012	AIA	0
1200	NASM20995	WIRE, SAFETY OR LOCK - Rev 1	2012	AIA	0
1201	NASM21025	NUT, CASTELLATED, HEXAGON - Rev 1	2012	AIA	0
1202	NASM17829	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, NON-METALLIC INSERT, NON-CRES STEEL - Rev 1	2012	AIA	0
1203	NASM16535	RIVET, TUBULAR, OVAL HEAD - Rev 1	2012	AIA	0
1204	NASM16536	RIVET, TUBULAR, 150° FLAT COUNTERSUNK HEAD - Rev 1	2012	AIA	0
1205	NASM17985	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, T HANDLE - Rev 2	2012	AIA	0
1206	NASM17855	FASTENERS, SCREW THREADED, DESCRIPTIVE FACTOR SYMBOLS AND ORDER OF NOTES FOR ENGINEERING DOCUMENTS FOR - Rev 1	2012	AIA	0
1207	NASM18063	SETSCREW, HEXAGON SOCKET, CUP POINT, 250 °F, SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED - Rev 1	2012	AIA	0
1208	NASM18064	SETSCREW, HEXAGON SOCKET, CUP POINT, 250 °F, SELF-LOCKING ELEMENT, CRES, PASSIVATED - Rev 1	2012	AIA	0
1209	NASM18067	Setscrew, Hexagon Socket, Cone Point, 250 Degrees F, Self Locking, Element, Alloy Steel, Cadmium Plated - Rev 1	2012	AIA	0
1210	NASM16228	NUT, SELF-LOCKING, HEXAGON, THIN, UNC-3B, NON METALLIC INSERT, AUSTENITIC CORROSION RESISTANT STEEL, NONMAGNETIC, 250 °F - Rev 1	2012	AIA	0
1211	NASM16996	SCREW, CAP, SOCKET HEAD, HEXAGON, CRES, UNF-3A - Rev 1	2012	AIA	0
1212	NASM17731	FASTENER, ROTARY, QUICK-OPERATING, FLUSH HEAD, FLOATING TYPE, 2,210 LBF MIN TENSILE STRENGTH - Rev 1	2012	AIA	0
1213	NASM17732	FASTENER, ROTARY, QUICK-OPERATING, PROTRUDING HEAD, FLOATING TYPE, 2,210 LBF MIN TENSILE STRENGTH - Rev 1	2012	AIA	0
1214	NASM14493	NUT, SELF-LOCKING, CHANNEL, FLOATING, CARBON STEEL, 125 KSI Ftu - Rev 1	2012	AIA	0
1215	NASM14531	PIN, QUICK RELEASE WITH WARNING STREAMER ASSEMBLY - Rev 1	2012	AIA	0
1216	NASM16187	STUD, CONTINUOUS THREAD, BOLT-STUD, B16 ALLOY STEEL, HIGH TEMPERATURE SERVICE 875-1,000 °F	2012	AIA	0
1217	NASM14182	NUT, SELF-LOCKING, EXTENDED WASHER, ROUND, NICKEL ALLOY 718, 220 KSI Ftu, 450 AND 800 °F. SPLINE DRIVE - Rev 1	2012	AIA	0
1218	NASM14210	NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 °F, CRES (A286), 125 KSI Ftu, REPLACEABLE NUT ELEMENT - Rev 2	2012	AIA	0
1219	NASM14213	Nut Element, Replaceable, Attached Retention Element (A.R.E), 450 Degrees F, CRES (A-286), 125 KSI Ftu - Rev 1	2012	AIA	0
1220	NASM14214	NUT ELEMENT, ATTACHED RETENTION ELEMENT (A.R.E.), 450 °F, STEEL, AISI 1050 OR 4130, 125 KSI Ftu - Rev 1	2012	AIA	0
1221	NASM14156	NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 180 KSI Ftu, 450 °F, SPLINE DRIVE - Rev 1	2012	AIA	0
1222	NASM14144	NUT, SELF-LOCKING, LIGHTWEIGHT, CASTELLATED, 450°F - Rev 2	2012	AIA	0
1223	NASM14145	NUT, SELF-LOCKING, LIGHTWEIGHT, THIN, CASTELLATED, 450 Fahrenheit - Rev. 2	2012	AIA	0
1224	NASM14151	WASHER, FLAT, ROUND, CORROSION RESISTING STEEL (FOR ELECTRICAL APPLICATIONS) - Rev 1	2012	AIA	0
1225	NASM8975-2	NULL	2012	AIA	0
1226	NASM8975-3	NULL	2012	AIA	0

1227	NASM8975-4	NULL	2012	AIA	0
1228	NASM8975-5	NULL	2012	AIA	0
1229	NASM8985	NUT, ALLOY STEEL, SHEAR AND TENSILE, SELF-LOCKING, 180 KSI FTU, 450 °F - Rev 1	2012	AIA	0
1230	NASM8975-7	NULL	2012	AIA	0
1231	NASM7873	NUT, SELF-LOCKING, 1,200 °F - Rev 1	2012	AIA	0
1232	NASM7874	BOLT, MACHINE, 1,200 °F - Rev 2	2012	AIA	0
1233	NASM6812	FASTENERS, EXTERNALLY THREADED, ALLOY STEEL, CORROSION RESISTANT STEEL, ALUMINUM, 60,000 PSI TO 125,000 PSI - Rev 3	2012	AIA	0
1234	NASM6818	CLAMPS, INSTRUMENT MOUNTING, AIRCRAFT - Rev 1	2012	AIA	0
1235	NASM8906-2	NULL	2012	AIA	0
1236	NASM8831	FASTENERS, ALLOY STEEL, 450 °F EXTERNALLY THREADED, 180 KSI Ftu, 108 KSI Fsu, FATIGUE RATED - Rev 5	2012	AIA	0
1237	NASM8922-1	NULL	2012	AIA	0
1238	NASM8922	NUT, SELF-LOCKING, ALLOY STEEL, 220 KSI FTU, 450 °F - Rev 1	2012	AIA	0
1239	NASM1312-12	FASTENER TEST METHODS, METHOD 12, THICKNESS OF METALLIC COATINGS - Rev 2	2012	AIA	0
1240	NASM1312-32	FASTENER TEST METHOD METHOD 32 BARREL NUT TEST - Rev 1	2012	AIA	0
1241	NASM1312	FASTENER TEST METHODS - Rev 1	2012	AIA	0
1242	NASM1312-5	FASTENER TEST METHODS METHOD 5 STRESS DURABILITY - Rev. 1	2012	AIA	0
1243	NASM3926-1	NULL	2012	AIA	0
1244	NASM3926-2	NULL	2012	AIA	0
1245	NASM3926-3	NULL	2012	AIA	0
1246	NASM3926-4	NULL	2012	AIA	0
1247	NASM1312-14	FASTENER TEST METHODS METHOD 14 STRESS DURABILITY, INTERNALLY THREADED - Rev 1	2012	AIA	0
1248	NASM1312-15	FASTENER TEST METHODS METHOD 15 TORQUE-TENSION - Rev. 1	2012	AIA	0
1249	NASM1312-17	FASTENER TEST METHODS METHOD 17 STRESS RELAXATION - Rev 1	2012	AIA	0
1250	NASM1312-18	FASTENER TEST METHODS METHOD 18 ELEVATED TEMPERATURE, TENSILE STRENGTH - Rev 1	2012	AIA	0
1251	NASM1312-19	FASTENER TEST METHODS METHOD 19 FASTENER SEALING - Rev 1	2012	AIA	0
1252	NASM1312-21	FASTENER TEST METHODS METHOD 21 SHEAR JOINT FATIGUE, CONSTANT AMPLITUDE - Rev 2	2012	AIA	0
1253	NASM1312-22	FASTENER TEST METHODS METHOD 22 RECEPTACLE PUSH-OUT, PANEL FASTENERS - Rev 1	2012	AIA	0
1254	NASM1312-23	FASTENER TEST METHODS METHOD 23 TENSILE STRENGTH OF PANEL FASTENERS - Rev 1	2012	AIA	0
1255	NASM1312-24	FASTENER TEST METHODS METHOD 24 RECEPTACLE TORQUE-OUT, PANEL FASTENERS - Rev 1	2012	AIA	0
1256	NASM1312-25	FASTENER TEST METHODS METHOD 25 DRIVING RECESS TORQUE QUALITY CONFORMANCE TEST - Rev 1	2012	AIA	0
1257	NASM1312-26	FASTENER TEST METHODS METHOD 26 STRUCTURAL PANEL FASTENER LAP JOINT SHEAR - Rev 1	2012	AIA	0
1258	NASM1312-27	FASTENER TEST METHODS METHOD 27 PANEL FASTENER SHEET PULL-UP - Rev 1	2012	AIA	0
1259	NASM1312-28	FASTENER TEST METHODS METHOD 28 ELEVATED TEMPERATURE DOUBLE SHEAR - Rev 1	2012	AIA	0
1260	NASM1312-29	FASTENER TEST METHODS, METHOD 29 MEASUREMENT TECHNIQUES FOR DETERMINING SHANK EXPANDING CHARACTERISTICS OF DEFORMABLE FASTENERS - Rev 1	2012	AIA	0
1261	NASM1312-30	FASTENER TEST METHODS METHOD 30 SHEET PULL-UP OF BLIND FASTENERS - Rev 1	2012	AIA	0
1262	NASM310	NUT, PLAIN, CASTELLATED, AIRFRAME - Rev 1	2012	AIA	0
1263	NASM760	STRAP, RETAINING, METAL FOR CONDUIT, PIPE, AND CABLE - Rev 1	2012	AIA	0
1264	NASM386	PIN, THREADED, TAPER - Rev 1	2012	AIA	0

1265	NASM1312-10	FASTENER TEST METHODS METHOD 10 STRESS RUPTURE - Rev 1	2012	AIA	0
1266	NASM1312-7	FASTENER TEST METHODS METHOD 7 VIBRATION - Rev 1	2012	AIA	0
1267	NASM1312-2	FASTENER TEST METHODS METHOD 2 INTERACTION - Rev 1	2012	AIA	0
1268	NASM1312-3	FASTENER TEST METHODS METHOD 3 HUMIDITY - Rev 1	2012	AIA	0
1269	NAS10001	PREFERRED METRIC UNITS FOR AEROSPACE - Rev 3	2012	AIA	0
1270	NASM256	NUT, SELF-LOCKING, PLATE, RIGHT ANGLE, 250 °F - Rev 3	2012	AIA	0
1271	NAS9921	BOLT, SHEAR, INTERNAL WRENCHING, SHORT THREAD, SELF-LOCKING AND NON-LOCKING, 6AL-4V TITANIUM AND A286 CRES, 160 KSI Ftu - Rev 1	2012	AIA	0
1272	NAS8200-8206	SCREW, PAN HEAD, RIBBED CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, FULL THREAD, SELF-LOCKING AND NONLOCKING - Rev 3	2012	AIA	0
1273	NAS8302-8304	SCREW, MACHINE, WASHER HEAD, FULL THREAD, CRUCIFORM RECESS, ALLOY STEEL - Rev. 3	2012	AIA	0
1274	NAS8402-8404	SCREW, MACHINE, WASHER HEAD, FULL THREAD, CRUCIFORM RECESS, A286 CRES - Rev. 4	2012	AIA	0
1275	NAS9603-9624	BOLT, HEXAGON HEAD, A286 CRES, CLOSE TOLERANCE, MINIMUM MAJOR, LONG THREADS - Rev 1	2012	AIA	0
1276	NAS9703-9724	BOLT, HEXAGON HEAD, ALLOY STEEL, CLOSE TOLERANCE, MINIMUM MAJOR, LONG THREADS - Rev 1	2012	AIA	0
1277	NAS9310	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE B, CLASS 1, CODE M & C - Rev 4	2012	AIA	0
1278	NAS7700-7706	BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, RIBBED CRUCIFORM RECESS, ALLOY STEEL, SELF-LOCKING AND NONLOCKING - Rev 5	2012	AIA	0
1279	NAS7800-7806	BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, CRUCIFORM RECESS, A286 CRES, SELF-LOCKING AND NON-LOCKING - Rev 7	2012	AIA	0
1280	NAS8000-8006	SCREW, PAN HEAD, RIBBED CRUCIFORM RECESS, ALLOY STEEL, FULL THREAD, SELF-LOCKING AND NONLOCKING - Rev 4	2012	AIA	0
1281	NAS7303-7316	BOLT, 100° HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, 6Al-4V TITANIUM ALLOY, LONG THREAD, SELF-LOCKING AND NONLOCKING - Rev 7	2012	AIA	0
1282	NAS7400-7416	BOLT, SHEAR, 100° FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev. 4	2012	AIA	0
1283	NAS7500-7516	BOLT, SHEAR, 100° FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 6	2012	AIA	0
1284	NAS8602-8616	BOLT, SHEAR, 100° REDUCED HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD - Rev. 1	2012	AIA	0
1285	NAS8702-8716	BOLT, SHEAR, 100° REDUCED HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286, SHORT THREAD - Rev 1	2012	AIA	0
1286	NAS8802-8816	BOLT, SHEAR, 100° REDUCED HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD - Rev 1	2012	AIA	0
1287	NAS9001-9006	SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, ALLOY STEEL, 160,000 PSI TENSILE - Rev. 2	2012	AIA	0
1288	NAS9101-9106	SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, A286 CRES, 160,000 PSI TENSILE - Rev. 2	2012	AIA	0
1289	NAS9201-9206	SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, TITANIUM ALLOY 6AL-4V, 160,000 PSI TENSILE - Rev 2	2012	AIA	0
1290	NAS9300-002	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 002: REQUIREMENTS	2012	AIA	0
1291	NAS9300-005	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 005: AUTHENTICATION AND VERIFICATION	2012	AIA	0
1292	NAS9300-007	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 007: TERMS AND REFERENCES	2012	AIA	0

1293	NAS9300-100	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 100: COMMON CONCEPTS FOR LONG TERM ARCHIVING AND RETRIEVAL OF CAD 3D MECHANICAL INFORMATION	2012	AIA	0
1294	NAS9300-110	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 110: LONG TERM ARCHIVING AND RETRIEVAL OF CAD MECHANICAL 3D EXPLICIT GEOMETRY INFORMATION	2012	AIA	0
1295	NAS9300-115	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 115: EXPLICIT CAD ASSEMBLY STRUCTURE	2012	AIA	0
1296	NAS6913	PIN, SWAGE LOCKING, PH13-8Mo CRES, 100° CROWN HEAD, SHEAR, PULL-TYPE - Rev 2	2012	AIA	0
1297	NAS6915-6922	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (MS20426), TENSION, STUMP-TYPE - Rev 1	2012	AIA	0
1298	NAS6925-6932	PIN, SWAGE LOCKING, STEEL, 100° HEAD (NASM20426), TENSION, STUMP-TYPE - Rev 3	2012	AIA	0
1299	NAS6984-6992	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, SHEAR, STUMP-TYPE - Rev 3	2012	AIA	0
1300	NAS7101	BIT, SCREWDRIVER, CRUCIFORM, SPECIFICATION FOR - Rev 3	2012	AIA	0
1301	NAS7103-7116	BOLT, SHEAR, 100° FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 7	2012	AIA	0
1302	NAS5316	SCREW, SHEAR, 100° FLUSH HEAD, CLOSE TOLERANCE, SELF-LOCKING AND NON-LOCKING, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2012	AIA	0
1303	NAS5310	SCREW, SHEAR, 130 DEG FLUSH HEAD, CLOSE TOLERANCE, SELF-LOCKING AND NON-LOCKING, NAS1800 SIX LOBE RECESS, 95 KSI Fsu - Rev 2	2012	AIA	0
1304	NAS5311	SCREW, FLAT FILLISTER HEAD, FULL THREAD, SELF-LOCKING OR NON-LOCKING, NAS1800 SIX LOBE RECESS - Rev 2	2012	AIA	0
1305	NAS5312	SCREW, 100 DEG FLUSH HEAD, FULL THREAD, NAS1800 SIX LOBE RECESS, SELF-LOCKING AND NON-LOCKING - Rev 1	2012	AIA	0
1306	NAS2506-2512	BOLT, LOCK, SHEAR, 100° HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 4	2012	AIA	0
1307	NAS4445	NUT, CRIMP, FOR CRIMPLOCK FASTENER SYSTEM - Rev 4	2012	AIA	0
1308	NAS5170	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, FLUSH HEAD, SELF-LOCKING - Rev 1	2012	AIA	0
1309	NAS5171	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, FLUSH HEAD, SELF-LOCKING, .016 OVERSIZE - Rev 1	2012	AIA	0
1310	NAS5270	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, PROTRUDING HEAD, SELF-LOCKING - Rev 1	2012	AIA	0
1311	NAS5271	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, PROTRUDING HEAD, SELF-LOCKING, .016 OVERSIZE - Rev 1	2012	AIA	0
1312	NAS5320	SCREW, SHEAR, 100 DEG FLUSH REDUCED HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 1	2012	AIA	0
1313	NAS3450	NULL	2012	AIA	0
1314	NAS3444	NULL	2012	AIA	0
1315	NAS3445	NULL	2012	AIA	0
1316	NAS3446	NULL	2012	AIA	0
1317	NAS3447	NULL	2012	AIA	0
1318	NAS3448	NULL	2012	AIA	0
1319	NAS3440	NULL	2012	AIA	0
1320	NAS3441	NULL	2012	AIA	0
1321	NAS3442	NULL	2012	AIA	0
1322	NAS3438	NULL	2012	AIA	0
1323	NAS3435	NULL	2012	AIA	0

1324	NAS3436	NULL	2012	AIA	0
1325	NAS3425	NULL	2012	AIA	0
1326	NAS3354	FIXTURES, VIBRATION TEST, SELF-LOCKING NUTS - Rev 1	2012	AIA	0
1327	NAS3355	FIXTURE, TENSILE YIELD TEST, SELF-LOCKING NUTS - Rev 1	2012	AIA	0
1328	NAS3350	NUT, SELF-LOCKING, 450 °F AND 800 °F, HIGH QUALITY - Rev 7	2012	AIA	0
1329	NAS3351	STUD AND MANDREL TEST FIXTURE, SELF-LOCKING NUTS - Rev 1	2012	AIA	0
1330	NAS3428	NULL	2012	AIA	0
1331	NAS3429	NULL	2012	AIA	0
1332	NAS3430	NULL	2012	AIA	0
1333	NAS3431	NULL	2012	AIA	0
1334	NAS3432	NULL	2012	AIA	0
1335	NAS3433	NULL	2012	AIA	0
1336	NAS3454	NULL	2012	AIA	0
1337	NAS4007	TESTING, METALLURGICAL, FASTENERS, EXTERNAL THREADS - Rev 1	2012	AIA	0
1338	NAS4008	FASTENERS, CORROSION RESISTANT NICKEL ALLOY 718, EXTERNAL THREADED, 220 KSI Ftu, 125 KSI Fsu, 900 °F - Rev 1	2012	AIA	0
1339	NAS4123	HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, FOR DUAL INLINE PACKAGES (DIP) - Rev 1	2012	AIA	0
1340	NAS4124	HEAT SINK, ELECTRICAL/ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, DUAL LINK - Rev 1	2012	AIA	0
1341	NAS4117	HEAT SINK, INSULATOR, WAFER TYPE - Rev 1	2012	AIA	0
1342	NAS4118	HEAT SINK, ELECTRICAL, ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, RETAINER CLIP TYPE - Rev 1	2012	AIA	0
1343	NAS4120	HEAT SINK, ELECTRICAL, ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, ENCAPSULATING TYPE, TO-5 - Rev 1	2012	AIA	0
1344	NAS4121	HEAT SINK, ELECTRICAL, ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, FORMED - Rev 1	2012	AIA	0
1345	NAS4458	PIN, CRIMP, PROTRUDING TENSION HEAD - Rev 2	2012	AIA	0
1346	NAS4466	PIN, CRIMP, 100? CROWN SHEAR/TENSION HEAD - Rev 2	2012	AIA	0
1347	NAS3406	BAG, PACKAGING OF MULTIPLE ITEMS - Rev 3	2012	AIA	0
1348	NAS3407	BAG, WATER VAPORPROOF - Rev 3	2012	AIA	0
1349	NAS3408	BOX, UNIT CUSHIONED - Rev 3	2012	AIA	0
1350	NAS3409	NULL	2012	AIA	0
1351	NAS3410	BOX, BULK QUANTITIES - Rev 2	2012	AIA	0
1352	NAS3411	BOX, SLOTTED PARTITIONS - Rev 3	2012	AIA	0
1353	NAS3412	NULL	2012	AIA	0
1354	NAS3413	NULL	2012	AIA	0
1355	NAS3414	NULL	2012	AIA	0
1356	NAS3415	NULL	2012	AIA	0
1357	NAS3416	NULL	2012	AIA	0
1358	NAS3417	PACKAGING OF ELECTRICAL CABLE-CORD-WIRE - Rev 3	2012	AIA	0
1359	NAS3418	NULL	2012	AIA	0
1360	NAS3419	NULL	2012	AIA	0
1361	NAS3420	NULL	2012	AIA	0

1362	NAS3421	NULL	2012	AIA	0
1363	NAS3422	NULL	2012	AIA	0
1364	NAS2005-2012	BOLT, LOCK, TENSION, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 5	2012	AIA	0
1365	NAS2014	PIN, RIVET, GROOVED, AND COLLAR, FOR COMPOSITE MATERIALS - Rev 1	2012	AIA	0
1366	NAS1925	CLAMP, HOSE - Rev 2	2012	AIA	0
1367	NAS1921	RIVET, BLIND, GENERAL PURPOSE, BULBED, 100° FLUSH HEAD, MECHANICALLY-LOCKED-SPINDLE - Rev. 9	2012	AIA	0
1368	NAS2025-2032	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, 100° FLUSH HEAD, PULL-TYPE - Rev 1	2012	AIA	0
1369	NAS2035-2042	PIN, RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS), 130° FLUSH HEAD, PULL-TYPE - Rev 1	2012	AIA	0
1370	NAS2045-2052	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, PROTRUDING HEAD, STUMP-TYPE - Rev 1	2012	AIA	0
1371	NAS2055-2062	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, 100° FLUSH HEAD, STUMP TYPE - Rev 1	2012	AIA	0
1372	NAS2065-2072	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, 130° FLUSH HEAD, STUMP-TYPE - Rev 1	2012	AIA	0
1373	NAS2105-2112	BOLT, LOCK, TENSION, 100° HEAD (NASM24694), PULL-TYPE, TITANIUM ALLOY - Rev 5	2012	AIA	0
1374	NAS2115-2122	BOLT, LOCK, TENSION, 100° HEAD (MS20426), STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 1	2012	AIA	0
1375	NAS2125-2132	BOLT, LOCK, TENSION, 100° CROWN HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 1	2012	AIA	0
1376	NAS2205-2212	BOLT, LOCK, TENSION, PROTRUDING HEAD, STUMP TYPE, TITANIUM ALLOY - Rev 4	2012	AIA	0
1377	NAS2306-2312	BOLT, LOCK, TENSION, 100° HEAD (MS24694), STUMP-TYPE, TITANIUM ALLOY - Rev 4	2012	AIA	0
1378	NAS1900	RIVET, BLIND, GENERAL PURPOSE, BULBED, SELF PLUGGING, MECHANICALLY-LOCKED-SPINDLE - Rev 5	2012	AIA	0
1379	NAS1840	INSERT ASSEMBLY, THREADED METAL, LIGHT WEIGHT SELF-LOCKING, NON SELF-LOCKING - Rev 2	2012	AIA	0
1380	NAS1860-1863	STUD ASSEMBLY, THREADED, METAL, SINGLE STEP - Rev 2	2012	AIA	0
1381	NAS1836	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, LIGHTWEIGHT, SANDWICH PANEL - Rev 9	2012	AIA	0
1382	NAS1772	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CBORED, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1383	NAS1773	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CBORED, FLOATING, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1384	NAS1774	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, FLOATING, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1385	NAS1767	BOLT, CLOSE TOLERANCE, 100° REDUCED HEAD, DOVETAIL SLOT - Rev 3	2012	AIA	0
1386	NAS1783	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, COUNTERBORED, 160 KSI, 250 °F, 450 °F, 800 °F - Rev 3	2012	AIA	0
1387	NAS1784	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CSK, 160 KSI, 250 °F, 450 °F, 800 °F - Rev 2	2012	AIA	0
1388	NAS1781	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, 100° CSK, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1389	NAS1777	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1390	NAS1778	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, SIDE BY SIDE, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1391	NAS1804	NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, ALLOY STEEL, 180 KSI, 450 °F - Rev 2	2012	AIA	0
1392	NAS1805	NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, CRES, 180 KSI, 450 °F AND 800 °F - Rev 4	2012	AIA	0
1393	NAS1790	BOLT, 100° FLUSH HEAD, 160 KSI UTS - Rev 5	2012	AIA	0
1394	NAS1787	CLAMP, TUBE MOUNTING - Rev 1	2012	AIA	0
1395	NAS1794	NUT, SELF-LOCKING, COUNTERBORE REPLACEABLE ELEMENT - Rev 3	2012	AIA	0
1396	NAS1795	RETAINING CLIP, REPLACEABLE NUT PLATE - Rev 4	2012	AIA	0
1397	NAS1798	BIT, SIX LOBE DRIVE, INTERNAL RECESS, FOR POWER AND HAND TOOLS - Rev 2	2012	AIA	0

1398	NAS1799	BIT, SIX LOBE RECESS DRIVER, SPECIFICATION - Rev 2	2012	AIA	0
1399	NAS1800	RECESS, SIX LOBE DRIVE, INTERNAL, DIMENSIONS FOR RECESS AND GAGES - Rev 4	2012	AIA	0
1400	NAS1801	SCREW, HEX HEAD, CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL, 160 KSI Ftu - Rev 4	2012	AIA	0
1401	NAS1872	NUT, TORQUE LIMITING, 900 °F APPLICATION, .2500-28 UNJF-3B THREAD - Rev 1	2012	AIA	0
1402	NASM85353-2	NULL	2012	AIA	0
1403	NASM85353	NUTS, FASTENERS, INTERNALLY THREADED, PRELOAD LOCKING, 450 °F, 800 °F AND 1,200 °F, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1404	NASM91528	KNOBS, CONTROL, PLASTIC, ROUND, CONCENTRIC, POINTER, SPINNER, SPINNER SLIP-CLUTCH, BAR, TACTILE, KNOB LOCK POINTER, SLIP-CLUTCH, AND KNOB LOCKS - Rev 1	2012	AIA	0
1405	NASM91531	KNOBS, CONTROL, ROUND, PLASTIC, WITH FLUTED GRIP - Rev 1	2012	AIA	0
1406	NASM90726	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNF-2A - Rev 2	2012	AIA	0
1407	NASM91522	KNOB, CONTROL, CRANK, METAL - Rev 2	2012	AIA	0
1408	NASM91523	KNOB, CONTROL, LEVER, METAL - Rev 1	2012	AIA	0
1409	NASM91524	KNOB, CONTROL, SHORT BAR, METAL AND PLASTIC - Rev 1	2012	AIA	0
1410	NASM122196-122235	INSERT, CRES, HELICAL COIL, COARSE THREAD, 2-1/2 DIA NOMINAL LENGTH - Rev 1	2012	AIA	0
1411	NASM90353	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100° FLUSH HEAD, ALLOY STEEL, 112 KSI Fsu - Rev 2	2012	AIA	0
1412	NASM90354	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, ALLOY STEEL, 112 KSI Fsu - Rev 2	2012	AIA	0
1413	NASM85449-2	NULL	2012	AIA	0
1414	NASM85449-3	NULL	2012	AIA	0
1415	NASM85449-4	NULL	2012	AIA	0
1416	NASM85604	BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, 125 KSI Fsu AND 220 KSI Ftu, HIGH TEMPERATURE, SPLINE DRIVE - Rev 1	2012	AIA	0
1417	NASM85643-1	NULL	2012	AIA	0
1418	NASM85643-2	NULL	2012	AIA	0
1419	NASM85643-3	NULL	2012	AIA	0
1420	NASM85643-4	NULL	2012	AIA	0
1421	NASM85643-5	NULL	2012	AIA	0
1422	NASM85643	BITS, SCREWDRIVER, RIBBED, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1423	NASM85730-1	NULL	2012	AIA	0
1424	NASM85730	NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220 KSI Ftu, 900 °F - Rev 1	2012	AIA	0
1425	NASM63540	STUD, SELF-CLINCHING GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1426	NASM45938-11	NULL	2012	AIA	0
1427	NASM39086	PIN, SPRING, TUBULAR, COILED, HEAVY DUTY - Rev 1	2012	AIA	0
1428	NASM45938-9	NULL	2012	AIA	0
1429	NASM45938-7	NULL	2012	AIA	0
1430	NASM45595-9	NULL	2012	AIA	0
1431	NASM45595	WASHERS, SHOULDERED, RECESSED, SADDLE, CONCAVE AND CONVEX, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1432	NASM45938-1	NULL	2012	AIA	0

1433	NASM43770-3	NULL	2012	AIA	0
1434	NASM43770-5	NULL	2012	AIA	0
1435	NASM43770-6	NULL	2012	AIA	0
1436	NASM43770-8	NULL	2012	AIA	0
1437	NASM43770-10	NULL	2012	AIA	0
1438	NASM43770-13	NULL	2012	AIA	0
1439	NASM43770-14	NULL	2012	AIA	0
1440	NASM43770	SNAP HOOKS, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1441	NASM45595-3	NULL	2012	AIA	0
1442	NASM45595-5	NULL	2012	AIA	0
1443	NASM45595-6	NULL	2012	AIA	0
1444	NASM35140	STRAP, RETAINING, ONE HOLE FOR PIPE, RIGID CONDUIT AND CABLE - Rev. 2	2012	AIA	0
1445	NASM35203	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82°, CRUCIFORM RECESS, ALUMINUM ALLOY, ANODIC COATED, UNF-2A - Rev 1	2012	AIA	0
1446	NASM35214	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, BRASS, UNC-2A - Rev 2	2012	AIA	0
1447	NASM35215	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, BRASS, UNF-2A - Rev 2	2012	AIA	0
1448	NASM35273	SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNC-2A - Rev 1	2012	AIA	0
1449	NASM35274	SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNF-2A - Rev 1	2012	AIA	0
1450	NASM35199	SCREW, MACHINE, 82° FLAT COUNTERSUNK HEAD, CROSS-RECESSED, BRASS, BLACK CHEMICAL FINISH, UNF-2A - Rev 1	2012	AIA	0
1451	NASM35650	NUT, PLAIN, HEXAGON, MACHINE SCREW, UNF-2B - Rev 1	2012	AIA	0
1452	NASM35672	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CORROSION-RESISTING STEEL - Rev 1	2012	AIA	0
1453	NASM35674	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL - Rev 1	2012	AIA	0
1454	NASM35677	PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CARBON STEEL - Rev 1	2012	AIA	0
1455	NASM35791	HANDLE, BAIL, CHEST, SURFACE MOUNTING, COUNTERSUNK HOLES - Rev 1	2012	AIA	0
1456	NASM35792	HANDLE, BAIL, CHEST, RECESSED - Rev 1	2012	AIA	0
1457	NASM35793	HANDLE, BAIL, CHEST, SURFACE MOUNTING, PLAIN HOLES - Rev 1	2012	AIA	0
1458	NASM27576	BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI Fsu, HEX HEAD, 450 °F - Rev 3	2012	AIA	0
1459	NASM27986	FASTENERS, SNAP, STYLE 7, RIVET TYPE - Rev 1	2012	AIA	0
1460	NASM28042	CLAMP, INSTRUMENT MOUNTING, AIRCRAFT - Rev 1	2012	AIA	0
1461	NASM33749	SCREW, INSTALLATION AND LIMITATIONS FOR USAGE OF THREAD CUTTING AND THREAD FORMING - Rev 1	2012	AIA	0
1462	NASM27975	CLEVIS, ROD END, ADJUSTING, WIDE AND NARROW FORKS - Rev 2	2012	AIA	0
1463	NASM27953	BOLT, HOOK, TURNBUCKLE, GENERAL PURPOSE - Rev. 1	2012	AIA	0
1464	NASM28728	DIAL, CONTROL, MULTI-TURN COUNTERS, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1465	NASM25420	FASTENERS, STRAIGHT, HEADED, SWAGED COLLAR, LIMITATIONS FOR USE OF - Rev 1	2012	AIA	0
1466	NASM25440	WASHERS, FOR USE WITH AIRCRAFT ALUMINUM TERMINALS - Rev 1	2012	AIA	0
1467	NASM24694	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEGREES, STRUCTURAL, CROSS RECESSED, UNC-3A AND UNF-3A - Rev 2	2012	AIA	0

1468	NASM25027	NUT, SELF-LOCKING, 250 °F, 450 °F, AND 800 °F - Rev 1	2012	AIA	0
1469	NASM24630	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T, PAN HEAD, CRUCIFORM RECESSED, CRES - Rev 1	2012	AIA	0
1470	NASM24634	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G AND T, APPROXIMATE HOLE SIZES FOR - Rev 1	2012	AIA	0
1471	NASM24661	RIVET, BLIND, COUNTERSUNK HEAD, DRIVE TYPE - Rev 1	2012	AIA	0
1472	NASM24662	RIVET, BLIND, UNIVERSAL HEAD, DRIVE TYPE - Rev 2	2012	AIA	0
1473	NASM24373	CASTERS, RIGID AND SWIVEL, PRECISION, PNEUMATIC TIRED	2012	AIA	0
1474	NASM24374	CASTERS, RIGID AND SWIVEL, PRECISION SPRING MOUNTED - Rev 1	2012	AIA	0
1475	NASM24625	SCREW, TAPPING, THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL - Rev 1	2012	AIA	0
1476	NASM22978	FASTENER, ROTARY, QUICK-OPERATING, HIGH-STRENGTH - Rev 1	2012	AIA	0
1477	NASM21392	NUT, PLAIN, HEXAGON, AZIMUTH, WITH LOCKWIRE HOLES - Rev 1	2012	AIA	0
1478	NASM21143	PIN, STRAIGHT, HEADLESS (DOWEL), GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1479	NASM83459-1	NULL	2012	AIA	0
1480	NASM83459-2	NULL	2012	AIA	0
1481	NASM83459-3	NULL	2012	AIA	0
1482	NASM81177-3	NULL	2012	AIA	0
1483	NASM63540-6	NULL	2012	AIA	0
1484	NASM51966	SETSCREW, HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 1	2012	AIA	0
1485	NASM51973	SETSCREW, HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 1	2012	AIA	0
1486	NASM51976	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A - Rev 1	2012	AIA	0
1487	NASM51987	PIN, SPRING, TUBULAR, COILED, LIGHT DUTY - Rev 1	2012	AIA	0
1488	NASM63540-1	NULL	2012	AIA	0
1489	NASM63540-2	NULL	2012	AIA	0
1490	NASM63540-3	NULL	2012	AIA	0
1491	NASM51605	PIN, GROOVED, HEADLESS, HALF LENGTH TAPER GROOVE, CRES - Rev 1	2012	AIA	0
1492	NASM51939	LOOP, STRAP FASTENER (FOOTMAN'S LOOP) - Rev 1	2012	AIA	0
1493	NASM51956	STRAP, RETAINING, ONE HOLE FOR THIN WALL CONDUIT (EMT) - Rev. 3	2012	AIA	0
1494	NASM45938-14	NULL	2012	AIA	0
1495	NASM45938	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1496	NASM47195	RIVETS, BLIND, SELF-PLUGGING, PREPARATION FOR AND INSTALLATION OF - Rev 1	2012	AIA	0
1497	NASM51896	SCREW, EXTERNALLY RELIEVED BODY, PAN HEAD, CRUCIFORM RECESS, CRES, UNC-2A - Rev 2	2012	AIA	0
1498	NASM51923	PIN, SPRING, TUBULAR, COILED, STANDARD DUTY - Rev 1	2012	AIA	0
1499	NASM51929	BUCKLE, SPRING ACTION - Rev 1	2012	AIA	0
1500	NASM51850	SCREW, TAPPING, THREAD FORMING, TYPE AB, HEXAGON HEAD, SLOTTED - Rev 1	2012	AIA	0
1501	NASM51851	SCREW, TAPPING, THREAD CUTTING, TYPE D, HEXAGON HEAD, SLOTTED - Rev 1	2011	AIA	0
1502	NASM51861	SCREW, TAPPING, THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED - Rev 4	2011	AIA	0
1503	NASM51862	SCREW, TAPPING, THREAD FORMING, TYPE AB, FLAT 82° COUNTERSUNK HEAD, CROSS-RECESSED - Rev 1	2011	AIA	0

1504	NASM51863	SCREW, TAPPING, HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, PAN HEAD, CROSS-RECESSED - Rev 1	2011	AIA	0
1505	NASM51864	STUD, PLAIN, GENERAL PURPOSE - Rev 1	2011	AIA	0
1506	NASM51870	SCREW, TAPPING, HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, FLAT COUNTERSUNK HEAD, CROSS RECESSED - Rev 2	2011	AIA	0
1507	NASM51871	SCREW, TAPPING, HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD - Rev 2	2011	AIA	0
1508	NASM51932	PIN, STRAIGHT, HEADLESS, DRILLED FOR COTTER PINS - Rev 1	2011	AIA	0
1509	NASM51834	STUD, LOCKED IN, KEY-LOCKED, HEAVY DUTY - Rev 1	2011	AIA	0
1510	NASM51838	PIN, STRAIGHT, STEEL, DRILL ROD - Rev 2	2011	AIA	0
1511	NASM51029	NULL	2011	AIA	0
1512	NASM51095	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A, PLAIN AND SELF-LOCKING - Rev 2	2011	AIA	0
1513	NASM51096	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING - Rev 2	2011	AIA	0
1514	NASM51105	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A - Rev 1	2011	AIA	0
1515	NASM51106	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A - Rev 1	2011	AIA	0
1516	NASM51109	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, CRES, PASSIVATED, UNC-2A - Rev 1	2011	AIA	0
1517	NASM51110	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, CRES, PASSIVATED, UNF-2A - Rev 1	2011	AIA	0
1518	NASM51400	PIN, STRAIGHT, HEADLESS - Rev 2	2011	AIA	0
1519	NASM51965	SETSCREW, HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 1	2011	AIA	0
1520	NASM51977	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A - Rev 1	2011	AIA	0
1521	NASM51981	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A - Rev 1	2011	AIA	0
1522	NASM51982	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A - Rev 2	2011	AIA	0
1523	NASM51974	SETSCREW, HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 1	2011	AIA	0
1524	NASM63540-7	NULL	2011	AIA	0
1525	NASM82496	SCREWS, MACHINE, SELF-SEALING, INTEGRAL O-RING - Rev 1	2011	AIA	0
1526	NASM83459	RIVET, TITANIUM, BIMETAL, 95 KSI Fsu, GENERAL SPECIFICATION FOR - Rev 1	2011	AIA	0
1527	NASM21287	SCREW, MACHINE, STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .1640-36, (AS8879 THREAD) - Rev 1	2011	AIA	0
1528	NASM21382	KNOB, ROUND, ILLUMINATED AND NON-ILLUMINATED, SMALL - Rev 1	2011	AIA	0
1529	NASM21383	KNOB, RADIAL INDICATOR, ILLUMINATED AND NON-ILLUMINATED - Rev 1	2011	AIA	0
1530	NASM21384	KNOB, POINTER, ILLUMINATED AND NON-ILLUMINATED - Rev 1	2011	AIA	0
1531	NASM21385	KNOBS, TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED - Rev 1	2011	AIA	0
1532	NASM21386	KNOBS, ROUND, CONCENTRIC ILLUMINATED AND NON-ILLUMINATED - Rev 1	2011	AIA	0
1533	NASM21387	KNOB, ROUND ILLUMINATED AND NON-ILLUMINATED, SMALL - Rev 1	2011	AIA	0
1534	NASM23964	BOLT, SELF-RETAINING, POSITIVE LOCKING - Rev 1	2011	AIA	0
1535	NASM24066-2	NULL	2011	AIA	0
1536	NASM24066-3	NULL	2011	AIA	0

1537	NASM24066-4	NULL	2011	AIA	0
1538	NASM22529-1	NULL	2011	AIA	0
1539	NASM22529-2	NULL	2011	AIA	0
1540	NASM24665	PIN, COTTER (SPLIT) - Rev 2	2011	AIA	0
1541	NASM24667	SCREW, CAP, SOCKET HEAD, FLAT COUNTERSUNK, 82°, ALLOY STEEL, UNC-3A - Rev 1	2011	AIA	0
1542	NASM24692	PIN, TAPERED, PLAIN - Rev 1	2011	AIA	0
1543	NASM24628	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T, FLAT 82° COUNTERSUNK HEAD, CRUCIFORM-RECESSED, CRES - Rev 1	2011	AIA	0
1544	NASM24629	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G, OR T, PAN HEAD, CRUCIFORM RECESSED, CARBON STEEL, CADMIUM PLATED - Rev 1	2011	AIA	0
1545	NASM25087	SCREW, EXTERNALLY RELIEVED BODY - Rev 1	2011	AIA	0
1546	NASM33522	RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED AND FRICTION RETAINER SPINDLE, (RELIABILITY AND MAINTAINABILITY) DESIGN AND CONSTRUCTION REQUIREMENT FOR - Rev 1	2011	AIA	0
1547	NASM27976	CLEVIS, ROD END, PLAIN, WIDE AND NARROW FORKS - Rev 1	2011	AIA	0
1548	NASM27120	CLEVIS, ROD END, TURNBUCKLE (GENERAL PURPOSE) - Rev 1	2011	AIA	0
1549	NASM27384	RIVET, BLIND, DRIVE TYPE - Rev 1	2011	AIA	0
1550	NASM27545	KEY, WOODRUFF, ALLOY STEEL - Rev 1	2011	AIA	0
1551	NASM33750	RECESS, DOVETAIL SLOT AND CONICAL DOVETAIL SLOT, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 1	2011	AIA	0
1552	NASM33781	RECESS, OFFSET CRUCIFORM, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 3	2011	AIA	0
1553	NASM33602	BOLTS, SELF-RETAINING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY, DESIGN AND USAGE REQUIREMENTS FOR - Rev 1	2011	AIA	0
1554	NASM27981	FASTENERS, SNAP STYLE 2A, SMALL WIRE SPRING, CLAMP TYPE - Rev 2	2011	AIA	0
1555	NASM33557	NONSTRUCTURAL RIVETS FOR BLIND ATTACHMENT; LIMITATIONS FOR DESIGN AND USAGE - Rev 1	2011	AIA	0
1556	NASM35812	CLEVIS, ROD END, ADJUSTABLE AND PLAIN, STEEL - Rev 1	2011	AIA	0
1557	NASM43770-1	NULL	2011	AIA	0
1558	NASM43770-2	NULL	2011	AIA	0
1559	NASM35756	KEY, WOODRUFF, STEEL, ALLOY, WITH KEYWAY AND KEY SLOT DIMENSIONS - Rev 1	2011	AIA	0
1560	NASM35678	PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CORROSION RESISTING STEEL - Rev 1	2011	AIA	0
1561	NASM35675	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTING STEEL - Rev 1	2011	AIA	0
1562	NASM35671	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CARBON STEEL - Rev 2	2011	AIA	0
1563	NASM35202	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82°, CROSS-RECESSED, ALUMINUM ALLOY, ANODIC COATED, UNC-2A - Rev 1	2011	AIA	0
1564	NASM35191	SCREW, MACHINE, 82° FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A - Rev 1	2011	AIA	0
1565	NASM35198	SCEW, MACHINE, FLAT COUNTERSUNK HEAD, 82° CROSS-RECESSED, BRASS, UNC-2A - Rev 1	2011	AIA	0
1566	NASM45595-7	NULL	2011	AIA	0
1567	NASM45595-4	NULL	2011	AIA	0
1568	NASM45595-1	NULL	2011	AIA	0
1569	NASM45595-2	NULL	2011	AIA	0
1570	NASM43770-11	NULL	2011	AIA	0
1571	NASM43770-12	NULL	2011	AIA	0

1572	NASM43770-9	NULL	2011	AIA	0
1573	NASM43770-7	NULL	2011	AIA	0
1574	NASM43770-4	NULL	2011	AIA	0
1575	NASM45908	BOLT, EYE, GENERAL SPECIFICATION FOR - Rev 1	2011	AIA	0
1576	NASM45909	STUD, LOCKED IN, RING LOCKED, SERRATED, GENERAL SPECIFICATION FOR - Rev 1	2011	AIA	0
1577	NASM45938-8	NULL	2011	AIA	0
1578	NASM90415	NUT, SELF-LOCKING, STEEL, 160 KSI, 450 °F, 12 POINT, CAPTIVE WASHER - Rev 1	2011	AIA	0
1579	NASM90725	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNC-2A - Rev 2	2011	AIA	0
1580	NASM91525	KNOB, CONTROL, BAR, METAL AND PLASTIC - Rev 1	2011	AIA	0
1581	NAS1873	INSERT, SELF-LOCKING, THERMAL BONDED HONEYCOMB PANEL - Rev 2	2011	AIA	0
1582	NAS1779	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT C_BORED, FLOATING, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 3	2011	AIA	0
1583	NAS1769	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, OVERSIZE - Rev 9	2011	AIA	0
1584	NAS1770	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CBORE, 160 KSI, 450 °F, 800 °F - Rev 3	2011	AIA	0
1585	NAS1766	NUT, SELF-LOCKING, PLATE, CORNER, COUNTERBORED, FLOATING, 125 KSI Ft <sub>u</sub> , 450 °F AND 800 °F - Rev 3	2011	AIA	0
1586	NAS1775	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 3	2011	AIA	0
1587	NAS1776	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 2	2011	AIA	0
1588	NAS1837	INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS1832, NAS1833, NAS1834, NAS1835, AND NAS1836 MOLDED IN INSERTS - Rev 6	2011	AIA	0
1589	NAS1839	INSERT ASSEMBLY, THREADED METAL, HEAVY DUTY SELF-LOCKING, NON SELF-LOCKING - Rev 3	2011	AIA	0
1590	NAS1832	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - Rev 9	2011	AIA	0
1591	NAS1833	INSERT, MOLDED IN, THREADED, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - Rev 8	2011	AIA	0
1592	NAS1870	NUT, SELF-LOCKING, PLATE, TWO LUG, 125 KSI Ft <sub>u</sub> , 450 °F & 800 °F - Rev 4	2011	AIA	0
1593	NAS1871	NULL	2011	AIA	0
1594	NAS1841-1854	STUD ASSEMBLY, THREADED, METAL, DOUBLE STEP - Rev 3	2011	AIA	0
1595	NAS1919	RIVET, BLIND, GENERAL PURPOSE, BULBED, PROTRUDING HEAD, MECHANICALLY-LOCKED-SPINDLE - Rev 8	2011	AIA	0
1596	NAS1922	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 4	2011	AIA	0
1597	NAS1923	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 3	2011	AIA	0
1598	NAS1940	GROMMET, NONMETALLIC - Rev 1	2011	AIA	0
1599	NAS1941	RUBBER, SYNTHETIC, CABLE GROMMET MATERIAL - Rev 1	2011	AIA	0
1600	NAS2406-2412	BOLT, LOCK, SHEAR, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 4	2011	AIA	0
1601	NAS2013	COLLAR , GROOVED, PIN-RIVET, TITANIUM, (COMPOSITE APPLICATIONS) - Rev 1	2011	AIA	0
1602	NAS3203-3210	BOLT, HOOK - Rev 3	2011	AIA	0
1603	NAS3303-3305	BOLT, U, STRAP TYPE - Rev 3	2011	AIA	0
1604	NAS4119	HEAT SINK, ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, PRESS-ON TYPE - Rev 1	2011	AIA	0
1605	NAS3352	FIXTURE, STRESS EMBRITTLEMENT TEST, SELF-LOCKING NUTS - Rev 3	2011	AIA	0
1606	NAS3353	FIXTURE, BEARING SURFACE SQUARENESS TEST, SELF-LOCKING NUTS - Rev 1	2011	AIA	0
1607	NAS3356	LUBRICANT COATINGS, SUITABILITY OF SELF-LOCKING NUTS - Rev 3	2011	AIA	0

1608	NAS5321	BOLT, SHEAR, 100 DEGREE FLUSH HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 108 KSI Fsu - Rev 1	2011	AIA	0
1609	NAS4450	PIN, CRIMP, PROTRUDING SHEAR HEAD - Rev 3	2011	AIA	0
1610	NAS5314	SCREW, SHEAR, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2011	AIA	0
1611	NAS5315	SCREW, SHEAR, 100 DEG FLUSH HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 1	2011	AIA	0
1612	NAS4444	CRIMPLOCK FASTENER SYSTEM - Rev 5	2011	AIA	0
1613	NAS5318	BOLT, SHEAR, FLAT PAN HEAD, CLOSE TOLERANCE, LONG THREAD, NON-LOCKING AND SELF-LOCKING, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 1	2011	AIA	0
1614	NAS7014-7022	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE - Rev 4	2011	AIA	0
1615	NAS6935-6942	PIN, SWAGE LOCKING, STEEL, 100° CROWN HEAD, TENSION, PULL-TYPE - Rev 1	2011	AIA	0
1616	NAS9923	WASHER, COUNTERSUNK, HIGH STRENGTH	2011	AIA	0
1617	NASM302	PIN, ESCUTCHEON - Rev 1	2011	AIA	0
1618	NASM21-37	BOLT, CLEVIS - Rev 1	2011	AIA	0
1619	NASM1312-4	FASTENER TEST METHODS METHOD 4 LAP JOINT SHEAR - Rev 1	2011	AIA	0
1620	NASM1312-8	FASTENER TEST METHODS, METHOD 8, TENSILE STRENGTH - Rev 2	2011	AIA	0
1621	NASM501	SCREW, MACHINE, FILLISTER HEAD, FINE THREAD	2011	AIA	0
1622	NASM1312-31	FASTENER TEST METHODS METHOD 31 TORQUE - Rev 1	2011	AIA	0
1623	NASM1312-20	FASTENER TEST METHODS, METHOD 20, SINGLE SHEAR - Rev 2	2011	AIA	0
1624	NASM1312-16	FASTENER TEST METHODS METHOD 16 CLAMPING FORCE FOR INSTALLATION, FORMED FASTENERS - Rev 1	2011	AIA	0
1625	NASM3926	KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) - Rev 1	2011	AIA	0
1626	NASM5501-32	NULL	2011	AIA	0
1627	NASM1515	FASTENER SYSTEMS FOR AEROSPACE APPLICATIONS - Rev 1	2011	AIA	0
1628	NASM3498	SCREW ASSEMBLY, PANEL - Rev 1	2011	AIA	0
1629	NASM8846	INSERT, SCREW-THREAD, HELICAL COIL - Rev 1	2011	AIA	0
1630	NASM7839	SCREWS, STRUCTURAL, AIRCRAFT - Rev 1	2011	AIA	0
1631	NASM8975	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CRES, HEAT RESISTANT STEEL AND TITANIUM, GENERAL SPECIFICATION FOR - Rev 1	2011	AIA	0
1632	NASM14179	NUT, PLATE, SELF-LOCKING, FLOATING, TWO LUG, REDUCED RIVET SPACING, STEEL, (POLYIMIDE INSERT) 500 CYCLES REUSE, REPLACEABLE NUT, 160 KSI Ft <sub>u</sub> , 450 °F - Rev 1	2011	AIA	0
1633	NASM10971	PIN, SPRING, TUBULAR, COILED AND SLOTTED - Rev 1	2011	AIA	0
1634	NASM14191	RECESS, OFFSET CRUCIFORM, RIBBED DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 3	2011	AIA	0
1635	NASM16205	BOLT, MACHINE, REGULAR SEMI-FINISHED HEXAGON HEAD, COPPER-SILICON ALLOY (SILICON BRONZE), UNC-2A, NON-MAGNETIC - Rev 1	2011	AIA	0
1636	NASM16491-1	NULL	2011	AIA	0
1637	NASM16491-2	NULL	2011	AIA	0
1638	NASM16491	GROMMET, METALLIC, GENERAL SPECIFICATION FOR - Rev 2	2011	AIA	0
1639	NASM16218	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC - Rev 1	2011	AIA	0
1640	NASM17984	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE - Rev 2	2011	AIA	0
1641	NASM17986	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, L HANDLE - Rev 2	2011	AIA	0
1642	NASM17987	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE - Rev 2	2011	AIA	0

1643	NASM17988	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, T HANDLE - Rev 2	2011	AIA	0
1644	NASM17989	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, L HANDLE - Rev 2	2011	AIA	0
1645	NASM17990	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE - Rev 2	2011	AIA	0
1646	NASM17830	NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 °F AND 450 °F, NON-METALLIC INSERT, 300 SERIES CRES - Rev 1	2011	AIA	0
1647	NASM20392	PIN, STRAIGHT, HEADED DRILLED SHANK - Rev 1	2011	AIA	0
1648	NASM20501	NUT, SELF-LOCKING, PLATE, TWO LUG, 1200 °F, 125 KSI FTU - Rev 1	2011	AIA	0
1649	NASM20427	RIVET, SOLID, 100° COUNTERSUNK HEAD, CARBON STEEL, CORROSION-RESISTANT STEEL, NICKEL-COPPER AND COPPER - Rev 2	2011	AIA	0
1650	NASM21055	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2011	AIA	0
1651	NASM21049	NUT, SELF-LOCKING, PLATE, TWO LUG, 100° CSK, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2011	AIA	0
1652	NASM20601	RIVET, BLIND, STRUCTURAL, PULL STEM, SELF-PLUGGING, 100° FLUSH HEAD, TYPE II - Rev 2	2011	AIA	0
1653	NASM21046	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 800 °F, 125 KSI Ftu - Rev 2; Rev 1 Never Published	2011	AIA	0
1654	NASM21079	NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI Ftu, 250 °F - Rev 1	2011	AIA	0
1655	NASM21081	NUT, SELF-LOCKING, PLATE, CORNER, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 1	2011	AIA	0
1656	NASM21082	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 1	2011	AIA	0
1657	NASM21083	NUT, SELF-LOCKING, HEXAGON, NON-METALLIC INSERT, LOW HEIGHT, 250 °F - Rev 2	2011	AIA	0
1658	NASM21090	SCREW, SELF-LOCKING, 250 °F, STEEL, 55 KSI Ftu, PAN HEAD, CROSS RECESSED - Rev 2	2011	AIA	0
1659	NASM21065	NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 1	2011	AIA	0
1660	NASM21094	BOLT, SELF-LOCKING, 250 °F, STEEL, 75 KSI Fsu, 125 KSI Ftu, HEX HEAD - Rev 2	2011	AIA	0
1661	NASM21143-2	NULL	2011	AIA	0
1662	NASM21314	STRAP, RETAINING, TWO HOLE, FOR PIPE, CONDUIT, AND CABLE - Rev 3	2011	AIA	0
1663	NASM21315	STRAP, RETAINING, TWO HOLE, FOR TUBING - Rev 3	2011	AIA	0
1664	NASM21262	SCREWS, SELF LOCKING, 250 °F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI Ftu, (SOCKET HEAD CAP SCREWS) - Rev 1	2011	AIA	0
1665	NA0026	PROCUREMENT SPECIFICATION, METRIC FASTENERS, A-286 CRES EXTERNALLY THREADED, 1100 MPa TENSILE, 660 MPa SHEAR - Rev 3	2011	AIA	0
1666	NA0027-0028	NUT, SELF-LOCKING, FLOATING, PLATE, TWO-LUG, LOW HEIGHT, COUNTERBORED, 1100 MPa, 235 °C, 425 °C, METRIC - Rev 3	2011	AIA	0
1667	NA0037	BOLT, TENSION, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM ALLOY, 1100 MPa Ftu, METRIC - Rev 3	2011	AIA	0
1668	NA0038	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPa SHEAR, METRIC - Rev 4	2011	AIA	0
1669	NA0035	SCREW, CLOSE TOLERANCE, PAN HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 1100 MPa, METRIC - Rev 3	2011	AIA	0
1670	NA0019-0024	RIVET, SOLID, COUNTERSUNK, 100° SHEAR HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC - Rev 1	2011	AIA	0
1671	NA0042	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 4	2011	AIA	0
1672	NA0046	SCREW, CLOSE TOLERANCE, PAN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 1100 MPa, METRIC - Rev 3	2011	AIA	0
1673	NA0075-0076	NUT, CAPTIVE WASHER, SHEAR TYPE, SELF-LOCKING CBORED, 1100 MPa, METRIC, 235 °C AND 425 °C - Rev 2	2011	AIA	0
1674	NA0093-0094	NUT, SELF-LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, CBORED, 1100 MPa, METRIC, 235 °C, 425 °C - Rev 3	2011	AIA	0

1675	NA0123	SCREW, CLOSE TOLERANCE, 100° REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPa SHEAR, METRIC - Rev 6	2011	AIA	0
1676	NA0124	SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 6	2011	AIA	0
1677	NA0071	BOLT, ALLOY STEEL, 1550 MPa TENSILE, PROCUREMENT SPECIFICATION - Rev 2	2011	AIA	0
1678	NA0059	BOLT, TENSION, CLOSE TOLERANCE, SPLINE DRIVE, A286 CRES, 1250 MPa, METRIC - Rev 3	2011	AIA	0
1679	NA0060	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 750 MPa SHEAR, METRIC - Rev 4	2011	AIA	0
1680	NA0113	SCREW, HEX HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, FULL THREAD, 1100 MPa, METRIC - Rev 6	2011	AIA	0
1681	NA0154	RIVETS, SOLID, ALUMINUM AND ALUMINUM ALLOY, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 1	2011	AIA	0
1682	NA0152	BOLT, EYE, ALLOY STEEL, 1100 MPa, METRIC - Rev 2	2011	AIA	0
1683	NA0146	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, MINIATURE, METRIC - Rev 2	2011	AIA	0
1684	NA0147	INSERT, SCREW THREAD, KEY LOCKED, A286 CRES, MINIATURE, METRIC - Rev 2	2011	AIA	0
1685	NA0148	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, LIGHTWEIGHT, METRIC - Rev 2	2011	AIA	0
1686	NA0149	INSERT, SCREW THREAD KEY LOCKED, A286 CRES, LIGHTWEIGHT, METRIC - Rev 2	2011	AIA	0
1687	NA0246	BALLS, BEARING, CHROME ALLOY STEEL, METRIC - Rev 1	2011	AIA	0
1688	NA0253	BOLT, SHOULDER, HEXAGON HEAD ALLOY STEEL, 1100 MPa TENSILE, METRIC	2011	AIA	0
1689	NA0221-0224	POST, ELECTRICAL-MECHANICAL EQUIPMENT, INTERNAL THREAD TYPE, METRIC - Rev 1	2011	AIA	0
1690	NA0269	BUSHING, SLEEVE, FLANGED, PRESS FIT, REAM TYPE, METRIC - Rev 2	2011	AIA	0
1691	NA0270	BUSHING, SLEEVE, PLAIN, PRESS FIT, REAM TYPE, METRIC - Rev 2	2011	AIA	0
1692	NAM1312-109	FASTENER TEST METHODS, METRIC METHOD 109 STRESS CORROSION - Rev 1	2011	AIA	0
1693	NA0241	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, LIGHTWEIGHT, METRIC - Rev 1	2011	AIA	0
1694	NA0242	INSERT, SANDWICH PANEL, MOLDED IN, THRU THREADED, SELF-LOCKING, CRES, METRIC - Rev 1	2011	AIA	0
1695	NA0201-0204	POST, ELECTRICAL, MECHANICAL EQUIPMENT STUD TYPE, METRIC - Rev 1	2011	AIA	0
1696	NA0184	SPACER, NUT, PLATE, UNIVERSAL, METRIC - Rev 2	2011	AIA	0
1697	NA0162	SETSCREW, HEXAGON SOCKET, CUP POINT, A286 CRES, METRIC - Rev 3	2011	AIA	0
1698	NA0163	BOLT, BLIND, DESIGN ELEMENTS, METRIC - Rev 1	2011	AIA	0
1699	NAS172	NULL	2011	AIA	0
1700	NAS170	CLEVIS, ENGINE CONTROL ROD, ADJUSTABLE - Rev 5	2011	AIA	0
1701	NAS75	BUSHING, PLAIN PRESS FIT, STEEL OR CRES - Rev 10	2011	AIA	0
1702	NAS44	BUSBAR, ELECTRICAL - Rev 7	2011	AIA	0
1703	NAS72	BUSHING, CLAMP-UP, STEEL, CHROME PLATED - Rev 7	2011	AIA	0
1704	NAS73	BUSHING, CLAMP-UP, STEEL, CADMIUM PLATED - Rev 9	2011	AIA	0
1705	NA0273	SCREW, PAN HEAD, OFFSET CRUCIFORM RECESS DRIVE, FULL THREAD, CRES, 500 MPa Ft <sub>u</sub> , METRIC - Rev 1	2011	AIA	0
1706	NAS183	STUD, COARSE THREAD - Rev 5	2011	AIA	0
1707	NAS398	CLAMP, RATCHET, THREE PIECE - Rev 4	2011	AIA	0
1708	NAS387	SCREW, 100° OVAL RECESSED HEAD, MACHINE (COARSE & FINE THREAD) - Rev 2	2011	AIA	0
1709	NAS355	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY, WITH RIVETED THREADED ROD ENDS - Rev 7	2011	AIA	0
1710	NAS356	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY, WITH RIVETED CLEVIS AND THREADED ROD ENDS - Rev 8	2011	AIA	0

1711	NAS380	NAS DOCUMENTS, PREPARATION AND MAINTENANCE, IN THE INCH SYSTEM OF UNITS - Rev 17	2011	AIA	0
1712	NAS395	NUT, "U" TYPE SHEET SPRING - Rev 3	2011	AIA	0
1713	NAS495	NULL	2011	AIA	0
1714	NAS498	FASTENERS, ALLOY STEEL EXTERNALLY THREADED, 95 KSI Fsu, 450 °F - Rev 14	2011	AIA	0
1715	NAS549	WASHER, NONMETALLIC, INSULATING, ELECTRICAL - Rev 6	2011	AIA	0
1716	NAS550	FITTING, INSTALLATION OF UNIVERSAL ELBOW - Rev 7	2011	AIA	0
1717	NAS551	Bolt - Universal Fitting - Rev 7	2011	AIA	0
1718	NAS552	ELBOW, UNIVERSAL, 90° - Rev 4	2011	AIA	0
1719	NAS553	ELBOW, UNIVERSAL, 15° - Rev 4	2011	AIA	0
1720	NAS554	ELBOW, UNIVERSAL, 45° - Rev 4	2011	AIA	0
1721	NAS555	TEE, UNIVERSAL - Rev 4	2011	AIA	0
1722	NAS521	COUPLING, FLEXIBLE, LOW PRESSURE, 250 °F, AIR LINE - Rev 3	2011	AIA	0
1723	NAS522	COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE - Rev 3	2011	AIA	0
1724	NAS577	NUT, SELF-LOCKING, BARREL, FLOATING 180 KSI Ft <sub>u</sub> - Rev 16	2011	AIA	0
1725	NAS538	BUSHING, FLANGED, PRESS FIT, UNDERSIZE INSIDE DIAMETER - Rev 10	2011	AIA	0
1726	NAS557	GROMMET, PLASTIC, SPLIT - Rev 7	2011	AIA	0
1727	NAS559	NULL	2011	AIA	0
1728	NAS596	NUT, RIGID TUBE CONNECTOR, CRES - Rev 7	2011	AIA	0
1729	NAS591	COUPLING, RIGID TUBE CONNECTOR, ALUMINUM - Rev 6	2011	AIA	0
1730	NAS593	NUT, RIGID TUBE CONNECTOR, ALUMINUM - Rev 6	2011	AIA	0
1731	NAS594	COUPLING, RIGID TUBE CONNECTOR, CRES - Rev 7	2011	AIA	0
1732	NAS653-658	BOLT, SHEAR, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM, SHORT THREAD, .1900 TO .5000, 95 KSI Fsu - Rev 11	2011	AIA	0
1733	NAS721	SCREW, MINIATURE, FILLISTER HEAD - Rev 3	2011	AIA	0
1734	NAS722	SCREW, MINIATURE, PAN HEAD - Rev 3	2011	AIA	0
1735	NAS823	NULL	2011	AIA	0
1736	NAS824	INSPECTION, ULTRASONIC, WROUGHT METAL - Rev 2	2011	AIA	0
1737	NAS834	CAP OR PLUG, PROTECTIVE, PLAIN TUBE OR HOLE - Rev 1	2011	AIA	0
1738	NAS832	CAP, PROTECTIVE, FLARED FITTING (PLASTIC) - Rev 1	2011	AIA	0
1739	NAS1053	BOLT, EYE, ASSEMBLY, FORGED CARBON STEEL - Rev 5	2011	AIA	0
1740	NAS1047	TURNBUCKLE ASSEMBLY, FORGED CARBON STEEL, JAW AND JAW, FOR GROUND SUPPORT EQPT - Rev 6	2011	AIA	0
1741	NAS1039-1041	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, REGULAR HEIGHT, CSK - Rev 7	2011	AIA	0
1742	NAS1050	GRAB HOOK, FORGED ALLOY STEEL, DIRECT EYE, FOR GROUND SUPPORT EQUIPMENT - Rev 3	2011	AIA	0
1743	NAS1033	NUT, SELF-LOCKING, PLATE, RIGHT ANGLE, REGULAR HEIGHT, CBORE, FLOATING - Rev 6	2011	AIA	0
1744	NAS1100	NULL	2011	AIA	0
1745	NAS1095	FLARELESS FITTING CONNECTIONS, FABRICATION AND ASSEMBLY - REV 1	2011	AIA	0
1746	NAS1063	STRIP, HIGH TEMPERATURE TERMINAL BLOCK, BASE INSULATING - Rev 4	2011	AIA	0
1747	NAS1072	GUARD, CHANNEL, TOGGLE SWITCH - Rev 2	2011	AIA	0
1748	NAS1073	GUARD, TWO-POSITION, TOGGLE-SWITCH, LOCK - Rev 2	2011	AIA	0
1749	NAS1212	STRAP ASSEMBLY, TIE DOWN - Rev 3	2011	AIA	0
1750	NAS1213	STRAP ASSEMBLY, TIE DOWN BUCKLE - Rev 4	2011	AIA	0
1751	NAS1218	BOLT, PAN HEAD, SELF-LOCKING OPTIONAL - Rev. 13	2011	AIA	0

1752	NAS1282	HOOK, SNAP, BOLT - Rev 3	2011	AIA	0
1753	NAS1300	THUMBSCREW - Rev 2	2011	AIA	0
1754	NAS1288	NUT, HEX AND WASHER, SELF-ALIGNING, SELF-LOCKING - Rev 4	2011	AIA	0
1755	NAS1347	IDENTIFICATION OF MALE THREADED FASTENERS - Rev 6	2011	AIA	0
1756	NAS1321	RIVET, SLUG, SLEEVELESS - Rev 3	2011	AIA	0
1757	NAS1322-1326	PIN, THREADED, SHEAR, PROTRUDING HEAD - Rev 4	2011	AIA	0
1758	NAS1327	SPACER, THRU-HOLE, SPLINE - Rev 1	2011	AIA	0
1759	NAS1328	INSERT, SCREW, THREADED, SPLINE - Rev 3	2011	AIA	0
1760	NAS1349	CASTER, LIGHT DUTY, RIGID AND SWIVEL - Rev 3	2011	AIA	0
1761	NAS1394	INSERT, SCREW THREAD, SELF-LOCKING AND NON SELF-LOCKING, METAL, LIGHTWEIGHT - Rev 8	2011	AIA	0
1762	NAS1387	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, UNINSULATED (CLASS 2) - Rev 4	2011	AIA	0
1763	NAS1388	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, PRE-INSULATED, (CLASS 2) WIRE SIZES 10 TO 26 - Rev 10	2011	AIA	0
1764	NAS1389	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, PRE-INSULATED (CLASS 2) WIRE SIZES 8 TO 1/0 - Rev 3	2011	AIA	0
1765	NAS1383	STRAP ASSEMBLY, TWO PART ADJUSTABLE - Rev 7	2011	AIA	0
1766	NAS1369	DUCT, AIR, FLEXIBLE AND SEMI-RIGID - Rev 3	2011	AIA	0
1767	NAS1410	NUT, UNIVERSAL PORT FITTING - Rev 5	2011	AIA	0
1768	NAS1413	PINS AND COLLARS, SWAGE LOCKING - Rev 9	2011	AIA	0
1769	NAS1433	RADIOGRAPHIC STANDARDS FOR ALUMINUM ALLOY CASTINGS - Rev 2	2011	AIA	0
1770	NAS1475-1482	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° HEAD (NASM20426), TENSION, PULL-TYPE - Rev 3	2011	AIA	0
1771	NAS1435	TERMINAL, STRAP, CABLE EYE END AND FORK END - Rev 4	2011	AIA	0
1772	NAS1443	LOCKWASHER, BEARING, RETAINING - Rev 7	2011	AIA	0
1773	NAS1463	CLIP, SPRING TENSION - Rev 3	2011	AIA	0
1774	NAS1515	WASHER, PLASTIC AND SYNTHETIC RUBBER - Rev 5	2011	AIA	0
1775	NAS1516-1522	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), PULL-TYPE - Rev 4	2011	AIA	0
1776	NAS1512-1513	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CBORE, MINIATURE - Rev 5	2011	AIA	0
1777	NAS1486-1492	PIN, SWAGE LOCKING, STEEL, 100° HEAD (MS24694), TENSION, STUMP-TYPE - Rev 5	2011	AIA	0
1778	NAS1493	LOCKNUT, BEARING RETAINING - Rev 7	2011	AIA	0
1779	NAS1495	RECOMMENDED QUALIFICATION TEST PROCEDURE FOR COMPLIANCE WITH NAS SPECIFICATIONS AND STANDARD DRAWINGS - Rev 2	2011	AIA	0
1780	NAS1496-1502	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, TENSION, STUMP TYPE - Rev 5	2011	AIA	0
1781	NAS1546-1552	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), TENSION, STUMP-TYPE - Rev 3	2011	AIA	0
1782	NAS1553	KNOB, HAND, GROUND SUPPORT EQUIPMENT - Rev 6	2011	AIA	0
1783	NAS1638	NULL	2011	AIA	0
1784	NAS1675	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE SELF-LOCKING - Rev 5	2011	AIA	0
1785	NAS1580	BOLT, SHEAR, 100° FLUSH HEAD, OFFSET CRUCIFORM, OFFSET CRUCIFORM _ RIBBED AND DOVETAIL SLOT, 95 KSI FSU - Rev 14	2011	AIA	0
1786	NAS1713	CLAMP, LOOP, CUSHIONED, CENTER MOUNTING - Rev 5	2011	AIA	0
1787	NAS1714	CLAMP, LOOP, CUSHIONED, ELONGATED - Rev 4	2011	AIA	0
1788	NAS1715	CLAMP, LOOP, CUSHIONED - Rev 6	2011	AIA	0
1789	NAS1719	RIVET, BLIND, 100° REDUCED FLUSH HEAD, (NAS1097 HEAD), MECHANICALLY LOCKED SPINDLE - Rev 3	2011	AIA	0
1790	NAS1720	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE - Rev 3	2011	AIA	0

1791	NAS1721	RIVET, BLIND, 100° FLUSH HEAD (NASM20426 HEAD), MECHANICALLY LOCKED SPINDLE - Rev 3	2011	AIA	0
1792	NAS1759	NUT, SELF-LOCKING, DOUBLE HEXAGON, SHEAR, 450 °F - Rev 2	2011	AIA	0
1793	NAS1743	SCREW, SELF-LOCKING, FLAT FILLISTER HEAD, FULL THREAD, PATCH TYPE - Rev 5	2011	AIA	0
1794	NAS1725	FASTENER, SHEAR, 100° STANDARD FLUSH HEAD, TAPEREDSHANK (TS), OVERSIZE, 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu, AND 156 KSI Fsu - Rev 3	2011	AIA	0
1795	NAS1726	NUT, SELF-LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 °F AND 800 °F - Rev 5	2011	AIA	0
1796	NAS1728	FASTENER, SHEAR, PROTRUDING HEAD, TAPERED SHANK (TS), 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu, & 156 KSI Fsu - Rev 3	2011	AIA	0
1797	NAS1096	NULL	2010	AIA	0
1798	NAS1090	HOOK, CHAIN, S - Rev 5	2010	AIA	0
1799	NAS1103-1120	NULL	2010	AIA	0
1800	NAS1003-1020	BOLT, MACHINE, HEXAGON HEAD, A286 CRES - Rev 9	2010	AIA	0
1801	NAS618	FASTENER, RECOMMENDED SHANK, HOLE, AND HEAD-TO-SHANK FILLET RADIUS LIMITS FOR - Rev 7	2010	AIA	0
1802	NAS501	NULL	2010	AIA	0
1803	NAS288	NULL	2010	AIA	0
1804	NA0100	FASTENER CODE METRIC - Rev 1	2010	AIA	0
1805	NASM21044	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, 125 KSI Ftu AND 60 KSI Ftu - Rev 2	2010	AIA	0
1806	NASM21051	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, STEEL, 125 KSI FTU, 450 Degrees F - Rev 3	2010	AIA	0
1807	NASM14183	WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI Ftu - Rev 3	2010	AIA	0
1808	NASM9006	Recess-Cross, Low Torque Drive, Dimensions and Gage Dimensions for - Rev 2	2010	AIA	0
1809	NASM1312-1	FASTENER TEST METHODS METHOD 1 SALT SPRAY - Rev 1	2010	AIA	0
1810	NAS1834	INSERT, MOLDED IN, CSK AND THRU CLEARANCE HOLE, SANDWICH PANEL - Rev 6	2010	AIA	0
1811	NAS1835	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, FLOATING, SANDWICH PANEL - Rev 8	2010	AIA	0
1812	NAS1750	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 5	2010	AIA	0
1813	NASM33588	NUT, SELF-LOCKING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY USAGE REQUIREMENTS FOR - Rev 1	2010	AIA	0
1814	NASM81177-1	NULL	2010	AIA	0
1815	NASM51021	SETSCREW, HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 2	2010	AIA	0
1816	NASM51576	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL - Rev 2	2010	AIA	0
1817	NASM21266	GROMMET, PLASTIC, EDGING - Rev 2	2009	AIA	0
1818	NAS3500	Technical Data Package: Composition, Communication, and Application - Incorporates Corrections: 09/08/2009; Includes Access to Additional Content	2008	AIA	0
1819	NASM35649	NUT, PLAIN, HEXAGON, MACHINE SCREW, UNC-2B - Rev 1	2008	AIA	0
1820	NAS145	NULL	2002	AIA	0
1821	NAS146	NULL	2002	AIA	0
1822	NAS147	NULL	2002	AIA	0
1823	NAS148	NULL	2002	AIA	0
1824	NAS149	NULL	2002	AIA	0
1825	NAS150	NULL	2002	AIA	0
1826	NAS152	NULL	2002	AIA	0

1827	NAS154	NULL	2002	AIA	0
1828	NAS156	NULL	2002	AIA	0
1829	NAS158	NULL	2002	AIA	0
1830	NAS986	End Mills, Finishing, High Speed Steel .125 Inch Thru 3.000 Inch Diameter - Rev 4	2001	AIA	0
1831	NAS1083-1088	NULL	2001	AIA	0
1832	NAS1217	NULL	2001	AIA	0
1833	NAS1220	NULL	2001	AIA	0
1834	NAS663-668	NULL	2001	AIA	0
1835	NAS1579	NULL	2001	AIA	0
1836	NAS1582	NULL	2001	AIA	0
1837	NAS1303-1320	NULL	2001	AIA	0
1838	NAS1393	NULL	2001	AIA	0
1839	NAS2903-2920	NULL	2001	AIA	0
1840	NAS3003-3020	NULL	2001	AIA	0
1841	NASM21245	Nut, Self-Locking, Hexagon, Thin, 450 Degrees F, 80 KSI Ft <sub>u</sub> - Rev 1	1999	AIA	0
1842	NAS4400-4416	NULL	1998	AIA	0
1843	TARC 82-29	Standards for Symbology and Graphic Signage Aboard Commercial Aircraft	1998	AIA	0
1844	NAS1598	NULL	1997	AIA	0
1845	NAS464	NULL	1996	AIA	0
1846	NAS5200-5206	NULL	1996	AIA	0
1847	NAS4104-4116	NULL	1996	AIA	0
1848	NAS4204-4216	NULL	1996	AIA	0
1849	NAS4304-4316	NULL	1996	AIA	0
1850	NAS4500-4516	NULL	1996	AIA	0
1851	NAS4600-4616	NULL	1996	AIA	0
1852	NAS4703-4716	NULL	1996	AIA	0
1853	NAS4803-4816	NULL	1996	AIA	0
1854	NAS4903-4916	NULL	1996	AIA	0
1855	NAS5000-5006	NULL	1996	AIA	0
1856	NAS5100-5106	NULL	1996	AIA	0
1857	NAS1786	NULL	1996	AIA	0
1858	NAS4005	NULL	1994	AIA	0
1859	NAS3601	Recommended Standard Data Format of Transport Airplane Characteristics for Airport Planning - Rev 6	1994	AIA	0
1860	NAS4000	NULL	1994	AIA	0
1861	NAS4001	NULL	1994	AIA	0
1862	NAS5300-5306	NULL	1994	AIA	0
1863	NAS5400-5406	NULL	1994	AIA	0
1864	NAS5500-5506	NULL	1994	AIA	0
1865	NAS5600-5606	NULL	1994	AIA	0
1866	NAS5700-5706	NULL	1994	AIA	0
1867	NAS5800-5806	NULL	1994	AIA	0

1868	NA0062	NULL	1994	AIA	0
1869	NA0063	NULL	1994	AIA	0
1870	NAS1601	NULL	1994	AIA	0
1871	NAS1602	NULL	1994	AIA	0
1872	NAS1745	NULL	1994	AIA	0
1873	NAS1746	NULL	1994	AIA	0
1874	NAS1545	NULL	1993	AIA	0
1875	NAS1240	NULL	1993	AIA	0
1876	NAS1236	NULL	1993	AIA	0
1877	NAS1534	NULL	1993	AIA	0
1878	NA0085-0086	Nut, Self-Locking, Plate, Floating, Two Lug Reduced Rivet Spacing, Low Height, C_Bored, 1100 MPa, Metric 235 DEG C, 425 DEG C - REV 2	1993	AIA	0
1879	NAS0295	NULL	1993	AIA	0
1880	NAS391	NULL	1992	AIA	0
1881	NAS515	NULL	1992	AIA	0
1882	NAS511	NULL	1992	AIA	0
1883	NAS446	NULL	1992	AIA	0
1884	NAS543	NULL	1992	AIA	0
1885	NAS124	NULL	1992	AIA	0
1886	NAS125	NULL	1992	AIA	0
1887	NAS126	NULL	1992	AIA	0
1888	NAS120	NULL	1992	AIA	0
1889	NAS1533	NULL	1992	AIA	0
1890	NAS1289	NULL	1992	AIA	0
1891	NAS1583	NULL	1992	AIA	0
1892	NAS720	NULL	1992	AIA	0
1893	NAS1788	NULL	1992	AIA	0
1894	NAS6910	NULL	1991	AIA	0
1895	NAS6911	NULL	1991	AIA	0
1896	NAS6912	NULL	1991	AIA	0
1897	NAS1068	NULL	1991	AIA	0
1898	NAS1021	NULL	1991	AIA	0
1899	NAS1022	NULL	1991	AIA	0
1900	NAS1380	NULL	1991	AIA	0
1901	NAS1381	NULL	1991	AIA	0
1902	NA0166-0167	NULL	1991	AIA	0
1903	NAS370-373	NULL	1991	AIA	0
1904	NAS3610	CARGO UNIT LOAD DEVICES - SPECIFICATION FOR - Rev 10	1990	AIA	0
1905	NAS1874	NULL	1989	AIA	0
1906	NAS1875	NULL	1989	AIA	0
1907	NAS1876	NULL	1989	AIA	0
1908	NAS1877	NULL	1989	AIA	0

1909	NAS1878	NULL	1989	AIA	0
1910	NAS1879	NULL	1989	AIA	0
1911	NAS1880	NULL	1989	AIA	0
1912	NAS1881	NULL	1989	AIA	0
1913	NAS1882	NULL	1989	AIA	0
1914	NAS1883	NULL	1989	AIA	0
1915	NAS1884	NULL	1989	AIA	0
1916	NAS1885	NULL	1989	AIA	0
1917	NAS1886	NULL	1989	AIA	0
1918	NAS1887	NULL	1989	AIA	0
1919	NAS1888	NULL	1989	AIA	0
1920	NAS1889	NULL	1989	AIA	0
1921	NAS1890	NULL	1989	AIA	0
1922	NAS1891	NULL	1989	AIA	0
1923	NAS1892	NULL	1989	AIA	0
1924	NAS1893	NULL	1989	AIA	0
1925	NAS1894	NULL	1989	AIA	0
1926	NAS1895	NULL	1989	AIA	0
1927	NAS1896	NULL	1989	AIA	0
1928	NAS1897	NULL	1989	AIA	0
1929	NAS1898	NULL	1989	AIA	0
1930	NA0165	NULL	1989	AIA	0
1931	NA0164	NULL	1987	AIA	0
1932	NAS178	NULL	1987	AIA	0
1933	NAS1067	NULL	1987	AIA	0
1934	NAS680	NULL	1987	AIA	0
1935	NAS682	NULL	1987	AIA	0
1936	NAS684	NULL	1987	AIA	0
1937	NAS693-695	NULL	1987	AIA	0
1938	NAS696	NULL	1987	AIA	0
1939	NAS697	NULL	1987	AIA	0
1940	NAS698	NULL	1987	AIA	0
1941	NAS1741	NULL	1986	AIA	0
1942	NAS822	NULL	1985	AIA	0
1943	NAS6500-6506	NULL	1985	AIA	0
1944	NAS6900-6906	NULL	1985	AIA	0
1945	NAS5900-5903	NULL	1985	AIA	0
1946	NAS6000-6003	NULL	1985	AIA	0
1947	NAS6100-6103	NULL	1985	AIA	0
1948	NAS1590	NULL	1984	AIA	0
1949	NAS575	NULL	1984	AIA	0

1950	NAS5	NULL	1984	AIA	0
1951	NAS541	NULL	1983	AIA	0
1952	NAS542	NULL	1983	AIA	0
1953	NAS519	NULL	1983	AIA	0
1954	NAS528	NULL	1983	AIA	0
1955	NAS1391	NULL	1983	AIA	0
1956	NAS1331	NULL	1983	AIA	0
1957	NAS1402-1406	NULL	1983	AIA	0
1958	NAS3452	NULL	1982	AIA	0
1959	NAS2315-2322	NULL	1981	AIA	0
1960	NAS2325-2332	NULL	1981	AIA	0
1961	NAS1483	NULL	1981	AIA	0
1962	NAS1503-1510	NULL	1981	AIA	0
1963	NAS1570	NULL	1981	AIA	0
1964	NAS1571	NULL	1981	AIA	0
1965	NAS1572	NULL	1981	AIA	0
1966	NAS1573	NULL	1981	AIA	0
1967	NAS1567	NULL	1981	AIA	0
1968	NAS1584	NULL	1981	AIA	0
1969	NAS1585	NULL	1981	AIA	0
1970	NAS1586	NULL	1981	AIA	0
1971	NAS1576	NULL	1981	AIA	0
1972	NAS1577	NULL	1981	AIA	0
1973	NAS1614	NULL	1981	AIA	0
1974	NAS1615	NULL	1981	AIA	0
1975	NAS1616	NULL	1981	AIA	0
1976	NAS1617	NULL	1981	AIA	0
1977	NAS1618	NULL	1981	AIA	0
1978	NAS1619	NULL	1981	AIA	0
1979	NAS1668	NULL	1981	AIA	0
1980	NAS1655	NULL	1981	AIA	0
1981	NAS1656	NULL	1981	AIA	0
1982	NAS1657	NULL	1981	AIA	0
1983	NAS1658	NULL	1981	AIA	0
1984	NAS1659	NULL	1981	AIA	0
1985	NAS1661	NULL	1981	AIA	0
1986	NAS1639	NULL	1981	AIA	0
1987	NAS1644	NULL	1981	AIA	0
1988	NAS1646	NULL	1981	AIA	0
1989	NAS1647	NULL	1981	AIA	0
1990	NAS1649	NULL	1981	AIA	0

1991	NAS1683	NULL	1981	AIA	0
1992	NAS1685	NULL	1981	AIA	0
1993	NAS699	NULL	1981	AIA	0
1994	NAS728	NULL	1981	AIA	0
1995	NAS729	NULL	1981	AIA	0
1996	NAS718	NULL	1981	AIA	0
1997	NAS719	NULL	1981	AIA	0
1998	NAS713	NULL	1981	AIA	0
1999	NAS702	NULL	1981	AIA	0
2000	NAS710	NULL	1981	AIA	0
2001	NAS1002	NULL	1981	AIA	0
2002	NAS1058	NULL	1981	AIA	0
2003	NAS1059	NULL	1981	AIA	0
2004	NAS544	NULL	1981	AIA	0
2005	NAS363-369	NULL	1981	AIA	0
2006	NAS385	NULL	1981	AIA	0
2007	NAS386	NULL	1981	AIA	0
2008	NAS21	NULL	1981	AIA	0
2009	NAS38	NULL	1981	AIA	0
2010	NAS78	NULL	1981	AIA	0
2011	NAS127	NULL	1981	AIA	0
2012	NAS162	NULL	1981	AIA	0
2013	NAS23	NULL	1980	AIA	0
2014	NAS36	NULL	1980	AIA	0
2015	NAS26	NULL	1980	AIA	0
2016	NAS28	NULL	1980	AIA	0
2017	NAS29	NULL	1980	AIA	0
2018	NAS361	NULL	1980	AIA	0
2019	NAS362	NULL	1980	AIA	0
2020	NAS192	NULL	1980	AIA	0
2021	NAS529	NULL	1980	AIA	0
2022	NAS525	NULL	1980	AIA	0
2023	NAS560	NULL	1980	AIA	0
2024	NAS1196	NULL	1980	AIA	0
2025	NAS704	NULL	1980	AIA	0
2026	NAS705	NULL	1980	AIA	0
2027	NAS706	NULL	1980	AIA	0
2028	NAS707	NULL	1980	AIA	0
2029	NAS708	NULL	1980	AIA	0
2030	NAS709	NULL	1980	AIA	0
2031	NAS714	NULL	1980	AIA	0

2032	NAS715	NULL	1980	AIA	0
2033	NAS1678	NULL	1980	AIA	0
2034	NAS1679	NULL	1980	AIA	0
2035	NAS1680	NULL	1980	AIA	0
2036	NAS1681	NULL	1980	AIA	0
2037	NAS1682	NULL	1980	AIA	0
2038	NAS1648	NULL	1980	AIA	0
2039	NAS1641	NULL	1980	AIA	0
2040	NAS1642	NULL	1980	AIA	0
2041	NAS1643	NULL	1980	AIA	0
2042	NAS1662	NULL	1980	AIA	0
2043	NAS1663	NULL	1980	AIA	0
2044	NAS1664	NULL	1980	AIA	0
2045	NAS1660	NULL	1980	AIA	0
2046	NAS1654	NULL	1980	AIA	0
2047	NAS1599	NULL	1980	AIA	0
2048	NAS1600	NULL	1980	AIA	0
2049	NAS1588	NULL	1980	AIA	0
2050	NAS1511	NULL	1980	AIA	0
2051	NAS1484	NULL	1980	AIA	0
2052	NAS1485	NULL	1980	AIA	0
2053	NAS1408	NULL	1979	AIA	0
2054	NAS1409	NULL	1979	AIA	0
2055	NAS1574	NULL	1979	AIA	0
2056	NAS1543	NULL	1979	AIA	0
2057	NAS1544	NULL	1979	AIA	0
2058	NAS1348	NULL	1979	AIA	0
2059	NAS1665	NULL	1979	AIA	0
2060	NAS1666	NULL	1979	AIA	0
2061	NAS1667	NULL	1979	AIA	0
2062	NAS1650	NULL	1979	AIA	0
2063	NAS1651	NULL	1979	AIA	0
2064	NAS1652	NULL	1979	AIA	0
2065	NAS1653	NULL	1979	AIA	0
2066	NAS1692	NULL	1979	AIA	0
2067	NAS1693	NULL	1979	AIA	0
2068	NAS1694	NULL	1979	AIA	0
2069	NAS1695	NULL	1979	AIA	0
2070	NAS1696	NULL	1979	AIA	0
2071	NAS1697	NULL	1979	AIA	0
2072	NAS1698	NULL	1979	AIA	0

2073	NAS1699	NULL	1979	AIA	0
2074	NAS1700	NULL	1979	AIA	0
2075	NAS1701	NULL	1979	AIA	0
2076	NAS1702	NULL	1979	AIA	0
2077	NAS1733	NULL	1979	AIA	0
2078	NAS599	NULL	1979	AIA	0
2079	NAS819	NULL	1979	AIA	0
2080	NAS534	NULL	1979	AIA	0
2081	NAS535	NULL	1979	AIA	0
2082	NAS461	NULL	1979	AIA	0
2083	NAS462	NULL	1979	AIA	0
2084	NAS465	NULL	1978	AIA	0
2085	NAS502	NULL	1978	AIA	0
2086	NAS503	NULL	1978	AIA	0
2087	NAS504	NULL	1978	AIA	0
2088	NAS505	NULL	1978	AIA	0
2089	NAS506	NULL	1978	AIA	0
2090	NAS507	NULL	1978	AIA	0
2091	NAS417	NULL	1978	AIA	0
2092	NAS536	NULL	1978	AIA	0
2093	NAS533	NULL	1978	AIA	0
2094	NAS619	NULL	1978	AIA	0
2095	NAS188	NULL	1978	AIA	0
2096	NAS191	NULL	1978	AIA	0
2097	NAS179	NULL	1978	AIA	0
2098	NAS182	NULL	1978	AIA	0
2099	NAS199	NULL	1978	AIA	0
2100	NAS341	NULL	1978	AIA	0
2101	NAS342	NULL	1978	AIA	0
2102	NAS343	NULL	1978	AIA	0
2103	NAS344	NULL	1978	AIA	0
2104	NAS345	NULL	1978	AIA	0
2105	NAS346	NULL	1978	AIA	0
2106	NAS347	NULL	1978	AIA	0
2107	NAS400	NULL	1978	AIA	0
2108	NAS401	NULL	1978	AIA	0
2109	NAS402	NULL	1978	AIA	0
2110	NAS403	NULL	1978	AIA	0
2111	NAS41	NULL	1978	AIA	0
2112	NAS141	NULL	1978	AIA	0
2113	NAS142	NULL	1978	AIA	0

2114	NAS171	NULL	1978	AIA	0
2115	NAS168	NULL	1978	AIA	0
2116	NAS1071	NULL	1978	AIA	0
2117	NAS1065	NULL	1978	AIA	0
2118	NAS1078	NULL	1978	AIA	0
2119	NAS1079	NULL	1978	AIA	0
2120	NAS1075	NULL	1978	AIA	0
2121	NAS1076	NULL	1978	AIA	0
2122	NAS1001	NULL	1978	AIA	0
2123	NAS1350	NULL	1978	AIA	0
2124	NAS1302	NULL	1978	AIA	0
2125	NAS1906-1916	NULL	1978	AIA	0
2126	NAS1806-1816	NULL	1978	AIA	0
2127	NAS1243-1250	NULL	1977	AIA	0
2128	NAS1253-1260	NULL	1977	AIA	0
2129	NAS1089	NULL	1977	AIA	0
2130	NAS971	NULL	1976	AIA	0
2131	NAS952	NULL	1976	AIA	0
2132	NAS948	NULL	1975	AIA	0
2133	NAS980	NULL	1975	AIA	0
2134	NAS1589	NULL	1975	AIA	0
2135	NAS1597	NULL	1975	AIA	0
2136	NAS943	NULL	1974	AIA	0
2137	NAS968	NULL	1974	AIA	0
2138	NAS969	NULL	1974	AIA	0
2139	NAS685	NULL	1974	AIA	0
2140	NAS686	NULL	1974	AIA	0
2141	NAS687	NULL	1974	AIA	0
2142	NAS688-692	NULL	1974	AIA	0
2143	NAS683	NULL	1974	AIA	0
2144	NAS681	NULL	1974	AIA	0
2145	NAS1593	NULL	1973	AIA	0
2146	NAS1594	NULL	1973	AIA	0
2147	NAS1595	NULL	1973	AIA	0
2148	NAS1596	NULL	1973	AIA	0
2149	NAS460	NULL	1973	AIA	0
2150	NAS1748	NULL	1971	AIA	0
2151	NAS1749	NULL	1971	AIA	0
2152	NAS1817	NULL	1971	AIA	0
2153	NAS1818	NULL	1971	AIA	0
2154	NAS1819	NULL	1971	AIA	0

2155	NAS1820	NULL	1971	AIA	0
2156	NAS1821	NULL	1971	AIA	0
2157	NAS1822	NULL	1971	AIA	0
2158	NAS1823	NULL	1971	AIA	0
2159	NAS1824	NULL	1971	AIA	0
2160	NAS1825	NULL	1971	AIA	0
2161	NAS1826	NULL	1971	AIA	0
2162	NAS1827	NULL	1971	AIA	0
2163	NAS1828	NULL	1971	AIA	0
2164	NAS1237	NULL	1969	AIA	0
2165	NAS1238	NULL	1969	AIA	0
2166	NAS1239	NULL	1969	AIA	0
2167	NAS810	NULL	1969	AIA	0
2168	NAS811	NULL	1969	AIA	0
2169	NAS812	NULL	1969	AIA	0
2170	NAS711	NULL	1968	AIA	0
2171	NAS3310	NULL	1968	AIA	0
2172	NAS1061	NULL	1967	AIA	0
2173	NAS1066	NULL	1967	AIA	0
2174	NAS1064	NULL	1967	AIA	0
2175	NAS177	NULL	1967	AIA	0
2176	NAS1386	NULL	1965	AIA	0
2177	NAS1074	NULL	1964	AIA	0
2178	NAS645	NULL	1964	AIA	0
2179	NAS646	NULL	1964	AIA	0
2180	NAS647	NULL	1964	AIA	0
2181	NAS648	NULL	1964	AIA	0
2182	NAS649	NULL	1964	AIA	0
2183	NAS650	NULL	1964	AIA	0
2184	NAS164	NULL	1964	AIA	0
2185	NAS548	NULL	1964	AIA	0
2186	NAS376	NULL	1964	AIA	0
2187	NAS220-227	NULL	1964	AIA	0
2188	NAS512	NULL	1963	AIA	0
2189	NAS669	NULL	1963	AIA	0
2190	NAS670	NULL	1963	AIA	0
2191	NAS700	NULL	1963	AIA	0
2192	NAS701	NULL	1963	AIA	0
2193	NAS716	NULL	1963	AIA	0
2194	NAS717	NULL	1963	AIA	0
2195	NAS1569	NULL	1963	AIA	0

2196	NAS1222	NULL	1962	AIA	0
2197	NAS499	NULL	1962	AIA	0
2198	NAS508	NULL	1962	AIA	0
2199	NAS608	NULL	1962	AIA	0
2200	NAS609	NULL	1962	AIA	0
2201	NAS556	NULL	1962	AIA	0
2202	NAS350	NULL	1962	AIA	0
2203	NAS49	NULL	1962	AIA	0
2204	NAS163	NULL	1961	AIA	0
2205	NAS161	NULL	1961	AIA	0
2206	NAS351	NULL	1961	AIA	0
2207	NAS352	NULL	1961	AIA	0
2208	NAS353	NULL	1961	AIA	0
2209	NAS405	NULL	1961	AIA	0
2210	NAS406	NULL	1961	AIA	0
2211	NAS409	NULL	1961	AIA	0
2212	NAS459	NULL	1961	AIA	0
2213	NAS532	NULL	1960	AIA	0
2214	ARTC-4	ELECTRICAL TEST PROCEDURES FOR RADOMES AND RADOME MATERIALS - Rev 2; BEST AVAILABLE COPY	1960	AIA	0
2215	NAS610-616	NULL	1959	AIA	0
2216	NAS1092	NULL	1959	AIA	0
2217	NAS1093	NULL	1959	AIA	0
2218	NAS1094	NULL	1959	AIA	0
2219	NAS1214	NULL	1958	AIA	0
2220	NAS1215	NULL	1958	AIA	0
2221	NAS530	NULL	1958	AIA	0
2222	NAS545	NULL	1958	AIA	0
2223	NAS466	NULL	1958	AIA	0
2224	NAS404	NULL	1958	AIA	0
2225	NAS228	NULL	1958	AIA	0
2226	NAS229	NULL	1958	AIA	0
2227	NAS230	NULL	1958	AIA	0
2228	NAS231	NULL	1958	AIA	0
2229	NAS232	NULL	1958	AIA	0
2230	NAS31	NULL	1958	AIA	0
2231	NAS11	NULL	1957	AIA	0
2232	NAS394	NULL	1957	AIA	0
2233	NAS348	NULL	1957	AIA	0
2234	NAS422	NULL	1957	AIA	0
2235	NAS419	NULL	1957	AIA	0
2236	NAS546	NULL	1957	AIA	0

2237	NAS598	NULL	1957	AIA	0
2238	NAS924	NULL	1957	AIA	0
2239	NAS30	NULL	1956	AIA	0
2240	NAS50	NULL	1956	AIA	0
2241	NAS51	NULL	1956	AIA	0
2242	NAS40	NULL	1954	AIA	0
2243	NAS143	NULL	1954	AIA	0
2244	NAS70	NULL	1954	AIA	0
2245	NAS418	NULL	1953	AIA	0
2246	NAS458	NULL	1953	AIA	0
2247	NAS233	NULL	1953	AIA	0
2248	NAS234	NULL	1953	AIA	0
2249	NAS235	NULL	1953	AIA	0
2250	NAS200	NULL	1952	AIA	0
2251	NAS201	NULL	1952	AIA	0
2252	NAS202	NULL	1952	AIA	0
2253	NAS203	NULL	1952	AIA	0
2254	NAS290	NULL	1952	AIA	0
2255	NAS291	NULL	1952	AIA	0
2256	NAS292	NULL	1952	AIA	0
2257	NAS293	NULL	1952	AIA	0
2258	NAS294	NULL	1952	AIA	0
2259	NAS377	NULL	1952	AIA	0
2260	NAS378	NULL	1952	AIA	0
2261	NAS382	NULL	1952	AIA	0
2262	NAS383	NULL	1952	AIA	0
2263	NAS296	NULL	1952	AIA	0
2264	NAS497	NULL	1952	AIA	0
2265	NAS420	NULL	1952	AIA	0
2266	NAS34	NULL	1952	AIA	0
2267	NAS35	NULL	1952	AIA	0
2268	NAS37	NULL	1952	AIA	0
2269	NAS447	NULL	1951	AIA	0
2270	NAS452	NULL	1951	AIA	0
2271	NAS453	NULL	1951	AIA	0
2272	NAS454	NULL	1951	AIA	0
2273	NAS455	NULL	1951	AIA	0
2274	NAS456	NULL	1951	AIA	0
2275	NAS457	NULL	1951	AIA	0
2276	NAS470	NULL	1951	AIA	0
2277	NAS471	NULL	1951	AIA	0

2278	NAS472	NULL	1951	AIA	0
2279	NAS473	NULL	1951	AIA	0
2280	NAS474	NULL	1951	AIA	0
2281	NAS475	NULL	1951	AIA	0
2282	NAS476	NULL	1951	AIA	0
2283	NAS477	NULL	1951	AIA	0
2284	NAS478	NULL	1951	AIA	0
2285	NAS479	NULL	1951	AIA	0
2286	NAS480	NULL	1951	AIA	0
2287	NAS481	NULL	1951	AIA	0
2288	NAS482	NULL	1951	AIA	0
2289	NAS483	NULL	1951	AIA	0
2290	NAS484	NULL	1951	AIA	0
2291	NAS485	NULL	1951	AIA	0
2292	NAS486	NULL	1951	AIA	0
2293	NAS449	NULL	1951	AIA	0
2294	NAS450	NULL	1951	AIA	0
2295	NAS468	NULL	1951	AIA	0
2296	NAS489	NULL	1951	AIA	0
2297	NAS490	NULL	1951	AIA	0
2298	NAS491	NULL	1951	AIA	0
2299	NAS492	NULL	1951	AIA	0
2300	NAS493	NULL	1951	AIA	0
2301	NAS429	NULL	1951	AIA	0
2302	NAS430	NULL	1951	AIA	0
2303	NAS431	NULL	1951	AIA	0
2304	NAS432	NULL	1951	AIA	0
2305	NAS433	NULL	1951	AIA	0
2306	NAS434	NULL	1951	AIA	0
2307	NAS435	NULL	1951	AIA	0
2308	NAS436	NULL	1951	AIA	0
2309	NAS437	NULL	1951	AIA	0
2310	NAS438	NULL	1951	AIA	0
2311	NAS439	NULL	1951	AIA	0
2312	NAS440	NULL	1951	AIA	0
2313	NAS441	NULL	1951	AIA	0
2314	NAS442	NULL	1951	AIA	0
2315	NAS443	NULL	1951	AIA	0
2316	NAS444	NULL	1951	AIA	0
2317	NAS445	NULL	1951	AIA	0
2318	NAS807	SPECIFICATION - TWIN SEAPLANE FLOATS	1951	AIA	0

2319	NAS381	NULL	1950	AIA	0
2320	NAS448	NULL	1950	AIA	0
2321	NAS45	NULL	1950	AIA	0
2322	NAS22	NULL	1950	AIA	0
2323	NAS17	NULL	1950	AIA	0
2324	NAS18	NULL	1950	AIA	0
2325	NAS19	NULL	1950	AIA	0
2326	NAS20	NULL	1950	AIA	0
2327	NAS2	NULL	1950	AIA	0
2328	NAS90	NULL	1950	AIA	0
2329	NAS62	NULL	1949	AIA	0
2330	NAS64	NULL	1949	AIA	0
2331	NAS66	NULL	1949	AIA	0
2332	NAS53	NULL	1949	AIA	0
2333	NAS54	NULL	1949	AIA	0
2334	NAS55	NULL	1949	AIA	0
2335	NAS56	NULL	1949	AIA	0
2336	NAS57	NULL	1949	AIA	0
2337	NAS58	NULL	1949	AIA	0
2338	NAS59	NULL	1949	AIA	0
2339	NAS60	NULL	1949	AIA	0
2340	NAS425	NULL	1949	AIA	0
2341	NAS426	NULL	1949	AIA	0
2342	NAS94	NULL	1948	AIA	0
2343	NAS169	NULL	1947	AIA	0
2344	NAS68	NULL	1947	AIA	0
2345	NAS69	NULL	1947	AIA	0
2346	NAS52	NULL	1947	AIA	0
2347	NAS12	NULL	1947	AIA	0
2348	NAS13	NULL	1947	AIA	0
2349	NAS14	NULL	1947	AIA	0
2350	NAS15	NULL	1947	AIA	0
2351	NAS16	NULL	1947	AIA	0
2352	NAS181	NULL	1947	AIA	0
2353	NAS187	NULL	1947	AIA	0
2354	NAS185	NULL	1947	AIA	0
2355	NAS204	NULL	1947	AIA	0
2356	NAS205	NULL	1947	AIA	0
2357	NAS206	NULL	1947	AIA	0
2358	NAS207	NULL	1947	AIA	0
2359	NAS208	NULL	1947	AIA	0

2360	NAS209	NULL	1947	AIA	0
2361	NAS210	NULL	1947	AIA	0
2362	NAS211	NULL	1947	AIA	0
2363	NAS212	NULL	1947	AIA	0
2364	NAS213	NULL	1947	AIA	0
2365	NAS214	NULL	1947	AIA	0
2366	NAS215	NULL	1947	AIA	0
2367	NAS216	NULL	1947	AIA	0
2368	NAS217	NULL	1947	AIA	0
2369	NAS218	NULL	1947	AIA	0
2370	NAS219	NULL	1947	AIA	0
2371	NAS240	NULL	1947	AIA	0
2372	NAS242	NULL	1947	AIA	0
2373	NAS243	NULL	1947	AIA	0
2374	NAS244	NULL	1947	AIA	0
2375	NAS245	NULL	1947	AIA	0
2376	NAS246	NULL	1947	AIA	0
2377	NAS247	NULL	1947	AIA	0
2378	NAS248	NULL	1947	AIA	0
2379	NAS249	NULL	1947	AIA	0
2380	NAS250	NULL	1947	AIA	0
2381	NAS251	NULL	1947	AIA	0
2382	NAS252	NULL	1947	AIA	0
2383	NAS253	NULL	1947	AIA	0
2384	NAS254	NULL	1947	AIA	0
2385	NAS255	NULL	1947	AIA	0
2386	NAS256	NULL	1947	AIA	0
2387	NAS257	NULL	1947	AIA	0
2388	NAS258	NULL	1947	AIA	0
2389	NAS259	NULL	1947	AIA	0
2390	NAS260	NULL	1947	AIA	0
2391	NAS261	NULL	1947	AIA	0
2392	NAS262	NULL	1947	AIA	0
2393	NAS263	NULL	1947	AIA	0
2394	NAS264	NULL	1947	AIA	0
2395	NAS265	NULL	1947	AIA	0
2396	NAS266	NULL	1947	AIA	0
2397	NAS267	NULL	1947	AIA	0
2398	NAS268	NULL	1947	AIA	0
2399	NAS269	NULL	1947	AIA	0
2400	NAS270	NULL	1947	AIA	0

2401	NAS271	NULL	1947	AIA	0
2402	NAS272	NULL	1947	AIA	0
2403	NAS273	NULL	1947	AIA	0
2404	NAS274	NULL	1947	AIA	0
2405	NAS275	NULL	1947	AIA	0
2406	NAS276	NULL	1947	AIA	0
2407	NAS278	NULL	1947	AIA	0
2408	NAS279	NULL	1947	AIA	0
2409	NAS280	NULL	1947	AIA	0
2410	NAS281	NULL	1947	AIA	0
2411	NAS4	NULL	1946	AIA	0
2412	NAS166	NULL	1946	AIA	0
2413	NAS160	NULL	1946	AIA	0
2414	NAS95	NULL	1946	AIA	0
2415	NAS96	NULL	1946	AIA	0
2416	NAS97	NULL	1946	AIA	0
2417	NAS98	NULL	1946	AIA	0
2418	NAS99	NULL	1946	AIA	0
2419	NAS100	NULL	1946	AIA	0
2420	NAS101	NULL	1946	AIA	0
2421	NAS102	NULL	1946	AIA	0
2422	NAS103	NULL	1946	AIA	0
2423	NAS104	NULL	1946	AIA	0
2424	NAS105	NULL	1946	AIA	0
2425	NAS106	NULL	1946	AIA	0
2426	NAS107	NULL	1946	AIA	0
2427	NAS108	NULL	1946	AIA	0
2428	NAS109	NULL	1946	AIA	0
2429	NAS110	NULL	1946	AIA	0
2430	NAS111	NULL	1946	AIA	0
2431	NAS112	NULL	1946	AIA	0
2432	NAS113	NULL	1946	AIA	0
2433	NAS114	NULL	1946	AIA	0
2434	NAS115	NULL	1946	AIA	0
2435	NAS116	NULL	1946	AIA	0
2436	NAS117	NULL	1946	AIA	0
2437	NAS118	NULL	1946	AIA	0
2438	NAS119	NULL	1946	AIA	0
2439	NAS91	NULL	1946	AIA	0
2440	NAS92	NULL	1946	AIA	0
2441	NAS93	NULL	1946	AIA	0

2442	NAS80	NULL	1946	AIA	0
2443	NAS81	NULL	1946	AIA	0
2444	NAS82	NULL	1946	AIA	0
2445	NAS83	NULL	1946	AIA	0
2446	NAS84	NULL	1946	AIA	0
2447	NAS85	NULL	1946	AIA	0
2448	NAS86	NULL	1946	AIA	0
2449	NAS139	NULL	1945	AIA	0
2450	NAS140	NULL	1945	AIA	0
2451	NAS122	NULL	1945	AIA	0
2452	NAS10	NULL	1945	AIA	0
2453	NAS3	NULL	1945	AIA	0
2454	NAS180	NULL	1945	AIA	0
2455	NAS6	NULL	1944	AIA	0
2456	NAS7	NULL	1944	AIA	0
2457	NAS8	NULL	1944	AIA	0
2458	NAS9	NULL	1944	AIA	0
2459	NAS46	NULL	1944	AIA	0

**Hercules Ebooks Institute**

**[www.herculesebooks.com](http://www.herculesebooks.com) [info@herculesebooks.com](mailto:info@herculesebooks.com) +989141908737**