

Standards Manager Web Standards List
AWWA-American water works association

| Id | Number | Title | Year | Organization | Page |
|-----------|---------------|---|-------------|---------------------|-------------|
| 1 | B600 | Powdered Activated Carbon | 2016 | AWWA | |
| 2 | B603 | Permanganates | 2016 | AWWA | |
| 3 | C904 | Cross-Linked Polyethylene (PEX) Pressure Tubing, 1/2 In. (13 mm) Through 3 In. (76 mm), for Water Service | 2016 | AWWA | |
| 4 | M17 | Fire Hydrants: Installation, Field, Testing, and Maintenance - Fifth Edition | 2016 | AWWA | |
| 5 | M51 | Air-Valves: Air-Release, Air/Vacuum and Combination - Second Edition | 2016 | AWWA | |
| 6 | M53 | Microfiltration and Ultrafiltration Membranes for Drinking Water - Second Edition | 2016 | AWWA | |
| 7 | M36 | Water Audits and Loss Control Programs - Fourth Edition | 2016 | AWWA | |
| 8 | M44 | Distribution Valves: Selection, Installation, Field Testing, and Maintenance - Third Edition | 2016 | AWWA | |
| 9 | M63 | Aquifer Storage and Recovery - First Edition | 2015 | AWWA | |
| 10 | M65 | On-Site Generation of Hypochlorite - First Edition | 2015 | AWWA | |
| 11 | E103 | Horizontal and Vertical Line-Shaft Pumps | 2015 | AWWA | |
| 12 | M14 | Backflow Prevention and Cross-Connection Control Recommended Practices - Fourth Edition | 2015 | AWWA | |
| 13 | C509 | Resilient-Seated Gate Valves for Water Supply Service | 2015 | AWWA | |
| 14 | C515 | Reduced-Wall, Resilient-Seated Gate Valves for Water Supply Service | 2015 | AWWA | |
| 15 | C606 | Grooved and Shouldered Joints | 2015 | AWWA | 0 |
| 16 | 416 | Sustainability assessment for water treatment chemical products | 2015 | AWWA | |
| 17 | A100 | Water Wells | 2015 | AWWA | |
| 18 | C670 | Online Chlorine Analyzer Operation and Maintenance | 2015 | AWWA | 0 |
| 19 | C700 | Cold-Water Meters - Displacement Type, Bronze Main Case | 2015 | AWWA | 0 |
| 20 | C701 | Cold-Water Meters Turbine Type, for Customer Service | 2015 | AWWA | 0 |
| 21 | C702 | Cold-Water Meters Compound Type | 2015 | AWWA | 0 |
| 22 | C703 | Cold-Water Meters - Fire Service Type | 2015 | AWWA | 0 |
| 23 | C704 | Propeller-Type Meters for Waterworks Applications | 2015 | AWWA | 0 |
| 24 | C708 | Cold-Water Meters Multijet Type Addendum C708A-98 | 2015 | AWWA | 0 |
| 25 | C710 | Cold-Water Meters Displacement Type, Plastic Main Case | 2015 | AWWA | 0 |
| 26 | C712 | Cold-Water Meters - Singlejet Type First Edition | 2015 | AWWA | 0 |
| 27 | C713 | Cold-Water Meters: Fluidic-Oscillator Type | 2015 | AWWA | 0 |
| 28 | C906 | Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission | 2015 | AWWA | 0 |
| 29 | G200 | Distribution Systems Operation and Management | 2015 | AWWA | 0 |
| 30 | B102 | Manganese Greensand for Filters | 2015 | AWWA | 0 |
| 31 | B112 | NULL | 2015 | AWWA | 0 |
| 32 | B116 | NULL | 2015 | AWWA | 0 |
| 33 | B305 | Anhydrous Ammonia | 2015 | AWWA | 0 |
| 34 | B306 | Aqua Ammonia (Liquid Ammonium Hydroxide) | 2015 | AWWA | 0 |
| 35 | B512 | Sulfur Dioxide | 2015 | AWWA | 0 |
| 36 | C203 | Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied | 2015 | AWWA | 0 |

| | | | | | |
|----|------|--|------|------|---|
| 37 | C210 | Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines | 2015 | AWWA | 0 |
| 38 | C213 | Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines | 2015 | AWWA | 0 |
| 39 | C216 | Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines | 2015 | AWWA | 0 |
| 40 | C229 | Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings | 2015 | AWWA | 0 |
| 41 | C504 | Rubber-seated Butterfly Valves | 2015 | AWWA | 0 |
| 42 | C507 | Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition | 2015 | AWWA | 0 |
| 43 | C516 | Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger | 2014 | AWWA | 0 |
| 44 | M45 | Fiberglass Pipe Design | 2014 | AWWA | 0 |
| 45 | C304 | Design of Prestressed Concrete Cylinder Pipe | 2014 | AWWA | 0 |
| 46 | G300 | Source Water Protection | 2014 | AWWA | 0 |
| 47 | C651 | Disinfecting Water Mains | 2014 | AWWA | 0 |
| 48 | M3 | Safety Practices for Water Utilities Sixth Edition | 2014 | AWWA | 0 |
| 49 | M21 | Groundwater | 2014 | AWWA | 0 |
| 50 | M28 | Rehabilitation of Water Mains | 2014 | AWWA | 0 |
| 51 | C520 | Knife Gate Valves, Sizes 2 In. (50 mm) Through 96 In. (2,400 mm) | 2014 | AWWA | |
| 52 | C800 | Underground Service Line Valves and Fittings | 2014 | AWWA | |
| 53 | C225 | Fused Polyolefin Coatings for Steel Water Pipe | 2014 | AWWA | |
| 54 | M12 | Simplified Procedures for Water Examination - Sixth Edition | 2014 | AWWA | |
| 55 | M22 | Sizing Water Service Lines and Meters - Third Edition | 2014 | AWWA | |
| 56 | M27 | External Corrosion Control for Infrastructure Sustainability - Third Edition | 2014 | AWWA | |
| 57 | M29 | Water Utility Capital Financing - Fourth Edition | 2014 | AWWA | |
| 58 | M45 | Fiberglass Pipe Design - Third Edition | 2014 | AWWA | |
| 59 | B404 | Liquid Sodium Silicate | 2014 | AWWA | 0 |
| 60 | B406 | Ferric Sulfate | 2014 | AWWA | 0 |
| 61 | B452 | EPI-DMA Polyamines | 2014 | AWWA | 0 |
| 62 | C150 | Thickness Design of Ductile-Iron Pipe | 2014 | AWWA | 0 |
| 63 | C214 | Tape Coating Systems for the Exterior of Steel Water Pipelines | 2014 | AWWA | 0 |
| 64 | C228 | Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm) | 2014 | AWWA | 0 |
| 65 | C301 | Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000 | 2014 | AWWA | 0 |
| 66 | C502 | Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95 | 2014 | AWWA | 0 |
| 67 | C503 | Wet-Barrel Fire Hydrants | 2014 | AWWA | 0 |
| 68 | C560 | Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002 | 2014 | AWWA | 0 |
| 69 | C561 | Fabricated Stainless Steel Slide Gates | 2014 | AWWA | 0 |
| 70 | C562 | Fabricated Aluminum Slide Gates | 2014 | AWWA | 0 |
| 71 | C563 | Fabricated Composite Slide Gates | 2014 | AWWA | 0 |
| 72 | D102 | Coating Steel Water-storage Tanks | 2014 | AWWA | 0 |
| 73 | D121 | Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage includes Amendment (2014) | 2014 | AWWA | 0 |
| 74 | G481 | Reclaimed Water Program Operation and Management | 2014 | AWWA | 0 |
| 75 | G430 | Security Practices for Operation and Management | 2014 | AWWA | 0 |
| 76 | G480 | Water Conservation Program Operation and Management | 2013 | AWWA | 0 |

| | | | | | |
|-----|-------------|---|------|------|---|
| 77 | G510 | Standard for Wastewater Treatment Plant Operations and Management | 2013 | AWWA | 0 |
| 78 | J100 | Risk Analysis and Management for Critical Asset Protection Risk and Resilience Management of Water and Wastewater Systems | 2013 | AWWA | 0 |
| 79 | F101 | Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers | 2013 | AWWA | 0 |
| 80 | F102 | Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets | 2013 | AWWA | 0 |
| 81 | C950 | Fiberglass Pressure Pipe | 2013 | AWWA | 0 |
| 82 | D110 | Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001 | 2013 | AWWA | 0 |
| 83 | C714 | Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes | 2013 | AWWA | 0 |
| 84 | C605 | Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition | 2013 | AWWA | 0 |
| 85 | C653 | Disinfection of Water Treatment Plants | 2013 | AWWA | 0 |
| 86 | C654 | Disinfection of Wells Second Edition | 2013 | AWWA | 0 |
| 87 | C518 | Dual-Disc Swing-Check Valves for Waterworks Service | 2013 | AWWA | 0 |
| 88 | C550 | Protective Interior Coatings for Valves and Hydrants | 2013 | AWWA | 0 |
| 89 | C226 | Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm) | 2013 | AWWA | 0 |
| 90 | C223 | Fabricated Steel and Stainless Steel Tapping Sleeves | 2013 | AWWA | 0 |
| 91 | C207 | Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm) | 2013 | AWWA | 0 |
| 92 | C209 | Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines | 2013 | AWWA | 0 |
| 93 | B605 | Granular Activated Carbon | 2013 | AWWA | 0 |
| 94 | C104 | Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water | 2013 | AWWA | 0 |
| 95 | B453 | Polyacrylamide ANSI/AWWA 8453-01 | 2013 | AWWA | 0 |
| 96 | B501 | Sodium Hydroxide (Caustic Soda) | 2013 | AWWA | 0 |
| 97 | B506 | Zinc Orthophosphate | 2013 | AWWA | 0 |
| 98 | B304 | Liquid Oxygen | 2013 | AWWA | 0 |
| 99 | B130 | Membrane Bioreactor Systems | 2013 | AWWA | 0 |
| 100 | B201 | Soda Ash | 2013 | AWWA | 0 |
| 101 | B202 | Quicklime and Hydrated Lime | 2013 | AWWA | 0 |
| 102 | J100 | Risk and Resilience Management of Water and Wastewater Systems - First Edition | 2013 | AWWA | |
| 103 | C950 | Fiberglass Pressure Pipe | 2013 | AWWA | |
| 104 | M42 | Steel Water-storage Tanks | 2013 | AWWA | 0 |
| 105 | M9 Errate | Concrete Pressure Pipe | 2013 | AWWA | 0 |
| 106 | M11 | Steel Pipe - A Guide for Design and Installation | 2013 | AWWA | 0 |
| 107 | M56 | Fundamentals and Control of Nitrification in Chloraminated Drinking Water Distribution Systems | 2013 | AWWA | 0 |
| 108 | M1 | Principles of Water Rates, Fees, and Charges | 2012 | AWWA | 0 |
| 109 | M49 | Butterfly Valves: Torque, Head Loss, and Cavitation Analysis | 2012 | AWWA | 0 |
| 110 | M32 | Distribution Network Analysis for Water Utilities | 2012 | AWWA | 0 |
| 111 | C111-A21.11 | NULL | 2012 | AWWA | |
| 112 | C200 | Steel Water Pipe, 6 in. (150 mm) and Larger | 2012 | AWWA | |
| 113 | B200 | Sodium Chloride | 2012 | AWWA | 0 |
| 114 | B101 | Precoat Filter Media | 2012 | AWWA | 0 |
| 115 | B402 | Ferrous Sulfate | 2012 | AWWA | 0 |
| 116 | B407 | Liquid Ferric Chloride | 2012 | AWWA | 0 |
| 117 | B505 | Disodium Phosphate, Anhydrous | 2012 | AWWA | 0 |

| | | | | | |
|-----|------|--|------|------|---|
| 118 | B510 | Carbon Dioxide | 2012 | AWWA | 0 |
| 119 | B504 | Monosodium Phosphate, Anhydrous | 2012 | AWWA | 0 |
| 120 | C110 | Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water | 2012 | AWWA | 0 |
| 121 | B604 | Granular Activated Carbon | 2012 | AWWA | 0 |
| 122 | C200 | Steel Water Pipe - 6 in. (150 mm) and Larger | 2012 | AWWA | 0 |
| 123 | C205 | Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied | 2012 | AWWA | 0 |
| 124 | C208 | Dimensions for Fabricated Steel Water Pipe Fittings | 2012 | AWWA | 0 |
| 125 | C221 | Fabricated Steel Mechanical Slip-Type Expansion Joints | 2012 | AWWA | 0 |
| 126 | C220 | Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99 | 2012 | AWWA | 0 |
| 127 | C530 | Pilot Operated Control Valves | 2012 | AWWA | 0 |
| 128 | C701 | Cold-Water Meters Turbine Type, for Customer Service | 2012 | AWWA | 0 |
| 129 | C704 | Propeller-Type Meters for Waterworks Applications | 2012 | AWWA | 0 |
| 130 | C561 | Fabricated Stainless Steel Slide Gates | 2012 | AWWA | 0 |
| 131 | C563 | Fabricated Composite Slide Gates | 2012 | AWWA | 0 |
| 132 | C562 | Fabricated Aluminum Slide Gates | 2012 | AWWA | 0 |
| 133 | C800 | Underground Service Line Valves and Fittings | 2012 | AWWA | 0 |
| 134 | C907 | Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition | 2012 | AWWA | 0 |
| 135 | F110 | Ultraviolet Disinfection Systems for Drinking Water | 2012 | AWWA | 0 |
| 136 | D121 | Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage | 2012 | AWWA | 0 |
| 137 | M6 | Water Meters - Selection , Installation, Testing, and Maintenance | 2012 | AWWA | 0 |
| 138 | D130 | Flexible-Membrane Materials for Potable Water Applications | 2011 | AWWA | 0 |
| 139 | G440 | Emergency Preparedness Practices | 2011 | AWWA | 0 |
| 140 | G100 | Water Treatment Plant Operation and Management | 2011 | AWWA | 0 |
| 141 | D100 | Welded Steel Tanks for Water Storage | 2011 | AWWA | 0 |
| 142 | D102 | Coating Steel Water-storage Tanks | 2011 | AWWA | 0 |
| 143 | D104 | Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks | 2011 | AWWA | 0 |
| 144 | C708 | Cold-Water Meters Multijet Type Addendum C708A-98 | 2011 | AWWA | 0 |
| 145 | C604 | Installation of Steel Water Pipe--4 In. (100 mm) and Larger | 2011 | AWWA | 0 |
| 146 | C602 | Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger | 2011 | AWWA | 0 |
| 147 | C606 | Grooved and Shouldered Joints | 2011 | AWWA | 0 |
| 148 | C703 | Cold-Water Meters - Fire Service Type | 2011 | AWWA | 0 |
| 149 | C652 | Disinfection of Water-storage Facilities | 2011 | AWWA | 0 |
| 150 | C507 | Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition | 2011 | AWWA | 0 |
| 151 | C300 | Reinforced Concrete Pressure Pipe, Steel-cylinder Type | 2011 | AWWA | 0 |
| 152 | C302 | Reinforced Concrete Pressure Pipe, Noncylinder Type | 2011 | AWWA | 0 |
| 153 | C219 | Bolted, Sleeve-Type Couplings for Plain-End Pipe | 2011 | AWWA | 0 |
| 154 | C224 | Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections | 2011 | AWWA | 0 |
| 155 | C227 | Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe | 2011 | AWWA | 0 |
| 156 | C230 | Stainless-Steel Full-Encirclement Repair and Service Connection Clamps | 2011 | AWWA | 0 |
| 157 | C206 | Field Welding of Steel Water Pipe | 2011 | AWWA | 0 |
| 158 | C153 | Ductile-Iron Compact Fittings | 2011 | AWWA | 0 |

| | | | | | |
|-----|------------|--|------|------|---|
| 159 | C115 | Flanged Ductile-Iron Pipe with Threaded Flanges | 2011 | AWWA | 0 |
| 160 | B701 | Sodium Fluoride Seventh Edition | 2011 | AWWA | 0 |
| 161 | B702 | Sodium Fluorosilicate | 2011 | AWWA | 0 |
| 162 | B703 | Fluorosilicic Acid | 2011 | AWWA | 0 |
| 163 | B503 | Sodium Tripolyphosphate | 2011 | AWWA | 0 |
| 164 | B502 | Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate) | 2011 | AWWA | 0 |
| 165 | B601 | Sodium Metabisulfite | 2011 | AWWA | 0 |
| 166 | M58 | Internal Corrosion Control in Water Distribution Systems | 2011 | AWWA | 0 |
| 167 | M60 | Drought Preparedness and Response | 2011 | AWWA | 0 |
| 168 | M61 | Desalination of Seawater | 2011 | AWWA | 0 |
| 169 | M37 | Operational Control of Coagulation and Filtration Processes | 2011 | AWWA | 0 |
| 170 | C508 | Swing-Check Valves for Waterworks Service, 2-In. Through 48-In. (50-mm Through 1,200-mm) NPS | 2011 | AWWA | |
| 171 | M57 | Algae-Source to Treatment | 2010 | AWWA | 0 |
| 172 | M47 | Construction Contact Administration | 2010 | AWWA | 0 |
| 173 | C105-A21.5 | NULL | 2010 | AWWA | |
| 174 | B600 | Powdered Activated Carbon | 2010 | AWWA | 0 |
| 175 | B550 | Calcium Chloride | 2010 | AWWA | 0 |
| 176 | B603 | Potassium Permanganate | 2010 | AWWA | 0 |
| 177 | B511 | Potassium Hydroxide | 2010 | AWWA | 0 |
| 178 | B408 | Liquid Polyaluminum Chloride | 2010 | AWWA | 0 |
| 179 | B451 | PolyDiallyldimethylammonium Chloride) | 2010 | AWWA | 0 |
| 180 | B302 | Ammonium Sulfate | 2010 | AWWA | 0 |
| 181 | B303 | Sodium Chlorite | 2010 | AWWA | 0 |
| 182 | B102 | Manganese Greensand for Filters | 2010 | AWWA | 0 |
| 183 | B300 | Hypochlorites | 2010 | AWWA | 0 |
| 184 | B301 | Liquid Chlorine | 2010 | AWWA | 0 |
| 185 | C105 | Polyethylene Encasement for Ductile-Iron Pipe Systems | 2010 | AWWA | 0 |
| 186 | C215 | Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines | 2010 | AWWA | 0 |
| 187 | C504 | Rubber-seated Butterfly Valves | 2010 | AWWA | 0 |
| 188 | C516 | Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger | 2010 | AWWA | 0 |
| 189 | C702 | Cold-Water Meters Compound Type | 2010 | AWWA | 0 |
| 190 | C706 | Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001) | 2010 | AWWA | 0 |
| 191 | C600 | Installation of Ductile-Iron Water Mains and Their Appurtenances | 2010 | AWWA | 0 |
| 192 | C707 | Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992) | 2010 | AWWA | 0 |
| 193 | C712 | Cold-Water Meters - Singlejet Type First Edition | 2010 | AWWA | 0 |
| 194 | C750 | Transit-Time Flowmeters in Full Closed Conduits | 2010 | AWWA | 0 |
| 195 | C713 | Cold-Water Meters: Fluidic-Oscillator Type | 2010 | AWWA | 0 |
| 196 | C905 | Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution | 2010 | AWWA | 0 |
| 197 | D106 | Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks | 2010 | AWWA | 0 |
| 198 | D107 | Composite Elevated Tanks for Water Storage | 2010 | AWWA | 0 |
| 199 | D108 | Aluminum Dome Roofs For Water Storage Facilities | 2010 | AWWA | 0 |

| | | | | | |
|-----|------|--|------|------|---|
| 200 | D103 | Factory-coated Bolted Steel Tanks for Water Storage | 2009 | AWWA | 0 |
| 201 | D120 | Thermosetting Fiberglass-Reinforced Plastic Tanks | 2009 | AWWA | 0 |
| 202 | C909 | Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution | 2009 | AWWA | 0 |
| 203 | C710 | Cold-Water Meters Displacement Type, Plastic Main Case | 2009 | AWWA | 0 |
| 204 | G200 | Distribution Systems Operation and Management | 2009 | AWWA | 0 |
| 205 | G400 | Utility Management System | 2009 | AWWA | 0 |
| 206 | G410 | Business Practices for Operation and Management | 2009 | AWWA | 0 |
| 207 | G420 | Communications and Customer Relations | 2009 | AWWA | 0 |
| 208 | G430 | Security Practices for Operation and Management | 2009 | AWWA | 0 |
| 209 | C655 | Field Dechlorination | 2009 | AWWA | 0 |
| 210 | C670 | Online Chlorine Analyzer Operation and Maintenance | 2009 | AWWA | 0 |
| 211 | C700 | Cold-Water Meters - Displacement Type, Bronze Main Case | 2009 | AWWA | 0 |
| 212 | C517 | Resilient-Seated Cast-Iron Eccentric Plug Valves | 2009 | AWWA | 0 |
| 213 | C515 | Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition | 2009 | AWWA | 0 |
| 214 | C542 | Electric Motor Actuators for Valves and Slide Gates | 2009 | AWWA | 0 |
| 215 | C508 | Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS | 2009 | AWWA | 0 |
| 216 | C509 | Resilient-seated Gate Valves for Water Supply Service | 2009 | AWWA | 0 |
| 217 | C500 | Metal-seated Gate Valves for Water Supply Service | 2009 | AWWA | 0 |
| 218 | C217 | Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition | 2009 | AWWA | 0 |
| 219 | C116 | Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service | 2009 | AWWA | 0 |
| 220 | C151 | Ductile-Iron Pipe, Centrifugally Cast, for Water | 2009 | AWWA | 0 |
| 221 | B110 | Membrane Systems | 2009 | AWWA | 0 |
| 222 | B100 | Granular Filter Material ANSI/AWWA B100-01 | 2009 | AWWA | 0 |
| 223 | B403 | Aluminum Sulfate - Liquid, Ground, or Lump | 2009 | AWWA | 0 |
| 224 | C222 | Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings | 2009 | AWWA | |
| 225 | M36 | Water Audits and Leak Detection | 2009 | AWWA | 0 |
| 226 | M9 | Concrete Pressure Pipe | 2008 | AWWA | 0 |
| 227 | M29 | Water Utility Capital Financing | 2008 | AWWA | 0 |
| 228 | M31 | Distribution System Requirements for Fire Protection | 2008 | AWWA | 0 |
| 229 | B404 | Liquid Sodium Silicate | 2008 | AWWA | 0 |
| 230 | B304 | Liquid Oxygen | 2008 | AWWA | 0 |
| 231 | B201 | Soda Ash | 2008 | AWWA | 0 |
| 232 | B501 | Sodium Hydroxide (Caustic Soda) | 2008 | AWWA | 0 |
| 233 | B512 | Sulfur Dioxide | 2008 | AWWA | 0 |
| 234 | B602 | Copper Sulfate | 2008 | AWWA | 0 |
| 235 | C150 | Thickness Design of Ductile-Iron Pipe | 2008 | AWWA | 0 |
| 236 | C203 | Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied | 2008 | AWWA | 0 |
| 237 | C104 | Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water | 2008 | AWWA | 0 |
| 238 | C110 | Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water | 2008 | AWWA | 0 |

| | | | | | |
|-----|-------------|--|------|------|---|
| 239 | C218 | Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition | 2008 | AWWA | 0 |
| 240 | C228 | Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm) | 2008 | AWWA | 0 |
| 241 | C229 | Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings | 2008 | AWWA | 0 |
| 242 | C222 | Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition | 2008 | AWWA | 0 |
| 243 | C303 | Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type | 2008 | AWWA | 0 |
| 244 | C541 | Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates | 2008 | AWWA | 0 |
| 245 | C518 | Dual-Disc Swing-Check Valves for Waterworks Service | 2008 | AWWA | 0 |
| 246 | C704 | Propeller-Type Meters for Waterworks Applications | 2008 | AWWA | 0 |
| 247 | C901 | Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service | 2008 | AWWA | 0 |
| 248 | C900 | Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution | 2007 | AWWA | 0 |
| 249 | C906 | Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission | 2007 | AWWA | 0 |
| 250 | C950 | Fiberglass Pressure Pipe | 2007 | AWWA | 0 |
| 251 | G300 | Source Water Protection | 2007 | AWWA | 0 |
| 252 | E103 | Horizontal and Vertical Line-Shaft Pumps | 2007 | AWWA | 0 |
| 253 | F102 | Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets | 2007 | AWWA | 0 |
| 254 | F101 | Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers | 2007 | AWWA | 0 |
| 255 | C701 | Cold-Water Meters Turbine Type, for Customer Service | 2007 | AWWA | 0 |
| 256 | C560 | Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002 | 2007 | AWWA | 0 |
| 257 | C620 | Spray-Applied In-Place Epoxy Lining of Water Pipelines, 3 in. and Larger | 2007 | AWWA | 0 |
| 258 | C530 | Pilot Operated Control Valves | 2007 | AWWA | 0 |
| 259 | C510 | Double Check Valve Backflow Prevention Assembly | 2007 | AWWA | 0 |
| 260 | C511 | Reduced-pressure Principle Backflow Prevention Assembly | 2007 | AWWA | 0 |
| 261 | C512 | Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition | 2007 | AWWA | 0 |
| 262 | C304 | Design of Prestressed Concrete Cylinder Pipe | 2007 | AWWA | 0 |
| 263 | C301 | Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000 | 2007 | AWWA | 0 |
| 264 | C221 | Fabricated Steel Mechanical Slip-Type Expansion Joints | 2007 | AWWA | 0 |
| 265 | C220 | Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99 | 2007 | AWWA | 0 |
| 266 | C223 | Fabricated Steel and Stainless Steel Tapping Sleeves | 2007 | AWWA | 0 |
| 267 | C227 | Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe | 2007 | AWWA | 0 |
| 268 | C225 | Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition | 2007 | AWWA | 0 |
| 269 | C216 | Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines | 2007 | AWWA | 0 |
| 270 | C213 | Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines | 2007 | AWWA | 0 |
| 271 | C214 | Tape Coating Systems for the Exterior of Steel Water Pipelines | 2007 | AWWA | 0 |
| 272 | C208 | Dimensions for Fabricated Steel Water Pipe Fittings | 2007 | AWWA | 0 |
| 273 | C207 | Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm) | 2007 | AWWA | 0 |
| 274 | C210 | Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines | 2007 | AWWA | 0 |
| 275 | C111 | Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings | 2007 | AWWA | 0 |
| 276 | C111/A21.11 | Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings | 2007 | AWWA | 0 |
| 277 | B605 | Granular Activated Carbon | 2007 | AWWA | 0 |

| | | | | | |
|-----|------|--|------|------|---|
| 278 | C205 | Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied | 2007 | AWWA | 0 |
| 279 | B202 | Quicklime and Hydrated Lime | 2007 | AWWA | 0 |
| 280 | B200 | Sodium Chloride | 2007 | AWWA | 0 |
| 281 | B306 | Aqua Ammonia (Liquid Ammonium Hydroxide) | 2007 | AWWA | 0 |
| 282 | M46 | Reverse Osmosis and Nanofiltration | 2007 | AWWA | 0 |
| 283 | M50 | Water Resources Planning | 2007 | AWWA | 0 |
| 284 | M52 | Water Conservation Programs--A Planning Manual | 2006 | AWWA | 0 |
| 285 | M44 | Distribution Valves: Selection, Installation, Field Testing , and Maintenance | 2006 | AWWA | 0 |
| 286 | M33 | Flowmeters in Water Supply | 2006 | AWWA | 0 |
| 287 | M17 | Installation, Field Testing, and Maintenance of Fire Hydrants | 2006 | AWWA | 0 |
| 288 | M20 | Water Chlorination Principles and Practices | 2006 | AWWA | 0 |
| 289 | M48 | Waterborne Pathogens | 2006 | AWWA | 0 |
| 290 | M55 | PE Pipe--Design and Installation | 2006 | AWWA | 0 |
| 291 | E102 | Submersible Vertical Turbine Pumps | 2006 | AWWA | |
| 292 | B305 | Anhydrous Ammonia | 2006 | AWWA | 0 |
| 293 | B402 | Ferrous Sulfate | 2006 | AWWA | 0 |
| 294 | B405 | Sodium Aluminate | 2006 | AWWA | 0 |
| 295 | B406 | Ferric Sulfate | 2006 | AWWA | 0 |
| 296 | A100 | Water Wells | 2006 | AWWA | 0 |
| 297 | B510 | Carbon Dioxide | 2006 | AWWA | 0 |
| 298 | B506 | Zinc Orthophosphate | 2006 | AWWA | 0 |
| 299 | B453 | Polyacrylamide ANSI/AWWA 8453-01 | 2006 | AWWA | 0 |
| 300 | B452 | EPI-DMA Polyamines | 2006 | AWWA | 0 |
| 301 | C153 | Ductile-Iron Compact Fittings | 2006 | AWWA | 0 |
| 302 | B701 | Sodium Fluoride Seventh Edition | 2006 | AWWA | 0 |
| 303 | B703 | Fluorosilicic Acid | 2006 | AWWA | 0 |
| 304 | B702 | Sodium Fluorosilicate | 2006 | AWWA | 0 |
| 305 | C209 | Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines | 2006 | AWWA | 0 |
| 306 | C226 | Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm) | 2006 | AWWA | 0 |
| 307 | C224 | Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connecctions, Fittings, and Special Sections | 2006 | AWWA | 0 |
| 308 | C219 | Bolted, Sleeve-Type Couplings for Plain-End Pipe | 2006 | AWWA | 0 |
| 309 | C504 | Rubber-seated Butterfly Valves | 2006 | AWWA | 0 |
| 310 | C606 | Grooved and Shouldered Joints | 2006 | AWWA | 0 |
| 311 | C602 | Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger | 2006 | AWWA | 0 |
| 312 | C604 | Installation of Steel Water Pipe--4 In. (100 mm) and Larger | 2006 | AWWA | 0 |
| 313 | E102 | Submersible Vertical Turbine Pumps | 2006 | AWWA | 0 |
| 314 | D102 | Coating Steel Water-storage Tanks | 2006 | AWWA | 0 |
| 315 | D115 | Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition | 2006 | AWWA | 0 |
| 316 | C904 | Cross-Linked Polyethylene (PEX) Pressure Pipe, 1/2 In. (12mm) Through 3 In. (76 mm), for Water Service | 2006 | AWWA | 0 |
| 317 | C903 | Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition | 2005 | AWWA | 0 |

| | | | | | |
|-----|-------------|---|------|------|---|
| 318 | C800 | Underground Service Line Valves and Fittings | 2005 | AWWA | 0 |
| 319 | C708 | Cold-Water Meters Multijet Type Addendum C708A-98 | 2005 | AWWA | 0 |
| 320 | C713 | Cold-Water Meters: Fluidic-Oscillator Type | 2005 | AWWA | 0 |
| 321 | D100 | Welded Steel Tanks for Water Storage | 2005 | AWWA | 0 |
| 322 | G100 | Water Treatment Plant Operation and Management | 2005 | AWWA | 0 |
| 323 | C651 | Disinfecting Water Mains | 2005 | AWWA | 0 |
| 324 | C605 | Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition | 2005 | AWWA | 0 |
| 325 | C550 | Protective Interior Coatings for Valves and Hydrants | 2005 | AWWA | 0 |
| 326 | C600 | Installation of Ductile-Iron Water Mains and Their Appurtenances | 2005 | AWWA | 0 |
| 327 | C706 | Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001) | 2005 | AWWA | 0 |
| 328 | C707 | Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992) | 2005 | AWWA | 0 |
| 329 | C507 | Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition | 2005 | AWWA | 0 |
| 330 | C503 | Wet-Barrel Fire Hydrants | 2005 | AWWA | 0 |
| 331 | C502 | Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95 | 2005 | AWWA | 0 |
| 332 | C513 | Open-channel, Fabricated-Metal Slide Gates First Edition | 2005 | AWWA | 0 |
| 333 | C517 | Resilient-Seated Cast-Iron Eccentric Plug Valves | 2005 | AWWA | 0 |
| 334 | C105 | Polyethylene Encasement for Ductile-Iron Pipe Systems | 2005 | AWWA | 0 |
| 335 | C200 | Steel Water Pipe - 6 in. (150 mm) and Larger | 2005 | AWWA | 0 |
| 336 | C115 | Flanged Ductile-Iron Pipe with Threaded Flanges | 2005 | AWWA | 0 |
| 337 | C115/A21.15 | Flanged Ductile-Iron Pipe with Ductile-Iron or Gray-Iron Threaded Flanges | 2005 | AWWA | 0 |
| 338 | B407 | Liquid Ferric Chloride | 2005 | AWWA | 0 |
| 339 | B503 | Sodium Tripolyphosphate | 2005 | AWWA | 0 |
| 340 | B502 | Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate) | 2005 | AWWA | 0 |
| 341 | B504 | Monosodium Phosphate, Anhydrous | 2005 | AWWA | 0 |
| 342 | B505 | Disodium Phosphate, Anhydrous | 2005 | AWWA | 0 |
| 343 | B511 | Potassium Hydroxide | 2005 | AWWA | 0 |
| 344 | B601 | Sodium Metabisulfite | 2005 | AWWA | 0 |
| 345 | B604 | Granular Activated Carbon | 2005 | AWWA | 0 |
| 346 | B550 | Calcium Chloride | 2005 | AWWA | 0 |
| 347 | B600 | Powdered Activated Carbon | 2005 | AWWA | 0 |
| 348 | B304 | Liquid Oxygen | 2005 | AWWA | 0 |
| 349 | B303 | Sodium Chlorite | 2005 | AWWA | 0 |
| 350 | B302 | Ammonium Sulfate | 2005 | AWWA | 0 |
| 351 | M5 | Water Utility Management | 2005 | AWWA | 0 |
| 352 | M45 | Fiberglass Pipe Design | 2005 | AWWA | 0 |
| 353 | M53 | Microfiltration and Ultrafiltration Membranes for Drinking Water | 2005 | AWWA | 0 |
| 354 | M54 | Developing Rates for Small Systems | 2004 | AWWA | 0 |
| 355 | M22 | Sizing Water Service Line and Meters | 2004 | AWWA | 0 |
| 356 | M27 | External Corrosion - Introduction to Chemistry and Control | 2004 | AWWA | 0 |
| 357 | M7 | Problem Organisms in Water : Identification and Treatment | 2004 | AWWA | 0 |
| 358 | M4 | Water Fluoridation Principles and Practices | 2004 | AWWA | 0 |

| | | | | | |
|-----|------|--|------|------|---|
| 359 | M14 | Recommended Practice for Backflow Prevention and Cross- Connection Control | 2004 | AWWA | 0 |
| 360 | B102 | Manganese Greensand for Filters | 2004 | AWWA | 0 |
| 361 | B300 | Hypochlorites | 2004 | AWWA | 0 |
| 362 | B301 | Liquid Chlorine | 2004 | AWWA | 0 |
| 363 | B451 | PolyDiallyldimethylammonium Chloride) | 2004 | AWWA | 0 |
| 364 | C300 | Reinforced Concrete Pressure Pipe, Steel-cylinder Type | 2004 | AWWA | 0 |
| 365 | C215 | Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines | 2004 | AWWA | 0 |
| 366 | C217 | Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition | 2004 | AWWA | 0 |
| 367 | C512 | Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition | 2004 | AWWA | 0 |
| 368 | C302 | Reinforced Concrete Pressure Pipe, Noncylinder Type | 2004 | AWWA | 0 |
| 369 | C703 | Cold-Water Meters - Fire Service Type | 2004 | AWWA | 0 |
| 370 | C561 | Fabricated Stainless Steel Slide Gates | 2004 | AWWA | 0 |
| 371 | C563 | Fabricated Composite Slide Gates | 2004 | AWWA | 0 |
| 372 | C606 | Grooved and Shouldered Joints | 2004 | AWWA | 0 |
| 373 | G200 | Distribution Systems Operation and Management | 2004 | AWWA | 0 |
| 374 | M11 | Steel Pipe - A Guide for Design and Installation Third Edition | 2004 | AWWA | 0 |
| 375 | D104 | Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks | 2004 | AWWA | 0 |
| 376 | D110 | Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001 | 2004 | AWWA | 0 |
| 377 | C907 | Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition | 2004 | AWWA | 0 |
| 378 | C750 | Transit-Time Flowmeters in Full Closed Conduits | 2003 | AWWA | 0 |
| 379 | D102 | Coating Steel Water-storage Tanks | 2003 | AWWA | 0 |
| 380 | M21 | Groundwater Third Edition | 2003 | AWWA | 0 |
| 381 | M41 | Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003 | 2003 | AWWA | 0 |
| 382 | C653 | Disinfection of Water Treatment Plants | 2003 | AWWA | 0 |
| 383 | C654 | Disinfection of Wells Second Edition | 2003 | AWWA | 0 |
| 384 | C400 | Asbestos-cement Pressure Pipe, 4 in . Through 16 in (100 mm Through 400 mm), for Water Distribution Systems | 2003 | AWWA | 0 |
| 385 | C210 | Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines | 2003 | AWWA | 0 |
| 386 | C225 | Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition | 2003 | AWWA | 0 |
| 387 | C116 | Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service | 2003 | AWWA | 0 |
| 388 | C206 | Field Welding of Steel Water Pipe | 2003 | AWWA | 0 |
| 389 | C110 | Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water | 2003 | AWWA | 0 |
| 390 | C104 | Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water | 2003 | AWWA | 0 |
| 391 | B408 | Liquid Polyaluminum Chloride | 2003 | AWWA | 0 |
| 392 | B501 | Sodium Hydroxide (Caustic Soda) | 2003 | AWWA | 0 |
| 393 | B603 | Potassium Permanganate | 2003 | AWWA | 0 |
| 394 | B201 | Soda Ash | 2003 | AWWA | 0 |
| 395 | B200 | Sodium Chloride | 2003 | AWWA | 0 |
| 396 | B403 | Aluminum Sulfate - Liquid, Ground, or Lump | 2003 | AWWA | 0 |
| 397 | B404 | Liquid Sodium Silicate | 2003 | AWWA | 0 |
| 398 | B202 | Quicklime and Hydrated Lime | 2002 | AWWA | 0 |

| | | | | | |
|-----|-------------|--|------|------|---|
| 399 | B602 | Copper Sulfate | 2002 | AWWA | 0 |
| 400 | B512 | Sulfur Dioxide | 2002 | AWWA | 0 |
| 401 | C203 | Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied | 2002 | AWWA | 0 |
| 402 | C150 | Thickness Design of Ductile-Iron Pipe | 2002 | AWWA | 0 |
| 403 | C150/A21.50 | Thickness Design of Ductile-Iron Pipe Erratum: 02/2003 | 2002 | AWWA | 0 |
| 404 | C151/A21.51 | Ductile-Iron Pipe, Centrifugally Cast, for Water Erratum | 2002 | AWWA | 0 |
| 405 | C151 | Ductile-Iron Pipe, Centrifugally Cast, for Water | 2002 | AWWA | 0 |
| 406 | C224 | Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections | 2002 | AWWA | 0 |
| 407 | C218 | Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition | 2002 | AWWA | 0 |
| 408 | C223 | Fabricated Steel and Stainless Steel Tapping Sleeves | 2002 | AWWA | 0 |
| 409 | C303 | Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type | 2002 | AWWA | 0 |
| 410 | C500 | Metal-seated Gate Valves for Water Supply Service | 2002 | AWWA | 0 |
| 411 | C540 | Power-Actuating Devices for Valves and Slide Gates | 2002 | AWWA | 0 |
| 412 | C700 | Cold-Water Meters - Displacement Type, Bronze Main Case | 2002 | AWWA | 0 |
| 413 | C701 | Cold-Water Meters Turbine Type, for Customer Service | 2002 | AWWA | 0 |
| 414 | C704 | Propeller-Type Meters for Waterworks Applications | 2002 | AWWA | 0 |
| 415 | C652 | Disinfection of Water-storage Facilities | 2002 | AWWA | 0 |
| 416 | M23 | PVC Pipe - Design and Installation Second Edition | 2002 | AWWA | 0 |
| 417 | M3 | Safety Practices for Water Utilities Sixth Edition | 2002 | AWWA | 0 |
| 418 | M12 | Simplified Procedures for Water Examination Fifth Edition | 2002 | AWWA | 0 |
| 419 | F102 | Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets | 2002 | AWWA | 0 |
| 420 | F101 | Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers | 2002 | AWWA | 0 |
| 421 | D130 | Flexible-Membrane Materials for Potable Water Applications | 2002 | AWWA | 0 |
| 422 | C909 | Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution | 2002 | AWWA | 0 |
| 423 | D120 | Thermosetting Fiberglass-Reinforced Plastic Tanks | 2002 | AWWA | 0 |
| 424 | C710 | Cold-Water Meters Displacement Type, Plastic Main Case | 2002 | AWWA | 0 |
| 425 | C712 | Cold-Water Meters - Singlejet Type First Edition | 2002 | AWWA | 0 |
| 426 | C901 | Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service | 2002 | AWWA | 0 |
| 427 | C903 | Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition | 2002 | AWWA | 0 |
| 428 | C800 | Underground Service Line Valves and Fittings | 2001 | AWWA | 0 |
| 429 | D104 | Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks | 2001 | AWWA | 0 |
| 430 | C950 | Fiberglass Pressure Pipe | 2001 | AWWA | 0 |
| 431 | C908 | PVC Self-Tapping Saddle Tees for Use on PVC Pipe | 2001 | AWWA | 0 |
| 432 | M2 | Instrumentation and Control Third Edition; Erratum: 03/2002 | 2001 | AWWA | 0 |
| 433 | M19 | Emergency Planning for Water Utility Management Fourth Edition | 2001 | AWWA | 0 |
| 434 | M28 | Rehabilitation of Water Mains | 2001 | AWWA | 0 |
| 435 | C702 | Cold-Water Meters Compound Type | 2001 | AWWA | 0 |
| 436 | C550 | Protective Interior Coatings for Valves and Hydrants | 2001 | AWWA | 0 |
| 437 | C515 | Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition | 2001 | AWWA | 0 |

| | | | | | |
|-----|-------------|--|------|------|---|
| 438 | C508 | Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS | 2001 | AWWA | 0 |
| 439 | C509 | Resilient-seated Gate Valves for Water Supply Service | 2001 | AWWA | 0 |
| 440 | C224 | Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections | 2001 | AWWA | 0 |
| 441 | C221 | Fabricated Steel Mechanical Slip-Type Expansion Joints | 2001 | AWWA | 0 |
| 442 | C219 | Bolted, Sleeve-Type Couplings for Plain-End Pipe | 2001 | AWWA | 0 |
| 443 | C213 | Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines | 2001 | AWWA | 0 |
| 444 | C207 | Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm) | 2001 | AWWA | 0 |
| 445 | C208 | Dimensions for Fabricated Steel Water Pipe Fittings | 2001 | AWWA | 0 |
| 446 | B453 | Polyacrylamide ANSI/AWWA 8453-01 | 2001 | AWWA | 0 |
| 447 | B505 | Disodium Phosphate, Anhydrous | 2001 | AWWA | 0 |
| 448 | B504 | Monosodium Phosphate, Anhydrous | 2001 | AWWA | 0 |
| 449 | B502 | Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate) | 2001 | AWWA | 0 |
| 450 | B503 | Sodium Tripolyphosphate | 2001 | AWWA | 0 |
| 451 | B101 | Precoat Filter Media | 2001 | AWWA | 0 |
| 452 | B100 | Granular Filter Material ANSI/AWWA B100-01 | 2001 | AWWA | 0 |
| 453 | M49 | Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition | 2001 | AWWA | 0 |
| 454 | M50 | Water Resources Planning | 2001 | AWWA | 0 |
| 455 | M51 | Air-Release,Air/vacuum, & Combination Air Valves | 2001 | AWWA | 0 |
| 456 | B405 | Sodium Aluminate | 2000 | AWWA | 0 |
| 457 | B302 | Ammonium Sulfate | 2000 | AWWA | 0 |
| 458 | B303 | Sodium Chlorite | 2000 | AWWA | 0 |
| 459 | B402 | Ferrous Sulfate | 2000 | AWWA | 0 |
| 460 | B550 | Calcium Chloride | 2000 | AWWA | 0 |
| 461 | B511 | Potassium Hydroxide | 2000 | AWWA | 0 |
| 462 | B510 | Carbon Dioxide | 2000 | AWWA | 0 |
| 463 | B601 | Sodium Metabisulfite | 2000 | AWWA | 0 |
| 464 | C209 | Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines | 2000 | AWWA | 0 |
| 465 | C214 | Tape Coating Systems for the Exterior of Steel Water Pipelines | 2000 | AWWA | 0 |
| 466 | C216 | Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines | 2000 | AWWA | 0 |
| 467 | C153 | Ductile-Iron Compact Fittings | 2000 | AWWA | 0 |
| 468 | C205 | Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied | 2000 | AWWA | 0 |
| 469 | C153/A21.53 | Ductile-Iron Compact Fittings, for Water Service | 2000 | AWWA | 0 |
| 470 | B703 | Fluorosilicic Acid | 2000 | AWWA | 0 |
| 471 | C111/A21.11 | Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings | 2000 | AWWA | 0 |
| 472 | C111 | Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings | 2000 | AWWA | 0 |
| 473 | C560 | Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002 | 2000 | AWWA | 0 |
| 474 | C402 | Asbestos-cement Transmission Pipe, 18 in. Through 42 in . (450 mm Through 1,050 mm), for Water Supply Service | 2000 | AWWA | 0 |
| 475 | C403 | Selection of Asbestos-cement Transmission Pipe, Sizes 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service | 2000 | AWWA | 0 |
| 476 | C504 | Rubber-seated Butterfly Valves | 2000 | AWWA | 0 |

| | | | | | |
|-----|-------------|--|------|------|---|
| 477 | C602 | Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger | 2000 | AWWA | 0 |
| 478 | M25 | Flexible-Membrane Covers and Linings for Potable-Water Reservoirs Third Edition | 2000 | AWWA | 0 |
| 479 | M37 | Operational Control of Coagulation and Filtration Processes Second Edition | 2000 | AWWA | 0 |
| 480 | M1 | Principles of Water Rates, Fees, and Charges Fifth Edition | 2000 | AWWA | 0 |
| 481 | M6 | Water Meters - Selection , Installation, Testing, and Maintenance Fourth Edition | 1999 | AWWA | 0 |
| 482 | M36 | Water Audits and Leak Detection Second Edition | 1999 | AWWA | 0 |
| 483 | M34 | Water Rate Structures and Pricing Second Edition | 1999 | AWWA | 0 |
| 484 | C906 | Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission | 1999 | AWWA | 0 |
| 485 | C600 | Installation of Ductile-Iron Water Mains and Their Appurtenances | 1999 | AWWA | 0 |
| 486 | C651 | Disinfecting Water Mains | 1999 | AWWA | 0 |
| 487 | C507 | Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition | 1999 | AWWA | 0 |
| 488 | C304 | Design of Prestressed Concrete Cylinder Pipe | 1999 | AWWA | 0 |
| 489 | C301 | Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000 | 1999 | AWWA | 0 |
| 490 | C515 | Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition | 1999 | AWWA | 0 |
| 491 | C512 | Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition | 1999 | AWWA | 0 |
| 492 | C115 | Flanged Ductile-Iron Pipe with Threaded Flanges | 1999 | AWWA | 0 |
| 493 | C105/A21.5 | Polyethylene Encasement for Ductile-Iron Pipe Systems | 1999 | AWWA | 0 |
| 494 | C105 | Polyethylene Encasement for Ductile-Iron Pipe Systems | 1999 | AWWA | 0 |
| 495 | B702 | Sodium Fluorosilicate | 1999 | AWWA | 0 |
| 496 | B605 | Granular Activated Carbon | 1999 | AWWA | 0 |
| 497 | B701 | Sodium Fluoride Seventh Edition | 1999 | AWWA | 0 |
| 498 | C115/A21.15 | Flanged Ductile-Iron Pipe with Threaded Flanges | 1999 | AWWA | 0 |
| 499 | C215 | Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines | 1999 | AWWA | 0 |
| 500 | C217 | Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition | 1999 | AWWA | 0 |
| 501 | C218 | Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition | 1999 | AWWA | 0 |
| 502 | C222 | Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition | 1999 | AWWA | 0 |
| 503 | B301 | Liquid Chlorine | 1999 | AWWA | 0 |
| 504 | B300 | Hypochlorites | 1999 | AWWA | 0 |
| 505 | M46 | Reverse Osmosis and Nanofiltration First Edition | 1999 | AWWA | 0 |
| 506 | M48 | Waterborne Pathogens | 1999 | AWWA | 0 |
| 507 | B201 | Soda Ash | 1998 | AWWA | 0 |
| 508 | B200 | Sodium Chloride | 1998 | AWWA | 0 |
| 509 | B403 | Aluminum Sulfate - Liquid, Ground, or Lump | 1998 | AWWA | 0 |
| 510 | B408 | Liquid Polyaluminum Chloride | 1998 | AWWA | 0 |
| 511 | B407 | Liquid Ferric Chloride | 1998 | AWWA | 0 |
| 512 | B404 | Liquid Sodium Silicate | 1998 | AWWA | 0 |
| 513 | B603 | Potassium Permanganate | 1998 | AWWA | 0 |
| 514 | B501 | Sodium Hydroxide (Caustic Soda) | 1998 | AWWA | 0 |
| 515 | B451 | PolyDiallyldimethylammonium Chloride) | 1998 | AWWA | 0 |
| 516 | B452 | EPI-DMA Polyamines | 1998 | AWWA | 0 |

| | | | | | |
|-----|-------------|--|------|------|---|
| 517 | C220 | Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99 | 1998 | AWWA | 0 |
| 518 | C116 | Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service | 1998 | AWWA | 0 |
| 519 | C116/A21.16 | Protective Fusion-Bonded Epoxy Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service First Edition | 1998 | AWWA | 0 |
| 520 | C110 | Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water | 1998 | AWWA | 0 |
| 521 | C110/A21.10 | Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water Erratum: October 1999 | 1998 | AWWA | 0 |
| 522 | C909 | Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution | 1998 | AWWA | 0 |
| 523 | M31 | Distribution System Requirements for Fire Protection Third Edition | 1998 | AWWA | 0 |
| 524 | M29 | Water Utility Capital Financing Second Edition | 1998 | AWWA | 0 |
| 525 | M42 | Steel Water-storage Tanks First Edition | 1998 | AWWA | 0 |
| 526 | D103 | Factory-coated Bolted Steel Tanks for Water Storage | 1997 | AWWA | 0 |
| 527 | D102 | Coating Steel Water-storage Tanks | 1997 | AWWA | 0 |
| 528 | D104 | Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks | 1997 | AWWA | 0 |
| 529 | C905 | Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution | 1997 | AWWA | 0 |
| 530 | C900 | Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution | 1997 | AWWA | 0 |
| 531 | C513 | Open-channel, Fabricated-Metal Slide Gates First Edition | 1997 | AWWA | 0 |
| 532 | C511 | Reduced-pressure Principle Backflow Prevention Assembly | 1997 | AWWA | 0 |
| 533 | C510 | Double Check Valve Backflow Prevention Assembly | 1997 | AWWA | 0 |
| 534 | C503 | Wet-Barrel Fire Hydrants | 1997 | AWWA | 0 |
| 535 | C606 | Grooved and Shouldered Joints | 1997 | AWWA | 0 |
| 536 | C653 | Disinfection of Water Treatment Plants | 1997 | AWWA | 0 |
| 537 | C654 | Disinfection of Wells Second Edition | 1997 | AWWA | 0 |
| 538 | C200 | Steel Water Pipe - 6 in. (150 mm) and Larger | 1997 | AWWA | 0 |
| 539 | C203 | Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied | 1997 | AWWA | 0 |
| 540 | C206 | Field Welding of Steel Water Pipe | 1997 | AWWA | 0 |
| 541 | C221 | Fabricated Steel Mechanical Slip-Type Expansion Joints | 1997 | AWWA | 0 |
| 542 | C300 | Reinforced Concrete Pressure Pipe, Steel-cylinder Type | 1997 | AWWA | 0 |
| 543 | C219 | Bolted, Sleeve-Type Couplings for Plain-End Pipe | 1997 | AWWA | 0 |
| 544 | C210 | Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines | 1997 | AWWA | 0 |
| 545 | B512 | Sulfur Dioxide | 1997 | AWWA | 0 |
| 546 | B406 | Ferric Sulfate | 1997 | AWWA | 0 |
| 547 | A100 | Water Wells | 1997 | AWWA | 0 |
| 548 | B100 | Granular Filter Material ANSI/AWWA B100-01 | 1996 | AWWA | 0 |
| 549 | B550 | Calcium Chloride | 1996 | AWWA | 0 |
| 550 | B511 | Potassium Hydroxide | 1996 | AWWA | 0 |
| 551 | B604 | Granular Activated Carbon | 1996 | AWWA | 0 |
| 552 | B600 | Powdered Activated Carbon | 1996 | AWWA | 0 |
| 553 | B453 | Polyacrylamide ANSI/AWWA 8453-01 | 1996 | AWWA | 0 |
| 554 | C213 | Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines | 1996 | AWWA | 0 |

| | | | | | |
|-----|------------|--|------|------|---|
| 555 | C208 | Dimensions for Fabricated Steel Water Pipe Fittings | 1996 | AWWA | 0 |
| 556 | C150 | Thickness Design of Ductile-Iron Pipe | 1996 | AWWA | 0 |
| 557 | C151 | Ductile-Iron Pipe, Centrifugally Cast, for Water | 1996 | AWWA | 0 |
| 558 | C703 | Cold-Water Meters - Fire Service Type | 1996 | AWWA | 0 |
| 559 | C706 | Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001) | 1996 | AWWA | 0 |
| 560 | C603 | Installation of Asbestos-cement Pressure Pipe R(2000) | 1996 | AWWA | 0 |
| 561 | C901 | Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service | 1996 | AWWA | 0 |
| 562 | C708 | Cold-Water Meters Multijet Type Addendum C708A-98 | 1996 | AWWA | 0 |
| 563 | D100 | Welded Steel Tanks for Water Storage | 1996 | AWWA | 0 |
| 564 | M44 | Distribution Valves: Selection, Installation, Field Testing , and Maintenance First Edition | 1996 | AWWA | 0 |
| 565 | M45 | Fiberglass Pipe Design First Edition | 1996 | AWWA | 0 |
| 566 | M26 | Water Rates and Related Charges Second Edition | 1996 | AWWA | 0 |
| 567 | D130 | Flexible-Membrane Materials for Potable Water Applications | 1996 | AWWA | 0 |
| 568 | F101 | Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers | 1996 | AWWA | 0 |
| 569 | F102 | Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets | 1996 | AWWA | 0 |
| 570 | M47 | Construction Contact Administration First Edition | 1996 | AWWA | 0 |
| 571 | M30 | Precoat Filtration Second Edition | 1995 | AWWA | 0 |
| 572 | M38 | Electrodialysis and Electrodialysis Reversal First Edition | 1995 | AWWA | 0 |
| 573 | M4 | Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995 | 1995 | AWWA | 0 |
| 574 | M7 | Problem Organisms in Water : Identification and Treatment Second Edition | 1995 | AWWA | 0 |
| 575 | M9 | Concrete Pressure Pipe Second Edition | 1995 | AWWA | 0 |
| 576 | C950 | Fiberglass Pressure Pipe | 1995 | AWWA | 0 |
| 577 | D110 | Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001 | 1995 | AWWA | 0 |
| 578 | D115 | Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition | 1995 | AWWA | 0 |
| 579 | C710 | Cold-Water Meters Displacement Type, Plastic Main Case | 1995 | AWWA | 0 |
| 580 | C602 | Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger | 1995 | AWWA | 0 |
| 581 | C700 | Cold-Water Meters - Displacement Type, Bronze Main Case | 1995 | AWWA | 0 |
| 582 | C302 | Reinforced Concrete Pressure Pipe, Noncylinder Type | 1995 | AWWA | 0 |
| 583 | C303 | Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type | 1995 | AWWA | 0 |
| 584 | C205 | Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied | 1995 | AWWA | 0 |
| 585 | C111 | Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings | 1995 | AWWA | 0 |
| 586 | C104/A21.4 | Cement-Mortar Lining for Ductile-Iron Pipe and Fittings for Water | 1995 | AWWA | 0 |
| 587 | C104 | Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water | 1995 | AWWA | 0 |
| 588 | C209 | Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines | 1995 | AWWA | 0 |
| 589 | C214 | Tape Coating Systems for the Exterior of Steel Water Pipelines | 1995 | AWWA | 0 |
| 590 | B505 | Disodium Phosphate, Anhydrous | 1995 | AWWA | 0 |
| 591 | B510 | Carbon Dioxide | 1995 | AWWA | 0 |
| 592 | B302 | Ammonium Sulfate | 1995 | AWWA | 0 |
| 593 | B402 | Ferrous Sulfate | 1995 | AWWA | 0 |
| 594 | B303 | Sodium Chlorite | 1995 | AWWA | 0 |
| 595 | B405 | Sodium Aluminate | 1994 | AWWA | 0 |

| | | | | | |
|-----|------|--|------|------|---|
| 596 | B101 | Precoat Filter Media | 1994 | AWWA | 0 |
| 597 | B504 | Monosodium Phosphate, Anhydrous | 1994 | AWWA | 0 |
| 598 | B503 | Sodium Tripolyphosphate | 1994 | AWWA | 0 |
| 599 | B502 | Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate) | 1994 | AWWA | 0 |
| 600 | B703 | Fluorosilicic Acid | 1994 | AWWA | 0 |
| 601 | C207 | Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm) | 1994 | AWWA | 0 |
| 602 | C153 | Ductile-Iron Compact Fittings | 1994 | AWWA | 0 |
| 603 | C504 | Rubber-seated Butterfly Valves | 1994 | AWWA | 0 |
| 604 | C502 | Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95 | 1994 | AWWA | 0 |
| 605 | C509 | Resilient-seated Gate Valves for Water Supply Service | 1994 | AWWA | 0 |
| 606 | C605 | Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition | 1994 | AWWA | 0 |
| 607 | M24 | Dual Water Systems Second Edition | 1994 | AWWA | 0 |
| 608 | C540 | Power-Actuating Devices for Valves and Slide Gates | 1993 | AWWA | 0 |
| 609 | C508 | Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS | 1993 | AWWA | 0 |
| 610 | C401 | Selection of Asbestos-cement Pressure Pipe, 4 in . Through 16 in.(100 mm Through 400 mm), for Water Distribution Systems | 1993 | AWWA | 0 |
| 611 | C500 | Metal-seated Gate Valves for Water Supply Service | 1993 | AWWA | 0 |
| 612 | B200 | Sodium Chloride | 1993 | AWWA | 0 |
| 613 | B202 | Quicklime and Hydrated Lime | 1993 | AWWA | 0 |
| 614 | C501 | Cast Iron Slide Gates | 1992 | AWWA | 0 |
| 615 | C652 | Disinfection of Water-storage Facilities | 1992 | AWWA | 0 |
| 616 | C702 | Cold-Water Meters Compound Type | 1992 | AWWA | 0 |
| 617 | C707 | Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992) | 1992 | AWWA | 0 |
| 618 | C704 | Propeller-Type Meters for Waterworks Applications | 1992 | AWWA | 0 |
| 619 | C907 | Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition | 1991 | AWWA | 0 |
| 620 | B602 | Copper Sulfate | 1991 | AWWA | 0 |
| 621 | M14 | Recommended Practice for Backflow Prevention and Cross- Connection Control Second Edition | 1990 | AWWA | 0 |
| 622 | M35 | Revenue Requirements First Edition | 1990 | AWWA | 0 |
| 623 | C550 | Protective Interior Coatings for Valves and Hydrants | 1990 | AWWA | 0 |
| 624 | M32 | Distribution Network Analysis for Water Utilities First Edition | 1989 | AWWA | 0 |
| 625 | M33 | Flowmeters in Water Supply First Edition | 1989 | AWWA | 0 |
| 626 | M17 | Installation, Field Testing, and Maintenance of Fire Hydrants Third Edition | 1989 | AWWA | 0 |
| 627 | M11 | Steel Pipe - A Guide for Design and Installation Third Edition | 1989 | AWWA | 0 |
| 628 | C800 | Underground Service Line Valves and Fittings | 1989 | AWWA | 0 |
| 629 | C701 | Cold-Water Meters Turbine Type, for Customer Service | 1988 | AWWA | 0 |
| 630 | M27 | External Corrosion - Introduction to Chemistry and Control | 1987 | AWWA | 0 |
| 631 | D120 | Thermosetting Fiberglass-Reinforced Plastic Tanks | 1984 | AWWA | 0 |
| 632 | C707 | Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992) | 1982 | AWWA | 0 |
| 633 | M5 | Water Utility Management | 1980 | AWWA | 0 |
| 634 | M22 | Sizing Water Service Line and Meters | 1975 | AWWA | 0 |
| 635 | M20 | Water Chlorination Principles and Practices | 1973 | AWWA | 0 |
| 636 | M5 | Water Utility Management | 0 | AWWA | 0 |

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737