

Standards Manager Web Standards List
AIA-Aerospace Industries Association of American

Id	Number	Title	Year	Organization	Page
1	NAS1149	WASHER, FLAT - Rev 6	2024	AIA	0
2	NAS1193	LOCKING DEVICE, POSITIVE INDEX	2024	AIA	0
3	NAS671	NUT, PLAIN, HEXAGON, SMALL PATTERN, NONSTRUCTURAL	2020	AIA	0
4	NAS1291	NUT, SELF-LOCKING, HEXAGON, LOW HEIGHT, LIGHT WEIGHT	2020	AIA	0
5	NAS1581	BOLT, SHEAR, 100° FLUSH REDUCED HEAD, OFFSET CRUCIFORM, OFFSET CRUCIFORM _ RIBBED AND DOVETAIL SLOT, 95 KSI FSU	2020	AIA	0
6	NAS1836	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, LIGHTWEIGHT, SANDWICH PANEL	2020	AIA	0
7	NAS8402-8404	SCREW, MACHINE, WASHER HEAD, FULL THREAD, CRUCIFORM RECESS, A286 CRES	2020	AIA	0
8	NAS9302	RIVET, BLIND, 100o FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE B AND E	2020	AIA	0
9	NAS4006	ALUMINUM COATING	2020	AIA	0
10	NASM16995	SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNC-3A	2020	AIA	0
11	NAS4002	FASTENER, ALLOY STEEL, EXTERNALLY THREADED, 160 KSI Ft _u , 95 KSI F _{su} , 450 °F - Rev 11	2020	AIA	0
12	NAS410	NAS CERTIFICATION & QUALIFICATION OF NONDESTRUCTIVE TEST PERSONNEL - Rev 5	2020	AIA	0
13	NASM1312-12	FASTENER TEST METHODS, METHOD 12, THICKNESS OF METALLIC COATINGS - Rev 2	2020	AIA	0
14	NASM35214	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, BRASS, UNC-2A - Rev 2	2020	AIA	0
15	NAS520	COUPLING, FLEXIBLE, LOW PRESSURE, 450 °F AIR LINE - Rev 3	2019	AIA	0
16	NA0031-0032	NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FIXED, LOW HEIGHT, CBORED, 1100 MPa 235 °C, 425 °C - Rev 2	2019	AIA	0
17	NA0047	SCREW, CLOSE TOLERANCE, PAN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM ALLOY, 1100 MPa, METRIC - Rev 3	2019	AIA	0
18	NA0064-0066	NUT, THIN, WITH OPTIONAL LOCKWIRE HOLE, METRIC - Rev 2	2019	AIA	0
19	NA0081	NUT, SELF-LOCKING, PLATE, FIXED, CORNER, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2019	AIA	0
20	NA0119-0120	BRACKET, 90 DEGREE ANGLE, 2-BOLT ATTACH, METRIC - Rev 2	2019	AIA	0
21	NA0135	KEY, MACHINE, SQUARE CROSS SECTION, BOTH ENDS SQUARE, ALLOY STEEL, METRIC - Rev 2	2019	AIA	0
22	NA0231-0233	SPACER, STEPPED, SWAGE TYPE, METRIC - Rev 1	2019	AIA	0
23	NA0241	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, LIGHTWEIGHT, METRIC - Rev 1	2019	AIA	0
24	NAS428	BOLT, MACHINE, CROWNED HEXAGON HEAD, ADJUSTING - Rev 11	2019	AIA	0
25	NAS539	KNOB ASSEMBLY, TRANSILLUMINATED POINTER - Rev 5	2019	AIA	0
26	NAS583-590	SCREW, SHEAR, 100° FLUSH HEAD, ALLOY STEEL, 95 KSI F _{su} - Rev 16	2019	AIA	0
27	NAS595	RING, RIGID TUBE CONNECTOR, CRES - Rev 6	2019	AIA	0
28	NAS652	COUPLING, RIGID TUBE BULKHEAD CONNECTOR - Rev 4	2019	AIA	0
29	NAS660	BEARING, ROD END, PLAIN SHANK, SELF ALIGNING, ANTI-FRICTION - Rev 4	2019	AIA	0
30	NAS661	BEARINGS, BALL AND ROLLER, ROD END, ANTI-FRICTION, AIRFRAME - Rev 6	2019	AIA	0
31	NAS890	STANDARD SHANK CONFIGURATIONS FOR CUTTING TOOLS	2019	AIA	0

32	NAS946	CAP, PROTECTIVE, NAS593 NUT - Rev 1	2019	AIA	0
33	NAS950	GASKET, DUMMY STOWAGE RECEPTACLE, ELECTRICAL - Rev 2	2019	AIA	0
34	NAS1029	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, BEVEL SEAT - Rev 5	2019	AIA	0
35	NAS1056	SPACER, SLEEVE-RIVET, HIGH TEMPERATURE, NON MAGNETIC - Rev 8	2019	AIA	0
36	NAS1149	WASHER, FLAT - Rev 6	2019	AIA	0
37	NAS1193	LOCKING DEVICE, POSITIVE INDEX - Rev 10	2019	AIA	0
38	NAS1200	RIVET, SOLID, 100° FLUSH SHEAR HEAD, A286 CORROSION RESISTANT STEEL AND NICKEL-COPPER - Rev 11	2019	AIA	0
39	NAS1219	SCREW, 100° FLUSH HEAD, DOVETAIL SLOT RECESS, FULL THREAD, SELF-LOCKING OPTIONAL - Rev 11	2019	AIA	0
40	NAS1266-1270	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, TITANIUM ALLOY, 160 KSI Ftu - Rev 8	2019	AIA	0
41	NAS1368	GROMMET, PLASTIC FLIP TYPE - Rev 8	2019	AIA	0
42	NAS1688	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARED - Rev 1	2019	AIA	0
43	NAS1726	NUT, SELF-LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 °F AND 800 °F - Rev 5	2019	AIA	0
44	NAS1742	SCREW, SELF-LOCKING, PAN HEAD, FULL THREAD, PATCH TYPE - Rev 4	2019	AIA	0
45	NAS1747	SPLICE, CONDUCTOR AND SHIELD TERMINATION, SOLDER STYLE, HEAT SHRINKABLE, INSULATED, SPECIFICATION FOR - Rev 5	2019	AIA	0
46	NAS1798	BIT, SIX LOBE DRIVE, INTERNAL RECESS, FOR POWER AND HAND TOOLS - Rev 2	2019	AIA	0
47	NAS1799	BIT, SIX LOBE RECESS DRIVER, SPECIFICATION - Rev 2	2019	AIA	0
48	NAS1837	INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS1832, NAS1833, NAS1834, NAS1835, AND NAS1836 MOLDED IN INSERTS - Rev 6	2019	AIA	0
49	NAS1872	NUT, TORQUE LIMITING, 900 °F APPLICATION, .2500-28 UNJF-3B THREAD - Rev 1	2019	AIA	0
50	NAS1900	RIVET, BLIND, GENERAL PURPOSE, BULBED, SELF PLUGGING, MECHANICALLY-LOCKED-SPINDLE - Rev 5	2019	AIA	0
51	NAS1941	RUBBER, SYNTHETIC, CABLE GROMMET MATERIAL - Rev 1	2019	AIA	0
52	NAS2005-2012	BOLT, LOCK, TENSION, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 5	2019	AIA	0
53	NAS2025-2032	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, 100° FLUSH HEAD, PULL-TYPE - Rev 1	2019	AIA	0
54	NAS2105-2112	BOLT, LOCK, TENSION, 100° HEAD (NASM24694), PULL-TYPE, TITANIUM ALLOY - Rev 5	2019	AIA	0
55	NAS2205-2212	BOLT, LOCK, TENSION, PROTRUDING HEAD, STUMP TYPE, TITANIUM ALLOY - Rev 4	2019	AIA	0
56	NAS2852-2860	BOLT, 100° CROWN REDUCED HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev 4	2019	AIA	0
57	NAS4444	CRIMPLOCK FASTENER SYSTEM - Rev 5	2019	AIA	0
58	NAS4445	NUT, CRIMP, FOR CRIMPLOCK FASTENER SYSTEM - Rev 4	2019	AIA	0
59	NAS7900-7906	BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, RIBBED CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, SELF-LOCKING AND NONLOCKING - Rev 6	2019	AIA	0
60	NAS9201-9206	SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, TITANIUM ALLOY 6AL-4V, 160,000 PSI TENSILE - Rev 2	2019	AIA	0
61	NAS9314	RIVET, SOLID, CLOSE TOLERANCE, 100°, FLUSH, REDUCED SHEAR HEAD, ALUMINUM ALLOY, TITANIUM-COLUMBIUM ALLOY - Rev 2	2019	AIA	0
62	NAS9603-9624	BOLT, HEXAGON HEAD, A286 CRES, CLOSE TOLERANCE, MINIMUM MAJOR, LONG THREADS - Rev 1	2019	AIA	0
63	NAS9703-9724	BOLT, HEXAGON HEAD, ALLOY STEEL, CLOSE TOLERANCE, MINIMUM MAJOR, LONG THREADS - Rev 1	2019	AIA	0
64	NAS9921	BOLT, SHEAR, INTERNAL WRENCHING, SHORT THREAD, SELF-LOCKING AND NON-LOCKING, 6AL-4V TITANIUM AND A286 CRES, 160 KSI Ftu - Rev 1	2019	AIA	0
65	NAS9934	(Technical Report) Aerospace Industries Association Bird Ingestion Working Group Report	2019	AIA	0
66	NASM256	NUT, SELF-LOCKING, PLATE, RIGHT ANGLE, 250 °F - Rev 3	2019	AIA	0
67	NASM760	STRAP, RETAINING, METAL FOR CONDUIT, PIPE, AND CABLE - Rev 1	2019	AIA	0

68	NASM1312-19	FASTENER TEST METHODS METHOD 19 FASTENER SEALING - Rev 1	2019	AIA	0
69	NASM1312-26	FASTENER TEST METHODS METHOD 26 STRUCTURAL PANEL FASTENER LAP JOINT SHEAR - Rev 1	2019	AIA	0
70	NASM1312-29	FASTENER TEST METHODS, METHOD 29 MEASUREMENT TECHNIQUES FOR DETERMINING SHANK EXPANDING CHARACTERISTICS OF DEFORMABLE FASTENERS - Rev 1	2019	AIA	0
71	NASM6818	CLAMPS, INSTRUMENT MOUNTING, AIRCRAFT - Rev 1	2019	AIA	0
72	NASM7874	BOLT, MACHINE, 1,200 °F - Rev 2	2019	AIA	0
73	NASM14531	PIN, QUICK RELEASE WITH WARNING STREAMER ASSEMBLY - Rev 1	2019	AIA	0
74	NASM15795	WASHER, FLAT, METAL, ROUND, GENERAL PURPOSE - Rev 2	2019	AIA	0
75	NASM18064	SETSCREW, HEXAGON SOCKET, CUP POINT, 250 °F, SELF-LOCKING ELEMENT, CRES, PASSIVATED - Rev 1	2019	AIA	0
76	NASM20652	EYELETS, METALLIC, AND EYELET WASHERS, METALLIC - Rev 1	2019	AIA	0
77	NASM20995	WIRE, SAFETY OR LOCK - Rev 1	2019	AIA	0
78	NASM21143	PIN, STRAIGHT, HEADLESS (DOWEL), GENERAL SPECIFICATION FOR - Rev 1	2019	AIA	0
79	NASM21225	NUT, SELF-LOCKING, CASTELLATED, HEXAGON, 800 °F - Rev 2	2019	AIA	0
80	NASM21323	STUD, STYLE I, SNAPSLIDE FASTENER - Rev 1	2019	AIA	0
81	NASM24374	CASTERS, RIGID AND SWIVEL, PRECISION SPRING MOUNTED - Rev 1	2019	AIA	0
82	NASM24673	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION-RESISTING STEEL (UNF-3A) - Rev 2	2019	AIA	0
83	NASM24694	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEGREES, STRUCTURAL, CROSS RECESSED, UNC-3A AND UNF-3A - Rev 2	2019	AIA	0
84	NASM27576	BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI Fsu, HEX HEAD, 450 °F - Rev 3	2019	AIA	0
85	NASM35206	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, CARBON STEEL, UNC-2A - Rev 3	2019	AIA	0
86	NASM35215	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, BRASS, UNF-2A - Rev 2	2019	AIA	0
87	NASM35273	SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNC-2A - Rev 1	2019	AIA	0
88	NASM35674	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL - Rev 1	2019	AIA	0
89	NASM43770	SNAP HOOKS, GENERAL SPECIFICATION FOR - Rev 1	2019	AIA	0
90	NASM43770/9	SNAP HOOKS, CAST BODY, FIXED LOOP EYE, TRIGGER CLOSURE	2019	AIA	0
91	NASM43770/13	SNAP HOOK, CAST BODY, FIXED LOOP EYE, W/O ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH	2019	AIA	0
92	NASM45908	BOLT, EYE, GENERAL SPECIFICATION FOR - Rev 1	2019	AIA	0
93	NASM45938	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH, GENERAL SPECIFICATION FOR - Rev 1	2019	AIA	0
94	NASM51923	PIN, SPRING, TUBULAR, COILED, STANDARD DUTY - Rev 1	2019	AIA	0
95	NASM51958	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, CORROSION RESISTING STEEL, UNF-2A - Rev 2	2019	AIA	0
96	NASM51987	PIN, SPRING, TUBULAR, COILED, LIGHT DUTY - Rev 1	2019	AIA	0
97	NASM63540/1	STUD, SELF-LOCKING, FLUSH HEAD, RIBBED CLINCH TYPE	2019	AIA	0
98	NASM85449/4	CLAMP ASSEMBLY, SADDLE-TYPE, CUSHIONED, PTFE, 321 CRES, -320 °F TO 450 °F, GENERAL PURPOSE	2019	AIA	0
99	NASM85643-5	BIT, SCREWDRIVER, INSERT TYPE, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN	2019	AIA	0
100	NASM90120	KNOBS, CONTROL, BAR, PLASTIC - Rev 2	2019	AIA	0
101	NASM171401-171900	PIN, SPRING, CORROSION RESISTANT STEEL - Rev 3	2019	AIA	0
102	NAS2506-2512	BOLT, LOCK, SHEAR, 100° HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 4	2019	AIA	0
103	NAS937	DRILLS, DOUBLE MARGIN STEPPED, HIGH SPEED STEEL AND COBALT, 1/8 INCH THRU 1/2 INCH	2019	AIA	0

104	NAS9800	HEAD PROTRUSION GAGING, 100° FLUSH HEAD FASTENERS, GAGE BLOCK, GAGE DIAMETERS AND STYLUS	2019	AIA	0
105	NASM20615	RIVET, SOLID, UNIVERSAL HEAD, BRASS, COPPER, NICKEL-COPPER ALLOY - Rev 5	2019	AIA	0
106	NAS890	STANDARD SHANK CONFIGURATIONS FOR CUTTING TOOLS	2018	AIA	0
107	NASM22978	FASTENER, ROTARY, QUICK-OPERATING, HIGH-STRENGTH - Rev 2	2018	AIA	0
108	NASM51975	SCREW, SHOULDER, SOCKET HEAD, HEXAGON ALLOY STEEL OR NONFERROUS ALLOYS, UNC-3A - Rev 5	2018	AIA	0
109	NASM90726	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNF-2A - Rev 3	2018	AIA	0
110	NASM24373	CASTERS, RIGID AND SWIVEL, PRECISION, PNEUMATIC TIRED - Rev 2	2018	AIA	0
111	NA0087-0088	NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, C BORED, 900 MPa, METRIC, 235 °C, 425 °C - Rev 5	2018	AIA	0
112	NA0036	BOLT, CLOSE TOLERANCE, HEXAGON HEAD, ALLOY STEEL, 1100 MPa, METRIC - Rev 6	2018	AIA	0
113	NASM28728	DIAL, CONTROL, MULTI-TURN COUNTERS, GENERAL SPECIFICATION FOR - Rev 2	2018	AIA	0
114	NAS1201	CHAIN, BEAD COMPONENTS AND ASSEMBLY - Rev 8	2018	AIA	0
115	NAS412	FOREIGN OBJECT DAMAGE (FOD) PREVENTION GUIDANCE DOCUMENT - Rev 2	2018	AIA	0
116	NAS1758	NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, 220 KSI, 450 °F - Rev 3	2018	AIA	0
117	NA0147	INSERT, SCREW THREAD, KEY LOCKED, A286 CRES, MINIATURE, METRIC - Rev 3	2018	AIA	0
118	NASM51862	SCREW, TAPPING, THREAD FORMING, TYPE AB, FLAT 82° COUNTERSUNK HEAD, CROSS-RECESSED - Rev 2	2018	AIA	0
119	NAS3401	WRAP, WITH STIFFENER - Rev 3	2018	AIA	0
120	NASM21042	NUT, SELF-LOCKING, 450° F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, NON-CORROSION RESISTANT STEEL - REV 2	2018	AIA	0
121	NASM16187	STUD, CONTINUOUS THREAD, BOLT-STUD, B16 ALLOY STEEL, HIGH TEMPERATURE SERVICE 875-1,000 °F - Rev 2	2018	AIA	0
122	NAS1023	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, NON-CSK - Rev 7	2018	AIA	0
123	NAS1411	BAND, MARKER, BLANK - Rev 4	2018	AIA	0
124	NAS9300-020	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 020: GOVERNANCE AND PRESERVATION PLANNING	2018	AIA	0
125	NAS1399	RIVET, BLIND, 100° FLUSH HEAD, LOCKED SPINDLE - Rev 11	2018	AIA	0
126	NAS3427	MULTIPLE LEAD DEVICES, INDIVIDUAL PACKAGING OF - Rev 3	2018	AIA	0
127	NASM21065	NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2018	AIA	0
128	NAS1687	RIVET, BLIND, NICKEL-COPPER AND NICKEL ALLOY, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 4	2018	AIA	0
129	NASM23964	BOLT, SELF-RETAINING, POSITIVE LOCKING - Rev 2	2018	AIA	0
130	NAS9300-013	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 013: REFERENCE PROCESS DESCRIPTION ARCHIVAL STORAGE	2018	AIA	0
131	NAS1762	ELBOW REDUCER, 90°, FLARELESS TUBE TO SWIVEL - Rev 4	2018	AIA	0
132	NAS1675	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE SELF-LOCKING - Rev 6	2018	AIA	0
133	NAS9929	NUT, SELF-LOCKING, ALLOY STEEL AND CRES, ALL METAL, HEX AND HEAVY HEX, 800 °F	2018	AIA	0
134	NA0077	NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2018	AIA	0
135	NA0080	NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG, CRES, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C, AND 425 °C - Rev 3	2018	AIA	0
136	NA0096	NUT, SELF-LOCKING, PLATE, CORNER, CRES, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2018	AIA	0

137	NA0114	SCREW, HEX HEAD, OFFSET CRUCIFORM, ALLOY STEEL, FULL THREAD, 1100 MPa, METRIC - Rev 7	2018	AIA	0
138	NA0155	BOLT, CLEVIS, 660 MPa SHEAR, METRIC - Rev 2	2018	AIA	0
139	NAS76	BUSHING, PLAIN, PRESS FIT, COPPER & BRONZE - Rev 10	2018	AIA	0
140	NAS517	SCREW, SHEAR, 100° FLUSH HEAD, ALLOY STEEL, CROSS RECESS, CLOSE TOLERANCE, 95 KSI Fsu - Rev 6	2018	AIA	0
141	NAS552	ELBOW, UNIVERSAL, 90° - Rev 4	2018	AIA	0
142	NAS561	PINS, SPRING, SLOTTED & COILED, HEAVY DUTY - Rev 9	2018	AIA	0
143	NAS600-606	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL - Rev 10	2018	AIA	0
144	NAS1072	GUARD, CHANNEL, TOGGLE SWITCH - Rev 2	2018	AIA	0
145	NAS1097	RIVET, SOLID, 100° FLUSH SHEAR HEAD, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY - Rev 10	2018	AIA	0
146	NAS1242	RIVET, SOLID, UNIVERSAL HEAD, ALUMINUM ALLOY, NASM20470 REPAIR - Rev 2	2018	AIA	0
147	NAS1252	WASHER, FLAT, 7075-T6 ALUMINUM ALLOY - Rev 5	2018	AIA	0
148	NAS1723	EYELET, METALLIC, ELECTRICAL, ROLLED FLANGED TYPE - Rev 2	2018	AIA	0
149	NAS1776	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 2	2018	AIA	0
150	NAS1832	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - Rev 9	2018	AIA	0
151	NAS1840	INSERT ASSEMBLY, THREADED METAL, LIGHT WEIGHT SELF-LOCKING, NON SELF-LOCKING - Rev 2	2018	AIA	0
152	NAS6915-6922	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (MS20426), TENSION, STUMP-TYPE - Rev 1	2018	AIA	0
153	NAS9300-007	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 007: TERMS AND REFERENCES	2018	AIA	0
154	NAS9300-015	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 015: REFERENCE PROCESS DESCRIPTION "REMOVAL"	2018	AIA	0
155	NAS9930	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL, UNC-3A	2018	AIA	0
156	NAS9931	NUT, SELF-LOCKING, ALL METAL, HEX AND HEAVY HEX, NICKEL ALLOYS	2018	AIA	0
157	NAS9932	INDUSTRY RECOGNIZED APPRENTICESHIP PROGRAM, OVERVIEW	2018	AIA	0
158	NAS9932-1	INDUSTRY RECOGNIZED APPRENTICESHIP PROGRAM, TRADITIONAL (TECHNOLOGY-BASED OR MANUFACTURING) APPRENTICE PROGRAM	2018	AIA	0
159	NAS9932-2	INDUSTRY RECOGNIZED APPRENTICESHIP PROGRAM, INTERNSHIP PROGRAM	2018	AIA	0
160	NAS9932-4	INDUSTRY RECOGNIZED APPRENTICESHIP PROGRAM, NEW COLLEGE HIRE ROTATIONAL PROGRAM	2018	AIA	0
161	NAS9932-5	INDUSTRY RECOGNIZED APPRENTICESHIP PROGRAM, MANAGEMENT LEADERSHIP TRAINING PROGRAM	2018	AIA	0
162	NAS9933	CRITICAL SECURITY CONTROLS FOR EFFECTIVE CAPABILITY IN CYBER DEFENSE	2018	AIA	0
163	NASM1312-4	FASTENER TEST METHODS METHOD 4 LAP JOINT SHEAR - Rev 1	2018	AIA	0
164	NASM8975/4	FASTENER, BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, PROTRUDING HEAD, TYPE II, CLASS 1	2018	AIA	0
165	NASM8975/5	FASTENERS, BLIND, TITANIUM, PROTRUDING HEAD, TYPE II, CLASS 2	2018	AIA	0
166	NASM16536	RIVET, TUBULAR, 150° FLAT COUNTERSUNK HEAD - Rev 1	2018	AIA	0
167	NASM21049	NUT, SELF-LOCKING, PLATE, TWO LUG, 100° CSK, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2018	AIA	0
168	NASM21067	NUT, SELF-LOCKING GANG CHANNEL, 100° CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2018	AIA	0
169	NASM24629	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G, OR T, PAN HEAD, CRUCIFORM RECESSED, CARBON STEEL, CADMIUM PLATED - Rev 1	2018	AIA	0
170	NASM24630	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T, PAN HEAD, CRUCIFORM RECESSED, CRES - Rev 1	2018	AIA	0
171	NASM24667	SCREW, CAP, SOCKET HEAD, FLAT COUNTERSUNK, 82°, ALLOY STEEL, UNC-3A - Rev 1	2018	AIA	0

172	NASM45595/6	WASHER, CONVEX, STEEL, ALLOY	2018	AIA	0
173	NASM45595/9	WASHER, SHOULDERED, GLASS FILLED NYLON	2018	AIA	0
174	NASM51864	STUD, PLAIN, GENERAL PURPOSE - Rev 1	2018	AIA	0
175	NASM51982	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A - Rev 2	2018	AIA	0
176	NAS9932-3	INDUSTRY RECOGNIZED APPRENTICESHIP PROGRAM, COOPERATIVE EDUCATION PROGRAM	2018	AIA	0
177	NAS1077	FITTING END, HOSE, STANDARD DIMENSIONS FOR FLARELESS TUBE - Rev 2	2017	AIA	0
178	NAS591	COUPLING, RIGID TUBE CONNECTOR, ALUMINUM - Rev 7	2017	AIA	0
179	NASM20427	RIVET, SOLID, 100? COUNTERSUNK HEAD, CARBON STEEL, CORROSION-RESISTANT STEEL, NICKEL-COPPER AND COPPER - Rev 3	2017	AIA	0
180	NAS1835	INSERT, MOLDED IN, BLIND THREADED, LOCKING, NONLOCKING, FLOATING, SANDWICH PANEL - Rev 9	2017	AIA	0
181	NAS3351	STUD AND MANDREL TEST FIXTURE, SELF-LOCKING NUTS - Rev 2	2017	AIA	0
182	NASM51981	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A - Rev 2	2017	AIA	0
183	NAS1738	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 5	2017	AIA	0
184	NAS1925	CLAMP, HOSE - Rev 3	2017	AIA	0
185	NASM5501/32	CAP, "D" TYPE, ESD PROTECTIVE, ELECTRICAL CONNECTOR - Rev 2	2017	AIA	0
186	NAS839	CAP, BEADED HOSE CONNECTION, PLASTIC, PROTECTIVE - Rev 2	2017	AIA	0
187	NASM17830	NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 °F AND 450 °F, NON-METALLIC INSERT, 300 SERIES CRES - Rev 2	2017	AIA	0
188	NAS9300-120	Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data PART 120: CAD 3D Explicit Geometry with Presentation of Product and Manufacturing Information - Rev 1	2017	AIA	0
189	NAS538	BUSHING, FLANGED, PRESS FIT, UNDERSIZE INSIDE DIAMETER - Rev 11	2017	AIA	0
190	NASM45595/5	WASHER, SADDLE, ALUMINUM ALLOY - Rev 2	2017	AIA	0
191	NAS9300-110	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 110: Long Term Archiving and Retrieval of CAD mechanical 3D Explicit geometry information - Rev 1	2017	AIA	0
192	NAS807	TWIN SEAPLANE FLOATS - Rev 2	2017	AIA	0
193	NAS500	SPACER, NUT, PLATE, COUNTERSUNK - Rev 11	2017	AIA	0
194	NA0084	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, CRES REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 4	2017	AIA	0
195	NASM1312-11	FASTENER TEST METHODS METHOD 11 TENSION FATIGUE - Rev 2	2017	AIA	0
196	NAM14290	CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC - Rev 2	2017	AIA	0
197	NAS9923	WASHER, COUNTERSUNK, HIGH STRENGTH - Rev 1	2017	AIA	0
198	NASM21143/2	PIN, STRAIGHT, HEADLESS, (DOWEL) (.0002 UNDER SIZE), CRES 303 - Rev 2	2017	AIA	0
199	NASM51021	SETSCREW, HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 3	2017	AIA	0
200	NAS1763	TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - Rev 4	2017	AIA	0
201	NA0083	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 4	2017	AIA	0
202	NAS9300-011	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 011: REFERENCE PROCESS DESCRIPTION DATA PREPARATION	2017	AIA	0
203	NASM1312-23	FASTENER TEST METHODS METHOD 23 TENSILE STRENGTH OF PANEL FASTENERS - Rev 2	2017	AIA	0
204	NAS1794	NUT, SELF-LOCKING, COUNTERBORE REPLACEABLE ELEMENT - Rev 4	2017	AIA	0
205	NAS1101	SCREW, MACHINE, FLAT FILLISTER HEAD, FULL THREAD, OFFSET CRUCIFORM - Rev 13	2017	AIA	0
206	NAS1395	INSERT, SCREW THREAD, SELF-LOCKING AND NON SELF-LOCKING, METAL, HEAVY-DUTY - Rev 10	2017	AIA	0

207	NASM83459	RIVET, TITANIUM, BIMETAL, 95 KSI Fsu, GENERAL SPECIFICATION FOR - Rev 2	2017	AIA	0
208	NAS1743	SCREW, SELF-LOCKING, FLAT FILLISTER HEAD, FULL THREAD, PATCH TYPE - Rev 7	2017	AIA	0
209	NAS9300-001	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 001: STRUCTURE	2017	AIA	0
210	NA0013-0018	RIVET, SOLID, COUNTERSUNK 100° HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC - Rev 2	2017	AIA	0
211	NAS1546-1552	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), TENSION, STUMP-TYPE - Rev 4	2017	AIA	0
212	NAS1192	PERFORMANCE SPECIFICATION FOR HARD ANODIC COATINGS ON ALUMINUM ALLOYS - Rev 4	2017	AIA	0
213	NASM1312-3	FASTENER TEST METHODS METHOD 3 HUMIDITY - Rev 2	2017	AIA	0
214	NASM33557	NONSTRUCTURAL RIVETS FOR BLIND ATTACHMENT; LIMITATIONS FOR DESIGN AND USAGE - Rev 2	2017	AIA	0
215	NASM43770/10	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH - Rev 2	2017	AIA	0
216	NAS9300-200	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 200: FUNDAMENTALS AND CONCEPTS FOR LONG TERM ARCHIVING AND RETRIEVAL OF PRODUCT STRUCTURE INFORMATION	2017	AIA	0
217	NASM33537	INSERT, SCREW THREAD, HELICAL COIL, INCH SERIES, COARSE AND FINE THREAD, STANDARD ASSEMBLY DIMENSIONS FOR - Rev 3	2017	AIA	0
218	NASM51966	SETSCREW, HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 2	2017	AIA	0
219	NASM35793	HANDLE, BAIL, CHEST, SURFACE MOUNTING, PLAIN HOLES - Rev 2	2017	AIA	0
220	NASM1312-24	FASTENER TEST METHODS METHOD 24 RECEPTACLE TORQUE-OUT, PANEL FASTENERS - Rev 2	2017	AIA	0
221	NAS1169	WASHER, DIMPLED, 100° - Rev 8	2017	AIA	0
222	NASM21258	WASHER, KEY, RETAINING, WHEEL BEARING - Rev 3	2017	AIA	0
223	NAS1424-1432	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP-TYPE - Rev 6	2017	AIA	0
224	NAS537	BUSHING, SLEEVE, PRESS FIT, UNDERSIZE INSIDE DIAMETER - Rev 10	2017	AIA	0
225	NASM90354	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, ALLOY STEEL, 112 KSI Fsu - Rev 3	2017	AIA	0
226	NASM27986	FASTENERS, SNAP, STYLE 7, RIVET TYPE - Rev 2	2017	AIA	0
227	NASM1312-10	FASTENER TEST METHODS METHOD 10 STRESS RUPTURE - Rev 2	2017	AIA	0
228	NASM24692	PIN, TAPERED, PLAIN - Rev 2	2017	AIA	0
229	NAS1834	INSERT, MOLDED IN, CSK AND THRU CLEARANCE HOLE, SANDWICH PANEL - Rev 7	2017	AIA	0
230	NASM35650	NUT, PLAIN, HEXAGON, UNF-2B - Rev 2	2017	AIA	0
231	NAS1832	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - Rev 10	2017	AIA	0
232	004010	Aerospace Industry Implementation Instructions for X12 Transaction Sets, Edition 3	2017	AIA	0
233	NASM51982	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A - Rev 2	2016	AIA	0
234	NAS1193	LOCKING DEVICE, POSITIVE INDEX - Rev 11	2016	AIA	0
235	NASM302	PIN, ESCUTCHEON - Rev 2	2016	AIA	0
236	NAS1383	STRAP ASSEMBLY, TWO PART ADJUSTABLE - Rev 7	2016	AIA	0
237	NAS1770	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CBORE, 160 KSI, 450 °F, 800 °F - Rev 3	2016	AIA	0
238	NAS1922	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 5	2016	AIA	0
239	NAS1720	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE - Rev 4	2016	AIA	0
240	NAS898	REAMERS, SOLID CARBIDE, RIGHT-HAND CUT, .1250 THROUGH .7500 - REV 1	2016	AIA	0
241	NAS551	BOLT, UNIVERSAL FITTING - Rev 8	2016	AIA	0
242	NASM51576	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL - Rev 2	2016	AIA	0

243	NASM21-37	BOLT, CLEVIS - Rev 2	2016	AIA	0
244	NASM20613	RIVET, SOLID, UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT - Rev 4	2016	AIA	0
245	NAS1841-1854	STUD ASSEMBLY, THREADED, METAL, DOUBLE STEP - Rev 3	2016	AIA	0
246	NASM35675	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTING STEEL - Rev 2	2016	AIA	0
247	NAS596	NUT, RIGID TUBE CONNECTOR, CRES - Rev 7	2016	AIA	0
248	NASM1312-20	FASTENER TEST METHODS, METHOD 20, SINGLE SHEAR - Rev 2	2016	AIA	0
249	NASM35678	PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CORROSION RESISTING STEEL - Rev 2	2016	AIA	0
250	NAS387	SCREW, 100° OVAL RECESSED HEAD, MACHINE (COARSE & FINE THREAD) - Rev 3	2016	AIA	0
251	NAS965	DRILLS, HIGH SPEED STEEL AND COBALT, THREADED SHANK, 1/16 INCH THRU F - Rev 11	2016	AIA	0
252	NAS1095	FLARELESS FITTING CONNECTIONS, FABRICATION AND ASSEMBLY - Rev 2	2016	AIA	0
253	NASM24066/2	CLIP, SOLID, SPRING TENSION - Rev 2	2016	AIA	0
254	NAS7500-7516	BOLT, SHEAR, 100° FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 6	2016	AIA	0
255	NAS1474	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - Rev 11	2016	AIA	0
256	NAS44	BUSBAR, ELECTRICAL - Rev 8	2016	AIA	0
257	NAS1553	KNOB, HAND, GROUND SUPPORT EQUIPMENT - Rev 6	2016	AIA	0
258	NASM51838	PIN, STRAIGHT, STEEL, DRILL ROD - Rev 2	2016	AIA	0
259	NASM33781	RECESS, OFFSET CRUCIFORM, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 4	2016	AIA	0
260	NAS1779	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT C_BORED, FLOATING, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 3	2016	AIA	0
261	NAS357	TUBE, CONTROL, ALUMINUM ALLOY - Rev 6	2016	AIA	0
262	NAS987	TOOL HOLDER, NOSE CONFIGURATION - MACHINE TOOLS - Rev 2	2016	AIA	0
263	NAS672	PLATING, HIGH STRENGTH STEELS, CADMIUM - Rev 9	2016	AIA	0
264	NASM27039	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS - Rev 5	2016	AIA	0
265	NAS6303-6320	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 10	2016	AIA	0
266	NASM21079	NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI Ftu, 250 °F - Rev 2	2016	AIA	0
267	NASM16491	GROMMET, METALLIC, GENERAL SPECIFICATION FOR - Rev 2	2016	AIA	0
268	NAS359	TUBE ASSEMBLY, CONTROL, STEEL, WITH WELDED CLEVIS AND THREADED ROD ENDS - Rev 8	2016	AIA	0
269	NAS6403-6420	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD, REDUCED MAJOR THREAD DIAMETER, SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 14	2016	AIA	0
270	NASM21082	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 2	2016	AIA	0
271	NAS986	End Mills, Finishing, High Speed Steel .125 Inch Thru 3.000 Inch Diameter - Rev 4	2016	AIA	0
272	NASM14181	BOLT, TENSION, NICKEL ALLOY 718, 220 KSI Ftu, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 5	2016	AIA	0
273	NASM16491/2	GROMMET, METALLIC, OBLONG, WITH FLAT WASHER (TYPE IV) - Rev 2	2016	AIA	0
274	NAS593	NUT, RIGID TUBE CONNECTOR, ALUMINUM - Rev 7	2016	AIA	0
275	NASM35333	WASHER, LOCK, FLAT, INTERNAL TOOTH - Rev 4	2016	AIA	0
276	NASM51106	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A - Rev 2	2016	AIA	0
277	NAS1790	BOLT, 100° FLUSH HEAD, 160 KSI UTS - Rev 6	2016	AIA	0
278	NAS1028	NUT, SELF-LOCKING, PLATE, CORNER, REGULAR HEIGHT, CSK - Rev 6	2016	AIA	0

279	NASM24625	SCREW, TAPPING, THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL - Rev 2	2016	AIA	0
280	NAS1394	INSERT, SCREW THREAD, SELF-LOCKING AND NON SELF-LOCKING, METAL, LIGHTWEIGHT - Rev 9	2016	AIA	0
281	NAS653-658	BOLT, SHEAR, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM, SHORT THREAD, .1900 TO .5000, 95 KSI Fsu - Rev 11	2016	AIA	0
282	NASM21055	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2016	AIA	0
283	NASM27120	CLEVIS, ROD END, TURNBUCKLE (GENERAL PURPOSE) - Rev 2	2016	AIA	0
284	NASM35198	SCEW, MACHINE, FLAT COUNTERSUNK HEAD, 82° CROSS-RECESSED, BRASS, UNC-2A - Rev 2	2016	AIA	0
285	NAS1321	RIVET, SLUG, SLEEVELESS - Rev 4	2016	AIA	0
286	NA0184	SPACER, NUT, PLATE, UNIVERSAL, METRIC - Rev 2	2016	AIA	0
287	NASM51861	SCREW, TAPPING, THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED - Rev 4	2016	AIA	0
288	NAS1635	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, FULL THREAD, NON-LOCKING AND SELF-LOCKING - Rev 5	2016	AIA	0
289	NAS1033	NUT, SELF-LOCKING, PLATE, RIGHT ANGLE, REGULAR HEIGHT, CBORE, FLOATING - Rev 7	2016	AIA	0
290	NASM35812	CLEVIS, ROD END, ADJUSTABLE AND PLAIN, STEEL - Rev 2	2016	AIA	0
291	NASM51109	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, CRES, PASSIVATED, UNC-2A - Rev 2	2016	AIA	0
292	NA0060	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 750 MPa SHEAR, METRIC - Rev 5	2016	AIA	0
293	NASM565	SETSCREW, HEXAGON AND FLUTED SOCKET, HEADLESS - Rev 4	2016	AIA	0
294	NAS1516-1522	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), PULL-TYPE - Rev 4	2016	AIA	0
295	NASM17988	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, T HANDLE - Rev 2	2016	AIA	0
296	NASM51110	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, CRES, PASSIVATED, UNF-2A - Rev 2	2016	AIA	0
297	NAS7014-7022	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE - Rev 4	2016	AIA	0
298	NAS577	NUT, SELF-LOCKING, BARREL, FLOATING, 180 KSI Ftu - Rev 17	2016	AIA	0
299	NAS1047	TURNBUCKLE ASSEMBLY, FORGED CARBON STEEL, JAW AND JAW, FOR GROUND SUPPORT EQPT - Rev 6	2016	AIA	0
300	NASM16218	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC - Rev 2	2016	AIA	0
301	NASM20601	RIVET, BLIND, STRUCTURAL, PULL STEM, SELF-PLUGGING, 100° FLUSH HEAD, TYPE II - Rev 2	2016	AIA	0
302	NAS1053	BOLT, EYE, ASSEMBLY, FORGED CARBON STEEL - Rev 6	2016	AIA	0
303	NASM51977	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A - Rev 3	2016	AIA	0
304	NAS1475-1482	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° HEAD (NASM20426), TENSION, PULL-TYPE - Rev 4	2016	AIA	0
305	NASM27384	RIVET, BLIND, DRIVE TYPE - Rev 2	2016	AIA	0
306	NASM43770/11	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY - Rev 2	2016	AIA	0
307	NASM8907	BOLT, ALLOY STEEL, SHEAR AND TENSILE (156 KSI MIN Fsu AND 260 KSI MIN Ftu), 450 °F, EXTERNAL WRENCHING, FLANGED HEAD - Rev 2	2016	AIA	0
308	NASM22529/2	GROMMET, CUSHION COMPOSITE, EDGING - Rev 2	2016	AIA	0
309	NA0201-0204	POST, ELECTRICAL, MECHANICAL EQUIPMENT STUD TYPE, METRIC - Rev 2	2016	AIA	0
310	NAS1793	NUT, SELF-LOCKING, PLATE, CORNER, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 °F AND 800 °F - Rev 4	2016	AIA	0
311	NAS1352	SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF-LOCKING, ALLOY STEEL, CORROSION-RESISTANT STEEL AND HEAT-RESISTANT STEEL, UNRC-3A AND UNRC-2A - Rev 13	2016	AIA	0

312	NAS1795	RETAINING CLIP, REPLACEABLE NUT PLATE - Rev 4	2016	AIA	0
313	NASM51871	SCREW, TAPPING, HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD - Rev 2	2016	AIA	0
314	NAS1282	HOOK, SNAP, BOLT - Rev 4	2016	AIA	0
315	NASM51851	SCREW, TAPPING, THREAD CUTTING, TYPE D, HEXAGON HEAD, SLOTTED - Rev 2	2016	AIA	0
316	NASM21266	GROMMET, PLASTIC, EDGING - Rev 2	2016	AIA	0
317	NASM51834	STUD, LOCKED IN, KEY-LOCKED, HEAVY DUTY - Rev 2	2016	AIA	0
318	NASM8831	FASTENERS, ALLOY STEEL, 450 °F EXTERNALLY THREADED, 180 KSI Ftu, 108 KSI Fsu, FATIGUE RATED - Rev 5	2016	AIA	0
319	NAS1070	WASHER, PLAIN, OVERSIZE FOR ALUMINUM TERMINALS - Rev 5	2016	AIA	0
320	NAS3500	TECHNICAL DATA PACKAGE: COMPOSITION, COMMUNICATION, AND APPLICATION - Rev 1; Includes Access to Additional Content	2016	AIA	0
321	NAS1213	STRAP ASSEMBLY, TIE DOWN BUCKLE - Rev 4	2016	AIA	0
322	NASM21090	SCREW, SELF-LOCKING, 250 °F, STEEL, 55 KSI Ftu, PAN HEAD, CROSS RECESSED - Rev 2	2016	AIA	0
323	NA0085-0086	NUT, SELF-LOCKING, PLATE, FLOATING, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C_BORED, 1100 MPa, METRIC, 235 °C, 425 °C - REV 3	2016	AIA	0
324	NAS77	BUSHING, FLANGED, PRESS FIT STEEL, CRES, BRONZE & COPPER - Rev 15	2016	AIA	0
325	NASM45595/4	WASHER, SADDLE, CARBON STEEL - Rev 2	2016	AIA	0
326	NA0093-0094	NUT, SELF-LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, CBORED, 1100 MPa, METRIC, 235 °C, 425 °C - Rev 3	2016	AIA	0
327	NASM82496	SCREWS, MACHINE, SELF-SEALING, INTEGRAL O-RING - Rev 3	2016	AIA	0
328	NA0270	BUSHING, SLEEVE, PLAIN, PRESS FIT, REAM TYPE, METRIC - Rev 2	2016	AIA	0
329	NAS1493	LOCKNUT, BEARING RETAINING - Rev 8	2016	AIA	0
330	NASM45938/1 1	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (FLOATING, 400 °F) - Rev 2	2016	AIA	0
331	NAS1727	NUT, SELF-LOCKING, ALIGNING, 450 °F AND 800 °F - Rev 6	2016	AIA	0
332	NAS522	COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE - Rev 3	2016	AIA	0
333	NAS9927	SAFETY MANAGEMENT SYSTEM PRACTICES FOR DESIGN AND MANUFACTURING	2016	AIA	0
334	NAS6203-6220	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 11	2016	AIA	0
335	NAS1300	THUMBSCREW - Rev 3	2016	AIA	0
336	NASM21044	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, 125 KSI Ftu AND 60 KSI Ftu - Rev 2	2016	AIA	0
337	NASM91525	KNOB, CONTROL, BAR, METAL AND PLASTIC - Rev 2	2016	AIA	0
338	NASM21094	BOLT, SELF-LOCKING, 250 °F, STEEL, 75 KSI Fsu, 125 KSI Ftu, HEX HEAD - Rev 2	2016	AIA	0
339	NAS1580	BOLT, SHEAR, 100° FLUSH HEAD, OFFSET CRUCIFORM, OFFSET CRUCIFORM _ RIBBED AND DOVETAIL SLOT, 95 KSI Fsu - Rev 15	2016	AIA	0
340	NAS1713	CLAMP, LOOP, CUSHIONED, CENTER MOUNTING - Rev 6	2016	AIA	0
341	NASM51870	SCREW, TAPPING, HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, FLAT COUNTERSUNK HEAD, CROSS RECESSED - Rev 3	2016	AIA	0
342	NA0152	BOLT, EYE, ALLOY STEEL, 1100 MPa, METRIC - Rev 3	2016	AIA	0
343	NASM24665	PIN, COTTER (SPLIT) - Rev 2	2016	AIA	0
344	NAS1714	CLAMP, LOOP, CUSHIONED, ELONGATED - Rev 5	2016	AIA	0
345	NASM63540/7	STUD, SELF-LOCKING, BROACHING TYPE - Rev 3	2016	AIA	0

346	NA0154	RIVETS, SOLID, ALUMINUM AND ALUMINUM ALLOY, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 2	2016	AIA	0
347	NASM501	SCREW, MACHINE, FILLISTER HEAD, FINE THREAD - Rev 2	2016	AIA	0
348	NAS1731	NUT, BLIND, SERRATED HEAD, SELF-LOCKING, 450 °F - Rev 3	2016	AIA	0
349	NASM43770/1	SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER - Rev 2	2016	AIA	0
350	NASM35191	SCREW, MACHINE, 82° FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A - Rev 2	2016	AIA	0
351	NASM51965	SETSCREW, HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 2	2016	AIA	0
352	NAS1039-1041	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, REGULAR HEIGHT, CSK - Rev 7	2016	AIA	0
353	NASM122196-122235	INSERT, CRES, HELICAL COIL, COARSE THREAD, 2-1/2 DIA NOMINAL LENGTH - Rev 2	2016	AIA	0
354	NASM45938/14	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH, SELF-CLINCHING, KNURLED COLLAR, FLOATING, 450 °F AND 600 °F - Rev 2	2016	AIA	0
355	NAS1766	NUT, SELF-LOCKING, PLATE, CORNER, COUNTERBORED, FLOATING, 125 KSI Ftu, 450 °F AND 800 °F - Rev 3	2016	AIA	0
356	NAS576	THREAD LENGTH FOR SELF-LOCKING NUTS - Rev 4	2016	AIA	0
357	NAS1333-1346	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING - Rev 7	2016	AIA	0
358	NASM43770/2	SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE - Rev 2	2016	AIA	0
359	NASM21262	SCREWS, SELF LOCKING, 250 °F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI Ftu, (SOCKET HEAD CAP SCREWS) - Rev 2	2016	AIA	0
360	NAS1783	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, COUNTERBORED, 160 KSI, 250 °F, 450 °F, 800 °F - Rev 3	2016	AIA	0
361	NAS411-1	HAZARDOUS MATERIALS TARGET LIST - Rev 1; Includes Access to Additional Content	2016	AIA	0
362	NASM1312-22	FASTENER TEST METHODS METHOD 22 RECEPTACLE PUSH-OUT, PANEL FASTENERS - Rev 2	2016	AIA	0
363	NAS467	BOLT, HEX HEAD, BRASS, ELECTRICAL - Rev 7	2016	AIA	0
364	NAS1870	NUT, SELF-LOCKING, PLATE, TWO LUG, 125 KSI Ftu, 450 °F & 800 °F - Rev 4	2016	AIA	0
365	NASM3498	SCREW ASSEMBLY, PANEL - Rev 2	2016	AIA	0
366	NAS1349	CASTER, LIGHT DUTY, RIGID AND SWIVEL - Rev 4	2016	AIA	0
367	NAS1715	CLAMP, LOOP, CUSHIONED - Rev 7	2016	AIA	0
368	NASM90725	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNC-2A - Rev 3	2016	AIA	0
369	NAS1923	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 3	2016	AIA	0
370	NAS1413	PINS AND COLLARS, SWAGE LOCKING - Rev 10	2016	AIA	0
371	NASM8975	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CRES, HEAT RESISTANT STEEL AND TITANIUM, GENERAL SPECIFICATION FOR - Rev 2	2016	AIA	0
372	NAS549	WASHER, NONMETALLIC, INSULATING, ELECTRICAL - Rev 6	2016	AIA	0
373	NAS6703-6720	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 11	2016	AIA	0
374	NAS897	REAMERS, CHUCKING, RIGHT-HAND CUT, 0.0938 THROUGH 1.5000 INCH - Rev 3	2016	AIA	0
375	NAS380	NAS DOCUMENTS, PREPARATION AND MAINTENANCE, IN THE INCH SYSTEM OF UNITS - Rev 18	2016	AIA	0
376	NA0071	BOLT, ALLOY STEEL, 1550 MPa TENSILE, PROCUREMENT SPECIFICATION - Rev 3	2016	AIA	0
377	NASM21387	KNOB, ROUND ILLUMINATED AND NON-ILLUMINATED, SMALL - Rev 2	2016	AIA	0
378	NAS1769	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, OVERSIZE - Rev 9	2016	AIA	0
379	NA0059	BOLT, TENSION, CLOSE TOLERANCE, SPLINE DRIVE, A286 CRES, 1250 MPa, METRIC - Rev 4	2016	AIA	0

380	NASM90353	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100? FLUSH HEAD, ALLOY STEEL, 112 KSI Fsu - Rev 3	2016	AIA	0
381	NAS1759	NUT, SELF-LOCKING, DOUBLE HEXAGON, SHEAR, 450 °F - Rev 3	2016	AIA	0
382	NASM6812	FASTENERS, EXTERNALLY THREADED, ALLOY STEEL, CORROSION RESISTANT STEEL, ALUMINUM, 60,000 PSI TO 125,000 PSI - Rev 4	2016	AIA	0
383	NAS1463	CLIP, SPRING TENSION - Rev 4	2016	AIA	0
384	NASM51095	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A, PLAIN AND SELF-LOCKING - Rev 2	2016	AIA	0
385	NASM45909	STUD, LOCKED IN, RING LOCKED, SERRATED, GENERAL SPECIFICATION FOR - Rev 2	2016	AIA	0
386	NASM51932	PIN, STRAIGHT, HEADLESS, DRILLED FOR COTTER PINS - Rev 2	2016	AIA	0
387	NA0075-0076	NUT, CAPTIVE WASHER, SHEAR TYPE, SELF-LOCKING CBORED, 1100 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2016	AIA	0
388	NASM33750	RECESS, DOVETAIL SLOT AND CONICAL DOVETAIL SLOT, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 2	2016	AIA	0
389	NAS1775	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 3	2016	AIA	0
390	NA0124	SCREW, CLOSE TOLERANCE, 100? REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 7	2016	AIA	0
391	NASM20604	RIVET, BLIND, NON-STRUCTURAL, UNIVERSAL HEAD, CLASS 1 - Rev 3	2016	AIA	0
392	NAS5314	SCREW, SHEAR, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2016	AIA	0
393	NAS1724	FASTENER, SHEAR, 100° STANDARD FLUSH HEAD, TAPERED SHANK (TS), 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu, 156 KSI Fsu - Rev 4	2016	AIA	0
394	NAS594	COUPLING, RIGID TUBE CONNECTOR, CRES - Rev 7	2016	AIA	0
395	NAS5318	BOLT, SHEAR, FLAT PAN HEAD, CLOSE TOLERANCE, LONG THREAD, NON-LOCKING AND SELF-LOCKING, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2016	AIA	0
396	NAS1719	RIVET, BLIND, 100° REDUCED FLUSH HEAD, (NAS1097 HEAD), MECHANICALLY LOCKED SPINDLE - Rev 4	2016	AIA	0
397	NAS4450	PIN, CRIMP, PROTRUDING SHEAR HEAD - Rev 4	2016	AIA	0
398	NASM27981	FASTENERS, SNAP STYLE 2A, SMALL WIRE SPRING, CLAMP TYPE - Rev 2	2016	AIA	0
399	NAS5321	BOLT, SHEAR, 100 DEGREE FLUSH HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 108 KSI Fsu - Rev 2	2016	AIA	0
400	NASM51096	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING - Rev 2	2016	AIA	0
401	NAS355	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY, WITH RIVETED THREADED ROD ENDS - Rev 7	2016	AIA	0
402	NA0093-0094	NUT, SELF-LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, CBORED, 1100 MPa, METRIC, 235 °C, 425 °C - Rev 3	2016	AIA	0
403	NA0269	BUSHING, SLEEVE, FLANGED, PRESS FIT, REAM TYPE, METRIC - Rev 2	2016	AIA	0
404	NAS75	BUSHING, PLAIN PRESS FIT, STEEL OR CRES - Rev 10	2016	AIA	0
405	NAS77	BUSHING, FLANGED, PRESS FIT STEEL, CRES, BRONZE & COPPER - Rev 15	2016	AIA	0
406	NAS355	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY, WITH RIVETED THREADED ROD ENDS - Rev 7	2016	AIA	0
407	NAS522	COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE - Rev 3	2016	AIA	0
408	NAS596	NUT, RIGID TUBE CONNECTOR, CRES - Rev 7	2016	AIA	0
409	NAS653-658	BOLT, SHEAR, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM, SHORT THREAD, .1900 TO .5000, 95 KSI Fsu - Rev 11	2016	AIA	0
410	NAS1039-1041	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, REGULAR HEIGHT, CSK - Rev 7	2016	AIA	0

411	NAS1333-1346	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING - Rev 7	2016	AIA	0
412	NAS1383	STRAP ASSEMBLY, TWO PART ADJUSTABLE - Rev 7	2016	AIA	0
413	NAS1443	LOCKWASHER, BEARING, RETAINING - Rev 7	2016	AIA	0
414	NAS1473	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING - Rev 11	2016	AIA	0
415	NAS1474	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - Rev 11	2016	AIA	0
416	NAS1516-1522	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100°HEAD (NASM24694), PULL-TYPE - Rev 4	2016	AIA	0
417	NAS1553	KNOB, HAND, GROUND SUPPORT EQUIPMENT - Rev 6	2016	AIA	0
418	NAS1726	NUT, SELF-LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 F AND 800 F - Rev 5	2016	AIA	0
419	NAS1727	NUT, SELF-LOCKING, ALIGNING, 450 F AND 800 F - Rev 6	2016	AIA	0
420	NAS1766	NUT, SELF-LOCKING, PLATE, CORNER, COUNTERBORED, FLOATING, 125 KSI Ftu, 450 F AND 800 F - Rev 3	2016	AIA	0
421	NAS1769	RIVET, BLIND, 100°FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, OVERSIZE - Rev 9	2016	AIA	0
422	NAS1775	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, REDUCED RIVET SPACING, 160 KSI, 450 F, 800 F - Rev 3	2016	AIA	0
423	NAS1779	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT C_BORED, FLOATING, REDUCED RIVET SPACING, 160 KSI, 450 F, 800 F - Rev 3	2016	AIA	0
424	NAS1783	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, COUNTERBORED, 160 KSI, 250 F, 450 F, 800 F - Rev 3	2016	AIA	0
425	NAS1785	NULL	2016	AIA	0
426	NAS1795	RETAINING CLIP, REPLACEABLE NUT PLATE - Rev 4	2016	AIA	0
427	NAS1837	INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS1832, NAS1833, NAS1834, NAS1835, AND NAS1836 MOLDED IN INSERTS - Rev 6	2016	AIA	0
428	NAS1839	INSERT ASSEMBLY, THREADED METAL, HEAVY DUTY SELF-LOCKING, NON SELF-LOCKING - Rev 3	2016	AIA	0
429	NAS1870	NUT, SELF-LOCKING, PLATE, TWO LUG, 125 KSI Ftu, 450 F & 800 F - Rev 4	2016	AIA	0
430	NAS1923	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 3	2016	AIA	0
431	NAS5314	SCREW, SHEAR, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2016	AIA	0
432	NAS6303-6320	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 10	2016	AIA	0
433	NAS6403-6420	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD, REDUCED MAJOR THREAD DIAMETER, SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 14	2016	AIA	0
434	NAS6703-6720	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 11	2016	AIA	0
435	NAS7014-7022	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE - Rev 4	2016	AIA	0
436	NAS7500-7516	BOLT, SHEAR, 100°FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 6	2016	AIA	0
437	NASM565	SETSCREW, HEXAGON AND FLUTED SOCKET, HEADLESS - Rev 4	2016	AIA	0
438	NASM8831	FASTENERS, ALLOY STEEL, 450 F EXTERNALLY THREADED, 180 KSI Ftu, 108 KSI Fsu, FATIGUE RATED - Rev 5	2016	AIA	0
439	NASM16491-2	NULL	2016	AIA	0
440	NASM16491	GROMMET, METALLIC, GENERAL SPECIFICATION FOR - Rev 2	2016	AIA	0
441	NASM16555	PIN, STRAIGHT, HEADLESS, DOWEL, .0002 OVER NOMINAL SIZE - Rev 3	2016	AIA	0
442	NASM17984	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE - Rev 2	2016	AIA	0
443	NASM17985	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, T HANDLE - Rev 2	2016	AIA	0
444	NASM17986	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, L HANDLE - Rev 2	2016	AIA	0

445	NASM17987	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE - Rev 2	2016	AIA	0
446	NASM17988	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, T HANDLE - Rev 2	2016	AIA	0
447	NASM17989	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, L HANDLE - Rev 2	2016	AIA	0
448	NASM17990	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE - Rev 2	2016	AIA	0
449	NASM20601	RIVET, BLIND, STRUCTURAL, PULL STEM, SELF-PLUGGING, 100° FLUSH HEAD, TYPE II - Rev 2	2016	AIA	0
450	NASM20604	RIVET, BLIND, NON-STRUCTURAL, UNIVERSAL HEAD, CLASS 1 - Rev 3	2016	AIA	0
451	NASM21044	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, 125 KSI F _{tu} AND 60 KSI F _{tu} - Rev 2	2016	AIA	0
452	NASM21090	SCREW, SELF-LOCKING, 250 F, STEEL, 55 KSI F _{tu} , PAN HEAD, CROSS RECESSED - Rev 2	2016	AIA	0
453	NASM21094	BOLT, SELF-LOCKING, 250 F, STEEL, 75 KSI F _{su} , 125 KSI F _{tu} , HEX HEAD - Rev 2	2016	AIA	0
454	NASM21266	GROMMET, PLASTIC, EDGING - Rev 2	2016	AIA	0
455	NASM22529-1	NULL	2016	AIA	0
456	NASM22529-2	NULL	2016	AIA	0
457	NASM24665	PIN, COTTER (SPLIT) - Rev 2	2016	AIA	0
458	NASM27039	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS - Rev 5	2016	AIA	0
459	NASM27981	FASTENERS, SNAP STYLE 2A, SMALL WIRE SPRING, CLAMP TYPE - Rev 2	2016	AIA	0
460	NASM35671	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CARBON STEEL - Rev 2	2016	AIA	0
461	NASM51096	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING - Rev 2	2016	AIA	0
462	NASM51576	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL - Rev 2	2016	AIA	0
463	NAM1312-109	FASTENER TEST METHODS, METRIC, METHOD 109, STRESS CORROSION - Rev 2	2016	AIA	0
464	NAS1073	GUARD, TWO-POSITION, TOGGLE-SWITCH, LOCK - Rev 3	2016	AIA	0
465	NAS1443	LOCKWASHER, BEARING, RETAINING - Rev 7	2016	AIA	0
466	NASM51400	PIN, STRAIGHT, HEADLESS - Rev 2	2016	AIA	0
467	NASM45938-12	NULL	2015	AIA	0
468	NASM51575	SCREW, SHOULDER, SLOTTED-HEAD, CRES - Rev 2	2015	AIA	0
469	NASM51959	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82°, CRUCIFORM RECESS, CORROSION-RESISTANT STEEL, UNC-2A - Rev 2	2015	AIA	0
470	NASM81177	FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, GENERAL SPECIFICATION FOR - Rev 2	2015	AIA	0
471	NASM21334	CLAMP, LOOP, DOUBLE, CABLE OR TUBE, STEEL, PLAIN AND CUSHIONED - Rev 2	2015	AIA	0
472	NASM24693	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100°, CROSS RECESSED, UNC-2A AND UNF-2A - Rev 4	2015	AIA	0
473	NASM27577	BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI FSU, FLUSH HEAD, 450 °F - Rev 2	2015	AIA	0
474	NASM28728-1	NULL	2015	AIA	0
475	NASM28728-2	NULL	2015	AIA	0
476	NASM28728-3	NULL	2015	AIA	0
477	NASM28728-4	NULL	2015	AIA	0
478	NASM27980	FASTENERS, SNAP, STYLE 2 (REGULAR WIRE SPRING CLAMP TYPE) - Rev 2	2015	AIA	0
479	NASM33540	SAFETY WIRING, SAFETY CABLING, COTTER PINNING, GENERAL PRACTICES FOR - Rev 3	2015	AIA	0
480	NASM33547	PINS, SPRING, FUNCTIONAL LIMITATIONS OF - Rev 2	2015	AIA	0
481	NASM27984	FASTENERS, SNAP, STYLE 5 (SCALLOPED BUTTON HEAD TYPE) - Rev 2	2015	AIA	0
482	NASM35190	SCREW, MACHINE, 82° FLAT COUNTERSUNK HEAD, CRUCIFORM RECESS, CARBON STEEL, CADMIUM PLATED, SELF-LOCKING AND NON-LOCKING, UNC-2A - Rev 3	2015	AIA	0

483	NASM35207	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, CARBON STEEL, CADMIUM PLATED, UNF-2A (IN./MM) - Rev 3	2015	AIA	0
484	NASM35276	SCREW, MACHINE, DRILLED, FILLISTER HEAD, SLOTTED, CORROSION RESISTANT STEEL, PASSIVATED, UNF-2A - Rev 2	2015	AIA	0
485	NASM35307	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNC-2A - Rev 2	2015	AIA	0
486	NASM35308	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNF-2A - Rev 2	2015	AIA	0
487	NASM35751	BOLT, SQUARE NECK, ROUND HEAD (CARRIAGE), STEEL, CADMIUM OR ZINC PLATED, UNC-2A - Rev 2	2015	AIA	0
488	NASM45938-4	NULL	2015	AIA	0
489	NASM45938-6	NULL	2015	AIA	0
490	NASM124771-124810	INSERT, CRES, HELICAL COIL FINE THREAD, 2-1/2 DIA NOMINAL LENGTH - Rev 2	2015	AIA	0
491	NASM124811-124850	INSERT, CRES, HELICAL COIL FINE THREAD, 3 DIA NOMINAL LENGTH - Rev 2	2015	AIA	0
492	TCS002	TRADE COMPLIANCE STANDARD 002 JURISDICTIONAL ANALYSIS AND CLASSIFICATION	2015	AIA	0
493	TCS003	TRADE COMPLIANCE STANDARD 003 FACILITY VISITS BY FOREIGN NATIONALS	2015	AIA	0
494	NASM85449	CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR - Rev 2	2015	AIA	0
495	NASM122236-122275	INSERT, CRES HELICAL COIL COARSE THREAD, 3 DIA NOMINAL LENGTH - Rev 2	2015	AIA	0
496	NAS1765	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, 125 KSI Ftu, 450 °F AND 800 °F - Rev 3	2015	AIA	0
497	NAS1768	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 8	2015	AIA	0
498	NAS1780	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, 100° CSK, 160 KSI, 450 °F, 800 °F - Rev 3	2015	AIA	0
499	NAS1782	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, 100° CSK, 160 KSI, 450 °F, 800 °F - Rev 3	2015	AIA	0
500	NAS1803	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, SPRING LOADED - Rev 3	2015	AIA	0
501	NAS1791	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 °F AND 800 °F - Rev 4	2015	AIA	0
502	NAS1792	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 °F AND 800 °F - Rev 3	2015	AIA	0
503	NAS1793	NUT, SELF-LOCKING, PLATE, CORNER, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 °F AND 800 °F - Rev 3	2015	AIA	0
504	NAS1953-1970	BOLT, SHEAR, HEXAGON HEAD, 108 KSI SHEAR, LONG THREAD - Rev 7	2015	AIA	0
505	NAS2015-2022	PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) PROTRUDING HEAD, PULL-TYPE - Rev 2	2015	AIA	0
506	NAS1982-1990	BOLT, SHEAR, BRAZIER HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev 11	2015	AIA	0
507	NAS2605-2612	BOLT, LOCK, SHEAR, PROTRUDING HEAD, STUMP-TYPE, TITANIUM ALLOY - Rev 9	2015	AIA	0
508	NAS2705-2712	BOLT, LOCK, SHEAR, 100 DEGREES HEAD, STUMP-TYPE, TITANIUM ALLOY - Rev 9	2015	AIA	0
509	NAS2813-2830	BOLT, SHEAR, HEXAGON HEAD, CLOSE TOLERANCE, SHORT THREAD, 108 KSI Fsu - Rev 4	2015	AIA	0
510	NAS3103-3110	BOLT, U - Rev 4	2015	AIA	0
511	NAS3426	ELECTRICAL HARNESS CABLE ASSEMBLIES, PACKAGING OF - Rev 3	2015	AIA	0
512	NAS4002	FASTENER, ALLOY STEEL, EXTERNALLY THREADED, 160 KSI Ftu, 95 KSI Fsu, 450 °F - Rev 11	2015	AIA	0
513	NAS4003	FASTENER, A286 CORROSION RESISTANT ALLOY, EXTERNALLY THREADED, 160 KSI Ftu, 95 KSI Fsu, 1000 °F - Rev 13	2015	AIA	0
514	NAS4004	FASTENER, 6AL-4V TITANIUM ALLOY, EXTERNALLY THREADED, 160 KSI Ftu, 95 KSI Fsu, 450 °F - Rev 16	2015	AIA	0
515	NAS7203-7216	BOLT, 100° HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, LONG THREAD, SELF-LOCKING AND NON-LOCKING - Rev 7	2015	AIA	0

516	NAS8500-8506	BIT, SCREWDRIVER, CRUCIFORM RECESS - Rev 3	2015	AIA	0
517	NAS9306	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE B AND E - Rev 5	2015	AIA	0
518	NAS9307	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE A, CLASS 1, CODE M - Rev 5	2015	AIA	0
519	NAS9308	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE A, CLASS 2, CODE M - Rev 5	2015	AIA	0
520	NAS9309	RIVET, BLIND, 100° FLUSH SHEAR HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE A, CLASS 3, CODE M - Rev 5	2015	AIA	0
521	NAS9313	RIVET, SOLID, CLOSE TOLERANCE, 100° FLUSH HEAD, ALUMINUM ALLOY, TITANIUM-COLUMBIUM ALLOY - Rev 2	2015	AIA	0
522	NAS9314	RIVET, SOLID, CLOSE TOLERANCE, 100°, FLUSH, REDUCED SHEAR HEAD, ALUMINUM ALLOY, TITANIUM-COLUMBIUM ALLOY - Rev 2	2015	AIA	0
523	NAS9311	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE B, CLASS 2, CODE M & C - Rev 5	2015	AIA	0
524	NAS9926	NUT, SELF-LOCKING, 12 POINT, A286 CRES, LOW HEIGHT, 160 KSI Ftu, 450 °F	2015	AIA	0
525	NASM315	NUT, PLAIN, HEXAGON, AIRFRAME - Rev 3	2015	AIA	0
526	NASM320	NUT, PLAIN, CASTELLATED, SHEAR - Rev 3	2015	AIA	0
527	NASM3212	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL SILICONE O-RING, PLAIN AND SELF-LOCKING - Rev 2	2015	AIA	0
528	NASM3213	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF-LOCKING - Rev 2	2015	AIA	0
529	NASM3214	NUT, PLAIN, CLINCH, FLUSH - Rev 2	2015	AIA	0
530	NASM5501-31	NULL	2015	AIA	0
531	NASM5591	FASTENERS, PANEL, NONSTRUCTURAL - Rev 2	2015	AIA	0
532	NASM5674	RIVETS, STRUCTURAL, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY, GENERAL SPECIFICATION FOR - Rev 2	2015	AIA	0
533	NASM14177	WASHER, RECESSED, COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 220 KSI Ftu - Rev 2	2015	AIA	0
534	NASM14198	LOCK, ROD END, EXTRA STRENGTH, HIGH PROFILE LUG - Rev 2	2015	AIA	0
535	NASM14200	NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 °F, STEEL, 125 KSI Ftu, REPLACEABLE NUT ELEMENT - Rev 3	2015	AIA	0
536	NASM14201	NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 °F, STEEL, 125 KSI Ftu, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR - Rev 3	2015	AIA	0
537	NASM14490	BOLT, WHEEL, NICKEL ALLOY 718, 220 KSI Ftu, 132 KSI Fsu, 450 °F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 1	2015	AIA	0
538	NASM20033-20046	BOLT, TENSION, HEXAGON HEAD, MACHINE, A286 CRES, 1200 °F, 140 KSI Ftu - Rev 3	2015	AIA	0
539	NASM20067	KEY, MACHINE, SQUARE IN CROSS SECTION, ONE END SQUARE, OTHER END ROUND - Rev 2	2015	AIA	0
540	NASM20605	RIVET, BLIND, NONSTRUCTURAL, 100° FLUSH HEAD - Rev 3	2015	AIA	0
541	NASM21048	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F AND 800 °F - Rev 2	2015	AIA	0
542	NASM21050	NUT, SELF-LOCKING, PLATE, TWO LUG, 100° CSK, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
543	NASM21054	NUT, SELF-LOCKING, PLATE, ONE LUG, 100° CSK, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
544	NASM21056	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0

545	NASM21057	NUT, SELF-LOCKING, PLATE, CORNER, 100° CSK, LOW HEIGHT, ALLOY STEEL, 125 KSI Ftu, 450 °F - Rev 2	2015	AIA	0
546	NASM21058	NUT, SELF-LOCKING, PLATE, CORNER, 100° CSK, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
547	NASM21062	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
548	NASM21060	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450°F & 800°F - Rev 2	2015	AIA	0
549	NASM21070	NUT, SELF-LOCKING, PLATE, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
550	NASM21072	NUT, SELF-LOCKING, PLATE, ONE-LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F AND 800 °F - Rev 2	2015	AIA	0
551	NASM21074	NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
552	NASM21076	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F AND 800 °F - Rev 4	2015	AIA	0
553	NASM21077	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 2	2015	AIA	0
554	NASM21084	NUT, SELF-LOCKING, STEEL, 220 KSI Ftu, 450 °F, FLANGED, MS33787 WRENCHING ELEMENT - Rev 2	2015	AIA	0
555	NASM21087	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 2	2015	AIA	0
556	NASM21093	SCREW, SELF-LOCKING, 250 °F, STEEL, 55 KSI Ftu, 100° FLAT HEAD, CROSS RECESSED - Rev 2	2015	AIA	0
557	NASM21125	BOLT, SELF-RETAINING, POSITIVE LOCKING, CRES, 90 KSI Fsu, 63 KSI Ftu, PAN HEAD, 450 °F & 650 °F - Rev 2	2015	AIA	0
558	NASM21140	FASTENERS, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100° FLUSH HEAD, CORROSION RESISTING STEEL, 95 KSI Fsu - Rev 2	2015	AIA	0
559	NASM21207	SCREW, TAPPING, 100° FLAT HEAD, SPACED THREAD - Rev 3	2015	AIA	0
560	NASM21295	SCREWS, SELF LOCKING, 250 °F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, CRES, 80 KSI Ftu, (SOCKET HEAD CAP SCREWS) - Rev 2	2015	AIA	0
561	NA0010	STUD AND MANDREL TEST FIXTURE, SELF-LOCKING NUTS, METRIC - Rev 3	2015	AIA	0
562	NA0040-0041	NUT, SELF-LOCKING, PLATE, TWO LUG, FIXED, LOW HEIGHT, C'BORED, 1100 MPa, METRIC, 235 °C, 425 °C - Rev 3	2015	AIA	0
563	NA0045	BOLT, CLOSE TOLERANCE, HEXAGON HEAD, A286 CRES, 1100 MPa, METRIC - Rev 5	2015	AIA	0
564	NA0067	SCREW, DUAL WRENCHING, HEX HEAD/OFFSET CRUCIFORM, A286 CRES, FULL THREAD, 1100 MPa, METRIC - Rev 7	2015	AIA	0
565	NA0073-0074	NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FLOATING, LOW HEIGHT, CBORED, 1100 MPa, 235 °C, 425 °C - Rev 3	2015	AIA	0
566	NA0089	SCREW, PAN HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL, 1100 MPa, METRIC - Rev 4	2015	AIA	0
567	NA0134	RETAINER, FLOATING BARREL NUT, METRIC - Rev 2	2015	AIA	0
568	NA0138	KEY, WOODRUFF, CRES, METRIC - Rev 2	2015	AIA	0
569	NA0151	INSERT, SCREW THREAD, KEY LOCKED, A286 CRES, HEAVY DUTY, METRIC - Rev 4	2015	AIA	0
570	NA0258	PROCUREMENT SPECIFICATION, BOLT, METRIC, SELF-RETAINED, IMPEDANCE TYPE, 660 MPa SHEAR - Rev 1	2015	AIA	0
571	NAM51417	BOLT, MACHINE, HEX HEAD, FULLY THREADED, FINE THREAD, METRIC - Rev 3	2015	AIA	0
572	NAM51474	SCREW, CAP, HEX HEAD, FULLY THREADED, METRIC - Rev 2	2015	AIA	0
573	NAS301	WASHER, 2024 ALUMINUM ALLOY, FLAT, OVERSIZE OD - Rev 3	2015	AIA	0

574	NAS427	PIN, PULLEY GUARD - Rev 11	2015	AIA	0
575	NAS463	NUT SPACER, PLATE, PLAIN - Rev 11	2015	AIA	0
576	NAS494	TERMINAL, BALL TYPE CABLE - Rev 4	2015	AIA	0
577	NAS513	WASHER, ROD END, LOCKING - Rev 8	2015	AIA	0
578	NAS516	FITTING, LUBRICATION, .1250 INCH DRIVE, FLUSH TYPE - Rev 11	2015	AIA	0
579	NAS518	GAGE, 100 DEGREES FLAT HEAD FLUSHNESS - Rev 5	2015	AIA	0
580	NAS558	KEYS, SQUARE AND RECTANGULAR - Rev 7	2015	AIA	0
581	NAS562	CAM FOLLOWER NEEDLE BEARING, HIGH STRENGTH STUD - Rev 9	2015	AIA	0
582	NAS703	WIRE, ELECTRICAL, INSULATED, COPPER, HIGH TEMPERATURE, HOOK-UP AND GENERAL PURPOSE, FOR 200 °C SERVICE - Rev 5	2015	AIA	0
583	NAS723	SCREW, MINIATURE, 100° FLAT HEAD - Rev 4	2015	AIA	0
584	NAS724	SCREW, MINIATURE, BINDING HEAD - Rev 4	2015	AIA	0
585	NAS725	SCREWS, MINIATURE - Rev 4	2015	AIA	0
586	NAS853	FIELD FORCE, PROTECTION FROM - Rev 5	2015	AIA	0
587	NAS907	DRILLS, HIGH SPEED STEEL, COBALT, AND CARBIDE 1/16 INCH THRU 1/2 INCH - Rev 15	2015	AIA	0
588	NAS937	DRILLS, DOUBLE MARGIN STEPPED, HIGH SPEED STEEL AND COBALT, 1/8 INCH THRU 1/2 INCH - Rev 9	2015	AIA	0
589	NAS941	IDENTIFICATION MARKING OF TITANIUM SHEET - Rev 3	2015	AIA	0
590	NAS988	DRILLS, CARBIDE, DOUBLE-MARGIN, 1/8 INCH THRU 1 INCH	2015	AIA	0
591	NAS1042	SHACKLE, ANCHOR, FORGED CARBON STEEL, ROUND PIN (FOR GROUND SUPPORT EQUIPMENT) - Rev 4	2015	AIA	0
592	NAS1043	SHACKLE, CHAIN, FORGED CARBON STEEL, SCREW PIN (FOR GROUND SUPPORT EQUIPMENT) - Rev 3	2015	AIA	0
593	NAS1049	SLING LINK, WELDED, ALLOY STEEL, PEAR SHAPED, FOR GROUND SUPPORT EQUIPMENT - Rev 4	2015	AIA	0
594	NAS1055	RIVET, 100° FLUSH CLOSE TOLERANCE HEAD - Rev 6	2015	AIA	0
595	NAS1169	WASHER, DIMPLED, 100° - Rev 7	2015	AIA	0
596	NAS1199	RIVET, SOLID, 100° FLUSH HEAD, A286 CORROSION RESISTANT STEEL - Rev 6	2015	AIA	0
597	NAS1211	FITTING, TIE DOWN STRAP END - Rev 4	2015	AIA	0
598	NAS1241	RIVET, SOLID, 100° FLUSH HEAD, ALUMINUM ALLOY, MS20426 REPAIR - Rev 3	2015	AIA	0
599	NAS1251	BOLT, RING, SWIVEL - Rev 6	2015	AIA	0
600	NAS1385	STRAP ASSEMBLY, LOOP TYPE - Rev 8	2015	AIA	0
601	NAS1395	INSERT, SCREW THREAD, SELF-LOCKING AND NON SELF-LOCKING, METAL, LIGHTWEIGHT - Rev 9	2015	AIA	0
602	NAS1407	PIN, SPRING, COILED - Rev 2	2015	AIA	0
603	NAS1412	GASKET, SEALING, CUSTOM DESIGN - Rev 4	2015	AIA	0
604	NAS1436-1442	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° SHEAR HEAD, PULL-TYPE - Rev 4	2015	AIA	0
605	NAS1514	RADIOGRAPHIC STANDARD FOR CLASSIFICATION OF FUSION WELD DISCONTINUITIES - Rev 3	2015	AIA	0
606	NAS1525-1532	PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, PULL-TYPE - Rev 4	2015	AIA	0
607	NAS1554	GROMMET, PTFE, SPLIT - Rev 5	2015	AIA	0
608	NAS1555-1562	PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, STUMP-TYPE - Rev 6	2015	AIA	0
609	NAS1581	BOLT, SHEAR, 100° FLUSH REDUCED HEAD, OFFSET CRUCIFORM, OFFSET CRUCIFORM _ RIBBED AND DOVETAIL SLOT, 95 KSI FSU - Rev 13	2015	AIA	0
610	NAS1630-1634	SCREW, MACHINE, PAN HEAD, SHORT THREAD, OFFSET CRUCIFORM - Rev 10	2015	AIA	0
611	NAS1637	HANDLE, LATCHING, INTERNAL & EXTERNAL RELEASE, COMPONENTS & ASSEMBLY - Rev 3	2015	AIA	0
612	NAS1674	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, FLUSH HEAD, MILLABLE & NONMILLABLE, SELF-LOCKING - Rev 7	2015	AIA	0

613	NAS1676	WASHER, LOCK, SPRING, HELICAL, HI-COLLAR - Rev 3	2015	AIA	0
614	NAS1711	STRAP, RETAINING, CUSHIONED, RECTANGULAR, OPEN BOTTOM - Rev 6	2015	AIA	0
615	NAS1722	RIVET, BLIND, SELF-PLUGGING, MECHANICALLY LOCKED SPINDLE - Rev 3	2015	AIA	0
616	NAS1734	NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, 450 °F - Rev 6	2015	AIA	0
617	NAS1735	NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, CLOSED END, 450 °F - Rev 4	2015	AIA	0
618	NAS1736	NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, INSTALLATION DATA FOR - Rev 3	2015	AIA	0
619	NAS1757	NUT, SELF-LOCKING, 450 °F, HEXAGON, LOW HEIGHT, 80 KSI - Rev 3	2015	AIA	0
620	NAS1760	FITTING END, FLARELESS ACORN, STANDARD DIMENSIONS FOR - Rev 6	2015	AIA	0
621	NAS1742	SCREW, SELF-LOCKING, PAN HEAD, FULL THREAD, PATCH TYPE - Rev 4	2014	AIA	0
622	NAS1744	SPLICE, CONDUCTOR, SOLDER STYLE, HOT AIR OR INFRARED, SHRINKABLE, INSULATED, IMMERSION RESISTANT - Rev 5	2014	AIA	0
623	NAS1751	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 5	2014	AIA	0
624	NAS1752	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 6	2014	AIA	0
625	NAS1753	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 6	2014	AIA	0
626	NAS1754	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, FLUSH HEAD, MILLABLE & NON-MILLABLE, SELF-LOCKING, 1/64 OVERSIZE - Rev 5	2014	AIA	0
627	NAS1755	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 5	2014	AIA	0
628	NAS1716	CLAMP, LOOP, CUSHIONED, SADDLE - Rev 5	2014	AIA	0
629	NAS1677	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO PIECE - Rev 7	2014	AIA	0
630	NAS1669	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF-LOCKING - Rev 7	2014	AIA	0
631	NAS1670	FASTENER, BLIND, INTERNALLY-THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF-LOCKING - Rev 7	2014	AIA	0
632	NAS1671	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD, SELF-LOCKING - Rev 10	2014	AIA	0
633	NAS1672	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD, SELF-LOCKING - Rev 8	2014	AIA	0
634	NAS1673	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD, SELF-LOCKING - Rev 8	2014	AIA	0
635	NAS1635	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, FULL THREAD, NON-LOCKING AND SELF-LOCKING - Rev 4	2014	AIA	0
636	NAS1636	WASHER, KEY, DUAL TAB - Rev 3	2014	AIA	0
637	NAS1611	PACKING, ETHYLENE PROPYLENE, PREFORMED O-RING, PHOSPHATE ESTER RESISTANT (-65 °F TO 250 / 300 °F) - Rev 12	2014	AIA	0
638	NAS1612	PACKING, ETHYLENE PROPYLENE PREFORMED, O-RING PHOSPHATE ESTER RESISTANT, STRAIGHT THREAD TUBE FITTING BOSS (-65 °F TO 250/300 °F) - Rev 8	2014	AIA	0
639	NAS1587	WASHER, PLAIN AND CSK, 1200 °F - Rev 5	2014	AIA	0
640	NAS1523	PACKING WITH RETAINER - Rev 5	2014	AIA	0
641	NAS1446-1452	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, SHEAR, PULL-TYPE - Rev 4	2014	AIA	0
642	NAS1494	TERMINAL, LUG, SINGLE HOLE TONGUE, SINGLE BARREL, PRESSURE GRIP TYPE - Rev 2	2014	AIA	0
643	NAS1454	ROD, CONTINUOUS THREAD - Rev 5	2014	AIA	0

644	NAS1455	CHAIN, WELDLESS FLAT TYPE LINK - Rev 2	2014	AIA	0
645	NAS1456-1462	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° HEAD (MS24694), TENSION, PULL-TYPE - Rev 4	2014	AIA	0
646	NAS1414-1422	PIN, SWAGE LOCKING, STEEL, 100° SHEAR HEAD, STUMP TYPE - Rev 6	2014	AIA	0
647	NAS1397	CLAMP, LOOP, NYLON - Rev 7	2014	AIA	0
648	NAS1368	GROMMET, PLASTIC FLIP TYPE - Rev 8	2014	AIA	0
649	NAS1370-1379	DUCT, AIR, FLEXIBLE, HELIX WIRE SUPPORTED - Rev 4	2014	AIA	0
650	NAS1329	NUT, BLIND RIVET, FLAT HEAD, INTERNAL THREAD, NON-LOCKING (FREE-RUNNING) AND SELF-LOCKING (PREVAILING TORQUE) - Rev 12	2014	AIA	0
651	NAS1330	NUT, BLIND RIVET, COUNTERSUNK HEAD, INTERNAL THREAD, NON-LOCKING (FREE-RUNNING) AND SELF-LOCKING (PREVAILING TORQUE) - Rev 12	2014	AIA	0
652	NAS1351	SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF-LOCKING, ALLOY STEEL, CORROSION-RESISTANT STEEL AND HEAT-RESISTANT STEEL, UNRF-3A - Rev 11	2014	AIA	0
653	NAS1352	SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF-LOCKING, ALLOY STEEL, CORROSION-RESISTANT STEEL AND HEAT-RESISTANT STEEL, UNRC-3A AND UNRC-2A - Rev 12	2014	AIA	0
654	NAS1252	WASHER, FLAT, 7075-T6 ALUMINUM ALLOY - Rev 5	2014	AIA	0
655	NAS1266-1270	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, TITANIUM ALLOY, 160 KSI Ftu - Rev 8	2014	AIA	0
656	NAS1271-1280	BOLT, TWELVE POINT, EXTERNAL WRENCHING, TITANIUM ALLOY - Rev 9	2014	AIA	0
657	NAS1283	FASTENERS, MALE THREADED, SELF-LOCKING - Rev 6	2014	AIA	0
658	NAS1284	BUCKLE, WEB STRAP, LIGHT DUTY - Rev 5	2014	AIA	0
659	NAS1287	NULL	2014	AIA	0
660	NAS1291	NUT, SELF-LOCKING, HEXAGON, LOW HEIGHT, LIGHT WEIGHT - Rev 14	2014	AIA	0
661	NAS1297	BOLT, SHOULDER-HEXAGON HEAD - Rev 6	2014	AIA	0
662	NAS1299	SCREW, 100° FLAT HEAD, SHOULDER - Rev 4	2014	AIA	0
663	NAS1301	SCREW, PAN HEAD, ASSEMBLED WASHERS - Rev 5	2014	AIA	0
664	NAS1219	SCREW, 100° FLUSH HEAD, DOVETAIL SLOT RECESS, FULL THREAD, SELF-LOCKING OPTIONAL - Rev 11	2014	AIA	0
665	NAS1200	RIVET, SOLID, 100° FLUSH SHEAR HEAD, A286 CORROSION RESISTANT STEEL AND NICKEL-COPPER - Rev 11	2014	AIA	0
666	NAS1201	CHAIN, BEAD COMPONENTS AND ASSEMBLY - Rev 7	2014	AIA	0
667	NAS1202-1210	BOLT, 100° CLOSE TOLERANCE HEAD AND SHANK, 160,000 PSI, SHORT THREAD - Rev 11	2014	AIA	0
668	NAS1193	LOCKING DEVICE, POSITIVE INDEX - Rev 10	2014	AIA	0
669	NAS1195	SHIM, MINIATURE ANCHOR NUT - Rev 5	2014	AIA	0
670	NAS1197	WASHER, 5052 ALUMINUM ALLOY - Rev 4	2014	AIA	0
671	NAS1198	RIVET, SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT STEEL - Rev 7	2014	AIA	0
672	NAS1129	STANDOFF, THREADED, SELF-CLINCHING - Rev 3	2014	AIA	0
673	NAS1131-1138	SCREW, MACHINE, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM - Rev 13	2014	AIA	0
674	NAS1149	WASHER, FLAT - Rev 6	2014	AIA	0
675	NAS1160	BOLT, SHOULDER, HEX HEAD, CLOSE TOLERANCE, CRES, A286, 95 KSI Fsu - Rev 6	2014	AIA	0
676	NAS1081	SETSCREW, SELF-LOCKING - Rev 17	2014	AIA	0
677	NAS1056	SPACER, SLEEVE-RIVET, HIGH TEMPERATURE, NON MAGNETIC - Rev 8	2014	AIA	0
678	NAS1057	SPACER, SLEEVE, SCREW AND BOLT, HIGH TEMPERATURE, NON MAGNETIC - Rev 10	2014	AIA	0
679	NAS1051	SAFETY HOOK, FORGED CARBON STEEL, SNAP, DIRECT EYE (FOR GROUND SUPPORT EQUIPMENT) - Rev 4	2014	AIA	0

680	NAS1034-1038	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, REGULAR HEIGHT, NON-CSK - Rev 7	2014	AIA	0
681	NAS1044	SHACKLE, CHAIN, FORGED CARBON STEEL, ROUND PIN (FOR GROUND SUPPORT EQUIPMENT) - Rev 4	2014	AIA	0
682	NAS965	Drills, High Speed Steel, and Cobalt Threaded Shank 1/16 Inch Thru F - Rev 10	2014	AIA	0
683	NAS898	REAMERS, SOLID CARBIDE, RIGHT-HAND CUT, .1250 THROUGH .7500	2014	AIA	0
684	NAS622	HOOK, SUPPORT, ELECTRONIC EQUIPMENT CLAMP - Rev 4	2014	AIA	0
685	NAS662	SCREW, MACHINE, FLAT 100 DEGREE HEAD, PLAIN AND SELF-LOCKING - Rev 13	2014	AIA	0
686	NAS659	BEARING, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION - Rev 4	2014	AIA	0
687	NAS671	NUT, PLAIN, HEXAGON, SMALL PATTERN, NONSTRUCTURAL - Rev 8	2014	AIA	0
688	NAS679	NUT, SELF-LOCKING, HEXAGON, LOW HEIGHT - Rev 11	2014	AIA	0
689	NAS573	CLAMP ASSEMBLY, ELECTRONIC EQUIPMENT - Rev 8	2014	AIA	0
690	NAS574	PIN, REAR MOUNTING, ELECTRONIC EQUIPMENT - Rev 9	2014	AIA	0
691	NAS561	PINS, SPRING, SLOTTED & COILED, HEAVY DUTY - Rev 9	2014	AIA	0
692	NAS600-606	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL - Rev 10	2014	AIA	0
693	NAS607	PIN, STRAIGHT, HEADLESS, DOWEL - Rev 7	2014	AIA	0
694	NAS617	PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, SYNTHETIC LUBRICANT RESISTANT - Rev 4	2014	AIA	0
695	NAS517	SCREW, SHEAR, 100° FLUSH HEAD, ALLOY STEEL, CROSS RECESS, CLOSE TOLERANCE, 95 KSI Fsu - Rev 6	2014	AIA	0
696	NAS520	COUPLING, FLEXIBLE, LOW PRESSURE, 450 °F AIR LINE - Rev 3	2014	AIA	0
697	NAS523	FASTENER CODE - Rev 31	2014	AIA	0
698	NAS509	NUT, JAM, DRILLED AND UNDRILLED - Rev 8	2014	AIA	0
699	NAS500	SPACER, NUT, PLATE, COUNTERSUNK - Rev 10	2014	AIA	0
700	NAS410 (REDLINE)	(REDLINE) NAS CERTIFICATION & QUALIFICATION OF NONDESTRUCTIVE TEST PERSONNEL - Rev 4	2014	AIA	0
701	NAS410	NAS CERTIFICATION & QUALIFICATION OF NONDESTRUCTIVE TEST PERSONNEL - Rev 4	2014	AIA	0
702	NAS451	PLUG, BUTTON - Rev 4	2014	AIA	0
703	NAS428	BOLT, MACHINE, CROWNED HEXAGON HEAD, ADJUSTING - Rev 11	2014	AIA	0
704	NAS287	TERMINAL, CHAIN TO CABLE (FOR SWAGING) - Rev 5	2014	AIA	0
705	NA0271	PROCUREMENT SPECIFICATION, METRIC FASTENERS, CRES 300 SERIES, EXTERNALLY THREADED, MJ THREAD, 500 MPa Ft _u and 700 MPa Ft _u - Rev 2	2014	AIA	0
706	NAS47	SPACER, SLEEVE, NONMETALLIC, EPOXY AND PHENOLIC, SCREW AND BOLT - Rev 3	2014	AIA	0
707	NAS61	SPACER, SLEEVE, NONMETALLIC, POLYAMIDE (NYLON), SCREW AND BOLT - Rev 3	2014	AIA	0
708	NAS67	GUIDE, FASTENER, LOW FORM, COWL, DZUS TYPE - Rev 6	2014	AIA	0
709	NAS76	BUSHING, PLAIN, PRESS FIT, COPPER & BRONZE - Rev 10	2014	AIA	0
710	NAS74	BUSHING, CLAMP-UP, BRONZE - Rev 7	2014	AIA	0
711	NA0247	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, GROOVED OUTER RING, - 54 °C TO 163 °C, METRIC - Rev 3	2014	AIA	0
712	NA0135	KEY, MACHINE, SQUARE CROSS SECTION, BOTH ENDS SQUARE, ALLOY STEEL, METRIC - Rev 2	2014	AIA	0
713	NA0136	KEY, MACHINE, SQUARE CROSS SECTION, BOTH ENDS SQUARE, CRES STEEL, METRIC - Rev 2	2014	AIA	0
714	NA0137	KEY, WOODRUFF, ALLOY STEEL, METRIC - Rev 2	2014	AIA	0
715	NA0091	SCREW, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL, 1100 MPa Ft _u , METRIC - Rev 4	2014	AIA	0
716	NA0092	SCREW, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, TITANIUM ALLOY, 1100 MPa Ft _u , METRIC - Rev 3	2014	AIA	0

717	NA0115	ANGLE, PLAIN, EXTRUDED, ALUMINUM ALLOY, METRIC - Rev 3	2014	AIA	0
718	NA0116	Angle, Bulb, Extruded, Aluminum Alloy, Metric - Rev 3	2014	AIA	0
719	NA0117	CHANNEL, EXTRUDED, ALUMINUM ALLOY, METRIC - Rev 3	2014	AIA	0
720	NA0118	TEE, EXTRUDED ALUMINUM ALLOY, METRIC - Rev 3	2014	AIA	0
721	NA0119-0120	BRACKET, 90 DEGREE ANGLE, 2-BOLT ATTACH, METRIC - Rev 2	2014	AIA	0
722	NA0068	SCREW, MACHINE, PAN HEAD, OFFSET CRUCIFORM, A286 CRES, FULL THREAD, 1100 MPa, METRIC - Rev 8	2014	AIA	0
723	NA0011	FIXTURE, STRESS EMBRITTLEMENT TEST, SELF-LOCKING NUTS, METRIC - Rev 3	2014	AIA	0
724	NA0012	FIXTURE, BEARING SURFACE SQUARENESS TEST, SELF-LOCKING NUTS, METRIC - Rev 2	2014	AIA	0
725	NA0001-0006	RIVET, SOLID, UNIVERSAL HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC - Rev 2	2014	AIA	0
726	NA0033-0034	NUT, SELF-LOCKING, HEXAGON, EXTENDED WASHER 1100 MPa, METRIC, 235 °C AND 425 °C - Rev 4	2014	AIA	0
727	NASM21296	BOLT, TENSION, STEEL, 260 KSI Ftu, 450 °F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 4	2014	AIA	0
728	NASM21297	BOLT, TENSION, STEEL, 220 KSI Ftu, 450 °F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 3	2014	AIA	0
729	NASM21299	WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 260 KSI Ftu - Rev 3	2014	AIA	0
730	NASM21318	SCREW, DRIVE, ROUND HEAD, TYPE U, STEEL, CARBON, CADMIUM PLATED - Rev 2	2014	AIA	0
731	NASM21322	CLAMP, LOOP, ALUMINUM, PLAIN AND CUSHIONED - Rev 2	2014	AIA	0
732	NASM21224	NUT, SELF-LOCKING, CASTELLATED, HEXAGON, COUNTERBORED, ASSEMBLED WASHER, 250 °F, NON-METALLIC INSERT (FOR SELF-RETAINING BOLTS) - Rev 2	2014	AIA	0
733	NASM21225	NUT, SELF-LOCKING, CASTELLATED, HEXAGON, 800 °F - Rev 2	2014	AIA	0
734	NASM21244	NUT, CASTELLATED, HEXAGON, COUNTERBORED ASSEMBLED WASHER, 450 °F, FOR SELF-RETAINING BOLTS - Rev 2	2014	AIA	0
735	NASM21134	BOLT, TENSION, STEEL, 180 KSI Ftu, 450 °F EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED - Rev 2	2014	AIA	0
736	NASM21141	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, CORROSION RESISTING STEEL, 95 KSI Fsu	2014	AIA	0
737	NASM21098	BOLT, SELF-LOCKING, STEEL, 160 KSI Ftu, 250 °F, 12 POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS) - Rev 2	2014	AIA	0
738	NASM21096	BOLT, SELF-LOCKING, 75 KSI Fsu, 125 KSI Ftu, PAN HEAD, CRUCIFORM RECESS - Rev 1	2014	AIA	0
739	NASM21069	NUT, SELF-LOCKING, PLATE, TWO-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2014	AIA	0
740	NASM21063	NUT, SELF-LOCKING GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 250 °F - Rev 2	2014	AIA	0
741	NASM20600	RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, PROTRUDING HEAD, TYPE II - Rev 2	2014	AIA	0
742	NASM20604	RIVET, BLIND, NON-STRUCTURAL, UNIVERSAL HEAD, CLASS 1 - Rev 3	2014	AIA	0
743	NASM20068	KEY, MACHINE, SQUARE IN CROSS SECTION, BOTH ENDS ROUND - Rev 2	2014	AIA	0
744	NASM20073	BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, FINE THREAD - Rev 2	2014	AIA	0
745	NASM20074	BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, COARSE THREAD - Rev 3	2014	AIA	0
746	NASM20065	KEY, MACHINE, RECTANGULAR IN CROSS SECTION, BOTH ENDS SQUARE - Rev 2	2014	AIA	0
747	NASM20066	KEY, MACHINE, SQUARE IN CROSS SECTION, BOTH ENDS SQUARE - Rev 2	2014	AIA	0
748	NASM20002	WASHER, COUNTERSUNK AND PLAIN, HIGH STRENGTH - Rev 3	2014	AIA	0
749	NASM20004-20024	BOLTS, INTERNAL WRENCHING, 160 KSI FTU AND 96 KSI FSU - Rev 4	2014	AIA	0
750	NASM14218	RIVET, SOLID, 120° FLUSH INTERFERENCE SHEAR HEAD - Rev 2	2014	AIA	0
751	NASM16555	PIN, STRAIGHT, HEADLESS, DOWEL, .0002 OVER NOMINAL SIZE - Rev 3	2014	AIA	0

752	NASM16556	PIN, STRAIGHT, HEADLESS (DOWEL) (.001 OVER NOMINAL SIZE) - Rev 2	2014	AIA	0
753	NASM16562	PIN, SPRING, TUBULAR, SLOTTED - Rev 2	2014	AIA	0
754	NASM16995	SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNC-3A - Rev 2	2014	AIA	0
755	NASM15795	WASHER, FLAT, METAL, ROUND, GENERAL PURPOSE - Rev 2	2014	AIA	0
756	NASM15981	FASTENERS, EXTERNALLY THREADED, SELF-LOCKING DESIGN AND USAGE LIMITATIONS FOR - Rev 2	2014	AIA	0
757	NASM14181	BOLT, TENSION, NICKEL ALLOY 718, 220 KSI Ftu, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD - Rev 4	2014	AIA	0
758	NASM14155	WASHER, RECESSED COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 180 KSI Ftu - Rev 2	2014	AIA	0
759	NASM8975-6	NULL	2014	AIA	0
760	NASM8906	BOLT, ALLOY STEEL, SHEAR AND TENSILE (132 KSI MIN Fsu AND 220 KSI MIN Ftu), 450 °F, SPLINE DRIVE, GENERAL SPECIFICATION FOR - Rev 2	2014	AIA	0
761	NASM3036	GROMMETS, RUBBER, HOT-OIL AND COOLANT RESISTANT - Rev 2	2014	AIA	0
762	NASM316	NUT, JAM, HEXAGON - Rev 2	2014	AIA	0
763	NASM525	SCREW, WASHER HEAD - Rev 3	2014	AIA	0
764	NASM565	SETSCREW, HEXAGON AND FLUTED SOCKET, HEADLESS - Rev 4	2014	AIA	0
765	NASM970	WASHER, FLAT - Rev 2	2014	AIA	0
766	NASM3-20	BOLT, MACHINE, AIRCRAFT - Rev.3	2014	AIA	0
767	NASM42-49	BOLT, EYE - Rev 2	2014	AIA	0
768	NASM229	FASTENERS, INTERLOCKING SLIDE - REV 2	2014	AIA	0
769	NAS9312	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE B, CLASS 4, CODE M - Rev 5	2014	AIA	0
770	NAS9800	HEAD PROTRUSION GAGING, 100° FLUSH HEAD FASTENERS, GAGE BLOCK, GAGE DIAMETERS AND STYLUS - Rev 3	2014	AIA	0
771	NAS9922	SCREW, CAP, TENSION, INTERNAL WRENCHING, UNDRILLED AND DRILLED, LOCKING AND NON-LOCKING, 6AL-4V TITANIUM, 160 KSI Ftu - Rev 1	2014	AIA	0
772	NAS9315	RIVET, BLIND, SPINDLE, PULLING SERRATIONS, DIMENSIONS FOR - Rev 2	2014	AIA	0
773	NAS9301	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 1, CODE B AND E - Rev 6	2014	AIA	0
774	NAS9302	RIVET, BLIND, 100o FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE B AND E - Rev 6	2014	AIA	0
775	NAS9303	RIVET, BLIND, 100o FLUSH SHEAR HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE B AND E - Rev 6	2014	AIA	0
776	NAS9304	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE B AND E (OVERSIZE DIAMETER) - Rev 6	2014	AIA	0
777	NAS9305	RIVET, BLIND, 100 DEGREES FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE B AND E (OVERSIZE DIAMETER) - Rev 6	2014	AIA	0
778	NAS7900-7906	BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, RIBBED CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, SELF-LOCKING AND NONLOCKING - Rev 6	2014	AIA	0
779	NAS6974-6982	PIN, SWAGE LOCKING, A286 CRES, 100° SHEAR HEAD, STUMP-TYPE - Rev 4	2014	AIA	0
780	NAS7024-7032	PIN, SWAGE LOCKING, 108 KSI STEEL, 100° SHEAR/TENSION HEAD, PULL-TYPE - Rev 3	2014	AIA	0
781	NAS7034-7042	PIN, SWAGE LOCKING, ALLOY STEEL, 108 KSI Fsu, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE - Rev 3	2014	AIA	0
782	NAS6303-6320	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 10	2014	AIA	0

783	NAS4006	ALUMINUM COATING - Rev 5	2014	AIA	0
784	NAS4452	PIN, CRIMP, 100° FLUSH SHEAR HEAD - Rev 4	2014	AIA	0
785	NAS3306	FACILITY REQUIREMENTS FOR AIRCRAFT OPERATIONS - Rev 3	2014	AIA	0
786	NAS1930	RING, RETAINING - Rev 2	2014	AIA	0
787	NAS1924	CLAMP, HOSE - Rev 4	2014	AIA	0
788	NAS1831	POST, ELECTRICAL, MECHANICAL EQUIPMENT - Rev 4	2014	AIA	0
789	NAS1785	NULL	2014	AIA	0
790	NAS1789	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, FLOATING, LOW HEIGHT, REDUCED RIVET SPACING, CBORED, 160 KSI, 450 °F, 800 °F - Rev 3	2014	AIA	0
791	NAS1829	POST, ELECTRICAL, MECHANICAL EQUIPMENT, STUD TYPE - Rev 5	2014	AIA	0
792	NASM124651-124690	INSERT, CRES, HELICAL COIL, FINE THREAD, 1 DIA NOMINAL LENGTH - Rev 2	2014	AIA	0
793	NASM124691-124730	INSERT, CRES, HELICAL COIL, FINE THREAD 1-1/2 DIA NOMINAL LENGTH - Rev 2	2014	AIA	0
794	NASM122076-122115	INSERT, CRES, HELICAL COIL, COARSE THREAD, 1 DIA NOMINAL LENGTH - REV 2	2014	AIA	0
795	NASM122116-122155	INSERT, CRES, HELICAL COIL, COARSE THREAD, 1-1/2 DIA NOMINAL LENGTH - REV 2	2014	AIA	0
796	NASM122156-122195	INSERT, CRES, HELICAL COIL, COARSE THREAD, 2 DIA NOMINAL LENGTH - Rev 2	2014	AIA	0
797	NASM85449-1	NULL	2014	AIA	0
798	NASM90120	KNOBS, CONTROL, BAR, PLASTIC - Rev 2	2014	AIA	0
799	TCS001	TRADE COMPLIANCE STANDARD 001 (TCS001) _ DOCUMENT MARKING, STORAGE, AND ELECTRONIC TRANSMISSION OF TECHNICAL DATA	2014	AIA	0
800	NASM171401-171900	PIN, SPRING, CORROSION RESISTANT STEEL - Rev 3	2014	AIA	0
801	NASM45938-2	NULL	2014	AIA	0
802	NASM39087	HANDLE, BOW - Rev 2	2014	AIA	0
803	NASM35338	WASHER, LOCK-SPRING, HELICAL, REGULAR (MEDIUM) SERIES - Rev 3	2014	AIA	0
804	NASM35206	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, CARBON STEEL, UNC-2A - Rev 3	2014	AIA	0
805	NASM35275	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION-RESISTING STEEL, PASSIVATED, UNC-2A - Rev 2	2014	AIA	0
806	NASM33737	NUT, SHEET SPRING, INSTRUMENT MOUNTING - Rev 2	2014	AIA	0
807	NASM28728-5	NULL	2014	AIA	0
808	NASM28728-6	NULL	2014	AIA	0
809	NASM28728-7	NULL	2014	AIA	0
810	NASM28728-8	NULL	2014	AIA	0
811	NASM24671	SCREW, CAP, SOCKET HEAD, FLAT COUNTERSUNK, 82°, CORROSION-RESISTING STEEL, UNC-3A - Rev 2	2014	AIA	0
812	NASM24673	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION-RESISTING STEEL (UNF-3A) - Rev 2	2014	AIA	0
813	NASM24674	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED, CORROSION RESISTANT STEEL (UNC-3A) - Rev 2	2014	AIA	0
814	NASM24677	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED, ALLOY STEEL (UNC-3A) - Rev 2	2014	AIA	0
815	NASM24678	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED, ALLOY STEEL (UNF-3A) - Rev 2	2014	AIA	0
816	NASM21333	CLAMP, LOOP, STEEL, PLAIN AND CUSHIONED - Rev 2	2014	AIA	0
817	NASM22529	GROMMET, EDGING - Rev 2	2014	AIA	0

818	NASM21472	SCREW, SHOULDER, HEXAGON SOCKET-HEAD AND SLOTTED-HEAD, GENERAL SPECIFICATION FOR - Rev 2	2014	AIA	0
819	NASM81177-2	NULL	2014	AIA	0
820	NASM77072	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE - Rev 2	2014	AIA	0
821	NASM77073	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE FLAT, ONE HOLE - Rev 2	2014	AIA	0
822	NASM51963	SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 2	2014	AIA	0
823	NASM51964	SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 3	2014	AIA	0
824	NASM51958	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, CORROSION RESISTING STEEL, UNF-2A - Rev 2	2014	AIA	0
825	NASM51833	STUD, LOCKED IN, KEY-LOCKED, LIGHTWEIGHT - Rev 2	2014	AIA	0
826	NASM51023	SETSCREW, HEXAGON SOCKET, CUP POINT, CORROSION RESISTANT STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 2	2014	AIA	0
827	NASM51031	NULL	2014	AIA	0
828	NASM51038	NULL	2014	AIA	0
829	NASM51045	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, CORROSION RESISTANT STEEL, PASSIVATED, UNC-3A - Rev 2	2014	AIA	0
830	NASM51047	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, CORROSION RESISTANT STEEL, PASSIVATED, UNF-3A - Rev 2	2014	AIA	0
831	NASM47196	PREPARATION FOR AND INSTALLATION OF BUCK-TYPE RIVETS - Rev 2	2013	AIA	0
832	NASM45938-13	NULL	2013	AIA	0
833	NASM51975	SCREW, SHOULDER, SOCKET HEAD, HEXAGON ALLOY STEEL OR NICKEL-COPPER ALLOY, UNC-3A - Rev 4	2013	AIA	0
834	NASM63540-4	NULL	2013	AIA	0
835	NASM63540-5	NULL	2013	AIA	0
836	NASM83050	BOLT, SELF-RETAINING, IMPEDANCE TYPE - Rev 2	2013	AIA	0
837	NASM24627	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T, FLAT 82 degrees COUNTERSUNK HEAD, CRUCIFORM RECESS, CARBON STEEL - Rev 1	2013	AIA	0
838	NASM25049	KNOBS, CONTROL, ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR - Rev 1	2013	AIA	0
839	NASM27954	TURNBUCKLE, BODY, GENERAL PURPOSE - Rev 1	2013	AIA	0
840	NASM27039	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS - Rev 5	2013	AIA	0
841	NASM33537	INSERT, SCREW THREAD, HELICAL COIL, INCH SERIES, COARSE AND FINE THREAD, STANDARD ASSEMBLY DIMENSIONS FOR - Rev 2	2013	AIA	0
842	NASM27983	Fasteners, Snap, Style 4 (Three Way Locking Type) - Rev 1	2013	AIA	0
843	NASM35333	WASHER, LOCK, FLAT, INTERNAL TOOTH - Rev 3	2013	AIA	0
844	NASM45938-3	NULL	2013	AIA	0
845	NASM45915	STUD, LOCKED IN, KEY LOCKED, GENERAL SPECIFICATION FOR - Rev 1	2013	AIA	0
846	NASM45595-8	NULL	2013	AIA	0
847	NASM45938-5	NULL	2013	AIA	0
848	NASM45938-10	NULL	2013	AIA	0
849	NASM124731-124770	INSERT, CRES, HELICAL COIL FINE THREAD, 2 DIA NOMINAL LENGTH - Rev 2	2013	AIA	0
850	NASM85353-1	NULL	2013	AIA	0

851	NAS1830	POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE - Rev 3	2013	AIA	0
852	NAS1771	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, 160 KSI, 450 °F, 800 °F - Rev 2	2013	AIA	0
853	NAS1838	INSERTS, SCREW THREAD, METALLIC, KEYRING LOCKED, SPECIFICATION FOR - Rev 2	2013	AIA	0
854	NAS1802	SCREW, HEX HEAD, CRUCIFORM RECESS, FULL THREAD, A286 CRES, 160 KSI Ftu - Rev 9	2013	AIA	0
855	NAS1972-1980	BOLT, SHEAR, 100° FLUSH HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev. 7	2013	AIA	0
856	NAS2832-2840	BOLT, 100° FLAT HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 180 KSI - Rev 4	2013	AIA	0
857	NAS2842-2850	BOLT, BRAZIER HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 180 KSI - Rev 5	2013	AIA	0
858	NAS2852-2860	BOLT, 100° CROWN REDUCED HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev 4	2013	AIA	0
859	NAS2803-2810	BOLT, 100° HEAD, OFFSET CRUCIFORM, CLOSE TOLERANCE, 180,000 PSI - Rev 7	2013	AIA	0
860	NAS1992-2000	BOLT, FLAT, 100° REDUCED HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT, 108 KSI Fsu - Rev 7	2013	AIA	0
861	NAS3400	VOLATILE CORROSION INHIBITOR - Rev 4	2013	AIA	0
862	NAS3401	WRAP, WITH STIFFENER - Rev 2	2013	AIA	0
863	NAS3402	BAG, TRANSPARENT, SINGLE ITEM - Rev 3	2013	AIA	0
864	NAS3403	BAG, TRANSPARENT, MULTIPLE ITEM - Rev 3	2013	AIA	0
865	NAS3404	BAG, TRANSPARENT, INDIVIDUAL BOX - Rev 3	2013	AIA	0
866	NAS3405	BAG, TRANSPARENT, SINGLE ITEM, WITH ACCESSORIES - Rev 3	2013	AIA	0
867	NAS4122	HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, EXTRUDED - REV 1	2013	AIA	0
868	NAS4160	PLATING, CADMIUM, ELECTRODEPOSITED, FOR FASTENERS - Rev 1	2013	AIA	0
869	NAS3453	Fasteners, Aerospace, Packaging of - Rev 1	2013	AIA	0
870	NAS3602	NULL	2013	AIA	0
871	NAS3620	NULL	2013	AIA	0
872	NAS3427	MULTIPLE LEAD DEVICES, INDIVIDUAL PACKAGING OF - Rev 2	2013	AIA	0
873	NAS3423	CONTOURED ITEMS, PACKAGING OF WAVEGUIDES, ETC. - Rev 2	2013	AIA	0
874	NAS3424	HOSE, HOSE ASSEMBLIES, PACKAGING OF - Rev 2	2013	AIA	0
875	NAS3434	PRECISION MACHINED ITEMS, PACKAGING OF - Rev 3	2013	AIA	0
876	NAS3437	WRAP, SINGLE FACE CORRUGATED PAPER - Rev 3	2013	AIA	0
877	NAS3439	BOX, MULTIPLE QUANTITIES, TIGHTLY PACKED - Rev 2	2013	AIA	0
878	NAS3443	NULL	2013	AIA	0
879	NAS3449	HOSES/TUBES, PREFORMED OR STRAIGHT, MULTIPLE PACKAGING OF - Rev 2	2013	AIA	0
880	NAS3451	CASTINGS, PACKAGING OF - Rev 2	2013	AIA	0
881	NAS6403-6420	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD, REDUCED MAJOR THREAD DIAMETER, SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 14	2013	AIA	0
882	NAS6603-6620	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, REDUCED MAJOR DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 9	2013	AIA	0
883	NAS6703-6720	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 11	2013	AIA	0
884	NAS6803-6820	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, LONG THREAD, REDUCED MAJOR THREAD DIAMETER, SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 9	2013	AIA	0
885	NAS5319	SCREW, SHEAR, 100 DEG FLUSH HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 95 KSI Fsu - Rev 3	2013	AIA	0
886	NAS5313	SCREW, SHEAR, FLAT FILLISTER HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 1	2013	AIA	0
887	NAS5317	SCREW, PAN HEAD, FULL THREAD, SELF-LOCKING, NAS1800 SIX LOBE RECESS - Rev 2	2013	AIA	0
888	NAS7100	RECESS, RIBBED CRUCIFORM, DIMENSIONS OF RECESS AND GAGES - Rev 9	2013	AIA	0

889	NAS7004-7012	PIN, SWAGE LOCKING, A286 CRES, 100° SHEAR/TENSION HEAD, PULL-TYPE - Rev 3	2013	AIA	0
890	NAS6914	PIN, SWAGE LOCKING, PH13-8Mo CRES, PROTRUDING HEAD, SHEAR, PULL-TYPE - Rev 2	2013	AIA	0
891	NAS6203-6220	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD, REDUCED MAJOR THREAD DIA., SELF-LOCKING AND NONLOCKING, 160 KSI Ftu - Rev 10	2013	AIA	0
892	NAS6946-6952	PIN, SWAGE LOCKING, A286 CRES, 100 Degrees HEAD (MS24694), TENSION, PULL-TYPE - Rev 2	2013	AIA	0
893	NAS6955-6962	PIN, SWAGE LOCKING, A286 CRES, 100 Degrees HEAD (MS20426), TENSION, PULL-TYPE - Rev 2	2013	AIA	0
894	NAS6965-6972	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, TENSION, PULL-TYPE - Rev 2	2013	AIA	0
895	NAS7600-7616	BOLT, 100 Degrees HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, 6Al-4V TITANIUM ALLOY, SHORT THREAD, SELF-LOCKING AND NONLOCKING - Rev 7	2013	AIA	0
896	NAS8100-8106	SCREW, PAN HEAD, RIBBED CRUCIFORM RECESS, A286 CRES, FULL THREAD, SELF-LOCKING AND NONLOCKING - Rev 6	2013	AIA	0
897	NAS9924	CYBER SECURITY BASELINE - Rev 1	2013	AIA	0
898	NAS9925	FASTENER, RECESS DRIVE, 180 KSI, GENERAL SPECIFICATION FOR	2013	AIA	0
899	NAS10000	NA Documents Preparation and Maintenance in SI (Metric) Units - Rev 3	2013	AIA	0
900	NASM1312-6	FASTENER TEST METHODS, METHOD 6, HARDNESS - Rev 1	2013	AIA	0
901	NASM1312-9	FASTENER TEST METHODS METHOD 9 STRESS CORROSION - Rev 1	2013	AIA	0
902	NASM961	WASHER, FLAT, ELECTRICAL - Rev 2	2013	AIA	0
903	NASM1312-13	FASTENER TEST METHODS METHOD 13 DOUBLE SHEAR TEST - Rev 2	2013	AIA	0
904	NASM3369	BOLT, SELF-RETAINING, POSITIVE LOCKING, CRES, 90 KSI Fsu, 63 KSI Ftu, HEXAGON SLOTTED HEAD, 450 Degrees F AND 650 Degrees F - Rev 1	2013	AIA	0
905	NASM1312-11	FASTENER TEST METHODS METHOD 11 TENSION FATIGUE - REV 1	2013	AIA	0
906	NASM8907	BOLT, ALLOY STEEL, SHEAR AND TENSILE (156 KSI MIN Fsu AND 260 KSI MIN Ftu), 450 °F, EXTERNAL WRENCHING, FLANGED HEAD - Rev 1	2013	AIA	0
907	NASM8814	Rivets, Blind, Nonstructural Type - Rev 2	2013	AIA	0
908	NASM4751	CASTERS, RIGID AND SWIVEL, PRECISION HEAVY DUTY AND SHOCK ABSORBING - REV 1	2013	AIA	0
909	NASM5673	PIN, STRAIGHT, HEADED - Rev 1	2013	AIA	0
910	NASM7838	BOLT, INTERNAL WRENCHING, 160 KSI Ftu - Rev 4	2013	AIA	0
911	NASM8984	NUT, SELF-LOCKING, STEEL, 260 KSI FTU, 450 Degrees F - Rev 1	2013	AIA	0
912	NASM8975-1	NULL	2013	AIA	0
913	NASM14157	BOLT, WHEEL, TENSION, FLANGED, STEEL, 180 KSI Ftu, 450 °F, EXTERNAL SPLINE DRIVE - Rev 2	2013	AIA	0
914	NASM14164	NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 220 KSI Ftu, 450 degree F, SPLINE DRIVE - Rev 1	2013	AIA	0
915	NASM14491	NUT, WHEEL, SELF-LOCKING, FLANGED, NICKEL ALLOY 718, 220 KSI Ftu, 450 Degrees F, SPLINE DRIVE - Rev 1	2013	AIA	0
916	NASM16610	Pin, Tapered, Plain - Rev 1	2013	AIA	0
917	NASM14219	RIVET, SOLID, 120° FLUSH INTERFERENCE, TENSION TYPE HEAD - Rev 2	2013	AIA	0
918	NASM14222	NUT, SELF-LOCKING, 450 Degrees F, HEXAGON, REDUCED HEAD HEIGHT, RING BASE, CRES - Rev 1	2013	AIA	0
919	NASM16208	BOLT, TENSION, HEXAGON HEAD, FINISHED, CRES, UNC-2A, NON-MAGNETIC, 75 KSI FTU - Rev 3	2013	AIA	0
920	NASM16491-3	NULL	2013	AIA	0
921	NASM17828	NUT, SELF-LOCKING, HEXAGON REGULAR-HEIGHT, (NON-METALLIC INSERT) 250 °F OR 450 °F, NICKEL-COPPER ALLOY - Rev 1	2013	AIA	0
922	NASM20426	RIVET, SOLID, COUNTERSUNK 100°, PRECISION HEAD, ALUMINUM AND TITANIUM COLUMBIUM ALLOY - Rev 3	2013	AIA	0
923	NASM20470	RIVET, SOLID, UNIVERSAL HEAD, ALUMINUM ALLOY AND TITANIUM COLUMBIUM ALLOY - Rev 2	2013	AIA	0

924	NASM21042	NUT, SELF-LOCKING, 450 DEGREES F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, NON-CORROSION RESISTANT STEEL - REV 1	2013	AIA	0
925	NASM21043	NUT, SELF-LOCKING, 800 DEGREES F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, CRES - Rev 3	2013	AIA	0
926	NASM21045	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 450 ?F, 125 KSI Ftu - Rev 3	2013	AIA	0
927	NASM21061	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 Degrees F - Rev 2	2013	AIA	0
928	NASM21066	NUT, SELF-LOCKING, GANG CHANNEL, 100 Degrees CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 250 Degrees F - Rev 1	2013	AIA	0
929	NASM21143-1	NULL	2013	AIA	0
930	NASM21133	NUT, SELF-LOCKING, STEEL, 180 KSI Ftu, 450 °F, FLANGED, MS33787 WRENCHING ELEMENT - Rev 2	2013	AIA	0
931	NASM21209	INSERT, SCREW THREAD, COARSE AND FINE, SCREW LOCKING, HELICAL COIL, CRES - Rev 3	2013	AIA	0
932	NASM21250	BOLT, TENSION, STEEL, EXTERNAL WRENCHING, FLANGED, 12-POINT, 180 KSI Ftu, 450 ?F - Rev 2	2013	AIA	0
933	NA0007	METRIC FASTENERS, TITANIUM ALLOY, EXTERNALLY THREADED, 1100 MPa TENSILE, 660 MPa SHEAR - Rev 3	2013	AIA	0
934	NA0008	PROCUREMENT SPECIFICATION, METRIC FASTENERS, ALLOY STEEL, EXTERNALLY THREADED, 1100 MPa TENSILE, 660 MPa SHEAR - Rev 3	2013	AIA	0
935	NA0044	NUT, SELF-LOCKING, 425 °C, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 3	2013	AIA	0
936	NA0056	Rivet - Solid, Reduced Countersunk 100 Degree Head, Monel, Metric - Rev 1	2013	AIA	0
937	NA0057	PROCUREMENT SPECIFICATION, METRIC FASTENERS, ALLOY STEEL, EXTERNALLY THREADED, 1250 MPa TENSILE, 750 MPa SHEAR - Rev 3	2013	AIA	0
938	NA0150	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, HEAVY DUTY, METRIC - Rev 3	2013	AIA	0
939	NA0140-0144	WASHER, DIMPLED, 100 Degrees, METRIC - Rev 1	2013	AIA	0
940	NA0274	SCREW, CAP, SOCKET HEAD, FULL THREAD, 300 SERIES CRES, 500 MPa Ftu, METRIC - Rev 1	2013	AIA	0
941	NA0276	INSERT, SCREW THREAD, HELICAL COIL, FREE RUNNING AND SELF-LOCKING, TANGLESS, METRIC - Rev 3	2013	AIA	0
942	NA0161	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 1	2013	AIA	0
943	NAS77	BUSHING, FLANGED, PRESS FIT STEEL, CRES, BRONZE & COPPER - Rev 15	2013	AIA	0
944	NAM1312-111	FASTENER TEST METHODS, METRIC METHOD 111 TENSION FATIGUE - Rev 1	2013	AIA	0
945	NAS302-310	CABLE ASSEMBLY, SWAGED TYPE, TYPE I TERMINALS - Rev 6	2013	AIA	0
946	NAS312-320	CABLE ASSEMBLY, SWAGED TYPE, TYPE I AND TYPE II TERMINALS - Rev 6	2013	AIA	0
947	NAS322-330	CABLE ASSEMBLY, SWAGED TYPE, TYPE II TERMINALS - REV 7	2013	AIA	0
948	NAS0331	BEARING INSTALLATION AND RETENTION BY SWAGING OR STAKING. - REV 1	2013	AIA	0
949	NAS333-340	NULL	2013	AIA	0
950	NAS411-1	HAZARDOUS MATERIAL TARGET LIST	2013	AIA	0
951	NAS411	Hazardous Materials Management Program - Rev 3	2013	AIA	0
952	NAS412	FOREIGN OBJECT DAMAGE/ FOREIGN OBJECT DEBRIS (FOD) PREVENTION - Rev 1	2013	AIA	0
953	NAS469	NULL	2013	AIA	0
954	NAS467	BOLT, HEX HEAD, BRASS, ELECTRICAL - Rev 7	2013	AIA	0
955	NAS583-590	SCREW, SHEAR, 100° FLUSH HEAD, ALLOY STEEL, 95 KSI Fsu - Rev 16	2013	AIA	0
956	NAS580	INVOLUTE SPLINE, HOLE, 30 Degrees FULL FILLET - Rev 2	2013	AIA	0
957	NAS620	WASHER, FLAT, REDUCED OUTSIDE DIAMETER - Rev 8	2013	AIA	0
958	NAS621	FASTENERS, TITANIUM ALLOY PROCUREMENT SPECIFICATION - Rev 13	2013	AIA	0
959	NAS726	GEAR, SPUR, 20° INVOLUTE, LOW INERTIA, 48 AND FINER PITCH - Rev 1	2013	AIA	0

960	NAS809	SPECIFICATION, AIRCRAFT SEATS AND BERTHS - Rev 1	2013	AIA	0
961	NAS888	SIGHT LEVELS FOR OPTICAL TOOLING - Rev 1	2013	AIA	0
962	NAS901	TELESOPES AND COLLIMATORS FOR OPTICAL TOOLING - Rev 3	2013	AIA	0
963	NAS908	GLOSSARY OF OPTICAL TOOLING TERMS - Rev 2	2013	AIA	0
964	NAS938	MACHINE AXIS AND MOTION NOMENCLATURE - Rev 3	2013	AIA	0
965	NAS854	HAZARDOUS MATERIAL PACKAGING STANDARD PACKAGING AND SAFETY DATA SHEET NAS854 PREPARATION - Rev 2	2013	AIA	0
966	NAS851	GENERAL PACKAGING STANDARD INDEXES - Rev 7	2013	AIA	0
967	NAS852	QUALITY ASSURANCE, GENERAL GUIDANCE - Rev 1	2013	AIA	0
968	NAS876	Alignment Lasers for Optical Tooling - Rev 1	2013	AIA	0
969	NAS883	MIRROR TARGETS, OPTICAL TOOLING FRONT SURFACE AND PLANO-PARALLEL - Rev 1	2013	AIA	0
970	NAS886	JIG TRANSIT & JIG TRANSIT SQUARES FOR OPTICAL TOOLING - Rev 1	2013	AIA	0
971	NAS831	CAP, PROTECTIVE, ELECTRICAL CONNECTOR - Rev 1	2013	AIA	0
972	NAS837	PLUG, PROTECTIVE, ELECTRICAL CONNECTOR - Rev 1	2013	AIA	0
973	NAS942	NULL	2013	AIA	0
974	NAS970	TOOL HOLDERS-BASIC FOR NUMERICALLY CONTROLLED MACHINE TOOLS - Rev 3	2013	AIA	0
975	NAS953	NULL	2013	AIA	0
976	NAS954	NULL	2013	AIA	0
977	NAS955	NULL	2013	AIA	0
978	NAS956	NULL	2013	AIA	0
979	NAS960	NULL	2013	AIA	0
980	NAS983	NULL	2013	AIA	0
981	NAS984	NULL	2013	AIA	0
982	NAS985	NULL	2013	AIA	0
983	NAS972	NULL	2013	AIA	0
984	NAS979	NULL	2013	AIA	0
985	NAS1045	THIMBLE, HEAVY, WROUGHT STEEL, WIRE CABLE, FOR GROUND SUPPORT EQUIPMENT - Rev 4	2013	AIA	0
986	NAS995	SPECIFICATION FOR COMPUTERIZED NUMERICAL CONTROL (CNC) - Rev 2	2013	AIA	0
987	NAS987	TOOL HOLDER, NOSE CONFIGURATION - MACHINE TOOLS - Rev 2	2013	AIA	0
988	NAS1030	NUT, SELF-LOCKING, PLATE, ONE LUG, REGULAR HEIGHT, NON-CSK, BEVEL SEAT - Rev 5	2013	AIA	0
989	NAS1031	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, FLOATING - Rev 7	2013	AIA	0
990	NAS1032	NUT, SELF-LOCKING, PLATE, ONE LUG, REGULAR HEIGHT, NON-CSK, FLOATING - Rev 7	2013	AIA	0
991	NAS1101	SCREW, MACHINE, FLAT FILLISTER HEAD, FULL THREAD, OFFSET CRUCIFORM - Rev 12	2013	AIA	0
992	NAS1102	SCREW, MACHINE, FLAT 100 Degrees HEAD, FULL THREAD, OFFSET CRUCIFORM - Rev 10	2013	AIA	0
993	NAS1054	RIVET, PROTRUDING HEAD - Rev 5	2013	AIA	0
994	NAS1080	COLLAR, SWAGE LOCKING FOR PULL-TYPE AND STUMP-TYPE LOCKBOLTS - Rev 14	2013	AIA	0
995	NAS1130	INSERT, SCREW THREAD, HELICAL COIL, FREE RUNNING AND SELF-LOCKING, TANGLESS - Rev 5	2013	AIA	0
996	NAS1261-1265	BOLT, TENSION, HEX HEAD, CLOSE TOLERANCE, SHORT THREAD, TITANIUM ALLOY, 160 KSI Ftu - Rev 7	2013	AIA	0
997	NAS1382	FITTING, TIE DOWN STRAP END, LIGHT DUTY - Rev 4	2013	AIA	0
998	NAS1396	CHAIN, WELDED TWIST LINK, SHORT LINK PATTERN - Rev 1	2013	AIA	0
999	NAS1423	NUT, PLAIN, HEXAGON, DRILLED JAM, THIN - Rev 4	2013	AIA	0
1000	NAS1434	RADIOGRAPHIC STANDARDS FOR MAGNESIUM ALLOY CASTINGS - Rev 2	2013	AIA	0

1001	NAS1563	GAGES, PINS AND COLLAR INSPECTION, SWAGE LOCKING - Rev 11	2013	AIA	0
1002	NAS1535-1542	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM20426), TENSION, PULL-TYPE - Rev 4	2013	AIA	0
1003	NAS1717	NULL	2013	AIA	0
1004	NAS1718	NULL	2013	AIA	0
1005	NAS1712	CLAMP, LOOP, CUSHIONED, RECTANGULAR - Rev 8	2013	AIA	0
1006	NAS1686	RIVET, BLIND, ALUMINUM SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 4	2013	AIA	0
1007	NAS1740	RIVET, BLIND, SELF-PLUGGING, MECHANICALLY LOCKED SPINDLE, BULBED. - Rev 9	2013	AIA	0
1008	NAS1727	NUT, SELF-LOCKING, ALIGNING, 450 °F AND 800 °F - Rev 6	2012	AIA	0
1009	NAS1737	INSTALLATION TORQUE LIMITS FOR 160 KSI THREADED FASTENER SYSTEMS SUBJECT TO PERIODIC REMOVAL - Rev 1	2012	AIA	0
1010	NAS1738	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 4	2012	AIA	0
1011	NAS1739	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 6	2012	AIA	0
1012	NAS1723	EYELET, METALLIC, ELECTRICAL, ROLLED FLANGED TYPE - Rev 2	2012	AIA	0
1013	NAS1724	FASTENER, SHEAR, 100° STANDARD FLUSH HEAD, TAPERED SHANK (TS), 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu, 156 KSI Fsu - Rev 3	2012	AIA	0
1014	NAS1729	FASTENER, SHEAR, PROTRUDING HEAD, TAPERED SHANK (TS), OVERSIZE, 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu & 156 KSI Fsu - Rev 3	2012	AIA	0
1015	NAS1730	FASTENER, TAPER SHANK - Rev 3	2012	AIA	0
1016	NAS1731	NUT, BLIND, SERRATED HEAD, SELF-LOCKING, 450 °F - Rev 2	2012	AIA	0
1017	NAS1732	NUT, BLIND, SERRATED HEAD, SELF-LOCKING, CLOSED END, 450 °F - Rev 2	2012	AIA	0
1018	NAS1756	Streamer, Warning - Rev 3	2012	AIA	0
1019	NAS1761	ELBOW, REDUCER, 45°, FLARELESS TUBE TO SWIVEL - Rev 3	2012	AIA	0
1020	NAS1762	ELBOW REDUCER, 90°, FLARELESS TUBE TO SWIVEL - Rev 3	2012	AIA	0
1021	NAS1763	TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - Rev 3	2012	AIA	0
1022	NAS1764	TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON SIDE - Rev 3	2012	AIA	0
1023	NAS1758	NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, 220 KSI, 450 °F - Rev 2	2012	AIA	0
1024	NAS1747	SPLICE, CONDUCTOR AND SHIELD TERMINATION, SOLDER STYLE, HEAT SHRINKABLE, INSULATED, SPECIFICATION FOR - Rev 5	2012	AIA	0
1025	NAS1687	RIVET, BLIND, NICKEL-COPPER AND NICKEL ALLOY, MECHANICALLY LOCKED SPINDLE, BULBED - Rev 3	2012	AIA	0
1026	NAS1688	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARED - Rev 1	2012	AIA	0
1027	NAS1689	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS - Rev 1	2012	AIA	0
1028	NAS1690	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARED - Rev 1	2012	AIA	0
1029	NAS1691	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARELESS - Rev 1	2012	AIA	0
1030	NAS1684	EYELET, METALLIC, ELECTRICAL, FLAT FLANGED TYPE - Rev 1	2012	AIA	0
1031	NAS1703-1710	BOLT, 100° FLUSH HEAD, .0156 OVERSIZE, ALLOY STEEL, 160 KSI Ftu - Rev. 10	2012	AIA	0
1032	NAS1575	COVER, SWITCH FITTING BOX, WEATHERPROOF - Rev 2	2012	AIA	0
1033	NAS1578	BOLT, SHEAR, FLAT PAN HEAD, CLOSE TOLERANCE, DOVETAIL SLOT, OFFSET CRUCIFORM, AND OFFSET CRUCIFORM-RIBBED, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 14	2012	AIA	0
1034	NAS1613	PACKING, PREFORMED, ETHYLENE PROPYLENE RUBBER - Rev 6	2012	AIA	0
1035	NAS1603-1610	BOLT, 100° HEAD, SLOTTED DOVETAIL, .0312 OVERSIZE, ALLOY STEEL, 160,000 PSI - Rev. 10	2012	AIA	0
1036	NAS1620-1628	SCREW, MACHINE, FLAT 100° HEAD, SHORT THREAD, OFFSET CRUCIFORM - Rev. 12	2012	AIA	0

1037	NAS1640	WASHER, LOCK, SPRING, NON-MAGNETIC - Rev 3	2012	AIA	0
1038	NAS1645	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SHELL SIZE 12 - Rev 1	2012	AIA	0
1039	NAS1564	REDUCER, FLARED TUBE - Rev 3	2012	AIA	0
1040	NAS1565	Reducer, Flareless Tube - Rev 1	2012	AIA	0
1041	NAS1566	REDUCER ASSEMBLY, FLARELESS TUBE - Rev 1	2012	AIA	0
1042	NAS1453	EYELET, METALLIC, ELECTRICAL, PRINTED CIRCUIT BOARD, FUNNEL TYPE - Rev 1	2012	AIA	0
1043	NAS1524	STANDARDIZATION SAVINGS, IDENTIFICATION & CALCULATION - Rev 4	2012	AIA	0
1044	NAS1464	Clip, Spring Tension - Rev 6	2012	AIA	0
1045	NAS1465-1472	PIN, SWAGE, LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, TENSION, PULL-TYPE - Rev 3	2012	AIA	0
1046	NAS1473	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING - Rev 11	2012	AIA	0
1047	NAS1474	NUT, SELF-LOCKING, PLATE, TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - Rev 11	2012	AIA	0
1048	NAS1424-1432	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP-TYPE - Rev 5	2012	AIA	0
1049	NAS1411	Band, Marker, Blank - Rev 3	2012	AIA	0
1050	NAS1398	RIVET, BLIND, PROTRUDING HEAD, LOCKED SPINDLE - Rev 9	2012	AIA	0
1051	NAS1399	RIVET, BLIND, 100° FLUSH HEAD, LOCKED SPINDLE - Rev 10	2012	AIA	0
1052	NAS1400	RIVET, BLIND, SELF-PLUGGING, MECHANICALLY LOCKED SPINDLE - Rev 7	2012	AIA	0
1053	NAS1401	WASHER, RADIUS - Rev 3	2012	AIA	0
1054	NAS1384	STRAP ASSEMBLY, ONE PART - Rev 6	2012	AIA	0
1055	NAS1390	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, MOISTURE RESISTANT, CLASS 2 - Rev 2	2012	AIA	0
1056	NAS1353-1366	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING - Rev 7	2012	AIA	0
1057	NAS1367	FITTINGS, COATED, LUBRICANT & SEALANT - Rev 9	2012	AIA	0
1058	NAS1332	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE & DOUBLE ACTING - Rev 9	2012	AIA	0
1059	NAS1333-1346	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING - Rev 7	2012	AIA	0
1060	NAS1290	PROCUREMENT SPECIFICATION, THREADED SHEAR FASTENER, FLUSH & PROTRUDING TYPE FOR APPLICATIONS UP TO 1,400 °F, CORROSION AND HEAT RESISTANT NICKEL BASE ALLOY - Rev 3	2012	AIA	0
1061	NAS1285	Safety Hook - Rev 3	2012	AIA	0
1062	NAS1286	CONNECTING LINK - Rev 2	2012	AIA	0
1063	NAS1298	SCREW, BRAZIER HEAD, SHOULDER - Rev 3	2012	AIA	0
1064	NAS1292-1296	PIN, THREADED, SHEAR, 100° CSK HEAD - Rev 4	2012	AIA	0
1065	NAS1281	HOOK, SNAP - Rev 8	2012	AIA	0
1066	NAS1242	RIVET, SOLID, UNIVERSAL HEAD, ALUMINUM ALLOY, NASM20470 REPAIR - Rev 2	2012	AIA	0
1067	NAS1223-1235	BOLT, SHEAR, HEXAGON HEAD, SELF-LOCKING - Rev 5	2012	AIA	0
1068	NAS1221	BOLT, 100° FLUSH HEAD, SELF-LOCKING OPTIONAL - Rev. 12	2012	AIA	0
1069	NAS1141-1148	SCREW, MACHINE, PAN HEAD, MODIFIED, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM - Rev. 10	2012	AIA	0
1070	NAS1161-1168	SCREW, SELF-LOCKING, FLAT 100° HEAD, SHEAR, OFFSET CRUCIFORM - Rev. 11	2012	AIA	0
1071	NAS1151-1158	SCREW, TENSION, MACHINE, FLAT 100° FLUSH HEAD, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM AND OFFSET CRUCIFORM- RIBBED, 160 KSI Ft _u - Rev. 15	2012	AIA	0
1072	NAS1170	Fastener, Chain - Rev 2	2012	AIA	0
1073	NAS1171-1178	SCREW, SELF-LOCKING, PAN HEAD, SHEAR, OFFSET CRUCIFORM - Rev. 11	2012	AIA	0
1074	NAS1179	NULL	2012	AIA	0

1075	NAS1181-1188	Screw, Self-Locking, Flat Fillister Head, Close Tolerance, Offset Cruciform - Rev. 10	2012	AIA	0
1076	NAS1189	SCREW, SELF-LOCKING, FLAT 100 DEG. HEAD, CRUCIFORM AND OFFSET CRUCIFORM RECESS, FULL THREAD - Rev 14	2012	AIA	0
1077	NAS1190	SCREW, SELF-LOCKING, PAN HEAD, FULL THREAD, CRUCIFORM AND OFFSET CRUCIFORM RECESS - Rev 18	2012	AIA	0
1078	NAS1191	SCREW, SELF-LOCKING, FLAT FILLISTER HEAD, FULL THREAD - Rev 11	2012	AIA	0
1079	NAS1192	PERFORMANCE SPECIFICATION FOR HARD ANODIC COATINGS ON ALUMINUM ALLOYS - Rev 3	2012	AIA	0
1080	NAS1216	SCREW, PAN HEAD, SLOTTED DOVETAIL RECESS, FULL THREAD, SELF-LOCKING OPTIONAL - Rev. 11	2012	AIA	0
1081	NAS1077	FITTING END, HOSE, STANDARD DIMENSIONS FOR FLARELESS TUBE - Rev 1	2012	AIA	0
1082	NAS1069	NULL	2012	AIA	0
1083	NAS1070	WASHER, PLAIN, OVERSIZE FOR ALUMINUM TERMINALS - Rev 4	2012	AIA	0
1084	NAS1062	STRIP, HIGH TEMPERATURE TERMINAL BLOCK, NUT INSULATING - Rev 3	2012	AIA	0
1085	NAS1121-1128	SCREW, MACHINE, FLAT FILLISTER HEAD, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM, 160 KSI FTU - Rev 14	2012	AIA	0
1086	NAS1097	RIVET, SOLID, 100° FLUSH SHEAR HEAD, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY - Rev 10	2012	AIA	0
1087	NAS1099	WASHER, BEVEL 9-1/2° - Rev 3	2012	AIA	0
1088	NAS1082	INSIGNIA, NATIONAL - Rev 2	2012	AIA	0
1089	NAS1091	STREAMER ASSEMBLY, WARNING - Rev 6	2012	AIA	0
1090	NAS1023	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, NON-CSK - Rev 6	2012	AIA	0
1091	NAS1024	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, CSK - Rev 5	2012	AIA	0
1092	NAS1025	NUT, SELF-LOCKING, PLATE, ONE LUG, REGULAR HEIGHT, NON-CSK - Rev 6	2012	AIA	0
1093	NAS1026	NUT, SELF-LOCKING, PLATE, ONE LUG, REGULAR HEIGHT, CSK - Rev 5	2012	AIA	0
1094	NAS1027	NUT, SELF-LOCKING, PLATE, CORNER, REGULAR HEIGHT, NON-CSK - Rev 6	2012	AIA	0
1095	NAS1028	NUT, SELF-LOCKING, PLATE, CORNER, REGULAR HEIGHT, CSK - Rev 5	2012	AIA	0
1096	NAS1029	NUT, SELF-LOCKING, PLATE, TWO LUG, REGULAR HEIGHT, BEVEL SEAT - Rev 5	2012	AIA	0
1097	NAS996	NULL	2012	AIA	0
1098	NAS997	NULL	2012	AIA	0
1099	NAS998	NULL	2012	AIA	0
1100	NAS999	NULL	2012	AIA	0
1101	NAS1000	TUBE END, STANDARD DIMENSIONS FOR INSIDE DOUBLE FLARE - Rev 2	2012	AIA	0
1102	NAS1046	CLIP, WIRE ROPE, FORGED CARBON STEEL, FOR GROUND SUPPORT EQUIPMENT - Rev 1	2012	AIA	0
1103	NAS1052	S HOOK, ALLOY STEEL, FOR GROUND SUPPORT EQUIPMENT - Rev 3	2012	AIA	0
1104	NAS1060	BUS, HIGH TEMPERATURE, TERMINAL BLOCK - Rev 3	2012	AIA	0
1105	NAS981	NULL	2012	AIA	0
1106	NAS982	NULL	2012	AIA	0
1107	NAS973	NULL	2012	AIA	0
1108	NAS974	NULL	2012	AIA	0
1109	NAS975	NULL	2012	AIA	0
1110	NAS976	NULL	2012	AIA	0
1111	NAS977	NULL	2012	AIA	0
1112	NAS978	NULL	2012	AIA	0
1113	NAS989	NULL	2012	AIA	0

1114	NAS990	NULL	2012	AIA	0
1115	NAS991	NULL	2012	AIA	0
1116	NAS993	NULL	2012	AIA	0
1117	NAS994	NULL	2012	AIA	0
1118	NAS961	NULL	2012	AIA	0
1119	NAS962	NULL	2012	AIA	0
1120	NAS963	NULL	2012	AIA	0
1121	NAS964	NULL	2012	AIA	0
1122	NAS957	NULL	2012	AIA	0
1123	NAS958	NULL	2012	AIA	0
1124	NAS959	NULL	2012	AIA	0
1125	NAS966	NULL	2012	AIA	0
1126	NAS967	NULL	2012	AIA	0
1127	NAS838	PLUG, PROTECTIVE, FLARELESS TUBE END, PLASTIC - Rev 1	2012	AIA	0
1128	NAS839	CAP, BEADED HOSE CONNECTION, PLASTIC, PROTECTIVE - Rev 1	2012	AIA	0
1129	NAS840	PLUG, PIPE THREAD, PROTECTIVE, DUST AND MOISTURE SEAL - Rev. 1	2012	AIA	0
1130	NAS841	CAPS, PROTECTIVE, DUST AND MOISTURE SEAL FOR BEAM SEAL FITTINGS - Rev 1	2012	AIA	0
1131	NAS842	PLUGS, PROTECTIVE, FLARELESS TUBE END (METAL) - Rev 1	2012	AIA	0
1132	NAS843	PLUG, TUBING, PROTECTIVE, DUST AND MOISTURE SEAL - Rev 1	2012	AIA	0
1133	NAS844	CAP, TUBING, PROTECTIVE, DUST AND MOISTURE SEAL - Rev 1	2012	AIA	0
1134	NAS845	PLUG, MACHINE SCREW, PROTECTIVE, PLASTIC - Rev 1	2012	AIA	0
1135	NAS846	CAP, PIPE THREAD, PROTECTIVE, DUST AND MOISTURE SEAL - Rev. 1	2012	AIA	0
1136	NAS847	CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL - Rev. 1	2012	AIA	0
1137	NAS850	GENERAL PACKAGING STANDARD - Rev 7	2012	AIA	0
1138	NAS833	PLUG, PROTECTIVE, FLARED HOSE OR TUBE ASSEMBLY - Rev 1	2012	AIA	0
1139	NAS820	NULL	2012	AIA	0
1140	NAS821	NULL	2012	AIA	0
1141	NAS887	THEODOLITES FOR OPTICAL TOOLING - Rev 1	2012	AIA	0
1142	NAS884	INTERFACE OPTICAL TOOLING NON-ALIGNMENT LASER HEAD - Rev 1	2012	AIA	0
1143	NAS885	SCALES FOR OPTICAL TOOLING - Rev 1	2012	AIA	0
1144	NAS877	ANGULAR TARGETS, SOLID, OPTICAL TOOLING 2-1/4 AND 1-1/2 OUTSIDE DIAMETERS - Rev 1	2012	AIA	0
1145	NAS878	MOUNT OPTICAL TOOLING 3-1/2 - 8 THREAD - Rev 1	2012	AIA	0
1146	NAS879	ADAPTER OPTICAL TOOLING 3-1/2 - 8 TO 5/8 - 11 THREAD - Rev 1	2012	AIA	0
1147	NAS880	INTERFACE - OPTICAL TOOLING ELECTRONIC LEVEL - Rev 1	2012	AIA	0
1148	NAS881	INDEX BAR - OPTICAL TOOLING TOOLING BAR SYSTEM - Rev 1	2012	AIA	0
1149	NAS882	BAR - OPTICAL TOOLING TOOLING BAR SYSTEM - Rev 1	2012	AIA	0
1150	NAS835	CAP, PROTECTIVE, FLARED FITTING (METAL) - Rev 1	2012	AIA	0
1151	NAS836	PLUG, PROTECTIVE, FLARED TUBE, HOSE ASSEMBLY OR MS33649 OR AS5202 BOSS - Rev 1	2012	AIA	0
1152	NAS855	NULL	2012	AIA	0
1153	NAS875	NULL	2012	AIA	0
1154	NAS939	NULL	2012	AIA	0

1155	NAS940	NULL	2012	AIA	0
1156	NAS929	NULL	2012	AIA	0
1157	NAS930	NULL	2012	AIA	0
1158	NAS931	NULL	2012	AIA	0
1159	NAS932	NULL	2012	AIA	0
1160	NAS936	NULL	2012	AIA	0
1161	NAS944	NULL	2012	AIA	0
1162	NAS945	CAP, PROTECTIVE, NAS591 COUPLING - Rev 1	2012	AIA	0
1163	NAS946	CAP, PROTECTIVE, NAS593 NUT - Rev 1	2012	AIA	0
1164	NAS947	CAP, PROTECTIVE, BEADED TUBE ASSEMBLY - Rev 1	2012	AIA	0
1165	NAS949	NULL	2012	AIA	0
1166	NAS950	GASKET, DUMMY STOWAGE RECEPTACLE, ELECTRICAL - Rev 2	2012	AIA	0
1167	NAS951	NULL	2012	AIA	0
1168	NAS909	NULL	2012	AIA	0
1169	NAS910	NULL	2012	AIA	0
1170	NAS911	NULL	2012	AIA	0
1171	NAS912	NULL	2012	AIA	0
1172	NAS913	NULL	2012	AIA	0
1173	NAS914	NULL	2012	AIA	0
1174	NAS902	LINEAR TARGETS, SEE THRU, OPTICAL TOOLING 2-1/4 AND 1-1/2 OUTSIDE DIAMETERS - Rev 3	2012	AIA	0
1175	NAS903	SPHERICAL MOUNT ADAPTERS - OPTICAL TOOLING 2 AND 1 DIAMETER TARGETS - Rev 3	2012	AIA	0
1176	NAS904	BASE OPTICAL TOOLING SPHERICAL CUP MOUNT - Rev 2	2012	AIA	0
1177	NAS906	LINEAR TARGETS, SOLID, OPTICAL TOOLING 2-1/4 AND 1-1/2 OUTSIDE DIAMETERS - Rev 2	2012	AIA	0
1178	NAS889	OPTICAL SQUARES FOR OPTICAL TOOLING - Rev 1	2012	AIA	0
1179	NAS897	REAMERS, CHUCKING, RIGHT-HAND CUT, 0.0938 THROUGH 1.5000 INCH - Rev 2	2012	AIA	0
1180	NAS899	NULL	2012	AIA	0
1181	NAS900	MOUNT OPTICAL TOOLING SPHERICAL 2.2500 INSIDE BORE - Rev 3	2012	AIA	0
1182	NAS813	NULL	2012	AIA	0
1183	NAS814	NULL	2012	AIA	0
1184	NAS815	NULL	2012	AIA	0
1185	NAS816	NULL	2012	AIA	0
1186	NAS817	NULL	2012	AIA	0
1187	NAS818	NULL	2012	AIA	0
1188	NAS727	GEAR, SPUR, 20° INVOLUTE, LOW INERTIA, 48 AND FINER PITCH - Rev 1	2012	AIA	0
1189	NAS802	NULL	2012	AIA	0
1190	NAS808	NULL	2012	AIA	0
1191	NAS652	COUPLING, RIGID TUBE BULKHEAD CONNECTOR - Rev 4	2012	AIA	0
1192	NAS623	SCREW, SHEAR, PAN HEAD, ALLOY STEEL, CRUCIFORM RECESS, SHORT THREAD, 95 KSI Fsu - Rev 8	2012	AIA	0
1193	NAS624-644	BOLT, TENSION, ALLOY STEEL, TWELVE POINT, EXTERNAL WRENCHING, 180 KSI Ft _u - Rev.9	2012	AIA	0
1194	NAS672	PLATING, HIGH STRENGTH STEELS, CADMIUM - Rev 8	2012	AIA	0
1195	NAS673-678	BOLT, TENSION, HEXAGON HEAD, CLOSE TOLERANCE, 6Al-4V TITANIUM ALLOY, 160 KSI Ft _u - Rev 7	2012	AIA	0

1196	NAS660	BEARING, ROD END, PLAIN SHANK, SELF ALIGNING, ANTI-FRICTION - Rev 4	2012	AIA	0
1197	NAS661	BEARINGS, BALL AND ROLLER, ROD END, ANTI-FRICTION, AIRFRAME - Rev 6	2012	AIA	0
1198	NAS581	INVOLUTE SPLINE, SHAFT, 30° FULL FILLET - Rev 2	2012	AIA	0
1199	NAS595	RING, RIGID TUBE CONNECTOR, CRES - Rev 6	2012	AIA	0
1200	NAS597	FITTINGS, RIGID TUBE CONNECTOR, FLARED TUBE - Rev 4	2012	AIA	0
1201	NAS537	BUSHING, SLEEVE, PRESS FIT, UNDERSIZE INSIDE DIAMETER - Rev 9	2012	AIA	0
1202	NAS547	FASTENER, ROTARY, QUICK-OPERATING, HIGH STRENGTH - Rev 5	2012	AIA	0
1203	NAS563-572	BOLT, FULL-THREADED, 160 KSI STEEL, DRILLED HEAD - Rev 6	2012	AIA	0
1204	NAS576	THREAD LENGTH FOR SELF-LOCKING NUTS - Rev 3	2012	AIA	0
1205	NAS578	RETAINER, FLOATING BARREL NUT - Rev 9	2012	AIA	0
1206	NAS579	INVOLUTE SPLINE, 30° FULL FILLET - Rev 2	2012	AIA	0
1207	NAS531	CHARTS, ROCKWELL HARDNESS - Rev 3	2012	AIA	0
1208	NAS539	KNOB ASSEMBLY, TRANSILLUMINATED POINTER - Rev 5	2012	AIA	0
1209	NAS540	INVOLUTE SPLINES, 45° PRESSURE ANGLE, LOOSE FIT - Rev 4	2012	AIA	0
1210	NAS487	NUT, INSTRUMENT MOUNT - Rev 9	2012	AIA	0
1211	NAS488	NUT, J TYPE SHEET SPRING - Rev 5	2012	AIA	0
1212	NAS514	SCREW, MACHINE, 100 DEGREE, FLAT HEAD, FULL THREADED, ALLOY STEEL - Rev 9	2012	AIA	0
1213	NAS424	COUPLING, TUBE, FLARED FITTING, FEMALE THREAD - Rev 4	2012	AIA	0
1214	NAS0332	BEARING RETENTION SLEEVE, GROOVED OUTER FACE - Rev 1	2012	AIA	0
1215	NAS354	ROD CONTROL, SOLID STEEL - Rev 8	2012	AIA	0
1216	NAS357	TUBE, CONTROL, ALUMINUM ALLOY - Rev 5	2012	AIA	0
1217	NAS358	TUBE ASSEMBLY, CONTROL, STEEL, WITH WELDED THREADED ROD-ENDS - Rev 7	2012	AIA	0
1218	NAS359	TUBE ASSEMBLY, CONTROL, STEEL, WITH WELDED CLEVIS AND THREADED ROD ENDS - Rev 7	2012	AIA	0
1219	NAS360	TUBE, CONTROL, STEEL - Rev 2	2012	AIA	0
1220	NAS384	SCREW, 100° OVAL RECESSED HEAD, SHEET METAL - Rev 2	2012	AIA	0
1221	NAS388	SCREW, 82° OVAL RECESSED HEAD, MACHINE, COARSE & FINE THREAD - Rev 1	2012	AIA	0
1222	NAS390	WASHER, FLUSH TYPE, FINISHING - Rev 7	2012	AIA	0
1223	NAS399	LATCH, PUSH BUTTON, ADJUSTABLE - Rev 3	2012	AIA	0
1224	NAS396	NUT, U TYPE, COUNTERSUNK SHEET SPRING - Rev 3	2012	AIA	0
1225	NAS397	NULL	2012	AIA	0
1226	NAS184	STUD, FINE THREAD - Rev 4	2012	AIA	0
1227	NAS186	SPACER, STEPPED, SWAGE TYPE - Rev 3	2012	AIA	0
1228	NAS198	KNOB, CONTROL, 1.25 SPHERICAL, PLASTIC - Rev 4	2012	AIA	0
1229	NAM1312-113	FASTENER TEST METHODS, METRIC METHOD 113 DOUBLE SHEAR TEST - Rev 1	2012	AIA	0
1230	NAM14289	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO-PIECE, METRIC - Rev 1	2012	AIA	0
1231	NAM14290	CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC - Rev 1	2012	AIA	0
1232	NA0272	BOLT, CLOSE TOLERANCE, HEXAGON HEAD, 300 SERIES CRES, 500 MPa Ft _u , METRIC - Rev 1	2012	AIA	0
1233	NAS24	TERMINAL, TANK STRAP, FORKED - Rev 5	2012	AIA	0
1234	NAS25	TRUNNION, TANK STRAP, THREADED - Rev 6	2012	AIA	0
1235	NAS27	TURNBUCKLE, TANK STRAP - Rev 8	2012	AIA	0
1236	NAS42	SPACER, SLEEVE, RIVET - Rev 11	2012	AIA	0

1237	NAS43	SPACER, SLEEVE, SCREW AND BOLT - Rev 12	2012	AIA	0
1238	NAS123	KNOB, CONTROL, 1 INCH DIA. X 5/8 OVAL, PLASTIC - Rev 6	2012	AIA	0
1239	NAS128	FILLER, KNOB LEVER SLOT - Rev 3	2012	AIA	0
1240	NAS129	DATA, STANDARD KNOB, ENGINEERING REFERENCE - Rev 4	2012	AIA	0
1241	NAS144-158	NULL	2012	AIA	0
1242	NAS121	KNOB, CONTROL, 1 INCH SPHERICAL - Rev 6	2012	AIA	0
1243	NAS174	NULL	2012	AIA	0
1244	NAS176	NULL	2012	AIA	0
1245	NA0168-0169	NULL	2012	AIA	0
1246	NA0174	DESIGN PARAMETERS FOR HEAD FORM OF SOLID RIVETS AND 100° REDUCED HEAD FOR BOLTS, METRIC - Rev 2	2012	AIA	0
1247	NA0175-0177	SPACER, SLEEVE, NON METALLIC, SCREW AND BOLT, METRIC - Rev 1	2012	AIA	0
1248	NA0179	WASHER, PLAIN AND COUNTERSUNK, METRIC - Rev 1	2012	AIA	0
1249	NA0180-0183	SPACER, SLEEVE, SCREW AND BOLT, METRIC - Rev 1	2012	AIA	0
1250	NA0190-0193	SPACER, SLEEVE, RIVET, METRIC - Rev 1	2012	AIA	0
1251	NA0231-0233	SPACER, STEPPED, SWAGE TYPE, METRIC - Rev 1	2012	AIA	0
1252	NA0235-0236	INSERT, SANDWICH PANEL, MOLDED IN, CSK, THRU CLEARANCE, AL ALLOY/CRES, METRIC - Rev 2	2012	AIA	0
1253	NA0237-0238	INSERT, SANDWICH PANEL, MOLDED IN, THRU CLEARANCE, AL ALLOY/CRES, METRIC - Rev 2	2012	AIA	0
1254	NAM1312-105	FASTENER TEST METHODS METRIC METHOD 105 STRESS DURABILITY - Rev 1	2012	AIA	0
1255	NAM1312-107	FASTENER TEST METHODS, METRIC METHOD 107 VIBRATION - Rev 1	2012	AIA	0
1256	NAM1312-108	FASTENER TEST METHODS, METRIC METHOD 108 TENSILE STRENGTH - Rev 1	2012	AIA	0
1257	NA0211-0213	POST, ELECTRICAL, MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC - Rev 2	2012	AIA	0
1258	NA0248	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, CHAMFERED OUTER RING, -54 °C TO 163 °C, METRIC - Rev 2	2012	AIA	0
1259	NA0249	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, WIDE, GROOVED OUTER RING, -54 °C TO 163 °C, METRIC - Rev 1	2012	AIA	0
1260	NA0250	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, WIDE, CHAMFERED OUTER RING, -54 °C TO 163 °C, METRIC - Rev 1	2012	AIA	0
1261	NA0252	BOLT, SHOULDER, HEXAGON HEAD, A286 CRES, 1100 MPa TENSILE, METRIC - Rev 1	2012	AIA	0
1262	NA0243	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, METRIC - Rev 1	2012	AIA	0
1263	NA0244	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, ALUM/STEEL, FLOATING, METRIC - Rev 1	2012	AIA	0
1264	NA0245	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES/CRES, FLOATING, METRIC - Rev 1	2012	AIA	0
1265	NA0145	INSERT, SCREW THREAD, KEY LOCKED, INSTALLATION AND REMOVAL PROCEDURE, METRIC - Rev 1	2012	AIA	0
1266	NA0114	SCREW, HEX HEAD, OFFSET CRUCIFORM, ALLOY STEEL, FULL THREAD, 1100 MPa, METRIC - Rev 7	2012	AIA	0
1267	NA0139	KEYWAY AND KEY SLOT DIMENSIONS METRIC - Rev 1	2012	AIA	0
1268	NA0153	BOLT, EYE, A286 CRES, 1100 MPa, METRIC - Rev 2	2012	AIA	0
1269	NA0155	BOLT, CLEVIS, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1270	NA0156	MALE THREADED FASTENERS, METRIC DESIGN, PARAMETERS FOR - Rev 1	2012	AIA	0
1271	NA0157-0158	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, _T_ HANDLE, METRIC - Rev 1	2012	AIA	0
1272	NA0159	SCREW, FAIRING WASHER, ASSEMBLY, ALLOY STEEL, OFFSET CRUCIFORM RECESS, FULL THREAD, 1100 MPa TENSILE, METRIC - Rev 3	2012	AIA	0

1273	NA0160	SCREW, FAIRING WASHER, ASSEMBLY, 6Al-4V TITANIUM ALLOY, OFFSET CRUCIFORM RECESS, FULL THREAD, 1100 MPa TENSILE, METRIC - Rev 3	2012	AIA	0
1274	NA0095	NUT, SELF-LOCKING, PLATE, CORNER, STEEL, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1275	NA0096	NUT, SELF-LOCKING, PLATE, CORNER, CRES, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2012	AIA	0
1276	NA0087-0088	NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, CBORED, 900 MPa, METRIC, 235 °C, 425 °C - Rev 4	2012	AIA	0
1277	NA0125	SCREW, CLOSE TOLERANCE, 100° REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPa SHEAR, METRIC - Rev 6	2012	AIA	0
1278	NA0126	BOLT, ADJUSTING, CROWN HEXAGON HEAD, ALLOY STEEL, FULL THREAD, 1100 MPa, METRIC - Rev 1	2012	AIA	0
1279	NA0127	SCREW, CAPTIVE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1280	NA0128	SCREW, CAPTIVE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1281	NA0129	SCREW, CAPTIVE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPa SHEAR, METRIC - Rev 3	2012	AIA	0
1282	NA0130	SCREW, CAPTIVE, PAN HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1283	NA0131	SCREW, CAPTIVE, PAN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1284	NA0132	SCREW, CAPTIVE, PAN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPa SHEAR, METRIC - Rev 2	2012	AIA	0
1285	NA0058	BOLT, CLOSE TOLERANCE, SPLINE DRIVE, ALLOY STEEL, 1250 MPa, METRIC - Rev 3	2012	AIA	0
1286	NA0069	SCREWS, CAP, HEXAGON SOCKET HEAD, FULL THREAD A-286, 1100 MPa, METRIC - Rev 7	2012	AIA	0
1287	NA0070	SCREW, MACHINE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, A286 CRES, 1100 MPa, METRIC - Rev 2	2012	AIA	0
1288	NA0077	NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1289	NA0078	NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG, CRES, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2012	AIA	0
1290	NA0079	NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1291	NA0080	NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG, CRES, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C, AND 425 °C - Rev 3	2012	AIA	0
1292	NA0081	NUT, SELF-LOCKING, PLATE, FIXED, CORNER, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1293	NA0082	NUT, SELF-LOCKING, PLATE, FIXED, CORNER, CRES, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC 235 °C AND 425 °C - Rev 3	2012	AIA	0
1294	NA0083	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C - Rev 3	2012	AIA	0
1295	NA0084	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, CRES REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 900 MPa, METRIC, 235 °C AND 425 °C - Rev 3	2012	AIA	0
1296	NA0121-0122	BRACKET, 90 DEGREE ANGLE, 2-RIVET ATTACH, METRIC - Rev 1	2012	AIA	0
1297	NA0090	SCREW, PAN HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, TITANIUM ALLOY, 1100 MPa, METRIC - Rev 2	2012	AIA	0
1298	NA0064-0066	NUT, THIN, WITH OPTIONAL LOCKWIRE HOLE, METRIC - Rev 2	2012	AIA	0
1299	NA0072	BOLT, ALLOY STEEL, 1800 MPa TENSILE, PROCUREMENT SPECIFICATION - Rev 2	2012	AIA	0
1300	NA0043	IDENTIFICATION OF MALE THREADED FASTENERS, METRIC - Rev 3	2012	AIA	0

1301	NA0039	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM ALLOY, 660 MPa, SHEAR, METRIC - Rev 5	2012	AIA	0
1302	NA0047	SCREW, CLOSE TOLERANCE, PAN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM ALLOY, 1100 MPa, METRIC - Rev 3	2012	AIA	0
1303	NA0048	HEAD PROTRUSION GAGING, METRIC 100° FLUSH HEAD FASTENERS GAGE BLOCK, GAGE DIAMETERS AND STYLUS - Rev 3	2012	AIA	0
1304	NA0049	NUT, SELF-LOCKING, CASTELLATED, REDUCED HEXAGON, 600 MPa, METRIC, 235 °C - Rev 2	2012	AIA	0
1305	NA0050	NUT, SELF-LOCKING, CASTELLATED, REDUCED HEXAGON, 1100 MPa TENSILE, METRIC, 235 °C - Rev 2	2012	AIA	0
1306	NA0051	RIVET, SOLID, UNIVERSAL HEAD, A286 CRES, METRIC - Rev 2	2012	AIA	0
1307	NA0052	RIVET, SOLID, UNIVERSAL HEAD, NICKEL-COPPER, METRIC - Rev 1	2012	AIA	0
1308	NA0053	RIVET, SOLID, COUNTERSUNK 100° HEAD, A286 CRES, METRIC - Rev 1	2012	AIA	0
1309	NA0054	RIVET, SOLID, COUNTERSUNK 100° HEAD, NICKEL-COPPER, METRIC - Rev 1	2012	AIA	0
1310	NA0055	RIVET, SOLID, REDUCED COUNTERSUNK 100° HEAD, A286 CRES, METRIC - Rev 1	2012	AIA	0
1311	NA0009	NUT, SELF-LOCKING, 235 °C, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 3	2012	AIA	0
1312	NA0013-0018	RIVET, SOLID, COUNTERSUNK 100° HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC - Rev 1	2012	AIA	0
1313	NA0036	BOLT, CLOSE TOLERANCE, HEXAGON HEAD, ALLOY STEEL, 1100 MPa, METRIC - Rev 5	2012	AIA	0
1314	NA0025	RECESS, OFFSET CRUCIFORM, DIMENSIONS OF RECESS, GAGE AND DRIVE, METRIC - Rev 4	2012	AIA	0
1315	NA0029-0030	NUT, SELF-LOCKING, SPLINE DRIVE, 1250 MPa, 235 °C, 425 °C, METRIC - Rev 3	2012	AIA	0
1316	NA0031-0032	NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FIXED, LOW HEIGHT, CBORED, 1100 MPa 235 °C, 425 °C - Rev 2	2012	AIA	0
1317	NASM21258	WASHER, KEY, RETAINING, WHEEL BEARING - Rev 2	2012	AIA	0
1318	NASM21323	STUD, STYLE I, SNAPSLIDE FASTENER - Rev 1	2012	AIA	0
1319	NASM21325	STUD, STYLE III, SNAPSLIDE FASTENER - Rev 1	2012	AIA	0
1320	NASM21326	STUD, STYLE IV, SNAPSLIDE FASTENER - Rev 1	2012	AIA	0
1321	NASM21327	FASTENER INSTALLATION, SNAPSLIDE	2012	AIA	0
1322	NASM21332	FASTENER, SNAPSLIDE - Rev 1	2012	AIA	0
1323	NASM21097	BOLT, SELF-LOCKING, 250 °F, CRES, 48 KSI Fsu, 80 KSI Ftu, PAN HEAD, CRUCIFORM RECESS - Rev 1	2012	AIA	0
1324	NASM21095	BOLT, TENSION, HEX HEAD, SELF-LOCKING, 250 °F, CRES, 80 KSI Ftu, 48 KSI Fsu - Rev 2	2012	AIA	0
1325	NASM21130	BOLT, SELF-RETAINING, POSITIVE LOCKING, CRES, 90 KSI Fsu, 63 KSI Ftu, 100° FLUSH HEAD, 450 °F & 650 °F - Rev 2	2012	AIA	0
1326	NASM21132	WRENCHING ELEMENT, EXTERNAL HEXAGON, FOR THREADED FASTENERS - Rev. 1	2012	AIA	0
1327	NASM21067	NUT, SELF-LOCKING GANG CHANNEL, 100° CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2012	AIA	0
1328	NASM21068	NUT, SELF-LOCKING, GANG CHANNEL, 100° CSK, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 1	2012	AIA	0
1329	NASM21047	NUT, SELF-LOCKING, PLATE, TWO-LUG, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 3	2012	AIA	0
1330	NASM21071	NUT, SELF-LOCKING, PLATE, ONE-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2012	AIA	0
1331	NASM21064	NUT, SELF-LOCKING GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2012	AIA	0
1332	NASM21059	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT STEEL, 125 KSI Ftu, 450 °F - Rev 2	2012	AIA	0
1333	NASM21085	NUT, SELF-LOCKING, STEEL, 260 KSI Ftu, 450 °F, FLANGED, MS33787 WRENCHING ELEMENT - Rev 1	2012	AIA	0
1334	NASM21086	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 1	2012	AIA	0
1335	NASM21080	NUT, SELF-LOCKING, PLATE, ONE LUG, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 1	2012	AIA	0

1336	NASM21078	NUT, SELF-LOCKING, PLATE, TWO LUG, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 1	2012	AIA	0
1337	NASM21075	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2012	AIA	0
1338	NASM21073	NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2012	AIA	0
1339	NASM16206	BOLTS, MACHINE, HEXAGON HEAD, REGULAR, SEMI-FINISHED, ALUMINUM ALLOY, UNC-2A, NON-MAGNETIC - Rev 1	2012	AIA	0
1340	NASM21052	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F AND 800 °F - Rev 1	2012	AIA	0
1341	NASM21053	NUT, SELF-LOCKING, PLATE, ONE LUG, 100° CSK, LOW HEIGHT, ALLOY STEEL, 125 KSI Ftu, 450 °F - Rev 2	2012	AIA	0
1342	NASM20230	GROMMET, METALLIC, PLAIN AND ROLLED RIM, WITH WASHER, TYPE I AND TYPE III - Rev 2	2012	AIA	0
1343	NASM20613	RIVET, SOLID, UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT - Rev 3	2012	AIA	0
1344	NASM20615	RIVET, SOLID, UNIVERSAL HEAD, BRASS, COPPER, NICKEL-COPPER ALLOY - Rev 5	2012	AIA	0
1345	NASM20652-1	NULL	2012	AIA	0
1346	NASM20652	EYELETS, METALLIC, AND EYELET WASHERS, METALLIC - Rev 1	2012	AIA	0
1347	NASM20700	PIN, GROOVED, HEADLESS, LONGITUDINAL GROOVE - Rev 1	2012	AIA	0
1348	NASM20995	WIRE, SAFETY OR LOCK - Rev 1	2012	AIA	0
1349	NASM21025	NUT, CASTELLATED, HEXAGON - Rev 1	2012	AIA	0
1350	NASM17829	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, NON-METALLIC INSERT, NON-CRES STEEL - Rev 1	2012	AIA	0
1351	NASM16535	RIVET, TUBULAR, OVAL HEAD - Rev 1	2012	AIA	0
1352	NASM16536	RIVET, TUBULAR, 150° FLAT COUNTERSUNK HEAD - Rev 1	2012	AIA	0
1353	NASM17985	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, T HANDLE - Rev 2	2012	AIA	0
1354	NASM17855	FASTENERS, SCREW THREADED, DESCRIPTIVE FACTOR SYMBOLS AND ORDER OF NOTES FOR ENGINEERING DOCUMENTS FOR - Rev 1	2012	AIA	0
1355	NASM18063	SETSCREW, HEXAGON SOCKET, CUP POINT, 250 °F, SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED - Rev 1	2012	AIA	0
1356	NASM18064	SETSCREW, HEXAGON SOCKET, CUP POINT, 250 °F, SELF-LOCKING ELEMENT, CRES, PASSIVATED - Rev 1	2012	AIA	0
1357	NASM18067	Setscrew, Hexagon Socket, Cone Point, 250 Degrees F, Self Locking, Element, Alloy Steel, Cadmium Plated - Rev 1	2012	AIA	0
1358	NASM16228	NUT, SELF-LOCKING, HEXAGON, THIN, UNC-3B, NON METALLIC INSERT, AUSTENITIC CORROSION RESISTANT STEEL, NONMAGNETIC, 250 °F - Rev 1	2012	AIA	0
1359	NASM16996	SCREW, CAP, SOCKET HEAD, HEXAGON, CRES, UNF-3A - Rev 1	2012	AIA	0
1360	NASM17731	FASTENER, ROTARY, QUICK-OPERATING, FLUSH HEAD, FLOATING TYPE, 2,210 LBF MIN TENSILE STRENGTH - Rev 1	2012	AIA	0
1361	NASM17732	FASTENER, ROTARY, QUICK-OPERATING, PROTRUDING HEAD, FLOATING TYPE, 2,210 LBF MIN TENSILE STRENGTH - Rev 1	2012	AIA	0
1362	NASM14493	NUT, SELF-LOCKING, CHANNEL, FLOATING, CARBON STEEL, 125 KSI Ftu - Rev 1	2012	AIA	0
1363	NASM14531	PIN, QUICK RELEASE WITH WARNING STREAMER ASSEMBLY - Rev 1	2012	AIA	0
1364	NASM16187	STUD, CONTINUOUS THREAD, BOLT-STUD, B16 ALLOY STEEL, HIGH TEMPERATURE SERVICE 875-1,000 °F	2012	AIA	0
1365	NASM14182	NUT, SELF-LOCKING, EXTENDED WASHER, ROUND, NICKEL ALLOY 718, 220 KSI Ftu, 450 AND 800 °F. SPLINE DRIVE - Rev 1	2012	AIA	0
1366	NASM14210	NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 °F, CRES (A286), 125 KSI Ftu, REPLACEABLE NUT ELEMENT - Rev 2	2012	AIA	0
1367	NASM14213	Nut Element, Replaceable, Attached Retention Element (A.R.E), 450 Degrees F, CRES (A-286), 125 KSI Ftu - Rev 1	2012	AIA	0
1368	NASM14214	NUT ELEMENT, ATTACHED RETENTION ELEMENT (A.R.E.), 450 °F, STEEL, AISI 1050 OR 4130, 125 KSI Ftu - Rev 1	2012	AIA	0

1369	NASM14156	NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 180 KSI Ft _u , 450 °F, SPLINE DRIVE - Rev 1	2012	AIA	0
1370	NASM14144	NUT, SELF-LOCKING, LIGHTWEIGHT, CASTELLATED, 450°F - Rev 2	2012	AIA	0
1371	NASM14145	NUT, SELF-LOCKING, LIGHTWEIGHT, THIN, CASTELLATED, 450 Fahrenheit - Rev. 2	2012	AIA	0
1372	NASM14151	WASHER, FLAT, ROUND, CORROSION RESISTING STEEL (FOR ELECTRICAL APPLICATIONS) - Rev 1	2012	AIA	0
1373	NASM8975-2	NULL	2012	AIA	0
1374	NASM8975-3	NULL	2012	AIA	0
1375	NASM8975-4	NULL	2012	AIA	0
1376	NASM8975-5	NULL	2012	AIA	0
1377	NASM8985	NUT, ALLOY STEEL, SHEAR AND TENSILE, SELF-LOCKING, 180 KSI FTU, 450 °F - Rev 1	2012	AIA	0
1378	NASM8975-7	NULL	2012	AIA	0
1379	NASM7873	NUT, SELF-LOCKING, 1,200 °F - Rev 1	2012	AIA	0
1380	NASM7874	BOLT, MACHINE, 1,200 °F - Rev 2	2012	AIA	0
1381	NASM6812	FASTENERS, EXTERNALLY THREADED, ALLOY STEEL, CORROSION RESISTANT STEEL, ALUMINUM, 60,000 PSI TO 125,000 PSI - Rev 3	2012	AIA	0
1382	NASM6818	CLAMPS, INSTRUMENT MOUNTING, AIRCRAFT - Rev 1	2012	AIA	0
1383	NASM8906-2	NULL	2012	AIA	0
1384	NASM8831	FASTENERS, ALLOY STEEL, 450 °F EXTERNALLY THREADED, 180 KSI Ft _u , 108 KSI F _{su} , FATIGUE RATED - Rev 5	2012	AIA	0
1385	NASM8922-1	NULL	2012	AIA	0
1386	NASM8922	NUT, SELF-LOCKING, ALLOY STEEL, 220 KSI FTU, 450 °F - Rev 1	2012	AIA	0
1387	NASM1312-12	FASTENER TEST METHODS, METHOD 12, THICKNESS OF METALLIC COATINGS - Rev 2	2012	AIA	0
1388	NASM1312-32	FASTENER TEST METHOD METHOD 32 BARREL NUT TEST - Rev 1	2012	AIA	0
1389	NASM1312	FASTENER TEST METHODS - Rev 1	2012	AIA	0
1390	NASM1312-5	FASTENER TEST METHODS METHOD 5 STRESS DURABILITY - Rev. 1	2012	AIA	0
1391	NASM3926-1	NULL	2012	AIA	0
1392	NASM3926-2	NULL	2012	AIA	0
1393	NASM3926-3	NULL	2012	AIA	0
1394	NASM3926-4	NULL	2012	AIA	0
1395	NASM1312-14	FASTENER TEST METHODS METHOD 14 STRESS DURABILITY, INTERNALLY THREADED - Rev 1	2012	AIA	0
1396	NASM1312-15	FASTENER TEST METHODS METHOD 15 TORQUE-TENSION - Rev. 1	2012	AIA	0
1397	NASM1312-17	FASTENER TEST METHODS METHOD 17 STRESS RELAXATION - Rev 1	2012	AIA	0
1398	NASM1312-18	FASTENER TEST METHODS METHOD 18 ELEVATED TEMPERATURE, TENSILE STRENGTH - Rev 1	2012	AIA	0
1399	NASM1312-19	FASTENER TEST METHODS METHOD 19 FASTENER SEALING - Rev 1	2012	AIA	0
1400	NASM1312-21	FASTENER TEST METHODS METHOD 21 SHEAR JOINT FATIGUE, CONSTANT AMPLITUDE - Rev 2	2012	AIA	0
1401	NASM1312-22	FASTENER TEST METHODS METHOD 22 RECEPTACLE PUSH-OUT, PANEL FASTENERS - Rev 1	2012	AIA	0
1402	NASM1312-23	FASTENER TEST METHODS METHOD 23 TENSILE STRENGTH OF PANEL FASTENERS - Rev 1	2012	AIA	0
1403	NASM1312-24	FASTENER TEST METHODS METHOD 24 RECEPTACLE TORQUE-OUT, PANEL FASTENERS - Rev 1	2012	AIA	0
1404	NASM1312-25	FASTENER TEST METHODS METHOD 25 DRIVING RECESS TORQUE QUALITY CONFORMANCE TEST - Rev 1	2012	AIA	0
1405	NASM1312-26	FASTENER TEST METHODS METHOD 26 STRUCTURAL PANEL FASTENER LAP JOINT SHEAR - Rev 1	2012	AIA	0
1406	NASM1312-27	FASTENER TEST METHODS METHOD 27 PANEL FASTENER SHEET PULL-UP - Rev 1	2012	AIA	0
1407	NASM1312-28	FASTENER TEST METHODS METHOD 28 ELEVATED TEMPERATURE DOUBLE SHEAR - Rev 1	2012	AIA	0

1408	NASM1312-29	FASTENER TEST METHODS, METHOD 29 MEASUREMENT TECHNIQUES FOR DETERMINING SHANK EXPANDING CHARACTERISTICS OF DEFORMABLE FASTENERS - Rev 1	2012	AIA	0
1409	NASM1312-30	FASTENER TEST METHODS METHOD 30 SHEET PULL-UP OF BLIND FASTENERS - Rev 1	2012	AIA	0
1410	NASM310	NUT, PLAIN, CASTELLATED, AIRFRAME - Rev 1	2012	AIA	0
1411	NASM760	STRAP, RETAINING, METAL FOR CONDUIT, PIPE, AND CABLE - Rev 1	2012	AIA	0
1412	NASM386	PIN, THREADED, TAPER - Rev 1	2012	AIA	0
1413	NASM1312-10	FASTENER TEST METHODS METHOD 10 STRESS RUPTURE - Rev 1	2012	AIA	0
1414	NASM1312-7	FASTENER TEST METHODS METHOD 7 VIBRATION - Rev 1	2012	AIA	0
1415	NASM1312-2	FASTENER TEST METHODS METHOD 2 INTERACTION - Rev 1	2012	AIA	0
1416	NASM1312-3	FASTENER TEST METHODS METHOD 3 HUMIDITY - Rev 1	2012	AIA	0
1417	NAS10001	PREFERRED METRIC UNITS FOR AEROSPACE - Rev 3	2012	AIA	0
1418	NASM256	NUT, SELF-LOCKING, PLATE, RIGHT ANGLE, 250 °F - Rev 3	2012	AIA	0
1419	NAS9921	BOLT, SHEAR, INTERNAL WRENCHING, SHORT THREAD, SELF-LOCKING AND NON-LOCKING, 6AL-4V TITANIUM AND A286 CRES, 160 KSI Ft _u - Rev 1	2012	AIA	0
1420	NAS8200-8206	SCREW, PAN HEAD, RIBBED CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, FULL THREAD, SELF-LOCKING AND NONLOCKING - Rev 3	2012	AIA	0
1421	NAS8302-8304	SCREW, MACHINE, WASHER HEAD, FULL THREAD, CRUCIFORM RECESS, ALLOY STEEL - Rev. 3	2012	AIA	0
1422	NAS8402-8404	SCREW, MACHINE, WASHER HEAD, FULL THREAD, CRUCIFORM RECESS, A286 CRES - Rev. 4	2012	AIA	0
1423	NAS9603-9624	BOLT, HEXAGON HEAD, A286 CRES, CLOSE TOLERANCE, MINIMUM MAJOR, LONG THREADS - Rev 1	2012	AIA	0
1424	NAS9703-9724	BOLT, HEXAGON HEAD, ALLOY STEEL, CLOSE TOLERANCE, MINIMUM MAJOR, LONG THREADS - Rev 1	2012	AIA	0
1425	NAS9310	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, STYLE B, CLASS 1, CODE M & C - Rev 4	2012	AIA	0
1426	NAS7700-7706	BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, RIBBED CRUCIFORM RECESS, ALLOY STEEL, SELF-LOCKING AND NONLOCKING - Rev 5	2012	AIA	0
1427	NAS7800-7806	BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, CRUCIFORM RECESS, A286 CRES, SELF-LOCKING AND NON-LOCKING - Rev 7	2012	AIA	0
1428	NAS8000-8006	SCREW, PAN HEAD, RIBBED CRUCIFORM RECESS, ALLOY STEEL, FULL THREAD, SELF-LOCKING AND NONLOCKING - Rev 4	2012	AIA	0
1429	NAS7303-7316	BOLT, 100° HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, LONG THREAD, SELF-LOCKING AND NONLOCKING - Rev 7	2012	AIA	0
1430	NAS7400-7416	BOLT, SHEAR, 100° FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI F _{su} - Rev. 4	2012	AIA	0
1431	NAS7500-7516	BOLT, SHEAR, 100° FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI F _{su} - Rev 6	2012	AIA	0
1432	NAS8602-8616	BOLT, SHEAR, 100° REDUCED HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD - Rev. 1	2012	AIA	0
1433	NAS8702-8716	BOLT, SHEAR, 100° REDUCED HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, A286, SHORT THREAD - Rev 1	2012	AIA	0
1434	NAS8802-8816	BOLT, SHEAR, 100° REDUCED HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD - Rev 1	2012	AIA	0
1435	NAS9001-9006	SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, ALLOY STEEL, 160,000 PSI TENSILE - Rev. 2	2012	AIA	0
1436	NAS9101-9106	SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, A286 CRES, 160,000 PSI TENSILE - Rev. 2	2012	AIA	0
1437	NAS9201-9206	SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, TITANIUM ALLOY 6AL-4V, 160,000 PSI TENSILE - Rev 2	2012	AIA	0

1438	NAS9300-002	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 002: REQUIREMENTS	2012	AIA	0
1439	NAS9300-005	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 005: AUTHENTICATION AND VERIFICATION	2012	AIA	0
1440	NAS9300-007	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 007: TERMS AND REFERENCES	2012	AIA	0
1441	NAS9300-100	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 100: COMMON CONCEPTS FOR LONG TERM ARCHIVING AND RETRIEVAL OF CAD 3D MECHANICAL INFORMATION	2012	AIA	0
1442	NAS9300-110	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 110: LONG TERM ARCHIVING AND RETRIEVAL OF CAD MECHANICAL 3D EXPLICIT GEOMETRY INFORMATION	2012	AIA	0
1443	NAS9300-115	LONG TERM ARCHIVING AND RETRIEVAL OF DIGITAL TECHNICAL PRODUCT DOCUMENTATION SUCH AS 3D, CAD AND PDM DATA PART 115: EXPLICIT CAD ASSEMBLY STRUCTURE	2012	AIA	0
1444	NAS6913	PIN, SWAGE LOCKING, PH13-8Mo CRES, 100° CROWN HEAD, SHEAR, PULL-TYPE - Rev 2	2012	AIA	0
1445	NAS6915-6922	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (MS20426), TENSION, STUMP-TYPE - Rev 1	2012	AIA	0
1446	NAS6925-6932	PIN, SWAGE LOCKING, STEEL, 100° HEAD (NASM20426), TENSION, STUMP-TYPE - Rev 3	2012	AIA	0
1447	NAS6984-6992	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, SHEAR, STUMP-TYPE - Rev 3	2012	AIA	0
1448	NAS7101	BIT, SCREWDRIVER, CRUCIFORM, SPECIFICATION FOR - Rev 3	2012	AIA	0
1449	NAS7103-7116	BOLT, SHEAR, 100° FLUSH HEAD, RIBBED CRUCIFORM RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, SELF-LOCKING AND NONLOCKING, 95 KSI Fsu - Rev 7	2012	AIA	0
1450	NAS5316	SCREW, SHEAR, 100° FLUSH HEAD, CLOSE TOLERANCE, SELF-LOCKING AND NON-LOCKING, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2012	AIA	0
1451	NAS5310	SCREW, SHEAR, 130 DEG FLUSH HEAD, CLOSE TOLERANCE, SELF-LOCKING AND NON-LOCKING, NAS1800 SIX LOBE RECESS, 95 KSI Fsu - Rev 2	2012	AIA	0
1452	NAS5311	SCREW, FLAT FILLISTER HEAD, FULL THREAD, SELF-LOCKING OR NON-LOCKING, NAS1800 SIX LOBE RECESS - Rev 2	2012	AIA	0
1453	NAS5312	SCREW, 100 DEG FLUSH HEAD, FULL THREAD, NAS1800 SIX LOBE RECESS, SELF-LOCKING AND NON-LOCKING - Rev 1	2012	AIA	0
1454	NAS2506-2512	BOLT, LOCK, SHEAR, 100° HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 4	2012	AIA	0
1455	NAS4445	NUT, CRIMP, FOR CRIMPLOCK FASTENER SYSTEM - Rev 4	2012	AIA	0
1456	NAS5170	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, FLUSH HEAD, SELF-LOCKING - Rev 1	2012	AIA	0
1457	NAS5171	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, FLUSH HEAD, SELF-LOCKING, .016 OVERSIZE - Rev 1	2012	AIA	0
1458	NAS5270	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, PROTRUDING HEAD, SELF-LOCKING - Rev 1	2012	AIA	0
1459	NAS5271	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, PROTRUDING HEAD, SELF-LOCKING, .016 OVERSIZE - Rev 1	2012	AIA	0
1460	NAS5320	SCREW, SHEAR, 100 DEG FLUSH REDUCED HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 1	2012	AIA	0
1461	NAS3450	NULL	2012	AIA	0
1462	NAS3444	NULL	2012	AIA	0
1463	NAS3445	NULL	2012	AIA	0
1464	NAS3446	NULL	2012	AIA	0
1465	NAS3447	NULL	2012	AIA	0

1466	NAS3448	NULL	2012	AIA	0
1467	NAS3440	NULL	2012	AIA	0
1468	NAS3441	NULL	2012	AIA	0
1469	NAS3442	NULL	2012	AIA	0
1470	NAS3438	NULL	2012	AIA	0
1471	NAS3435	NULL	2012	AIA	0
1472	NAS3436	NULL	2012	AIA	0
1473	NAS3425	NULL	2012	AIA	0
1474	NAS3354	FIXTURES, VIBRATION TEST, SELF-LOCKING NUTS - Rev 1	2012	AIA	0
1475	NAS3355	FIXTURE, TENSILE YIELD TEST, SELF-LOCKING NUTS - Rev 1	2012	AIA	0
1476	NAS3350	NUT, SELF-LOCKING, 450 °F AND 800 °F, HIGH QUALITY - Rev 7	2012	AIA	0
1477	NAS3351	STUD AND MANDREL TEST FIXTURE, SELF-LOCKING NUTS - Rev 1	2012	AIA	0
1478	NAS3428	NULL	2012	AIA	0
1479	NAS3429	NULL	2012	AIA	0
1480	NAS3430	NULL	2012	AIA	0
1481	NAS3431	NULL	2012	AIA	0
1482	NAS3432	NULL	2012	AIA	0
1483	NAS3433	NULL	2012	AIA	0
1484	NAS3454	NULL	2012	AIA	0
1485	NAS4007	TESTING, METALLURGICAL, FASTENERS, EXTERNAL THREADS - Rev 1	2012	AIA	0
1486	NAS4008	FASTENERS, CORROSION RESISTANT NICKEL ALLOY 718, EXTERNAL THREADED, 220 KSI Ftu, 125 KSI Fsu, 900 °F - Rev 1	2012	AIA	0
1487	NAS4123	HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, FOR DUAL INLINE PACKAGES (DIP) - Rev 1	2012	AIA	0
1488	NAS4124	HEAT SINK, ELECTRICAL/ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, DUAL LINK - Rev 1	2012	AIA	0
1489	NAS4117	HEAT SINK, INSULATOR, WAFER TYPE - Rev 1	2012	AIA	0
1490	NAS4118	HEAT SINK, ELECTRICAL, ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, RETAINER CLIP TYPE - Rev 1	2012	AIA	0
1491	NAS4120	HEAT SINK, ELECTRICAL, ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, ENCAPSULATING TYPE, TO-5 - Rev 1	2012	AIA	0
1492	NAS4121	HEAT SINK, ELECTRICAL, ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, FORMED - Rev 1	2012	AIA	0
1493	NAS4458	PIN, CRIMP, PROTRUDING TENSION HEAD - Rev 2	2012	AIA	0
1494	NAS4466	PIN, CRIMP, 100? CROWN SHEAR/TENSION HEAD - Rev 2	2012	AIA	0
1495	NAS3406	BAG, PACKAGING OF MULTIPLE ITEMS - Rev 3	2012	AIA	0
1496	NAS3407	BAG, WATER VAPORPROOF - Rev 3	2012	AIA	0
1497	NAS3408	BOX, UNIT CUSHIONED - Rev 3	2012	AIA	0
1498	NAS3409	NULL	2012	AIA	0
1499	NAS3410	BOX, BULK QUANTITIES - Rev 2	2012	AIA	0
1500	NAS3411	BOX, SLOTTED PARTITIONS - Rev 3	2012	AIA	0
1501	NAS3412	NULL	2012	AIA	0
1502	NAS3413	NULL	2012	AIA	0
1503	NAS3414	NULL	2012	AIA	0

1504	NAS3415	NULL	2012	AIA	0
1505	NAS3416	NULL	2012	AIA	0
1506	NAS3417	PACKAGING OF ELECTRICAL CABLE-CORD-WIRE - Rev 3	2012	AIA	0
1507	NAS3418	NULL	2012	AIA	0
1508	NAS3419	NULL	2012	AIA	0
1509	NAS3420	NULL	2012	AIA	0
1510	NAS3421	NULL	2012	AIA	0
1511	NAS3422	NULL	2012	AIA	0
1512	NAS2005-2012	BOLT, LOCK, TENSION, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 5	2012	AIA	0
1513	NAS2014	PIN, RIVET, GROOVED, AND COLLAR, FOR COMPOSITE MATERIALS - Rev 1	2012	AIA	0
1514	NAS1925	CLAMP, HOSE - Rev 2	2012	AIA	0
1515	NAS1921	RIVET, BLIND, GENERAL PURPOSE, BULBED, 100° FLUSH HEAD, MECHANICALLY-LOCKED-SPINDLE - Rev. 9	2012	AIA	0
1516	NAS2025-2032	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, 100° FLUSH HEAD, PULL-TYPE - Rev 1	2012	AIA	0
1517	NAS2035-2042	PIN, RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS), 130° FLUSH HEAD, PULL-TYPE - Rev 1	2012	AIA	0
1518	NAS2045-2052	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, PROTRUDING HEAD, STUMP-TYPE - Rev 1	2012	AIA	0
1519	NAS2055-2062	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, 100° FLUSH HEAD, STUMP TYPE - Rev 1	2012	AIA	0
1520	NAS2065-2072	PIN, RIVET, GROOVED, TITANIUM, COMPOSITE APPLICATIONS, 130° FLUSH HEAD, STUMP-TYPE - Rev 1	2012	AIA	0
1521	NAS2105-2112	BOLT, LOCK, TENSION, 100° HEAD (NASM24694), PULL-TYPE, TITANIUM ALLOY - Rev 5	2012	AIA	0
1522	NAS2115-2122	BOLT, LOCK, TENSION, 100° HEAD (MS20426), STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 1	2012	AIA	0
1523	NAS2125-2132	BOLT, LOCK, TENSION, 100° CROWN HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 1	2012	AIA	0
1524	NAS2205-2212	BOLT, LOCK, TENSION, PROTRUDING HEAD, STUMP TYPE, TITANIUM ALLOY - Rev 4	2012	AIA	0
1525	NAS2306-2312	BOLT, LOCK, TENSION, 100° HEAD (MS24694), STUMP-TYPE, TITANIUM ALLOY - Rev 4	2012	AIA	0
1526	NAS1900	RIVET, BLIND, GENERAL PURPOSE, BULBED, SELF PLUGGING, MECHANICALLY-LOCKED-SPINDLE - Rev 5	2012	AIA	0
1527	NAS1840	INSERT ASSEMBLY, THREADED METAL, LIGHT WEIGHT SELF-LOCKING, NON SELF-LOCKING - Rev 2	2012	AIA	0
1528	NAS1860-1863	STUD ASSEMBLY, THREADED, METAL, SINGLE STEP - Rev 2	2012	AIA	0
1529	NAS1836	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, LIGHTWEIGHT, SANDWICH PANEL - Rev 9	2012	AIA	0
1530	NAS1772	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CBORED, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1531	NAS1773	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CBORED, FLOATING, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1532	NAS1774	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, FLOATING, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1533	NAS1767	BOLT, CLOSE TOLERANCE, 100° REDUCED HEAD, DOVETAIL SLOT - Rev 3	2012	AIA	0
1534	NAS1783	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, COUNTERBORED, 160 KSI, 250 °F, 450 °F, 800 °F - Rev 3	2012	AIA	0
1535	NAS1784	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CSK, 160 KSI, 250 °F, 450 °F, 800 °F - Rev 2	2012	AIA	0
1536	NAS1781	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, 100° CSK, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1537	NAS1777	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1538	NAS1778	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, SIDE BY SIDE, 160 KSI, 450 °F, 800 °F - Rev 2	2012	AIA	0
1539	NAS1804	NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, ALLOY STEEL, 180 KSI, 450 °F - Rev 2	2012	AIA	0

1540	NAS1805	NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, CRES, 180 KSI, 450 ?F AND 800 ?F - Rev 4	2012	AIA	0
1541	NAS1790	BOLT, 100° FLUSH HEAD, 160 KSI UTS - Rev 5	2012	AIA	0
1542	NAS1787	CLAMP, TUBE MOUNTING - Rev 1	2012	AIA	0
1543	NAS1794	NUT, SELF-LOCKING, COUNTERBORE REPLACEABLE ELEMENT - Rev 3	2012	AIA	0
1544	NAS1795	RETAINING CLIP, REPLACEABLE NUT PLATE - Rev 4	2012	AIA	0
1545	NAS1798	BIT, SIX LOBE DRIVE, INTERNAL RECESS, FOR POWER AND HAND TOOLS - Rev 2	2012	AIA	0
1546	NAS1799	BIT, SIX LOBE RECESS DRIVER, SPECIFICATION - Rev 2	2012	AIA	0
1547	NAS1800	RECESS, SIX LOBE DRIVE, INTERNAL, DIMENSIONS FOR RECESS AND GAGES - Rev 4	2012	AIA	0
1548	NAS1801	SCREW, HEX HEAD, CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL, 160 KSI Ftu - Rev 4	2012	AIA	0
1549	NAS1872	NUT, TORQUE LIMITING, 900 °F APPLICATION, .2500-28 UNJF-3B THREAD - Rev 1	2012	AIA	0
1550	NASM85353-2	NULL	2012	AIA	0
1551	NASM85353	NUTS, FASTENERS, INTERNALLY THREADED, PRELOAD LOCKING, 450 °F, 800 °F AND 1,200 °F, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1552	NASM91528	KNOBS, CONTROL, PLASTIC, ROUND, CONCENTRIC, POINTER, SPINNER, SPINNER SLIP-CLUTCH, BAR, TACTILE, KNOB LOCK POINTER, SLIP-CLUTCH, AND KNOB LOCKS - Rev 1	2012	AIA	0
1553	NASM91531	KNOBS, CONTROL, ROUND, PLASTIC, WITH FLUTED GRIP - Rev 1	2012	AIA	0
1554	NASM90726	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNF-2A - Rev 2	2012	AIA	0
1555	NASM91522	KNOB, CONTROL, CRANK, METAL - Rev 2	2012	AIA	0
1556	NASM91523	KNOB, CONTROL, LEVER, METAL - Rev 1	2012	AIA	0
1557	NASM91524	KNOB, CONTROL, SHORT BAR, METAL AND PLASTIC - Rev 1	2012	AIA	0
1558	NASM122196-122235	INSERT, CRES, HELICAL COIL, COARSE THREAD, 2-1/2 DIA NOMINAL LENGTH - Rev 1	2012	AIA	0
1559	NASM90353	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100° FLUSH HEAD, ALLOY STEEL, 112 KSI Fsu - Rev 2	2012	AIA	0
1560	NASM90354	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, ALLOY STEEL, 112 KSI Fsu - Rev 2	2012	AIA	0
1561	NASM85449-2	NULL	2012	AIA	0
1562	NASM85449-3	NULL	2012	AIA	0
1563	NASM85449-4	NULL	2012	AIA	0
1564	NASM85604	BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, 125 KSI Fsu AND 220 KSI Ftu, HIGH TEMPERATURE, SPLINE DRIVE - Rev 1	2012	AIA	0
1565	NASM85643-1	NULL	2012	AIA	0
1566	NASM85643-2	NULL	2012	AIA	0
1567	NASM85643-3	NULL	2012	AIA	0
1568	NASM85643-4	NULL	2012	AIA	0
1569	NASM85643-5	NULL	2012	AIA	0
1570	NASM85643	BITS, SCREWDRIVER, RIBBED, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1571	NASM85730-1	NULL	2012	AIA	0
1572	NASM85730	NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220 KSI Ftu, 900 ?F - Rev 1	2012	AIA	0
1573	NASM63540	STUD, SELF-CLINCHING GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1574	NASM45938-11	NULL	2012	AIA	0
1575	NASM39086	PIN, SPRING, TUBULAR, COILED, HEAVY DUTY - Rev 1	2012	AIA	0

1576	NASM45938-9	NULL	2012	AIA	0
1577	NASM45938-7	NULL	2012	AIA	0
1578	NASM45595-9	NULL	2012	AIA	0
1579	NASM45595	WASHERS, SHOULDERED, RECESSED, SADDLE, CONCAVE AND CONVEX, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1580	NASM45938-1	NULL	2012	AIA	0
1581	NASM43770-3	NULL	2012	AIA	0
1582	NASM43770-5	NULL	2012	AIA	0
1583	NASM43770-6	NULL	2012	AIA	0
1584	NASM43770-8	NULL	2012	AIA	0
1585	NASM43770-10	NULL	2012	AIA	0
1586	NASM43770-13	NULL	2012	AIA	0
1587	NASM43770-14	NULL	2012	AIA	0
1588	NASM43770	SNAP HOOKS, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1589	NASM45595-3	NULL	2012	AIA	0
1590	NASM45595-5	NULL	2012	AIA	0
1591	NASM45595-6	NULL	2012	AIA	0
1592	NASM35140	STRAP, RETAINING, ONE HOLE FOR PIPE, RIGID CONDUIT AND CABLE - Rev. 2	2012	AIA	0
1593	NASM35203	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82°, CRUCIFORM RECESS, ALUMINUM ALLOY, ANODIC COATED, UNF-2A - Rev 1	2012	AIA	0
1594	NASM35214	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, BRASS, UNC-2A - Rev 2	2012	AIA	0
1595	NASM35215	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, BRASS, UNF-2A - Rev 2	2012	AIA	0
1596	NASM35273	SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNC-2A - Rev 1	2012	AIA	0
1597	NASM35274	SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNF-2A - Rev 1	2012	AIA	0
1598	NASM35199	SCREW, MACHINE, 82° FLAT COUNTERSUNK HEAD, CROSS-RECESSED, BRASS, BLACK CHEMICAL FINISH, UNF-2A - Rev 1	2012	AIA	0
1599	NASM35650	NUT, PLAIN, HEXAGON, MACHINE SCREW, UNF-2B - Rev 1	2012	AIA	0
1600	NASM35672	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CORROSION-RESISTING STEEL - Rev 1	2012	AIA	0
1601	NASM35674	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL - Rev 1	2012	AIA	0
1602	NASM35677	PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CARBON STEEL - Rev 1	2012	AIA	0
1603	NASM35791	HANDLE, BAIL, CHEST, SURFACE MOUNTING, COUNTERSUNK HOLES - Rev 1	2012	AIA	0
1604	NASM35792	HANDLE, BAIL, CHEST, RECESSED - Rev 1	2012	AIA	0
1605	NASM35793	HANDLE, BAIL, CHEST, SURFACE MOUNTING, PLAIN HOLES - Rev 1	2012	AIA	0
1606	NASM27576	BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI Fsu, HEX HEAD, 450 °F - Rev 3	2012	AIA	0
1607	NASM27986	FASTENERS, SNAP, STYLE 7, RIVET TYPE - Rev 1	2012	AIA	0
1608	NASM28042	CLAMP, INSTRUMENT MOUNTING, AIRCRAFT - Rev 1	2012	AIA	0
1609	NASM33749	SCREW, INSTALLATION AND LIMITATIONS FOR USAGE OF THREAD CUTTING AND THREAD FORMING - Rev 1	2012	AIA	0
1610	NASM27975	CLEVIS, ROD END, ADJUSTING, WIDE AND NARROW FORKS - Rev 2	2012	AIA	0

1611	NASM27953	BOLT, HOOK, TURNBUCKLE, GENERAL PURPOSE - Rev. 1	2012	AIA	0
1612	NASM28728	DIAL, CONTROL, MULTI-TURN COUNTERS, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1613	NASM25420	FASTENERS, STRAIGHT, HEADED, SWAGED COLLAR, LIMITATIONS FOR USE OF - Rev 1	2012	AIA	0
1614	NASM25440	WASHERS, FOR USE WITH AIRCRAFT ALUMINUM TERMINALS - Rev 1	2012	AIA	0
1615	NASM24694	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEGREES, STRUCTURAL, CROSS RECESSED, UNC-3A AND UNF-3A - Rev 2	2012	AIA	0
1616	NASM25027	NUT, SELF-LOCKING, 250 °F, 450 °F, AND 800 °F - Rev 1	2012	AIA	0
1617	NASM24630	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T, PAN HEAD, CRUCIFORM RECESSED, CRES - Rev 1	2012	AIA	0
1618	NASM24634	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G AND T, APPROXIMATE HOLE SIZES FOR - Rev 1	2012	AIA	0
1619	NASM24661	RIVET, BLIND, COUNTERSUNK HEAD, DRIVE TYPE - Rev 1	2012	AIA	0
1620	NASM24662	RIVET, BLIND, UNIVERSAL HEAD, DRIVE TYPE - Rev 2	2012	AIA	0
1621	NASM24373	CASTERS, RIGID AND SWIVEL, PRECISION, PNEUMATIC TIRED	2012	AIA	0
1622	NASM24374	CASTERS, RIGID AND SWIVEL, PRECISION SPRING MOUNTED - Rev 1	2012	AIA	0
1623	NASM24625	SCREW, TAPPING, THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL - Rev 1	2012	AIA	0
1624	NASM22978	FASTENER, ROTARY, QUICK-OPERATING, HIGH-STRENGTH - Rev 1	2012	AIA	0
1625	NASM21392	NUT, PLAIN, HEXAGON, AZIMUTH, WITH LOCKWIRE HOLES - Rev 1	2012	AIA	0
1626	NASM21143	PIN, STRAIGHT, HEADLESS (DOWEL), GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1627	NASM83459-1	NULL	2012	AIA	0
1628	NASM83459-2	NULL	2012	AIA	0
1629	NASM83459-3	NULL	2012	AIA	0
1630	NASM81177-3	NULL	2012	AIA	0
1631	NASM63540-6	NULL	2012	AIA	0
1632	NASM51966	SETSCREW, HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 1	2012	AIA	0
1633	NASM51973	SETSCREW, HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 1	2012	AIA	0
1634	NASM51976	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A - Rev 1	2012	AIA	0
1635	NASM51987	PIN, SPRING, TUBULAR, COILED, LIGHT DUTY - Rev 1	2012	AIA	0
1636	NASM63540-1	NULL	2012	AIA	0
1637	NASM63540-2	NULL	2012	AIA	0
1638	NASM63540-3	NULL	2012	AIA	0
1639	NASM51605	PIN, GROOVED, HEADLESS, HALF LENGTH TAPER GROOVE, CRES - Rev 1	2012	AIA	0
1640	NASM51939	LOOP, STRAP FASTENER (FOOTMAN'S LOOP) - Rev 1	2012	AIA	0
1641	NASM51956	STRAP, RETAINING, ONE HOLE FOR THIN WALL CONDUIT (EMT) - Rev. 3	2012	AIA	0
1642	NASM45938-14	NULL	2012	AIA	0
1643	NASM45938	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH, GENERAL SPECIFICATION FOR - Rev 1	2012	AIA	0
1644	NASM47195	RIVETS, BLIND, SELF-PLUGGING, PREPARATION FOR AND INSTALLATION OF - Rev 1	2012	AIA	0
1645	NASM51896	SCREW, EXTERNALLY RELIEVED BODY, PAN HEAD, CRUCIFORM RECESS, CRES, UNC-2A - Rev 2	2012	AIA	0
1646	NASM51923	PIN, SPRING, TUBULAR, COILED, STANDARD DUTY - Rev 1	2012	AIA	0
1647	NASM51929	BUCKLE, SPRING ACTION - Rev 1	2012	AIA	0

1648	NASM51850	SCREW, TAPPING, THREAD FORMING, TYPE AB, HEXAGON HEAD, SLOTTED - Rev 1	2012	AIA	0
1649	NASM51851	SCREW, TAPPING, THREAD CUTTING, TYPE D, HEXAGON HEAD, SLOTTED - Rev 1	2011	AIA	0
1650	NASM51861	SCREW, TAPPING, THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED - Rev 4	2011	AIA	0
1651	NASM51862	SCREW, TAPPING, THREAD FORMING, TYPE AB, FLAT 82° COUNTERSUNK HEAD, CROSS-RECESSED - Rev 1	2011	AIA	0
1652	NASM51863	SCREW, TAPPING, HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, PAN HEAD, CROSS-RECESSED - Rev 1	2011	AIA	0
1653	NASM51864	STUD, PLAIN, GENERAL PURPOSE - Rev 1	2011	AIA	0
1654	NASM51870	SCREW, TAPPING, HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, FLAT COUNTERSUNK HEAD, CROSS RECESSED - Rev 2	2011	AIA	0
1655	NASM51871	SCREW, TAPPING, HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD - Rev 2	2011	AIA	0
1656	NASM51932	PIN, STRAIGHT, HEADLESS, DRILLED FOR COTTER PINS - Rev 1	2011	AIA	0
1657	NASM51834	STUD, LOCKED IN, KEY-LOCKED, HEAVY DUTY - Rev 1	2011	AIA	0
1658	NASM51838	PIN, STRAIGHT, STEEL, DRILL ROD - Rev 2	2011	AIA	0
1659	NASM51029	NULL	2011	AIA	0
1660	NASM51095	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A, PLAIN AND SELF-LOCKING - Rev 2	2011	AIA	0
1661	NASM51096	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING - Rev 2	2011	AIA	0
1662	NASM51105	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A - Rev 1	2011	AIA	0
1663	NASM51106	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A - Rev 1	2011	AIA	0
1664	NASM51109	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, CRES, PASSIVATED, UNC-2A - Rev 1	2011	AIA	0
1665	NASM51110	SCREW, CAP, HEXAGON HEAD, FINISHED HEXAGON BOLT, SHANK DRILLED FOR COTTER PIN, CRES, PASSIVATED, UNF-2A - Rev 1	2011	AIA	0
1666	NASM51400	PIN, STRAIGHT, HEADLESS - Rev 2	2011	AIA	0
1667	NASM51965	SETSCREW, HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 1	2011	AIA	0
1668	NASM51977	SETSCREW, HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A - Rev 1	2011	AIA	0
1669	NASM51981	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A - Rev 1	2011	AIA	0
1670	NASM51982	SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A - Rev 2	2011	AIA	0
1671	NASM51974	SETSCREW, HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING - Rev 1	2011	AIA	0
1672	NASM63540-7	NULL	2011	AIA	0
1673	NASM82496	SCREWS, MACHINE, SELF-SEALING, INTEGRAL O-RING - Rev 1	2011	AIA	0
1674	NASM83459	RIVET, TITANIUM, BIMETAL, 95 KSI Fsu, GENERAL SPECIFICATION FOR - Rev 1	2011	AIA	0
1675	NASM21287	SCREW, MACHINE, STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .1640-36, (AS8879 THREAD) - Rev 1	2011	AIA	0
1676	NASM21382	KNOB, ROUND, ILLUMINATED AND NON-ILLUMINATED, SMALL - Rev 1	2011	AIA	0
1677	NASM21383	KNOB, RADIAL INDICATOR, ILLUMINATED AND NON-ILLUMINATED - Rev 1	2011	AIA	0
1678	NASM21384	KNOB, POINTER, ILLUMINATED AND NON-ILLUMINATED - Rev 1	2011	AIA	0
1679	NASM21385	KNOBS, TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED - Rev 1	2011	AIA	0

1680	NASM21386	KNOBS, ROUND, CONCENTRIC ILLUMINATED AND NON-ILLUMINATED - Rev 1	2011	AIA	0
1681	NASM21387	KNOB, ROUND ILLUMINATED AND NON-ILLUMINATED, SMALL - Rev 1	2011	AIA	0
1682	NASM23964	BOLT, SELF-RETAINING, POSITIVE LOCKING - Rev 1	2011	AIA	0
1683	NASM24066-2	NULL	2011	AIA	0
1684	NASM24066-3	NULL	2011	AIA	0
1685	NASM24066-4	NULL	2011	AIA	0
1686	NASM22529-1	NULL	2011	AIA	0
1687	NASM22529-2	NULL	2011	AIA	0
1688	NASM24665	PIN, COTTER (SPLIT) - Rev 2	2011	AIA	0
1689	NASM24667	SCREW, CAP, SOCKET HEAD, FLAT COUNTERSUNK, 82°, ALLOY STEEL, UNC-3A - Rev 1	2011	AIA	0
1690	NASM24692	PIN, TAPERED, PLAIN - Rev 1	2011	AIA	0
1691	NASM24628	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T, FLAT 82° COUNTERSUNK HEAD, CRUCIFORM-RECESSED, CRES - Rev 1	2011	AIA	0
1692	NASM24629	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G, OR T, PAN HEAD, CRUCIFORM RECESSED, CARBON STEEL, CADMIUM PLATED - Rev 1	2011	AIA	0
1693	NASM25087	SCREW, EXTERNALLY RELIEVED BODY - Rev 1	2011	AIA	0
1694	NASM33522	RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED AND FRICTION RETAINER SPINDLE, (RELIABILITY AND MAINTAINABILITY) DESIGN AND CONSTRUCTION REQUIREMENT FOR - Rev 1	2011	AIA	0
1695	NASM27976	CLEVIS, ROD END, PLAIN, WIDE AND NARROW FORKS - Rev 1	2011	AIA	0
1696	NASM27120	CLEVIS, ROD END, TURNBUCKLE (GENERAL PURPOSE) - Rev 1	2011	AIA	0
1697	NASM27384	RIVET, BLIND, DRIVE TYPE - Rev 1	2011	AIA	0
1698	NASM27545	KEY, WOODRUFF, ALLOY STEEL - Rev 1	2011	AIA	0
1699	NASM33750	RECESS, DOVETAIL SLOT AND CONICAL DOVETAIL SLOT, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 1	2011	AIA	0
1700	NASM33781	RECESS, OFFSET CRUCIFORM, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 3	2011	AIA	0
1701	NASM33602	BOLTS, SELF-RETAINING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY, DESIGN AND USAGE REQUIREMENTS FOR - Rev 1	2011	AIA	0
1702	NASM27981	FASTENERS, SNAP STYLE 2A, SMALL WIRE SPRING, CLAMP TYPE - Rev 2	2011	AIA	0
1703	NASM33557	NONSTRUCTURAL RIVETS FOR BLIND ATTACHMENT; LIMITATIONS FOR DESIGN AND USAGE - Rev 1	2011	AIA	0
1704	NASM35812	CLEVIS, ROD END, ADJUSTABLE AND PLAIN, STEEL - Rev 1	2011	AIA	0
1705	NASM43770-1	NULL	2011	AIA	0
1706	NASM43770-2	NULL	2011	AIA	0
1707	NASM35756	KEY, WOODRUFF, STEEL, ALLOY, WITH KEYWAY AND KEY SLOT DIMENSIONS - Rev 1	2011	AIA	0
1708	NASM35678	PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CORROSION RESISTING STEEL - Rev 1	2011	AIA	0
1709	NASM35675	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTING STEEL - Rev 1	2011	AIA	0
1710	NASM35671	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CARBON STEEL - Rev 2	2011	AIA	0
1711	NASM35202	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82°, CROSS-RECESSED, ALUMINUM ALLOY, ANODIC COATED, UNC-2A - Rev 1	2011	AIA	0
1712	NASM35191	SCREW, MACHINE, 82° FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A - Rev 1	2011	AIA	0
1713	NASM35198	SCEW, MACHINE, FLAT COUNTERSUNK HEAD, 82° CROSS-RECESSED, BRASS, UNC-2A - Rev 1	2011	AIA	0
1714	NASM45595-7	NULL	2011	AIA	0
1715	NASM45595-4	NULL	2011	AIA	0

1716	NASM45595-1	NULL	2011	AIA	0
1717	NASM45595-2	NULL	2011	AIA	0
1718	NASM43770-11	NULL	2011	AIA	0
1719	NASM43770-12	NULL	2011	AIA	0
1720	NASM43770-9	NULL	2011	AIA	0
1721	NASM43770-7	NULL	2011	AIA	0
1722	NASM43770-4	NULL	2011	AIA	0
1723	NASM45908	BOLT, EYE, GENERAL SPECIFICATION FOR - Rev 1	2011	AIA	0
1724	NASM45909	STUD, LOCKED IN, RING LOCKED, SERRATED, GENERAL SPECIFICATION FOR - Rev 1	2011	AIA	0
1725	NASM45938-8	NULL	2011	AIA	0
1726	NASM90415	NUT, SELF-LOCKING, STEEL, 160 KSI, 450 °F, 12 POINT, CAPTIVE WASHER - Rev 1	2011	AIA	0
1727	NASM90725	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNC-2A - Rev 2	2011	AIA	0
1728	NASM91525	KNOB, CONTROL, BAR, METAL AND PLASTIC - Rev 1	2011	AIA	0
1729	NAS1873	INSERT, SELF-LOCKING, THERMAL BONDED HONEYCOMB PANEL - Rev 2	2011	AIA	0
1730	NAS1779	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT C_BORED, FLOATING, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 3	2011	AIA	0
1731	NAS1769	RIVET, BLIND, 100° FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED, OVERSIZE - Rev 9	2011	AIA	0
1732	NAS1770	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CBORE, 160 KSI, 450 °F, 800 °F - Rev 3	2011	AIA	0
1733	NAS1766	NUT, SELF-LOCKING, PLATE, CORNER, COUNTERBORED, FLOATING, 125 KSI Ft _u , 450 °F AND 800 °F - Rev 3	2011	AIA	0
1734	NAS1775	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 3	2011	AIA	0
1735	NAS1776	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 °F, 800 °F - Rev 2	2011	AIA	0
1736	NAS1837	INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS1832, NAS1833, NAS1834, NAS1835, AND NAS1836 MOLDED IN INSERTS - Rev 6	2011	AIA	0
1737	NAS1839	INSERT ASSEMBLY, THREADED METAL, HEAVY DUTY SELF-LOCKING, NON SELF-LOCKING - Rev 3	2011	AIA	0
1738	NAS1832	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - Rev 9	2011	AIA	0
1739	NAS1833	INSERT, MOLDED IN, THREADED, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - Rev 8	2011	AIA	0
1740	NAS1870	NUT, SELF-LOCKING, PLATE, TWO LUG, 125 KSI Ft _u , 450 °F & 800 °F - Rev 4	2011	AIA	0
1741	NAS1871	NULL	2011	AIA	0
1742	NAS1841-1854	STUD ASSEMBLY, THREADED, METAL, DOUBLE STEP - Rev 3	2011	AIA	0
1743	NAS1919	RIVET, BLIND, GENERAL PURPOSE, BULBED, PROTRUDING HEAD, MECHANICALLY-LOCKED-SPINDLE - Rev 8	2011	AIA	0
1744	NAS1922	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 4	2011	AIA	0
1745	NAS1923	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - Rev 3	2011	AIA	0
1746	NAS1940	GROMMET, NONMETALLIC - Rev 1	2011	AIA	0
1747	NAS1941	RUBBER, SYNTHETIC, CABLE GROMMET MATERIAL - Rev 1	2011	AIA	0
1748	NAS2406-2412	BOLT, LOCK, SHEAR, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY - Rev 4	2011	AIA	0
1749	NAS2013	COLLAR , GROOVED, PIN-RIVET, TITANIUM, (COMPOSITE APPLICATIONS) - Rev 1	2011	AIA	0
1750	NAS3203-3210	BOLT, HOOK - Rev 3	2011	AIA	0

1751	NAS3303-3305	BOLT, U, STRAP TYPE - Rev 3	2011	AIA	0
1752	NAS4119	HEAT SINK, ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, PRESS-ON TYPE - Rev 1	2011	AIA	0
1753	NAS3352	FIXTURE, STRESS EMBRITTLEMENT TEST, SELF-LOCKING NUTS - Rev 3	2011	AIA	0
1754	NAS3353	FIXTURE, BEARING SURFACE SQUARENESS TEST, SELF-LOCKING NUTS - Rev 1	2011	AIA	0
1755	NAS3356	LUBRICANT COATINGS, SUITABILITY OF SELF-LOCKING NUTS - Rev 3	2011	AIA	0
1756	NAS5321	BOLT, SHEAR, 100 DEGREE FLUSH HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 108 KSI Fsu - Rev 1	2011	AIA	0
1757	NAS4450	PIN, CRIMP, PROTRUDING SHEAR HEAD - Rev 3	2011	AIA	0
1758	NAS5314	SCREW, SHEAR, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 2	2011	AIA	0
1759	NAS5315	SCREW, SHEAR, 100 DEG FLUSH HEAD, CLOSE TOLERANCE, SHORT THREAD, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 1	2011	AIA	0
1760	NAS4444	CRIMPLOCK FASTENER SYSTEM - Rev 5	2011	AIA	0
1761	NAS5318	BOLT, SHEAR, FLAT PAN HEAD, CLOSE TOLERANCE, LONG THREAD, NON-LOCKING AND SELF-LOCKING, NAS1800 SIX LOBE RECESS, 95 KSI FSU - Rev 1	2011	AIA	0
1762	NAS7014-7022	PIN, SWAGE LOCKING, A286 CRES, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE - Rev 4	2011	AIA	0
1763	NAS6935-6942	PIN, SWAGE LOCKING, STEEL, 100° CROWN HEAD, TENSION, PULL-TYPE - Rev 1	2011	AIA	0
1764	NAS9923	WASHER, COUNTERSUNK, HIGH STRENGTH	2011	AIA	0
1765	NASM302	PIN, ESCUTCHEON - Rev 1	2011	AIA	0
1766	NASM21-37	BOLT, CLEVIS - Rev 1	2011	AIA	0
1767	NASM1312-4	FASTENER TEST METHODS METHOD 4 LAP JOINT SHEAR - Rev 1	2011	AIA	0
1768	NASM1312-8	FASTENER TEST METHODS, METHOD 8, TENSILE STRENGTH - Rev 2	2011	AIA	0
1769	NASM501	SCREW, MACHINE, FILLISTER HEAD, FINE THREAD	2011	AIA	0
1770	NASM1312-31	FASTENER TEST METHODS METHOD 31 TORQUE - Rev 1	2011	AIA	0
1771	NASM1312-20	FASTENER TEST METHODS, METHOD 20, SINGLE SHEAR - Rev 2	2011	AIA	0
1772	NASM1312-16	FASTENER TEST METHODS METHOD 16 CLAMPING FORCE FOR INSTALLATION, FORMED FASTENERS - Rev 1	2011	AIA	0
1773	NASM3926	KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) - Rev 1	2011	AIA	0
1774	NASM5501-32	NULL	2011	AIA	0
1775	NASM1515	FASTENER SYSTEMS FOR AEROSPACE APPLICATIONS - Rev 1	2011	AIA	0
1776	NASM3498	SCREW ASSEMBLY, PANEL - Rev 1	2011	AIA	0
1777	NASM8846	INSERT, SCREW-THREAD, HELICAL COIL - Rev 1	2011	AIA	0
1778	NASM7839	SCREWS, STRUCTURAL, AIRCRAFT - Rev 1	2011	AIA	0
1779	NASM8975	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CRES, HEAT RESISTANT STEEL AND TITANIUM, GENERAL SPECIFICATION FOR - Rev 1	2011	AIA	0
1780	NASM14179	NUT, PLATE, SELF-LOCKING, FLOATING, TWO LUG, REDUCED RIVET SPACING, STEEL, (POLYIMIDE INSERT) 500 CYCLES REUSE, REPLACEABLE NUT, 160 KSI Ftu, 450 °F - Rev 1	2011	AIA	0
1781	NASM10971	PIN, SPRING, TUBULAR, COILED AND SLOTTED - Rev 1	2011	AIA	0
1782	NASM14191	RECESS, OFFSET CRUCIFORM, RIBBED DIMENSIONS OF RECESS, GAGE AND DRIVER FOR - Rev 3	2011	AIA	0
1783	NASM16205	BOLT, MACHINE, REGULAR SEMI-FINISHED HEXAGON HEAD, COPPER-SILICON ALLOY (SILICON BRONZE), UNC-2A, NON-MAGNETIC - Rev 1	2011	AIA	0
1784	NASM16491-1	NULL	2011	AIA	0
1785	NASM16491-2	NULL	2011	AIA	0
1786	NASM16491	GROMMET, METALLIC, GENERAL SPECIFICATION FOR - Rev 2	2011	AIA	0

1787	NASM16218	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC - Rev 1	2011	AIA	0
1788	NASM17984	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE - Rev 2	2011	AIA	0
1789	NASM17986	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, L HANDLE - Rev 2	2011	AIA	0
1790	NASM17987	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE - Rev 2	2011	AIA	0
1791	NASM17988	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, T HANDLE - Rev 2	2011	AIA	0
1792	NASM17989	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, L HANDLE - Rev 2	2011	AIA	0
1793	NASM17990	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE - Rev 2	2011	AIA	0
1794	NASM17830	NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 °F AND 450 °F, NON-METALLIC INSERT, 300 SERIES CRES - Rev 1	2011	AIA	0
1795	NASM20392	PIN, STRAIGHT, HEADED DRILLED SHANK - Rev 1	2011	AIA	0
1796	NASM20501	NUT, SELF-LOCKING, PLATE, TWO LUG, 1200 °F, 125 KSI FTU - Rev 1	2011	AIA	0
1797	NASM20427	RIVET, SOLID, 100° COUNTERSUNK HEAD, CARBON STEEL, CORROSION-RESISTANT STEEL, NICKEL-COPPER AND COPPER - Rev 2	2011	AIA	0
1798	NASM21055	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2011	AIA	0
1799	NASM21049	NUT, SELF-LOCKING, PLATE, TWO LUG, 100° CSK, LOW HEIGHT, STEEL, 125 KSI Ftu, 450 °F - Rev 2	2011	AIA	0
1800	NASM20601	RIVET, BLIND, STRUCTURAL, PULL STEM, SELF-PLUGGING, 100° FLUSH HEAD, TYPE II - Rev 2	2011	AIA	0
1801	NASM21046	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 800 °F, 125 KSI Ftu - Rev 2; Rev 1 Never Published	2011	AIA	0
1802	NASM21079	NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI Ftu, 250 °F - Rev 1	2011	AIA	0
1803	NASM21081	NUT, SELF-LOCKING, PLATE, CORNER, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 1	2011	AIA	0
1804	NASM21082	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI Ftu, 250 °F - Rev 1	2011	AIA	0
1805	NASM21083	NUT, SELF-LOCKING, HEXAGON, NON-METALLIC INSERT, LOW HEIGHT, 250 °F - Rev 2	2011	AIA	0
1806	NASM21090	SCREW, SELF-LOCKING, 250 °F, STEEL, 55 KSI Ftu, PAN HEAD, CROSS RECESSED - Rev 2	2011	AIA	0
1807	NASM21065	NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, CRES, 125 KSI Ftu, 450 °F & 800 °F - Rev 1	2011	AIA	0
1808	NASM21094	BOLT, SELF-LOCKING, 250 °F, STEEL, 75 KSI Fsu, 125 KSI Ftu, HEX HEAD - Rev 2	2011	AIA	0
1809	NASM21143-2	NULL	2011	AIA	0
1810	NASM21314	STRAP, RETAINING, TWO HOLE, FOR PIPE, CONDUIT, AND CABLE - Rev 3	2011	AIA	0
1811	NASM21315	STRAP, RETAINING, TWO HOLE, FOR TUBING - Rev 3	2011	AIA	0
1812	NASM21262	SCREWS, SELF LOCKING, 250 °F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI Ftu, (SOCKET HEAD CAP SCREWS) - Rev 1	2011	AIA	0
1813	NA0026	PROCUREMENT SPECIFICATION, METRIC FASTENERS, A-286 CRES EXTERNALLY THREADED, 1100 MPa TENSILE, 660 MPa SHEAR - Rev 3	2011	AIA	0
1814	NA0027-0028	NUT, SELF-LOCKING, FLOATING, PLATE, TWO-LUG, LOW HEIGHT, COUNTERBORED, 1100 MPa, 235 °C, 425 °C, METRIC - Rev 3	2011	AIA	0
1815	NA0037	BOLT, TENSION, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM ALLOY, 1100 MPa Ftu, METRIC - Rev 3	2011	AIA	0
1816	NA0038	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPa SHEAR, METRIC - Rev 4	2011	AIA	0
1817	NA0035	SCREW, CLOSE TOLERANCE, PAN HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 1100 MPa, METRIC - Rev 3	2011	AIA	0
1818	NA0019-0024	RIVET, SOLID, COUNTERSUNK, 100° SHEAR HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC - Rev 1	2011	AIA	0
1819	NA0042	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 4	2011	AIA	0

1820	NA0046	SCREW, CLOSE TOLERANCE, PAN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 1100 MPa, METRIC - Rev 3	2011	AIA	0
1821	NA0075-0076	NUT, CAPTIVE WASHER, SHEAR TYPE, SELF-LOCKING CBORED, 1100 MPa, METRIC, 235 °C AND 425 °C - Rev 2	2011	AIA	0
1822	NA0093-0094	NUT, SELF-LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, CBORED, 1100 MPa, METRIC, 235 °C, 425 °C - Rev 3	2011	AIA	0
1823	NA0123	SCREW, CLOSE TOLERANCE, 100° REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPa SHEAR, METRIC - Rev 6	2011	AIA	0
1824	NA0124	SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC - Rev 6	2011	AIA	0
1825	NA0071	BOLT, ALLOY STEEL, 1550 MPa TENSILE, PROCUREMENT SPECIFICATION - Rev 2	2011	AIA	0
1826	NA0059	BOLT, TENSION, CLOSE TOLERANCE, SPLINE DRIVE, A286 CRES, 1250 MPa, METRIC - Rev 3	2011	AIA	0
1827	NA0060	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 750 MPa SHEAR, METRIC - Rev 4	2011	AIA	0
1828	NA0113	SCREW, HEX HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, FULL THREAD, 1100 MPa, METRIC - Rev 6	2011	AIA	0
1829	NA0154	RIVETS, SOLID, ALUMINUM AND ALUMINUM ALLOY, METRIC, PROCUREMENT SPECIFICATION FOR - Rev 1	2011	AIA	0
1830	NA0152	BOLT, EYE, ALLOY STEEL, 1100 MPa, METRIC - Rev 2	2011	AIA	0
1831	NA0146	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, MINIATURE, METRIC - Rev 2	2011	AIA	0
1832	NA0147	INSERT, SCREW THREAD, KEY LOCKED, A286 CRES, MINIATURE, METRIC - Rev 2	2011	AIA	0
1833	NA0148	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, LIGHTWEIGHT, METRIC - Rev 2	2011	AIA	0
1834	NA0149	INSERT, SCREW THREAD KEY LOCKED, A286 CRES, LIGHTWEIGHT, METRIC - Rev 2	2011	AIA	0
1835	NA0246	BALLS, BEARING, CHROME ALLOY STEEL, METRIC - Rev 1	2011	AIA	0
1836	NA0253	BOLT, SHOULDER, HEXAGON HEAD ALLOY STEEL, 1100 MPa TENSILE, METRIC	2011	AIA	0
1837	NA0221-0224	POST, ELECTRICAL-MECHANICAL EQUIPMENT, INTERNAL THREAD TYPE, METRIC - Rev 1	2011	AIA	0
1838	NA0269	BUSHING, SLEEVE, FLANGED, PRESS FIT, REAM TYPE, METRIC - Rev 2	2011	AIA	0
1839	NA0270	BUSHING, SLEEVE, PLAIN, PRESS FIT, REAM TYPE, METRIC - Rev 2	2011	AIA	0
1840	NAM1312-109	FASTENER TEST METHODS, METRIC METHOD 109 STRESS CORROSION - Rev 1	2011	AIA	0
1841	NA0241	INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, LIGHTWEIGHT, METRIC - Rev 1	2011	AIA	0
1842	NA0242	INSERT, SANDWICH PANEL, MOLDED IN, THRU THREADED, SELF-LOCKING, CRES, METRIC - Rev 1	2011	AIA	0
1843	NA0201-0204	POST, ELECTRICAL, MECHANICAL EQUIPMENT STUD TYPE, METRIC - Rev 1	2011	AIA	0
1844	NA0184	SPACER, NUT, PLATE, UNIVERSAL, METRIC - Rev 2	2011	AIA	0
1845	NA0162	SETSCREW, HEXAGON SOCKET, CUP POINT, A286 CRES, METRIC - Rev 3	2011	AIA	0
1846	NA0163	BOLT, BLIND, DESIGN ELEMENTS, METRIC - Rev 1	2011	AIA	0
1847	NAS172	NULL	2011	AIA	0
1848	NAS170	CLEVIS, ENGINE CONTROL ROD, ADJUSTABLE - Rev 5	2011	AIA	0
1849	NAS75	BUSHING, PLAIN PRESS FIT, STEEL OR CRES - Rev 10	2011	AIA	0
1850	NAS44	BUSBAR, ELECTRICAL - Rev 7	2011	AIA	0
1851	NAS72	BUSHING, CLAMP-UP, STEEL, CHROME PLATED - Rev 7	2011	AIA	0
1852	NAS73	BUSHING, CLAMP-UP, STEEL, CADMIUM PLATED - Rev 9	2011	AIA	0
1853	NA0273	SCREW, PAN HEAD, OFFSET CRUCIFORM RECESS DRIVE, FULL THREAD, CRES, 500 MPa Ft _u , METRIC - Rev 1	2011	AIA	0
1854	NAS183	STUD, COARSE THREAD - Rev 5	2011	AIA	0

1855	NAS398	CLAMP, RATCHET, THREE PIECE - Rev 4	2011	AIA	0
1856	NAS387	SCREW, 100° OVAL RECESSED HEAD, MACHINE (COARSE & FINE THREAD) - Rev 2	2011	AIA	0
1857	NAS355	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY, WITH RIVETED THREADED ROD ENDS - Rev 7	2011	AIA	0
1858	NAS356	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY, WITH RIVETED CLEVIS AND THREADED ROD ENDS - Rev 8	2011	AIA	0
1859	NAS380	NAS DOCUMENTS, PREPARATION AND MAINTENANCE, IN THE INCH SYSTEM OF UNITS - Rev 17	2011	AIA	0
1860	NAS395	NUT, "U" TYPE SHEET SPRING - Rev 3	2011	AIA	0
1861	NAS495	NULL	2011	AIA	0
1862	NAS498	FASTENERS, ALLOY STEEL EXTERNALLY THREADED, 95 KSI Fsu, 450 °F - Rev 14	2011	AIA	0
1863	NAS549	WASHER, NONMETALLIC, INSULATING, ELECTRICAL - Rev 6	2011	AIA	0
1864	NAS550	FITTING, INSTALLATION OF UNIVERSAL ELBOW - Rev 7	2011	AIA	0
1865	NAS551	Bolt - Universal Fitting - Rev 7	2011	AIA	0
1866	NAS552	ELBOW, UNIVERSAL, 90° - Rev 4	2011	AIA	0
1867	NAS553	ELBOW, UNIVERSAL, 15° - Rev 4	2011	AIA	0
1868	NAS554	ELBOW, UNIVERSAL, 45° - Rev 4	2011	AIA	0
1869	NAS555	TEE, UNIVERSAL - Rev 4	2011	AIA	0
1870	NAS521	COUPLING, FLEXIBLE, LOW PRESSURE, 250 °F, AIR LINE - Rev 3	2011	AIA	0
1871	NAS522	COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE - Rev 3	2011	AIA	0
1872	NAS577	NUT, SELF-LOCKING, BARREL, FLOATING 180 KSI Ftu - Rev 16	2011	AIA	0
1873	NAS538	BUSHING, FLANGED, PRESS FIT, UNDERSIZE INSIDE DIAMETER - Rev 10	2011	AIA	0
1874	NAS557	GROMMET, PLASTIC, SPLIT - Rev 7	2011	AIA	0
1875	NAS559	NULL	2011	AIA	0
1876	NAS596	NUT, RIGID TUBE CONNECTOR, CRES - Rev 7	2011	AIA	0
1877	NAS591	COUPLING, RIGID TUBE CONNECTOR, ALUMINUM - Rev 6	2011	AIA	0
1878	NAS593	NUT, RIGID TUBE CONNECTOR, ALUMINUM - Rev 6	2011	AIA	0
1879	NAS594	COUPLING, RIGID TUBE CONNECTOR, CRES - Rev 7	2011	AIA	0
1880	NAS653-658	BOLT, SHEAR, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM, SHORT THREAD, .1900 TO .5000, 95 KSI Fsu - Rev 11	2011	AIA	0
1881	NAS721	SCREW, MINIATURE, FILLISTER HEAD - Rev 3	2011	AIA	0
1882	NAS722	SCREW, MINIATURE, PAN HEAD - Rev 3	2011	AIA	0
1883	NAS823	NULL	2011	AIA	0
1884	NAS824	INSPECTION, ULTRASONIC, WROUGHT METAL - Rev 2	2011	AIA	0
1885	NAS834	CAP OR PLUG, PROTECTIVE, PLAIN TUBE OR HOLE - Rev 1	2011	AIA	0
1886	NAS832	CAP, PROTECTIVE, FLARED FITTING (PLASTIC) - Rev 1	2011	AIA	0
1887	NAS1053	BOLT, EYE, ASSEMBLY, FORGED CARBON STEEL - Rev 5	2011	AIA	0
1888	NAS1047	TURNBUCKLE ASSEMBLY, FORGED CARBON STEEL, JAW AND JAW, FOR GROUND SUPPORT EQPT - Rev 6	2011	AIA	0
1889	NAS1039-1041	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, REGULAR HEIGHT, CSK - Rev 7	2011	AIA	0
1890	NAS1050	GRAB HOOK, FORGED ALLOY STEEL, DIRECT EYE, FOR GROUND SUPPORT EQUIPMENT - Rev 3	2011	AIA	0
1891	NAS1033	NUT, SELF-LOCKING, PLATE, RIGHT ANGLE, REGULAR HEIGHT, CBORE, FLOATING - Rev 6	2011	AIA	0
1892	NAS1100	NULL	2011	AIA	0
1893	NAS1095	FLARELESS FITTING CONNECTIONS, FABRICATION AND ASSEMBLY - REV 1	2011	AIA	0
1894	NAS1063	STRIP, HIGH TEMPERATURE TERMINAL BLOCK, BASE INSULATING - Rev 4	2011	AIA	0

1895	NAS1072	GUARD, CHANNEL, TOGGLE SWITCH - Rev 2	2011	AIA	0
1896	NAS1073	GUARD, TWO-POSITION, TOGGLE-SWITCH, LOCK - Rev 2	2011	AIA	0
1897	NAS1212	STRAP ASSEMBLY, TIE DOWN - Rev 3	2011	AIA	0
1898	NAS1213	STRAP ASSEMBLY, TIE DOWN BUCKLE - Rev 4	2011	AIA	0
1899	NAS1218	BOLT, PAN HEAD, SELF-LOCKING OPTIONAL - Rev. 13	2011	AIA	0
1900	NAS1282	HOOK, SNAP, BOLT - Rev 3	2011	AIA	0
1901	NAS1300	THUMBSCREW - Rev 2	2011	AIA	0
1902	NAS1288	NUT, HEX AND WASHER, SELF-ALIGNING, SELF-LOCKING - Rev 4	2011	AIA	0
1903	NAS1347	IDENTIFICATION OF MALE THREADED FASTENERS - Rev 6	2011	AIA	0
1904	NAS1321	RIVET, SLUG, SLEEVELESS - Rev 3	2011	AIA	0
1905	NAS1322-1326	PIN, THREADED, SHEAR, PROTRUDING HEAD - Rev 4	2011	AIA	0
1906	NAS1327	SPACER, THRU-HOLE, SPLINE - Rev 1	2011	AIA	0
1907	NAS1328	INSERT, SCREW, THREADED, SPLINE - Rev 3	2011	AIA	0
1908	NAS1349	CASTER, LIGHT DUTY, RIGID AND SWIVEL - Rev 3	2011	AIA	0
1909	NAS1394	INSERT, SCREW THREAD, SELF-LOCKING AND NON SELF-LOCKING, METAL, LIGHTWEIGHT - Rev 8	2011	AIA	0
1910	NAS1387	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, UNINSULATED (CLASS 2) - Rev 4	2011	AIA	0
1911	NAS1388	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, PRE-INSULATED, (CLASS 2) WIRE SIZES 10 TO 26 - Rev 10	2011	AIA	0
1912	NAS1389	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, PRE-INSULATED (CLASS 2) WIRE SIZES 8 TO 1/0 - Rev 3	2011	AIA	0
1913	NAS1383	STRAP ASSEMBLY, TWO PART ADJUSTABLE - Rev 7	2011	AIA	0
1914	NAS1369	DUCT, AIR, FLEXIBLE AND SEMI-RIGID - Rev 3	2011	AIA	0
1915	NAS1410	NUT, UNIVERSAL PORT FITTING - Rev 5	2011	AIA	0
1916	NAS1413	PINS AND COLLARS, SWAGE LOCKING - Rev 9	2011	AIA	0
1917	NAS1433	RADIOGRAPHIC STANDARDS FOR ALUMINUM ALLOY CASTINGS - Rev 2	2011	AIA	0
1918	NAS1475-1482	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° HEAD (NASM20426), TENSION, PULL-TYPE - Rev 3	2011	AIA	0
1919	NAS1435	TERMINAL, STRAP, CABLE EYE END AND FORK END - Rev 4	2011	AIA	0
1920	NAS1443	LOCKWASHER, BEARING, RETAINING - Rev 7	2011	AIA	0
1921	NAS1463	CLIP, SPRING TENSION - Rev 3	2011	AIA	0
1922	NAS1515	WASHER, PLASTIC AND SYNTHETIC RUBBER - Rev 5	2011	AIA	0
1923	NAS1516-1522	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), PULL-TYPE - Rev 4	2011	AIA	0
1924	NAS1512-1513	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CBORE, MINIATURE - Rev 5	2011	AIA	0
1925	NAS1486-1492	PIN, SWAGE LOCKING, STEEL, 100° HEAD (MS24694), TENSION, STUMP-TYPE - Rev 5	2011	AIA	0
1926	NAS1493	LOCKNUT, BEARING RETAINING - Rev 7	2011	AIA	0
1927	NAS1495	RECOMMENDED QUALIFICATION TEST PROCEDURE FOR COMPLIANCE WITH NAS SPECIFICATIONS AND STANDARD DRAWINGS - Rev 2	2011	AIA	0
1928	NAS1496-1502	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, TENSION, STUMP TYPE - Rev 5	2011	AIA	0
1929	NAS1546-1552	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100° HEAD (NASM24694), TENSION, STUMP-TYPE - Rev 3	2011	AIA	0
1930	NAS1553	KNOB, HAND, GROUND SUPPORT EQUIPMENT - Rev 6	2011	AIA	0
1931	NAS1638	NULL	2011	AIA	0
1932	NAS1675	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE SELF-LOCKING - Rev 5	2011	AIA	0
1933	NAS1580	BOLT, SHEAR, 100° FLUSH HEAD, OFFSET CRUCIFORM, OFFSET CRUCIFORM _ RIBBED AND DOVETAIL SLOT, 95 KSI FSU - Rev 14	2011	AIA	0

1934	NAS1713	CLAMP, LOOP, CUSHIONED, CENTER MOUNTING - Rev 5	2011	AIA	0
1935	NAS1714	CLAMP, LOOP, CUSHIONED, ELONGATED - Rev 4	2011	AIA	0
1936	NAS1715	CLAMP, LOOP, CUSHIONED - Rev 6	2011	AIA	0
1937	NAS1719	RIVET, BLIND, 100° REDUCED FLUSH HEAD, (NAS1097 HEAD), MECHANICALLY LOCKED SPINDLE - Rev 3	2011	AIA	0
1938	NAS1720	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE - Rev 3	2011	AIA	0
1939	NAS1721	RIVET, BLIND, 100° FLUSH HEAD (NASM20426 HEAD), MECHANICALLY LOCKED SPINDLE - Rev 3	2011	AIA	0
1940	NAS1759	NUT, SELF-LOCKING, DOUBLE HEXAGON, SHEAR, 450 °F - Rev 2	2011	AIA	0
1941	NAS1743	SCREW, SELF-LOCKING, FLAT FILLISTER HEAD, FULL THREAD, PATCH TYPE - Rev 5	2011	AIA	0
1942	NAS1725	FASTENER, SHEAR, 100° STANDARD FLUSH HEAD, TAPEREDSHANK (TS), OVERSIZE, 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu, AND 156 KSI Fsu - Rev 3	2011	AIA	0
1943	NAS1726	NUT, SELF-LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 °F AND 800 °F - Rev 5	2011	AIA	0
1944	NAS1728	FASTENER, SHEAR, PROTRUDING HEAD, TAPERED SHANK (TS), 95 KSI Fsu, 108 KSI Fsu, 110 KSI Fsu, 125 KSI Fsu, 132 KSI Fsu, & 156 KSI Fsu - Rev 3	2011	AIA	0
1945	NAS1096	NULL	2010	AIA	0
1946	NAS1090	HOOK, CHAIN, S - Rev 5	2010	AIA	0
1947	NAS1103-1120	NULL	2010	AIA	0
1948	NAS1003-1020	BOLT, MACHINE, HEXAGON HEAD, A286 CRES - Rev 9	2010	AIA	0
1949	NAS618	FASTENER, RECOMMENDED SHANK, HOLE, AND HEAD-TO-SHANK FILLET RADIUS LIMITS FOR - Rev 7	2010	AIA	0
1950	NAS501	NULL	2010	AIA	0
1951	NAS288	NULL	2010	AIA	0
1952	NA0100	FASTENER CODE METRIC - Rev 1	2010	AIA	0
1953	NASM21044	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, 125 KSI Ftu AND 60 KSI Ftu - Rev 2	2010	AIA	0
1954	NASM21051	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, STEEL, 125 KSI FTU, 450 Degrees F - Rev 3	2010	AIA	0
1955	NASM14183	WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI Ftu - Rev 3	2010	AIA	0
1956	NASM9006	Recess-Cross, Low Torque Drive, Dimensions and Gage Dimensions for - Rev 2	2010	AIA	0
1957	NASM1312-1	FASTENER TEST METHODS METHOD 1 SALT SPRAY - Rev 1	2010	AIA	0
1958	NAS1834	INSERT, MOLDED IN, CSK AND THRU CLEARANCE HOLE, SANDWICH PANEL - Rev 6	2010	AIA	0
1959	NAS1835	INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, FLOATING, SANDWICH PANEL - Rev 8	2010	AIA	0
1960	NAS1750	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF-LOCKING, 1/64 OVERSIZE - Rev 5	2010	AIA	0
1961	NASM33588	NUT, SELF-LOCKING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY USAGE REQUIREMENTS FOR - Rev 1	2010	AIA	0
1962	NASM81177-1	NULL	2010	AIA	0
1963	NASM51021	SETSCREW, HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A, PLAIN AND SELF-LOCKING - Rev 2	2010	AIA	0
1964	NASM51576	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL - Rev 2	2010	AIA	0
1965	NASM21266	GROMMET, PLASTIC, EDGING - Rev 2	2009	AIA	0
1966	NAS3500	Technical Data Package: Composition, Communication, and Application - Incorporates Corrections: 09/08/2009; Includes Access to Additional Content	2008	AIA	0
1967	NASM35649	NUT, PLAIN, HEXAGON, MACHINE SCREW, UNC-2B - Rev 1	2008	AIA	0
1968	NAS145	NULL	2002	AIA	0
1969	NAS146	NULL	2002	AIA	0

1970	NAS147	NULL	2002	AIA	0
1971	NAS148	NULL	2002	AIA	0
1972	NAS149	NULL	2002	AIA	0
1973	NAS150	NULL	2002	AIA	0
1974	NAS152	NULL	2002	AIA	0
1975	NAS154	NULL	2002	AIA	0
1976	NAS156	NULL	2002	AIA	0
1977	NAS158	NULL	2002	AIA	0
1978	NAS986	End Mills, Finishing, High Speed Steel .125 Inch Thru 3.000 Inch Diameter - Rev 4	2001	AIA	0
1979	NAS1083-1088	NULL	2001	AIA	0
1980	NAS1217	NULL	2001	AIA	0
1981	NAS1220	NULL	2001	AIA	0
1982	NAS663-668	NULL	2001	AIA	0
1983	NAS1579	NULL	2001	AIA	0
1984	NAS1582	NULL	2001	AIA	0
1985	NAS1303-1320	NULL	2001	AIA	0
1986	NAS1393	NULL	2001	AIA	0
1987	NAS2903-2920	NULL	2001	AIA	0
1988	NAS3003-3020	NULL	2001	AIA	0
1989	NASM21245	Nut, Self-Locking, Hexagon, Thin, 450 Degrees F, 80 KSI Ftu - Rev 1	1999	AIA	0
1990	NAS4400-4416	NULL	1998	AIA	0
1991	TARC 82-29	Standards for Symbology and Graphic Signage Aboard Commercial Aircraft	1998	AIA	0
1992	NAS1598	NULL	1997	AIA	0
1993	NAS464	NULL	1996	AIA	0
1994	NAS5200-5206	NULL	1996	AIA	0
1995	NAS4104-4116	NULL	1996	AIA	0
1996	NAS4204-4216	NULL	1996	AIA	0
1997	NAS4304-4316	NULL	1996	AIA	0
1998	NAS4500-4516	NULL	1996	AIA	0
1999	NAS4600-4616	NULL	1996	AIA	0
2000	NAS4703-4716	NULL	1996	AIA	0
2001	NAS4803-4816	NULL	1996	AIA	0
2002	NAS4903-4916	NULL	1996	AIA	0
2003	NAS5000-5006	NULL	1996	AIA	0
2004	NAS5100-5106	NULL	1996	AIA	0
2005	NAS1786	NULL	1996	AIA	0
2006	NAS4005	NULL	1994	AIA	0
2007	NAS3601	Recommended Standard Data Format of Transport Airplane Characteristics for Airport Planning - Rev 6	1994	AIA	0
2008	NAS4000	NULL	1994	AIA	0
2009	NAS4001	NULL	1994	AIA	0
2010	NAS5300-5306	NULL	1994	AIA	0

2011	NAS5400-5406	NULL	1994	AIA	0
2012	NAS5500-5506	NULL	1994	AIA	0
2013	NAS5600-5606	NULL	1994	AIA	0
2014	NAS5700-5706	NULL	1994	AIA	0
2015	NAS5800-5806	NULL	1994	AIA	0
2016	NA0062	NULL	1994	AIA	0
2017	NA0063	NULL	1994	AIA	0
2018	NAS1601	NULL	1994	AIA	0
2019	NAS1602	NULL	1994	AIA	0
2020	NAS1745	NULL	1994	AIA	0
2021	NAS1746	NULL	1994	AIA	0
2022	NAS1545	NULL	1993	AIA	0
2023	NAS1240	NULL	1993	AIA	0
2024	NAS1236	NULL	1993	AIA	0
2025	NAS1534	NULL	1993	AIA	0
2026	NA0085-0086	Nut, Self-Locking, Plate, Floating, Two Lug Reduced Rivet Spacing, Low Height, C_Bored, 1100 MPa, Metric 235 DEG C, 425 DEG C - REV 2	1993	AIA	0
2027	NAS0295	NULL	1993	AIA	0
2028	NAS391	NULL	1992	AIA	0
2029	NAS515	NULL	1992	AIA	0
2030	NAS511	NULL	1992	AIA	0
2031	NAS446	NULL	1992	AIA	0
2032	NAS543	NULL	1992	AIA	0
2033	NAS124	NULL	1992	AIA	0
2034	NAS125	NULL	1992	AIA	0
2035	NAS126	NULL	1992	AIA	0
2036	NAS120	NULL	1992	AIA	0
2037	NAS1533	NULL	1992	AIA	0
2038	NAS1289	NULL	1992	AIA	0
2039	NAS1583	NULL	1992	AIA	0
2040	NAS720	NULL	1992	AIA	0
2041	NAS1788	NULL	1992	AIA	0
2042	NAS6910	NULL	1991	AIA	0
2043	NAS6911	NULL	1991	AIA	0
2044	NAS6912	NULL	1991	AIA	0
2045	NAS1068	NULL	1991	AIA	0
2046	NAS1021	NULL	1991	AIA	0
2047	NAS1022	NULL	1991	AIA	0
2048	NAS1380	NULL	1991	AIA	0
2049	NAS1381	NULL	1991	AIA	0
2050	NA0166-0167	NULL	1991	AIA	0
2051	NAS370-373	NULL	1991	AIA	0

2052	NAS3610	CARGO UNIT LOAD DEVICES - SPECIFICATION FOR - Rev 10	1990	AIA	0
2053	NAS1874	NULL	1989	AIA	0
2054	NAS1875	NULL	1989	AIA	0
2055	NAS1876	NULL	1989	AIA	0
2056	NAS1877	NULL	1989	AIA	0
2057	NAS1878	NULL	1989	AIA	0
2058	NAS1879	NULL	1989	AIA	0
2059	NAS1880	NULL	1989	AIA	0
2060	NAS1881	NULL	1989	AIA	0
2061	NAS1882	NULL	1989	AIA	0
2062	NAS1883	NULL	1989	AIA	0
2063	NAS1884	NULL	1989	AIA	0
2064	NAS1885	NULL	1989	AIA	0
2065	NAS1886	NULL	1989	AIA	0
2066	NAS1887	NULL	1989	AIA	0
2067	NAS1888	NULL	1989	AIA	0
2068	NAS1889	NULL	1989	AIA	0
2069	NAS1890	NULL	1989	AIA	0
2070	NAS1891	NULL	1989	AIA	0
2071	NAS1892	NULL	1989	AIA	0
2072	NAS1893	NULL	1989	AIA	0
2073	NAS1894	NULL	1989	AIA	0
2074	NAS1895	NULL	1989	AIA	0
2075	NAS1896	NULL	1989	AIA	0
2076	NAS1897	NULL	1989	AIA	0
2077	NAS1898	NULL	1989	AIA	0
2078	NA0165	NULL	1989	AIA	0
2079	NA0164	NULL	1987	AIA	0
2080	NAS178	NULL	1987	AIA	0
2081	NAS1067	NULL	1987	AIA	0
2082	NAS680	NULL	1987	AIA	0
2083	NAS682	NULL	1987	AIA	0
2084	NAS684	NULL	1987	AIA	0
2085	NAS693-695	NULL	1987	AIA	0
2086	NAS696	NULL	1987	AIA	0
2087	NAS697	NULL	1987	AIA	0
2088	NAS698	NULL	1987	AIA	0
2089	NAS1741	NULL	1986	AIA	0
2090	NAS822	NULL	1985	AIA	0
2091	NAS6500-6506	NULL	1985	AIA	0
2092	NAS6900-6906	NULL	1985	AIA	0

2093	NAS5900-5903	NULL	1985	AIA	0
2094	NAS6000-6003	NULL	1985	AIA	0
2095	NAS6100-6103	NULL	1985	AIA	0
2096	NAS1590	NULL	1984	AIA	0
2097	NAS575	NULL	1984	AIA	0
2098	NAS5	NULL	1984	AIA	0
2099	NAS541	NULL	1983	AIA	0
2100	NAS542	NULL	1983	AIA	0
2101	NAS519	NULL	1983	AIA	0
2102	NAS528	NULL	1983	AIA	0
2103	NAS1391	NULL	1983	AIA	0
2104	NAS1331	NULL	1983	AIA	0
2105	NAS1402-1406	NULL	1983	AIA	0
2106	NAS3452	NULL	1982	AIA	0
2107	NAS2315-2322	NULL	1981	AIA	0
2108	NAS2325-2332	NULL	1981	AIA	0
2109	NAS1483	NULL	1981	AIA	0
2110	NAS1503-1510	NULL	1981	AIA	0
2111	NAS1570	NULL	1981	AIA	0
2112	NAS1571	NULL	1981	AIA	0
2113	NAS1572	NULL	1981	AIA	0
2114	NAS1573	NULL	1981	AIA	0
2115	NAS1567	NULL	1981	AIA	0
2116	NAS1584	NULL	1981	AIA	0
2117	NAS1585	NULL	1981	AIA	0
2118	NAS1586	NULL	1981	AIA	0
2119	NAS1576	NULL	1981	AIA	0
2120	NAS1577	NULL	1981	AIA	0
2121	NAS1614	NULL	1981	AIA	0
2122	NAS1615	NULL	1981	AIA	0
2123	NAS1616	NULL	1981	AIA	0
2124	NAS1617	NULL	1981	AIA	0
2125	NAS1618	NULL	1981	AIA	0
2126	NAS1619	NULL	1981	AIA	0
2127	NAS1668	NULL	1981	AIA	0
2128	NAS1655	NULL	1981	AIA	0
2129	NAS1656	NULL	1981	AIA	0
2130	NAS1657	NULL	1981	AIA	0
2131	NAS1658	NULL	1981	AIA	0
2132	NAS1659	NULL	1981	AIA	0
2133	NAS1661	NULL	1981	AIA	0

2134	NAS1639	NULL	1981	AIA	0
2135	NAS1644	NULL	1981	AIA	0
2136	NAS1646	NULL	1981	AIA	0
2137	NAS1647	NULL	1981	AIA	0
2138	NAS1649	NULL	1981	AIA	0
2139	NAS1683	NULL	1981	AIA	0
2140	NAS1685	NULL	1981	AIA	0
2141	NAS699	NULL	1981	AIA	0
2142	NAS728	NULL	1981	AIA	0
2143	NAS729	NULL	1981	AIA	0
2144	NAS718	NULL	1981	AIA	0
2145	NAS719	NULL	1981	AIA	0
2146	NAS713	NULL	1981	AIA	0
2147	NAS702	NULL	1981	AIA	0
2148	NAS710	NULL	1981	AIA	0
2149	NAS1002	NULL	1981	AIA	0
2150	NAS1058	NULL	1981	AIA	0
2151	NAS1059	NULL	1981	AIA	0
2152	NAS544	NULL	1981	AIA	0
2153	NAS363-369	NULL	1981	AIA	0
2154	NAS385	NULL	1981	AIA	0
2155	NAS386	NULL	1981	AIA	0
2156	NAS21	NULL	1981	AIA	0
2157	NAS38	NULL	1981	AIA	0
2158	NAS78	NULL	1981	AIA	0
2159	NAS127	NULL	1981	AIA	0
2160	NAS162	NULL	1981	AIA	0
2161	NAS23	NULL	1980	AIA	0
2162	NAS36	NULL	1980	AIA	0
2163	NAS26	NULL	1980	AIA	0
2164	NAS28	NULL	1980	AIA	0
2165	NAS29	NULL	1980	AIA	0
2166	NAS361	NULL	1980	AIA	0
2167	NAS362	NULL	1980	AIA	0
2168	NAS192	NULL	1980	AIA	0
2169	NAS529	NULL	1980	AIA	0
2170	NAS525	NULL	1980	AIA	0
2171	NAS560	NULL	1980	AIA	0
2172	NAS1196	NULL	1980	AIA	0
2173	NAS704	NULL	1980	AIA	0
2174	NAS705	NULL	1980	AIA	0

2175	NAS706	NULL	1980	AIA	0
2176	NAS707	NULL	1980	AIA	0
2177	NAS708	NULL	1980	AIA	0
2178	NAS709	NULL	1980	AIA	0
2179	NAS714	NULL	1980	AIA	0
2180	NAS715	NULL	1980	AIA	0
2181	NAS1678	NULL	1980	AIA	0
2182	NAS1679	NULL	1980	AIA	0
2183	NAS1680	NULL	1980	AIA	0
2184	NAS1681	NULL	1980	AIA	0
2185	NAS1682	NULL	1980	AIA	0
2186	NAS1648	NULL	1980	AIA	0
2187	NAS1641	NULL	1980	AIA	0
2188	NAS1642	NULL	1980	AIA	0
2189	NAS1643	NULL	1980	AIA	0
2190	NAS1662	NULL	1980	AIA	0
2191	NAS1663	NULL	1980	AIA	0
2192	NAS1664	NULL	1980	AIA	0
2193	NAS1660	NULL	1980	AIA	0
2194	NAS1654	NULL	1980	AIA	0
2195	NAS1599	NULL	1980	AIA	0
2196	NAS1600	NULL	1980	AIA	0
2197	NAS1588	NULL	1980	AIA	0
2198	NAS1511	NULL	1980	AIA	0
2199	NAS1484	NULL	1980	AIA	0
2200	NAS1485	NULL	1980	AIA	0
2201	NAS1408	NULL	1979	AIA	0
2202	NAS1409	NULL	1979	AIA	0
2203	NAS1574	NULL	1979	AIA	0
2204	NAS1543	NULL	1979	AIA	0
2205	NAS1544	NULL	1979	AIA	0
2206	NAS1348	NULL	1979	AIA	0
2207	NAS1665	NULL	1979	AIA	0
2208	NAS1666	NULL	1979	AIA	0
2209	NAS1667	NULL	1979	AIA	0
2210	NAS1650	NULL	1979	AIA	0
2211	NAS1651	NULL	1979	AIA	0
2212	NAS1652	NULL	1979	AIA	0
2213	NAS1653	NULL	1979	AIA	0
2214	NAS1692	NULL	1979	AIA	0
2215	NAS1693	NULL	1979	AIA	0

2216	NAS1694	NULL	1979	AIA	0
2217	NAS1695	NULL	1979	AIA	0
2218	NAS1696	NULL	1979	AIA	0
2219	NAS1697	NULL	1979	AIA	0
2220	NAS1698	NULL	1979	AIA	0
2221	NAS1699	NULL	1979	AIA	0
2222	NAS1700	NULL	1979	AIA	0
2223	NAS1701	NULL	1979	AIA	0
2224	NAS1702	NULL	1979	AIA	0
2225	NAS1733	NULL	1979	AIA	0
2226	NAS599	NULL	1979	AIA	0
2227	NAS819	NULL	1979	AIA	0
2228	NAS534	NULL	1979	AIA	0
2229	NAS535	NULL	1979	AIA	0
2230	NAS461	NULL	1979	AIA	0
2231	NAS462	NULL	1979	AIA	0
2232	NAS465	NULL	1978	AIA	0
2233	NAS502	NULL	1978	AIA	0
2234	NAS503	NULL	1978	AIA	0
2235	NAS504	NULL	1978	AIA	0
2236	NAS505	NULL	1978	AIA	0
2237	NAS506	NULL	1978	AIA	0
2238	NAS507	NULL	1978	AIA	0
2239	NAS417	NULL	1978	AIA	0
2240	NAS536	NULL	1978	AIA	0
2241	NAS533	NULL	1978	AIA	0
2242	NAS619	NULL	1978	AIA	0
2243	NAS188	NULL	1978	AIA	0
2244	NAS191	NULL	1978	AIA	0
2245	NAS179	NULL	1978	AIA	0
2246	NAS182	NULL	1978	AIA	0
2247	NAS199	NULL	1978	AIA	0
2248	NAS341	NULL	1978	AIA	0
2249	NAS342	NULL	1978	AIA	0
2250	NAS343	NULL	1978	AIA	0
2251	NAS344	NULL	1978	AIA	0
2252	NAS345	NULL	1978	AIA	0
2253	NAS346	NULL	1978	AIA	0
2254	NAS347	NULL	1978	AIA	0
2255	NAS400	NULL	1978	AIA	0
2256	NAS401	NULL	1978	AIA	0

2257	NAS402	NULL	1978	AIA	0
2258	NAS403	NULL	1978	AIA	0
2259	NAS41	NULL	1978	AIA	0
2260	NAS141	NULL	1978	AIA	0
2261	NAS142	NULL	1978	AIA	0
2262	NAS171	NULL	1978	AIA	0
2263	NAS168	NULL	1978	AIA	0
2264	NAS1071	NULL	1978	AIA	0
2265	NAS1065	NULL	1978	AIA	0
2266	NAS1078	NULL	1978	AIA	0
2267	NAS1079	NULL	1978	AIA	0
2268	NAS1075	NULL	1978	AIA	0
2269	NAS1076	NULL	1978	AIA	0
2270	NAS1001	NULL	1978	AIA	0
2271	NAS1350	NULL	1978	AIA	0
2272	NAS1302	NULL	1978	AIA	0
2273	NAS1906-1916	NULL	1978	AIA	0
2274	NAS1806-1816	NULL	1978	AIA	0
2275	NAS1243-1250	NULL	1977	AIA	0
2276	NAS1253-1260	NULL	1977	AIA	0
2277	NAS1089	NULL	1977	AIA	0
2278	NAS971	NULL	1976	AIA	0
2279	NAS952	NULL	1976	AIA	0
2280	NAS948	NULL	1975	AIA	0
2281	NAS980	NULL	1975	AIA	0
2282	NAS1589	NULL	1975	AIA	0
2283	NAS1597	NULL	1975	AIA	0
2284	NAS943	NULL	1974	AIA	0
2285	NAS968	NULL	1974	AIA	0
2286	NAS969	NULL	1974	AIA	0
2287	NAS685	NULL	1974	AIA	0
2288	NAS686	NULL	1974	AIA	0
2289	NAS687	NULL	1974	AIA	0
2290	NAS688-692	NULL	1974	AIA	0
2291	NAS683	NULL	1974	AIA	0
2292	NAS681	NULL	1974	AIA	0
2293	NAS1593	NULL	1973	AIA	0
2294	NAS1594	NULL	1973	AIA	0
2295	NAS1595	NULL	1973	AIA	0
2296	NAS1596	NULL	1973	AIA	0
2297	NAS460	NULL	1973	AIA	0

2298	NAS1748	NULL	1971	AIA	0
2299	NAS1749	NULL	1971	AIA	0
2300	NAS1817	NULL	1971	AIA	0
2301	NAS1818	NULL	1971	AIA	0
2302	NAS1819	NULL	1971	AIA	0
2303	NAS1820	NULL	1971	AIA	0
2304	NAS1821	NULL	1971	AIA	0
2305	NAS1822	NULL	1971	AIA	0
2306	NAS1823	NULL	1971	AIA	0
2307	NAS1824	NULL	1971	AIA	0
2308	NAS1825	NULL	1971	AIA	0
2309	NAS1826	NULL	1971	AIA	0
2310	NAS1827	NULL	1971	AIA	0
2311	NAS1828	NULL	1971	AIA	0
2312	NAS1237	NULL	1969	AIA	0
2313	NAS1238	NULL	1969	AIA	0
2314	NAS1239	NULL	1969	AIA	0
2315	NAS810	NULL	1969	AIA	0
2316	NAS811	NULL	1969	AIA	0
2317	NAS812	NULL	1969	AIA	0
2318	NAS711	NULL	1968	AIA	0
2319	NAS3310	NULL	1968	AIA	0
2320	NAS1061	NULL	1967	AIA	0
2321	NAS1066	NULL	1967	AIA	0
2322	NAS1064	NULL	1967	AIA	0
2323	NAS177	NULL	1967	AIA	0
2324	NAS1386	NULL	1965	AIA	0
2325	NAS1074	NULL	1964	AIA	0
2326	NAS645	NULL	1964	AIA	0
2327	NAS646	NULL	1964	AIA	0
2328	NAS647	NULL	1964	AIA	0
2329	NAS648	NULL	1964	AIA	0
2330	NAS649	NULL	1964	AIA	0
2331	NAS650	NULL	1964	AIA	0
2332	NAS164	NULL	1964	AIA	0
2333	NAS548	NULL	1964	AIA	0
2334	NAS376	NULL	1964	AIA	0
2335	NAS220-227	NULL	1964	AIA	0
2336	NAS512	NULL	1963	AIA	0
2337	NAS669	NULL	1963	AIA	0
2338	NAS670	NULL	1963	AIA	0

2339	NAS700	NULL	1963	AIA	0
2340	NAS701	NULL	1963	AIA	0
2341	NAS716	NULL	1963	AIA	0
2342	NAS717	NULL	1963	AIA	0
2343	NAS1569	NULL	1963	AIA	0
2344	NAS1222	NULL	1962	AIA	0
2345	NAS499	NULL	1962	AIA	0
2346	NAS508	NULL	1962	AIA	0
2347	NAS608	NULL	1962	AIA	0
2348	NAS609	NULL	1962	AIA	0
2349	NAS556	NULL	1962	AIA	0
2350	NAS350	NULL	1962	AIA	0
2351	NAS49	NULL	1962	AIA	0
2352	NAS163	NULL	1961	AIA	0
2353	NAS161	NULL	1961	AIA	0
2354	NAS351	NULL	1961	AIA	0
2355	NAS352	NULL	1961	AIA	0
2356	NAS353	NULL	1961	AIA	0
2357	NAS405	NULL	1961	AIA	0
2358	NAS406	NULL	1961	AIA	0
2359	NAS409	NULL	1961	AIA	0
2360	NAS459	NULL	1961	AIA	0
2361	NAS532	NULL	1960	AIA	0
2362	ARTC-4	ELECTRICAL TEST PROCEDURES FOR RADOMES AND RADOME MATERIALS - Rev 2; BEST AVAILABLE COPY	1960	AIA	0
2363	NAS610-616	NULL	1959	AIA	0
2364	NAS1092	NULL	1959	AIA	0
2365	NAS1093	NULL	1959	AIA	0
2366	NAS1094	NULL	1959	AIA	0
2367	NAS1214	NULL	1958	AIA	0
2368	NAS1215	NULL	1958	AIA	0
2369	NAS530	NULL	1958	AIA	0
2370	NAS545	NULL	1958	AIA	0
2371	NAS466	NULL	1958	AIA	0
2372	NAS404	NULL	1958	AIA	0
2373	NAS228	NULL	1958	AIA	0
2374	NAS229	NULL	1958	AIA	0
2375	NAS230	NULL	1958	AIA	0
2376	NAS231	NULL	1958	AIA	0
2377	NAS232	NULL	1958	AIA	0
2378	NAS31	NULL	1958	AIA	0
2379	NAS11	NULL	1957	AIA	0

2380	NAS394	NULL	1957	AIA	0
2381	NAS348	NULL	1957	AIA	0
2382	NAS422	NULL	1957	AIA	0
2383	NAS419	NULL	1957	AIA	0
2384	NAS546	NULL	1957	AIA	0
2385	NAS598	NULL	1957	AIA	0
2386	NAS924	NULL	1957	AIA	0
2387	NAS30	NULL	1956	AIA	0
2388	NAS50	NULL	1956	AIA	0
2389	NAS51	NULL	1956	AIA	0
2390	NAS40	NULL	1954	AIA	0
2391	NAS143	NULL	1954	AIA	0
2392	NAS70	NULL	1954	AIA	0
2393	NAS418	NULL	1953	AIA	0
2394	NAS458	NULL	1953	AIA	0
2395	NAS233	NULL	1953	AIA	0
2396	NAS234	NULL	1953	AIA	0
2397	NAS235	NULL	1953	AIA	0
2398	NAS200	NULL	1952	AIA	0
2399	NAS201	NULL	1952	AIA	0
2400	NAS202	NULL	1952	AIA	0
2401	NAS203	NULL	1952	AIA	0
2402	NAS290	NULL	1952	AIA	0
2403	NAS291	NULL	1952	AIA	0
2404	NAS292	NULL	1952	AIA	0
2405	NAS293	NULL	1952	AIA	0
2406	NAS294	NULL	1952	AIA	0
2407	NAS377	NULL	1952	AIA	0
2408	NAS378	NULL	1952	AIA	0
2409	NAS382	NULL	1952	AIA	0
2410	NAS383	NULL	1952	AIA	0
2411	NAS296	NULL	1952	AIA	0
2412	NAS497	NULL	1952	AIA	0
2413	NAS420	NULL	1952	AIA	0
2414	NAS34	NULL	1952	AIA	0
2415	NAS35	NULL	1952	AIA	0
2416	NAS37	NULL	1952	AIA	0
2417	NAS447	NULL	1951	AIA	0
2418	NAS452	NULL	1951	AIA	0
2419	NAS453	NULL	1951	AIA	0
2420	NAS454	NULL	1951	AIA	0

2421	NAS455	NULL	1951	AIA	0
2422	NAS456	NULL	1951	AIA	0
2423	NAS457	NULL	1951	AIA	0
2424	NAS470	NULL	1951	AIA	0
2425	NAS471	NULL	1951	AIA	0
2426	NAS472	NULL	1951	AIA	0
2427	NAS473	NULL	1951	AIA	0
2428	NAS474	NULL	1951	AIA	0
2429	NAS475	NULL	1951	AIA	0
2430	NAS476	NULL	1951	AIA	0
2431	NAS477	NULL	1951	AIA	0
2432	NAS478	NULL	1951	AIA	0
2433	NAS479	NULL	1951	AIA	0
2434	NAS480	NULL	1951	AIA	0
2435	NAS481	NULL	1951	AIA	0
2436	NAS482	NULL	1951	AIA	0
2437	NAS483	NULL	1951	AIA	0
2438	NAS484	NULL	1951	AIA	0
2439	NAS485	NULL	1951	AIA	0
2440	NAS486	NULL	1951	AIA	0
2441	NAS449	NULL	1951	AIA	0
2442	NAS450	NULL	1951	AIA	0
2443	NAS468	NULL	1951	AIA	0
2444	NAS489	NULL	1951	AIA	0
2445	NAS490	NULL	1951	AIA	0
2446	NAS491	NULL	1951	AIA	0
2447	NAS492	NULL	1951	AIA	0
2448	NAS493	NULL	1951	AIA	0
2449	NAS429	NULL	1951	AIA	0
2450	NAS430	NULL	1951	AIA	0
2451	NAS431	NULL	1951	AIA	0
2452	NAS432	NULL	1951	AIA	0
2453	NAS433	NULL	1951	AIA	0
2454	NAS434	NULL	1951	AIA	0
2455	NAS435	NULL	1951	AIA	0
2456	NAS436	NULL	1951	AIA	0
2457	NAS437	NULL	1951	AIA	0
2458	NAS438	NULL	1951	AIA	0
2459	NAS439	NULL	1951	AIA	0
2460	NAS440	NULL	1951	AIA	0
2461	NAS441	NULL	1951	AIA	0

2462	NAS442	NULL	1951	AIA	0
2463	NAS443	NULL	1951	AIA	0
2464	NAS444	NULL	1951	AIA	0
2465	NAS445	NULL	1951	AIA	0
2466	NAS807	SPECIFICATION - TWIN SEAPLANE FLOATS	1951	AIA	0
2467	NAS381	NULL	1950	AIA	0
2468	NAS448	NULL	1950	AIA	0
2469	NAS45	NULL	1950	AIA	0
2470	NAS22	NULL	1950	AIA	0
2471	NAS17	NULL	1950	AIA	0
2472	NAS18	NULL	1950	AIA	0
2473	NAS19	NULL	1950	AIA	0
2474	NAS20	NULL	1950	AIA	0
2475	NAS2	NULL	1950	AIA	0
2476	NAS90	NULL	1950	AIA	0
2477	NAS62	NULL	1949	AIA	0
2478	NAS64	NULL	1949	AIA	0
2479	NAS66	NULL	1949	AIA	0
2480	NAS53	NULL	1949	AIA	0
2481	NAS54	NULL	1949	AIA	0
2482	NAS55	NULL	1949	AIA	0
2483	NAS56	NULL	1949	AIA	0
2484	NAS57	NULL	1949	AIA	0
2485	NAS58	NULL	1949	AIA	0
2486	NAS59	NULL	1949	AIA	0
2487	NAS60	NULL	1949	AIA	0
2488	NAS425	NULL	1949	AIA	0
2489	NAS426	NULL	1949	AIA	0
2490	NAS94	NULL	1948	AIA	0
2491	NAS169	NULL	1947	AIA	0
2492	NAS68	NULL	1947	AIA	0
2493	NAS69	NULL	1947	AIA	0
2494	NAS52	NULL	1947	AIA	0
2495	NAS12	NULL	1947	AIA	0
2496	NAS13	NULL	1947	AIA	0
2497	NAS14	NULL	1947	AIA	0
2498	NAS15	NULL	1947	AIA	0
2499	NAS16	NULL	1947	AIA	0
2500	NAS181	NULL	1947	AIA	0
2501	NAS187	NULL	1947	AIA	0
2502	NAS185	NULL	1947	AIA	0

2503	NAS204	NULL	1947	AIA	0
2504	NAS205	NULL	1947	AIA	0
2505	NAS206	NULL	1947	AIA	0
2506	NAS207	NULL	1947	AIA	0
2507	NAS208	NULL	1947	AIA	0
2508	NAS209	NULL	1947	AIA	0
2509	NAS210	NULL	1947	AIA	0
2510	NAS211	NULL	1947	AIA	0
2511	NAS212	NULL	1947	AIA	0
2512	NAS213	NULL	1947	AIA	0
2513	NAS214	NULL	1947	AIA	0
2514	NAS215	NULL	1947	AIA	0
2515	NAS216	NULL	1947	AIA	0
2516	NAS217	NULL	1947	AIA	0
2517	NAS218	NULL	1947	AIA	0
2518	NAS219	NULL	1947	AIA	0
2519	NAS240	NULL	1947	AIA	0
2520	NAS242	NULL	1947	AIA	0
2521	NAS243	NULL	1947	AIA	0
2522	NAS244	NULL	1947	AIA	0
2523	NAS245	NULL	1947	AIA	0
2524	NAS246	NULL	1947	AIA	0
2525	NAS247	NULL	1947	AIA	0
2526	NAS248	NULL	1947	AIA	0
2527	NAS249	NULL	1947	AIA	0
2528	NAS250	NULL	1947	AIA	0
2529	NAS251	NULL	1947	AIA	0
2530	NAS252	NULL	1947	AIA	0
2531	NAS253	NULL	1947	AIA	0
2532	NAS254	NULL	1947	AIA	0
2533	NAS255	NULL	1947	AIA	0
2534	NAS256	NULL	1947	AIA	0
2535	NAS257	NULL	1947	AIA	0
2536	NAS258	NULL	1947	AIA	0
2537	NAS259	NULL	1947	AIA	0
2538	NAS260	NULL	1947	AIA	0
2539	NAS261	NULL	1947	AIA	0
2540	NAS262	NULL	1947	AIA	0
2541	NAS263	NULL	1947	AIA	0
2542	NAS264	NULL	1947	AIA	0
2543	NAS265	NULL	1947	AIA	0

2544	NAS266	NULL	1947	AIA	0
2545	NAS267	NULL	1947	AIA	0
2546	NAS268	NULL	1947	AIA	0
2547	NAS269	NULL	1947	AIA	0
2548	NAS270	NULL	1947	AIA	0
2549	NAS271	NULL	1947	AIA	0
2550	NAS272	NULL	1947	AIA	0
2551	NAS273	NULL	1947	AIA	0
2552	NAS274	NULL	1947	AIA	0
2553	NAS275	NULL	1947	AIA	0
2554	NAS276	NULL	1947	AIA	0
2555	NAS278	NULL	1947	AIA	0
2556	NAS279	NULL	1947	AIA	0
2557	NAS280	NULL	1947	AIA	0
2558	NAS281	NULL	1947	AIA	0
2559	NAS4	NULL	1946	AIA	0
2560	NAS166	NULL	1946	AIA	0
2561	NAS160	NULL	1946	AIA	0
2562	NAS95	NULL	1946	AIA	0
2563	NAS96	NULL	1946	AIA	0
2564	NAS97	NULL	1946	AIA	0
2565	NAS98	NULL	1946	AIA	0
2566	NAS99	NULL	1946	AIA	0
2567	NAS100	NULL	1946	AIA	0
2568	NAS101	NULL	1946	AIA	0
2569	NAS102	NULL	1946	AIA	0
2570	NAS103	NULL	1946	AIA	0
2571	NAS104	NULL	1946	AIA	0
2572	NAS105	NULL	1946	AIA	0
2573	NAS106	NULL	1946	AIA	0
2574	NAS107	NULL	1946	AIA	0
2575	NAS108	NULL	1946	AIA	0
2576	NAS109	NULL	1946	AIA	0
2577	NAS110	NULL	1946	AIA	0
2578	NAS111	NULL	1946	AIA	0
2579	NAS112	NULL	1946	AIA	0
2580	NAS113	NULL	1946	AIA	0
2581	NAS114	NULL	1946	AIA	0
2582	NAS115	NULL	1946	AIA	0
2583	NAS116	NULL	1946	AIA	0
2584	NAS117	NULL	1946	AIA	0

2585	NAS118	NULL	1946	AIA	0
2586	NAS119	NULL	1946	AIA	0
2587	NAS91	NULL	1946	AIA	0
2588	NAS92	NULL	1946	AIA	0
2589	NAS93	NULL	1946	AIA	0
2590	NAS80	NULL	1946	AIA	0
2591	NAS81	NULL	1946	AIA	0
2592	NAS82	NULL	1946	AIA	0
2593	NAS83	NULL	1946	AIA	0
2594	NAS84	NULL	1946	AIA	0
2595	NAS85	NULL	1946	AIA	0
2596	NAS86	NULL	1946	AIA	0
2597	NAS139	NULL	1945	AIA	0
2598	NAS140	NULL	1945	AIA	0
2599	NAS122	NULL	1945	AIA	0
2600	NAS10	NULL	1945	AIA	0
2601	NAS3	NULL	1945	AIA	0
2602	NAS180	NULL	1945	AIA	0
2603	NAS6	NULL	1944	AIA	0
2604	NAS7	NULL	1944	AIA	0
2605	NAS8	NULL	1944	AIA	0
2606	NAS9	NULL	1944	AIA	0
2607	NAS46	NULL	1944	AIA	0

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737