

**Standards Manager Web Standards List**  
**AWWA-American Water Works Association**

<b>Id</b>	<b>Number</b>	<b>Title</b>	<b>Year</b>	<b>Organization</b>	<b>Page</b>
1	C231	Field Welding of Stainless-Steel Water Pipe	2024	AWWA	
2	M14	Backflow Prevention and Cross-Connection Control Recommended Practices - Fourth Edition	2024	AWWA	
3	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2023	AWWA	
4	C521	Plastic Ball Valves	2023	AWWA	
5	B302	Ammonium Sulfate	2023	AWWA	0
6	B451	PolyDiallyldimethylammonium Chloride)	2023	AWWA	0
7	B507	Phosphoric Acid	2023	AWWA	0
8	B512	Sulfur Dioxide	2023	AWWA	0
9	B603	Permanganates	2023	AWWA	0
10	C217	Microcrystalline Wax and Petrolatum Tape Coating Systems for Steel Water Pipe and Fittings	2023	AWWA	0
11	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings	2023	AWWA	0
12	C509	Resilient-Seated Gate Valves for Water Supply Service	2023	AWWA	0
13	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2023	AWWA	0
14	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2023	AWWA	0
15	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2023	AWWA	0
16	C504	Rubber-seated Butterfly Valves	2023	AWWA	0
17	E200	Progressive Cavity Chemical Metering Pumps	2023	AWWA	0
18	C206	Field Welding of Steel Water Pipe	2023	AWWA	0
19	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2023	AWWA	0
20	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2023	AWWA	0
21	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2023	AWWA	0
22	M25	Flexible-Membrane Covers and Linings for Potable-Water Reservoirs Third Edition	2023	AWWA	0
23	B130	Membrane Bioreactor Systems	2023	AWWA	0
24	C151/A21.51	Ductile-Iron Pipe, Centrifugally Cast, for Water	2023	AWWA	0
25	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2023	AWWA	0
26	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2023	AWWA	0
27	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2023	AWWA	0
28	C651	Disinfecting Water Mains	2023	AWWA	0
29	E102	Submersible Vertical Turbine Pumps	2023	AWWA	0
30	G410	Business Practices for Operation and Management	2023	AWWA	0
31	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2023	AWWA	
32	B503	Sodium Tripolyphosphate	2023	AWWA	
33	B511	Potassium Hydroxide	2023	AWWA	
34	B550	Calcium Chloride	2023	AWWA	
35	C150/A21.50	Thickness Design of Ductile-Iron Pipe	2023	AWWA	
36	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2022	AWWA	32

37	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2022	AWWA	32
38	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2022	AWWA	28
39	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2022	AWWA	28
40	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2022	AWWA	28
41	C232	Viscoelastic Coatings for Steel Water Pipe and Fittings	2022	AWWA	32
42	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2022	AWWA	40
43	C623	Cured-In-Place Pipe (CIPP) Rehabilitation of Pressurized Potable Water Pipelines, 4 In. (100 mm) and Larger	2022	AWWA	40
44	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2022	AWWA	52
45	F110	Ultraviolet Disinfection Systems for Drinking Water	2022	AWWA	36
46	F130	Aeration Systems for Biological Wastewater Treatment	2022	AWWA	36
47	G300	Source Water Protection	2022	AWWA	28
48	G440	Emergency Preparedness Practices	2022	AWWA	24
49	G560	Stormwater Management for Water Utilities	2022	AWWA	44
50	M3	Safety Practices for Water Utilities	2022	AWWA	179
51	M38	Electrodialysis and Electrodialysis Reversal	2022	AWWA	87
52	M75	Elastomers for Waterworks: Pipes, Valves, and Fittings	2022	AWWA	93
53	B101	Precoat Filter Media	2022	AWWA	28
54	B114	Reverse Osmosis and Nanofiltration Systems for Water Treatment	2022	AWWA	44
55	B200	Sodium Chloride	2022	AWWA	32
56	C104/A21.4	CementùMortar Lining for Ductile-Iron Pipe and Fittings	2022	AWWA	24
57	C116/A21.16	Protective Fusion- Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings	2022	AWWA	20
58	C150/A21.50	Thickness Design of Ductile-Iron Pipe	2021	AWWA	68
59	M64	Gas Transfer Applications in WaterùAddition and Removal	2021	AWWA	157
60	M71	Climate Action Plansù Adaptive Management Strategies for Utilities	2021	AWWA	163
61	B304	Liquid Oxygen	2021	AWWA	24
62	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water	2021	AWWA	48
63	D102	Coating Steel Water-storage Tanks	2021	AWWA	72
64	J100	Risk and Resilience Management of Water and Wastewater Systems	2021	AWWA	92
65	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2021	AWWA	60
66	C671	Online Turbidimeter Operation and Maintenance	2021	AWWA	36
67	C800	Underground Service Line Valves and Fittings	2021	AWWA	40
68	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 In. thru 65 In. (100 mm Through 1650 mm), for Waterworks	2021	AWWA	48
69	D100	Welded Steel Tanks for Water Storage	2021	AWWA	212
70	G200	Distribution Systems Operation and Management	2021	AWWA	36
71	C560	Cast Iron Slide Gates	2021	AWWA	0
72	C562	Fabricated Aluminum Slide Gates	2021	AWWA	0
73	C110/A21.10	Ductile-Iron and Gray-Iron Fittings	2021	AWWA	0
74	C503	Wet-Barrel Fire Hydrants	2021	AWWA	0

75	C561	Fabricated Stainless Steel Slide Gates	2021	AWWA	0
76	C563	Fabricated Composite Slide Gates	2021	AWWA	0
77	C654	Disinfection of Wells	2021	AWWA	28
78	M23	PVC Pipe - Design and Installation	2020	AWWA	230
79	M75	Elastomers for Waterworks: Pipes, Valves, and Fittings	2020	AWWA	86
80	C514	Air Valve and Vent Inflow Preventer Assemblies for Potable Water Distribution System and Storage Facilities	2020	AWWA	32
81	C515	Reduced-Wall, Resilient-Seated Gate Valves for Water Supply Service	2020	AWWA	48
82	C670	Online Chlorine Analyzer Operation and Maintenance	2020	AWWA	28
83	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2020	AWWA	44
84	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2020	AWWA	44
85	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2020	AWWA	36
86	G480	Water Conservation Program Operation and Management	2020	AWWA	20
87	G485	Potable Reuse Program Operation and Management	2020	AWWA	28
88	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2020	AWWA	56
89	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2020	AWWA	32
90	M55	PE Pipe--Design and Installation	2020	AWWA	191
91	M72	Knife Gate Valves	2020	AWWA	63
92	A100	Water Wells	2020	AWWA	108
93	B102	Manganese Greensand for Filters	2020	AWWA	20
94	B406	Ferric Sulfate	2020	AWWA	28
95	B452	EPI-DMA Polyamines	2020	AWWA	32
96	C115/A21.15	Flanged Ductile-Iron Pipe With Ductile-Iron or Gray-Iron Threaded Flanges	2020	AWWA	36
97	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines	2020	AWWA	28
98	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2020	AWWA	28
99	C653	Disinfection of Water Treatment Plants	2020	AWWA	20
100	C950	Fiberglass Pressure Pipe	2020	AWWA	40
101	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2020	AWWA	36
102	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons	2020	AWWA	92
103	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2019	AWWA	52
104	D108	Aluminum Dome Roofs For Water Storage Facilities	2019	AWWA	32
105	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2019	AWWA	28
106	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2019	AWWA	24
107	C702	Cold-Water Meters Compound Type	2019	AWWA	36
108	C703	Cold-Water Meters - Fire Service Type	2019	AWWA	40
109	C704	Propeller-Type Meters for Waterworks Applications	2019	AWWA	36
110	C620	Spray-Applied In-Place Epoxy Lining of Water Pipelines, 3 in. and Larger	2019	AWWA	48
111	C622	Pipe Bursting of Potable Water Mains 4 In. (100 mm) to 36 In. (900 mm)	2019	AWWA	24
112	C652	Disinfection of Water-storage Facilities	2019	AWWA	32
113	C708	Cold-Water Meters Multijet Type	2019	AWWA	40
114	C712	Cold-Water Meters - Singlejet Type	2019	AWWA	40
115	C713	Cold-Water Meters: Fluidic-Oscillator Type	2019	AWWA	36

116	C714	Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes	2019	AWWA	36
117	C750	Transit-Time Flowmeters in Full Closed Conduits	2019	AWWA	32
118	C751	Magnetic Inductive Flowmeters	2019	AWWA	28
119	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type	2019	AWWA	48
120	C304	Design of Prestressed Concrete Cylinder Pipe	2019	AWWA	144
121	C500	Metal-seated Gate Valves for Water Supply Service	2019	AWWA	52
122	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2019	AWWA	28
123	C520	Knife Gate Valves, Sizes 2 In. (50 mm) Through 96 In. (2,400 mm)	2019	AWWA	36
124	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2019	AWWA	32
125	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2019	AWWA	32
126	C153/A21.53	Ductile-Iron Compact Fittings	2019	AWWA	56
127	B453	Polyacrylamide	2019	AWWA	44
128	B501	Sodium Hydroxide (Caustic Soda)	2019	AWWA	24
129	B202	Quicklime and Hydrated Lime	2019	AWWA	32
130	B703	Fluorosilicic Acid	2019	AWWA	32
131	B112	Microfiltration and Ultrafiltration Membrane Systems	2019	AWWA	44
132	B116	Electrodialysis and Ion-Exchange Membrane Systems	2019	AWWA	40
133	10123	Let's Talk Safety 2019: 52 Talks on Common Utility Safety Practices for Water Professionals	2019	AWWA	151
134	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2019	AWWA	24
135	D103	Factory-coated Bolted Steel Tanks for Water Storage	2019	AWWA	112
136	M24	Dual Water Systems Second Edition	2019	AWWA	159
137	C701	Cold-Water Meters Turbine Type, for Customer Service	2019	AWWA	40
138	M77	Condition Assessment of Water Mains	2019	AWWA	225
139	M60	Drought Preparedness and Response	2019	AWWA	104
140	M69	Inland Desalination and Concentrate Management	2019	AWWA	226
141	D130	Flexible-Membrane Materials for Potable Water Applications	2019	AWWA	24
142	20504	NULL	2018	AWWA	0
143	M62	NULL	2018	AWWA	347
144	B130	Membrane Bioreactor Systems	2018	AWWA	36
145	B201	Soda Ash	2018	AWWA	24
146	M33	Flowmeters in Water Supply First Edition	2018	AWWA	90
147	E200	NULL	2018	AWWA	28
148	F120	NULL	2018	AWWA	64
149	G400	Utility Management System	2018	AWWA	20
150	G485	NULL	2018	AWWA	28
151	M19	Emergency Planning for Water Utility Management Fourth Edition	2018	AWWA	132
152	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2018	AWWA	52
153	C519	NULL	2018	AWWA	56
154	C655	Field Dechlorination	2018	AWWA	30
155	C715	NULL	2018	AWWA	36
156	C105/A21.5	Polyethylene Encasement for Ductile-Iron Pipe Systems	2018	AWWA	36

157	B301	Liquid Chlorine	2018	AWWA	24
158	B304	Liquid Oxygen	2018	AWWA	28
159	B604	Granular Activated Carbon	2018	AWWA	60
160	B605	Granular Activated Carbon	2018	AWWA	32
161	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2018	AWWA	40
162	C521	Plastic Ball Valves	2018	AWWA	24
163	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2018	AWWA	36
164	C502	Dry-Barrel Fire Hydrants	2018	AWWA	44
165	C503	Wet-Barrel Fire Hydrants	2018	AWWA	44
166	C305	CFPR Renewal and Strengthening of Prestressed Concrete Cylinder Pipe (PCCP)	2018	AWWA	80
167	C621	Internal Pipe Joint Seal Assemblies for Water Service	2018	AWWA	24
168	G410	Business Practices for Operation and Management	2018	AWWA	60
169	M6 add	Water Meters - Selection, Installation, Testing, and Maintenance	2018	AWWA	12
170	M11 errata	Steel Pipe: A Guide for Design and Installation	2018	AWWA	3
171	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks	2018	AWWA	112
172	B303	Sodium Chlorite	2018	AWWA	28
173	B402	Ferrous Sulfate	2018	AWWA	24
174	B300	Hypochlorites	2018	AWWA	32
175	B407	Liquid Ferric Chloride	2018	AWWA	24
176	B408	Liquid Polyaluminum Chloride	2018	AWWA	32
177	B504	Monosodium Phosphate, Anhydrous	2018	AWWA	20
178	B505	Disodium Phosphate, Anhydrous	2018	AWWA	24
179	B506	Zinc Orthophosphate	2018	AWWA	24
180	B510	Carbon Dioxide	2018	AWWA	32
181	B701	Sodium Fluoride Seventh Edition	2018	AWWA	32
182	B702	Sodium Fluorosilicate	2018	AWWA	28
183	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2018	AWWA	40
184	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2018	AWWA	28
185	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	2018	AWWA	32
186	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2017	AWWA	28
187	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2017	AWWA	28
188	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2017	AWWA	32
189	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2017	AWWA	24
190	B503	Sodium Tripolyphosphate	2017	AWWA	24
191	C111-A21.11	NULL	2017	AWWA	56
192	C151-A21.51	NULL	2017	AWWA	60
193	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2017	AWWA	44
194	C206	Field Welding of Steel Water Pipe	2017	AWWA	28
195	B511	Potassium Hydroxide	2017	AWWA	24
196	B550	Calcium Chloride	2017	AWWA	24
197	B601	Sodium Metabisulfite	2017	AWWA	20

198	B602	Copper Sulfate	2017	AWWA	28
199	20622	NULL	2017	AWWA	156
200	20831	NULL	2017	AWWA	47
201	M11	Steel Pipe - A Guide for Design and Installation	2017	AWWA	300
202	C900-16 Errata	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 In. Through 60 In. (100 mm Through 1,500 mm)	2017	AWWA	1
203	C217a	Microcrystalline Wax and Petrolatum Tape Coating Systems for Steel Water Pipe and Fittings	2017	AWWA	1
204	C810	NULL	2017	AWWA	28
205	B200	Sodium Chloride	2017	AWWA	32
206	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2017	AWWA	44
207	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2017	AWWA	36
208	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2017	AWWA	32
209	D102	Coating Steel Water-storage Tanks	2017	AWWA	64
210	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2017	AWWA	36
211	C530	Pilot Operated Control Valves	2017	AWWA	44
212	C550	Protective Interior Coatings for Valves and Hydrants	2017	AWWA	22
213	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2017	AWWA	48
214	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2017	AWWA	32
215	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2017	AWWA	64
216	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2017	AWWA	36
217	C510	Double Check Valve Backflow Prevention Assembly	2017	AWWA	28
218	C511	Reduced-pressure Principle Backflow Prevention Assembly	2017	AWWA	28
219	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2017	AWWA	32
220	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2017	AWWA	36
221	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2017	AWWA	36
222	C231	NULL	2017	AWWA	28
223	M5	Water Utility Management	2017	AWWA	145
224	G520	NULL	2017	AWWA	32
225	M1	Principles of Water Rates, Fees, and Charges Fifth Edition	2017	AWWA	401
226	G420	Communications and Customer Relations	2017	AWWA	28
227	G440	Emergency Preparedness Practices	2017	AWWA	24
228	G100	Water Treatment Plant Operation and Management	2017	AWWA	32
229	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	2017	AWWA	92
230	E102	Submersible Vertical Turbine Pumps	2017	AWWA	48
231	M32	Distribution Network Analysis for Water Utilities First Edition	2017	AWWA	312
232	M58	Internal Corrosion Control in Water Distribution Systems	2017	AWWA	223
233	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition	2017	AWWA	131
234	M50	Water Resources Planning	2017	AWWA	243
235	M52	Water Conservation Programs--A Planning Manual	2017	AWWA	258
236	M68	NULL	2017	AWWA	444
237	M52 Errata	Water Conservation Programs--A Planning Manual	2017	AWWA	3
238	M54	Developing Rates for Small Systems	2016	AWWA	73

239	F110	Ultraviolet Disinfection Systems for Drinking Water	2016	AWWA	32
240	M4	Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995	2016	AWWA	137
241	M11	Steel Pipe - A Guide for Design and Installation Third Edition	2016	AWWA	309
242	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2016	AWWA	40
243	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2016	AWWA	40
244	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2016	AWWA	36
245	C541	Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates	2016	AWWA	48
246	C542	Electric Motor Actuators for Valves and Slide Gates	2016	AWWA	36
247	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2016	AWWA	36
248	D107	Composite Elevated Tanks for Water Storage	2016	AWWA	136
249	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2016	AWWA	32
250	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2016	AWWA	32
251	C671	NULL	2016	AWWA	36
252	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2016	AWWA	52
253	C750	Transit-Time Flowmeters in Full Closed Conduits	2016	AWWA	32
254	C751	NULL	2016	AWWA	28
255	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings	2016	AWWA	32
256	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters	2016	AWWA	20
257	B100	Granular Filter Material ANSI/AWWA B100-01	2016	AWWA	56
258	B101	Precoat Filter Media	2016	AWWA	28
259	B114	NULL	2016	AWWA	40
260	20691	NULL	2016	AWWA	149
261	M36	Water Audits and Loss Control Programs - Fourth Edition	2016	AWWA	423
262	M44	Distribution Valves: Selection, Installation, Field Testing, and Maintenance - Third Edition	2016	AWWA	87
263	M51	Air-Valves: Air-Release, Air/Vacuum and Combination - Second Edition	2016	AWWA	77
264	M53	Microfiltration and Ultrafiltration Membranes for Drinking Water - Second Edition	2016	AWWA	255
265	1940	NULL	2016	AWWA	435
266	1941	NULL	2016	AWWA	410
267	1942	NULL	2016	AWWA	302
268	1943	NULL	2016	AWWA	482
269	1944	NULL	2016	AWWA	278
270	C904	Cross-Linked Polyethylene (PEX) Pressure Tubing, 1 In. (13 mm) Through 3 In. (76 mm), for Water Service	2016	AWWA	52
271	M17	Fire Hydrants: Installation, Field, Testing, and Maintenance - Fifth Edition	2016	AWWA	159
272	B507	NULL	2016	AWWA	24
273	B451	PolyDiallyldimethylammonium Chloride)	2016	AWWA	32
274	B302	Ammonium Sulfate	2016	AWWA	24
275	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2016	AWWA	32
276	B405	Sodium Aluminate	2016	AWWA	24
277	C104-A21.4	NULL	2016	AWWA	24

278	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2016	AWWA	28
279	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2016	AWWA	24
280	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2016	AWWA	24
281	B600	Powdered Activated Carbon	2016	AWWA	40
282	B603	Permanganates	2016	AWWA	24
283	C606	Grooved and Shouldered Joints	2015	AWWA	40
284	416	Sustainability assessment for water treatment chemical products	2015	AWWA	56
285	A100	Water Wells	2015	AWWA	108
286	C670	Online Chlorine Analyzer Operation and Maintenance	2015	AWWA	28
287	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2015	AWWA	40
288	C701	Cold-Water Meters Turbine Type, for Customer Service	2015	AWWA	36
289	C702	Cold-Water Meters Compound Type	2015	AWWA	40
290	C703	Cold-Water Meters - Fire Service Type	2015	AWWA	40
291	C704	Propeller-Type Meters for Waterworks Applications	2015	AWWA	36
292	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2015	AWWA	36
293	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2015	AWWA	0
294	C712	Cold-Water Meters - Singlejet Type First Edition	2015	AWWA	40
295	C713	Cold-Water Meters: Fluidic-Oscillator Type	2015	AWWA	36
296	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	2015	AWWA	52
297	G200	Distribution Systems Operation and Management	2015	AWWA	32
298	B102	Manganese Greensand for Filters	2015	AWWA	20
299	B112	NULL	2015	AWWA	48
300	B116	NULL	2015	AWWA	40
301	B305	Anhydrous Ammonia	2015	AWWA	20
302	B306	Aqua Ammonia (Liquid Ammonium Hydroxide)	2015	AWWA	28
303	B512	Sulfur Dioxide	2015	AWWA	24
304	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2015	AWWA	60
305	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2015	AWWA	28
306	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2015	AWWA	32
307	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2015	AWWA	28
308	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2015	AWWA	28
309	C504	Rubber-seated Butterfly Valves	2015	AWWA	52
310	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2015	AWWA	44
311	E103	Horizontal and Vertical Line-Shaft Pumps	2015	AWWA	92
312	M14	Backflow Prevention and Cross-Connection Control Recommended Practices - Fourth Edition	2015	AWWA	221
313	C509	Resilient-Seated Gate Valves for Water Supply Service	2015	AWWA	48
314	C515	Reduced-Wall, Resilient-Seated Gate Valves for Water Supply Service	2015	AWWA	48
315	M63	Aquifer Storage and Recovery - First Edition	2015	AWWA	147
316	M65	On-Site Generation of Hypochlorite - First Edition	2015	AWWA	173



317	C906-15 Errata	Polyethylene (PE) Pressure Pipe and Fittings, 4 In. thru 65 In. (100 mm Through 1650 mm), for Waterworks	2015	AWWA	2
318	C116/A21.16	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2015	AWWA	20
319	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2015	AWWA	28
320	C514	Air Valve and Vent Inflow Preventer Assemblies for Potable Water Distribution System and Storage Facilities	2015	AWWA	28
321	C560a	Cast Iron Slide Gates Addendum	2015	AWWA	1
322	M66	Cylinder and Vane Actuators and Controls-Design and Installation	2015	AWWA	71
323	C150/A21.50	Thickness Design of Ductile-Iron Pipe	2014	AWWA	64
324	D121a	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage	2014	AWWA	1
325	M45	Fiberglass Pipe Design - Third Edition	2014	AWWA	170
326	C520	Knife Gate Valves, Sizes 2 In. (50 mm) Through 96 In. (2,400 mm)	2014	AWWA	36
327	C800	Underground Service Line Valves and Fittings	2014	AWWA	40
328	C225	Fused Polyolefin Coatings for Steel Water Pipe	2014	AWWA	32
329	M12	Simplified Procedures for Water Examination - Sixth Edition	2014	AWWA	301
330	M22	Sizing Water Service Lines and Meters - Third Edition	2014	AWWA	133
331	M27	External Corrosion Control for Infrastructure Sustainability - Third Edition	2014	AWWA	110
332	M29	Water Utility Capital Financing - Fourth Edition	2014	AWWA	169
333	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2014	AWWA	44
334	M45	Fiberglass Pipe Design	2014	AWWA	170
335	C304	Design of Prestressed Concrete Cylinder Pipe	2014	AWWA	144
336	G300	Source Water Protection	2014	AWWA	28
337	C651	Disinfecting Water Mains	2014	AWWA	40
338	M3	Safety Practices for Water Utilities Sixth Edition	2014	AWWA	156
339	M21	Groundwater	2014	AWWA	297
340	M28	Rehabilitation of Water Mains	2014	AWWA	133
341	B404	Liquid Sodium Silicate	2014	AWWA	28
342	B406	Ferric Sulfate	2014	AWWA	24
343	B452	EPI-DMA Polyamines	2014	AWWA	32
344	C150	Thickness Design of Ductile-Iron Pipe	2014	AWWA	64
345	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2014	AWWA	32
346	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2014	AWWA	28
347	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	2014	AWWA	48
348	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	2014	AWWA	44
349	C503	Wet-Barrel Fire Hydrants	2014	AWWA	40
350	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2014	AWWA	36
351	C561	Fabricated Stainless Steel Slide Gates	2014	AWWA	36
352	C562	Fabricated Aluminum Slide Gates	2014	AWWA	36
353	C563	Fabricated Composite Slide Gates	2014	AWWA	40
354	D102	Coating Steel Water-storage Tanks	2014	AWWA	64
355	D121	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage includes Amendment (2014)	2014	AWWA	89
356	G481	Reclaimed Water Program Operation and Management	2014	AWWA	32

357	G430	Security Practices for Operation and Management	2014	AWWA	40
358	G480	Water Conservation Program Operation and Management	2013	AWWA	16
359	G510	Standard for Wastewater Treatment Plant Operations and Management	2013	AWWA	28
360	J100	Risk Analysis and Management for Critical Asset Protection Risk and Resilience Management of Water and Wastewater Systems	2013	AWWA	135
361	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2013	AWWA	28
362	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2013	AWWA	24
363	C950	Fiberglass Pressure Pipe	2013	AWWA	40
364	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	2013	AWWA	112
365	C714	Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes	2013	AWWA	36
366	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	2013	AWWA	48
367	C653	Disinfection of Water Treatment Plants	2013	AWWA	20
368	C654	Disinfection of Wells Second Edition	2013	AWWA	24
369	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2013	AWWA	28
370	C550	Protective Interior Coatings for Valves and Hydrants	2013	AWWA	24
371	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2013	AWWA	28
372	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2013	AWWA	28
373	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2013	AWWA	44
374	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2013	AWWA	28
375	B605	Granular Activated Carbon	2013	AWWA	32
376	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2013	AWWA	24
377	B453	Polyacrylamide ANSI/AWWA 8453-01	2013	AWWA	44
378	B501	Sodium Hydroxide (Caustic Soda)	2013	AWWA	20
379	B506	Zinc Orthophosphate	2013	AWWA	24
380	B304	Liquid Oxygen	2013	AWWA	28
381	B130	Membrane Bioreactor Systems	2013	AWWA	36
382	B201	Soda Ash	2013	AWWA	20
383	B202	Quicklime and Hydrated Lime	2013	AWWA	32
384	M42	Steel Water-storage Tanks	2013	AWWA	168
385	M9 Errata	Concrete Pressure Pipe	2013	AWWA	1
386	M11	Steel Pipe - A Guide for Design and Installation	2013	AWWA	259
387	M56	Fundamentals and Control of Nitrification in Chloraminated Drinking Water Distribution Systems	2013	AWWA	320
388	J100	Risk and Resilience Management of Water and Wastewater Systems - First Edition	2013	AWWA	136
389	C950	Fiberglass Pressure Pipe	2013	AWWA	1
390	M9-2008 Errata	Concrete Pressure Pipe	2013	AWWA	1
391	C905-10 Errata	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 in. Through 48 in. (350 mm through 1,200 mm), for Water Transmission and Distribution	2013	AWWA	1
392	M19	Emergency Planning for Water Utility Management	2012	AWWA	148
393	C110/A21.10	Ductile-Iron and Gray-Iron Fittings	2012	AWWA	92
394	STANDARD METHODS	NULL	2012	AWWA	1545
395	M1	Principles of Water Rates, Fees, and Charges	2012	AWWA	380

396	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis	2012	AWWA	104
397	M32	Distribution Network Analysis for Water Utilities	2012	AWWA	238
398	C111-A21.11	NULL	2012	AWWA	52
399	C200	Steel Water Pipe, 6 in. (150 mm) and Larger	2012	AWWA	1
400	B200	Sodium Chloride	2012	AWWA	32
401	B101	Precoat Filter Media	2012	AWWA	24
402	B402	Ferrous Sulfate	2012	AWWA	24
403	B407	Liquid Ferric Chloride	2012	AWWA	26
404	B505	Disodium Phosphate, Anhydrous	2012	AWWA	20
405	B510	Carbon Dioxide	2012	AWWA	32
406	B504	Monosodium Phosphate, Anhydrous	2012	AWWA	24
407	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2012	AWWA	92
408	B604	Granular Activated Carbon	2012	AWWA	56
409	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2012	AWWA	49
410	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2012	AWWA	36
411	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2012	AWWA	32
412	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2012	AWWA	28
413	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2012	AWWA	36
414	C530	Pilot Operated Control Valves	2012	AWWA	32
415	C701	Cold-Water Meters Turbine Type, for Customer Service	2012	AWWA	36
416	C704	Propeller-Type Meters for Waterworks Applications	2012	AWWA	36
417	C561	Fabricated Stainless Steel Slide Gates	2012	AWWA	36
418	C563	Fabricated Composite Slide Gates	2012	AWWA	40
419	C562	Fabricated Aluminum Slide Gates	2012	AWWA	36
420	C800	Underground Service Line Valves and Fittings	2012	AWWA	38
421	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2012	AWWA	32
422	F110	Ultraviolet Disinfection Systems for Drinking Water	2012	AWWA	32
423	D121	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage	2012	AWWA	88
424	M6	Water Meters - Selection , Installation, Testing, and Maintenance	2012	AWWA	130
425	D130	Flexible-Membrane Materials for Potable Water Applications	2011	AWWA	24
426	G440	Emergency Preparedness Practices	2011	AWWA	20
427	G100	Water Treatment Plant Operation and Management	2011	AWWA	32
428	D100	Welded Steel Tanks for Water Storage	2011	AWWA	236
429	D102	Coating Steel Water-storage Tanks	2011	AWWA	56
430	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2011	AWWA	36
431	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2011	AWWA	36
432	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2011	AWWA	48
433	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2011	AWWA	32
434	C606	Grooved and Shouldered Joints	2011	AWWA	32
435	C703	Cold-Water Meters - Fire Service Type	2011	AWWA	40
436	C652	Disinfection of Water-storage Facilities	2011	AWWA	32

437	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2011	AWWA	40
438	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2011	AWWA	40
439	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2011	AWWA	40
440	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2011	AWWA	32
441	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2011	AWWA	28
442	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2011	AWWA	28
443	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2011	AWWA	24
444	C206	Field Welding of Steel Water Pipe	2011	AWWA	28
445	C153	Ductile-Iron Compact Fittings	2011	AWWA	52
446	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	2011	AWWA	36
447	B701	Sodium Fluoride Seventh Edition	2011	AWWA	32
448	B702	Sodium Fluorosilicate	2011	AWWA	24
449	B703	Fluorosilicic Acid	2011	AWWA	28
450	B503	Sodium Tripolyphosphate	2011	AWWA	24
451	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2011	AWWA	24
452	B601	Sodium Metabisulfite	2011	AWWA	20
453	M58	Internal Corrosion Control in Water Distribution Systems	2011	AWWA	212
454	M60	Drought Preparedness and Response	2011	AWWA	84
455	M61	Desalination of Seawater	2011	AWWA	120
456	M37	Operational Control of Coagulation and Filtration Processes	2011	AWWA	242
457	C508	Swing-Check Valves for Waterworks Service, 2-In. Through 48-In. (50-mm Through 1,200-mm) NPS	2011	AWWA	3
458	M57	Algae-Source to Treatment	2010	AWWA	1
459	M47	Construction Contract Administration	2010	AWWA	184
460	C105-A21.5	NULL	2010	AWWA	36
461	M23	PVC Pipe - Design and Installation	2010	AWWA	182
462	B600	Powdered Activated Carbon	2010	AWWA	36
463	B550	Calcium Chloride	2010	AWWA	24
464	B603	Potassium Permanganate	2010	AWWA	24
465	B511	Potassium Hydroxide	2010	AWWA	20
466	B408	Liquid Polyaluminum Chloride	2010	AWWA	32
467	B451	PolyDiallyldimethylammonium Chloride)	2010	AWWA	36
468	B302	Ammonium Sulfate	2010	AWWA	24
469	B303	Sodium Chlorite	2010	AWWA	28
470	B102	Manganese Greensand for Filters	2010	AWWA	20
471	B300	Hypochlorites	2010	AWWA	28
472	B301	Liquid Chlorine	2010	AWWA	24
473	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	2010	AWWA	36
474	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2010	AWWA	32
475	C504	Rubber-seated Butterfly Valves	2010	AWWA	48
476	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2010	AWWA	40
477	C702	Cold-Water Meters Compound Type	2010	AWWA	36

478	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	2010	AWWA	20
479	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2010	AWWA	44
480	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	2010	AWWA	20
481	C712	Cold-Water Meters - Singlejet Type First Edition	2010	AWWA	36
482	C750	Transit-Time Flowmeters in Full Closed Conduits	2010	AWWA	32
483	C713	Cold-Water Meters: Fluidic-Oscillator Type	2010	AWWA	36
484	C905	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution	2010	AWWA	44
485	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2010	AWWA	32
486	D107	Composite Elevated Tanks for Water Storage	2010	AWWA	164
487	D108	Aluminum Dome Roofs For Water Storage Facilities	2010	AWWA	24
488	D103	Factory-coated Bolted Steel Tanks for Water Storage	2009	AWWA	136
489	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2009	AWWA	48
490	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2009	AWWA	32
491	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2009	AWWA	40
492	G200	Distribution Systems Operation and Management	2009	AWWA	28
493	G400	Utility Management System	2009	AWWA	20
494	G410	Business Practices for Operation and Management	2009	AWWA	44
495	G420	Communications and Customer Relations	2009	AWWA	24
496	G430	Security Practices for Operation and Management	2009	AWWA	36
497	C655	Field Dechlorination	2009	AWWA	28
498	C670	Online Chlorine Analyzer Operation and Maintenance	2009	AWWA	28
499	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2009	AWWA	36
500	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2009	AWWA	36
501	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	2009	AWWA	40
502	C542	Electric Motor Actuators for Valves and Slide Gates	2009	AWWA	28
503	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2009	AWWA	30
504	C509	Resilient-seated Gate Valves for Water Supply Service	2009	AWWA	42
505	C500	Metal-seated Gate Valves for Water Supply Service	2009	AWWA	48
506	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2009	AWWA	20
507	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2009	AWWA	21
508	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	2009	AWWA	52
509	B110	Membrane Systems	2009	AWWA	48
510	B100	Granular Filter Material ANSI/AWWA B100-01	2009	AWWA	52
511	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2009	AWWA	32
512	M41	Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003	2009	AWWA	276
513	M24	Dual Water Systems Second Edition	2009	AWWA	115
514	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings	2009	AWWA	1
515	M36	Water Audits and Leak Detection	2009	AWWA	302

516	M9	Concrete Pressure Pipe	2008	AWWA	284
517	M29	Water Utility Capital Financing	2008	AWWA	114
518	M31	Distribution System Requirements for Fire Protection	2008	AWWA	72
519	B404	Liquid Sodium Silicate	2008	AWWA	24
520	B304	Liquid Oxygen	2008	AWWA	24
521	B201	Soda Ash	2008	AWWA	20
522	B501	Sodium Hydroxide (Caustic Soda)	2008	AWWA	20
523	B512	Sulfur Dioxide	2008	AWWA	24
524	B602	Copper Sulfate	2008	AWWA	24
525	C150	Thickness Design of Ductile-Iron Pipe	2008	AWWA	64
526	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2008	AWWA	60
527	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2008	AWWA	25
528	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2008	AWWA	78
529	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2008	AWWA	36
530	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2008	AWWA	28
531	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2008	AWWA	28
532	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	2008	AWWA	32
533	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2008	AWWA	44
534	C541	Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates	2008	AWWA	40
535	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2008	AWWA	28
536	C704	Propeller-Type Meters for Waterworks Applications	2008	AWWA	32
537	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2008	AWWA	36
538	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2007	AWWA	44
539	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	2007	AWWA	52
540	C950	Fiberglass Pressure Pipe	2007	AWWA	40
541	G300	Source Water Protection	2007	AWWA	24
542	E103	Horizontal and Vertical Line-Shaft Pumps	2007	AWWA	84
543	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2007	AWWA	24
544	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2007	AWWA	28
545	C701	Cold-Water Meters Turbine Type, for Customer Service	2007	AWWA	36
546	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2007	AWWA	32
547	C620	Spray-Applied In-Place Epoxy Lining of Water Pipelines, 3 in. and Larger	2007	AWWA	32
548	C530	Pilot Operated Control Valves	2007	AWWA	32
549	C510	Double Check Valve Backflow Prevention Assembly	2007	AWWA	28
550	C511	Reduced-pressure Principle Backflow Prevention Assembly	2007	AWWA	28
551	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2007	AWWA	24
552	C304	Design of Prestressed Concrete Cylinder Pipe	2007	AWWA	144
553	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	2007	AWWA	48
554	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2007	AWWA	28
555	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2007	AWWA	36

556	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2007	AWWA	24
557	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2007	AWWA	28
558	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition	2007	AWWA	28
559	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2007	AWWA	28
560	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2007	AWWA	32
561	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2007	AWWA	32
562	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2007	AWWA	32
563	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2007	AWWA	40
564	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2007	AWWA	28
565	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2007	AWWA	52
566	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2007	AWWA	52
567	B605	Granular Activated Carbon	2007	AWWA	36
568	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2007	AWWA	36
569	B202	Quicklime and Hydrated Lime	2007	AWWA	32
570	B200	Sodium Chloride	2007	AWWA	28
571	B306	Aqua Ammonia (Liquid Ammonium Hydroxide)	2007	AWWA	28
572	M46	Reverse Osmosis and Nanofiltration	2007	AWWA	242
573	M50	Water Resources Planning	2007	AWWA	412
574	M52	Water Conservation Programs--A Planning Manual	2006	AWWA	162
575	M44	Distribution Valves: Selection, Installation, Field Testing , and Maintenance	2006	AWWA	72
576	M33	Flowmeters in Water Supply	2006	AWWA	68
577	M17	Installation, Field Testing, and Maintenance of Fire Hydrants	2006	AWWA	136
578	M20	Water Chlorination Principles and Practices	2006	AWWA	188
579	M48	Waterborne Pathogens	2006	AWWA	352
580	M55	PE Pipe--Design and Installation	2006	AWWA	178
581	E102	Submersible Vertical Turbine Pumps	2006	AWWA	1
582	B305	Anhydrous Ammonia	2006	AWWA	20
583	B402	Ferrous Sulfate	2006	AWWA	24
584	B405	Sodium Aluminate	2006	AWWA	24
585	B406	Ferric Sulfate	2006	AWWA	24
586	A100	Water Wells	2006	AWWA	100
587	B510	Carbon Dioxide	2006	AWWA	32
588	B506	Zinc Orthophosphate	2006	AWWA	24
589	B453	Polyacrylamide ANSI/AWWA 8453-01	2006	AWWA	40
590	B452	EPI-DMA Polyamines	2006	AWWA	30
591	C153	Ductile-Iron Compact Fittings	2006	AWWA	48
592	B701	Sodium Fluoride Seventh Edition	2006	AWWA	24
593	B703	Fluorosilicic Acid	2006	AWWA	28
594	B702	Sodium Fluorosilicate	2006	AWWA	25
595	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2006	AWWA	36
596	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2006	AWWA	28

597	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2006	AWWA	28
598	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2006	AWWA	32
599	C504	Rubber-seated Butterfly Valves	2006	AWWA	48
600	C606	Grooved and Shouldered Joints	2006	AWWA	30
601	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2006	AWWA	32
602	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2006	AWWA	48
603	E102	Submersible Vertical Turbine Pumps	2006	AWWA	40
604	D102	Coating Steel Water-storage Tanks	2006	AWWA	48
605	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	2006	AWWA	96
606	C904	Cross-Linked Polyethylene (PEX) Pressure Pipe, 1/2 In. (12mm) Through 3 In. (76 mm), for Water Service	2006	AWWA	28
607	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2005	AWWA	32
608	C800	Underground Service Line Valves and Fittings	2005	AWWA	36
609	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2005	AWWA	36
610	C713	Cold-Water Meters: Fluidic-Oscillator Type	2005	AWWA	36
611	D100	Welded Steel Tanks for Water Storage	2005	AWWA	256
612	G100	Water Treatment Plant Operation and Management	2005	AWWA	36
613	C651	Disinfecting Water Mains	2005	AWWA	36
614	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	2005	AWWA	36
615	C550	Protective Interior Coatings for Valves and Hydrants	2005	AWWA	20
616	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2005	AWWA	44
617	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	2005	AWWA	20
618	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	2005	AWWA	24
619	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2005	AWWA	32
620	C503	Wet-Barrel Fire Hydrants	2005	AWWA	40
621	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	2005	AWWA	40
622	C513	Open-channel, Fabricated-Metal Slide Gates First Edition	2005	AWWA	32
623	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2005	AWWA	36
624	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	2005	AWWA	32
625	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2005	AWWA	44
626	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	2005	AWWA	36
627	C115/A21.15	Flanged Ductile-Iron Pipe with Ductile-Iron or Gray-Iron Threaded Flanges	2005	AWWA	36
628	B407	Liquid Ferric Chloride	2005	AWWA	24
629	B503	Sodium Tripolyphosphate	2005	AWWA	24
630	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2005	AWWA	24
631	B504	Monosodium Phosphate, Anhydrous	2005	AWWA	20
632	B505	Disodium Phosphate, Anhydrous	2005	AWWA	20
633	B511	Potassium Hydroxide	2005	AWWA	20
634	B601	Sodium Metabisulfite	2005	AWWA	20
635	B604	Granular Activated Carbon	2005	AWWA	56
636	B550	Calcium Chloride	2005	AWWA	20



637	B600	Powdered Activated Carbon	2005	AWWA	40
638	B304	Liquid Oxygen	2005	AWWA	24
639	B303	Sodium Chlorite	2005	AWWA	28
640	B302	Ammonium Sulfate	2005	AWWA	24
641	M5	Water Utility Management	2005	AWWA	146
642	M45	Fiberglass Pipe Design	2005	AWWA	179
643	M53	Microfiltration and Ultrafiltration Membranes for Drinking Water	2005	AWWA	280
644	C603	Installation of Asbestos-cement Pressure Pipe	2005	AWWA	24
645	C402	Asbestos-cement Transmission Pipe, 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2005	AWWA	24
646	C403	Selection of Asbestos-cement Transmission Pipe, Sizes 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2005	AWWA	96
647	M54	Developing Rates for Small Systems	2004	AWWA	76
648	M22	Sizing Water Service Line and Meters	2004	AWWA	132
649	M27	External Corrosion - Introduction to Chemistry and Control	2004	AWWA	110
650	M7	Problem Organisms in Water : Identification and Treatment	2004	AWWA	166
651	M4	Water Fluoridation Principles and Practices	2004	AWWA	103
652	M14	Recommended Practice for Backflow Prevention and Cross- Connection Control	2004	AWWA	148
653	B102	Manganese Greensand for Filters	2004	AWWA	20
654	B300	Hypochlorites	2004	AWWA	28
655	B301	Liquid Chlorine	2004	AWWA	24
656	B451	PolyDiallyldimethylammonium Chloride)	2004	AWWA	28
657	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2004	AWWA	40
658	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2004	AWWA	28
659	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2004	AWWA	24
660	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2004	AWWA	24
661	C302	Reinforced Concrete Pressure Pipe, Noneylinder Type	2004	AWWA	40
662	C703	Cold-Water Meters - Fire Service Type	2004	AWWA	40
663	C561	Fabricated Stainless Steel Slide Gates	2004	AWWA	36
664	C563	Fabricated Composite Slide Gates	2004	AWWA	36
665	C606	Grooved and Shouldered Joints	2004	AWWA	32
666	G200	Distribution Systems Operation and Management	2004	AWWA	28
667	M11	Steel Pipe - A Guide for Design and Installation Third Edition	2004	AWWA	263
668	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2004	AWWA	32
669	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	2004	AWWA	112
670	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2004	AWWA	32
671	C750	Transit-Time Flowmeters in Full Closed Conduits	2003	AWWA	28
672	D102	Coating Steel Water-storage Tanks	2003	AWWA	48
673	M21	Groundwater Third Edition	2003	AWWA	226
674	M41	Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003	2003	AWWA	255
675	C653	Disinfection of Water Treatment Plants	2003	AWWA	20
676	C654	Disinfection of Wells Second Edition	2003	AWWA	24

677	C400	Asbestos-cement Pressure Pipe, 4 in . Through 16 in (100 mm Through 400 mm), for Water Distribution Systems	2003	AWWA	28
678	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2003	AWWA	28
679	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition	2003	AWWA	32
680	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2003	AWWA	20
681	C206	Field Welding of Steel Water Pipe	2003	AWWA	28
682	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2003	AWWA	76
683	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2003	AWWA	24
684	B408	Liquid Polyaluminum Chloride	2003	AWWA	28
685	B501	Sodium Hydroxide (Caustic Soda)	2003	AWWA	20
686	B603	Potassium Permanganate	2003	AWWA	24
687	B201	Soda Ash	2003	AWWA	20
688	B200	Sodium Chloride	2003	AWWA	28
689	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2003	AWWA	32
690	B404	Liquid Sodium Silicate	2003	AWWA	24
691	C401	Selection of Asbestos-cement Pressure Pipe, 4 in . Through 16 in.(100 mm Through 400 mm), for Water Distribution Systems	2003	AWWA	48
692	B202	Quicklime and Hydrated Lime	2002	AWWA	32
693	B602	Copper Sulfate	2002	AWWA	24
694	B512	Sulfur Dioxide	2002	AWWA	24
695	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2002	AWWA	59
696	C150	Thickness Design of Ductile-Iron Pipe	2002	AWWA	64
697	C150/A21.50	Thickness Design of Ductile-Iron Pipe Erratum: 02/2003	2002	AWWA	61
698	C151/A21.51	Ductile-Iron Pipe, Centrifugally Cast, for Water Erratum	2002	AWWA	50
699	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	2002	AWWA	52
700	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2002	AWWA	25
701	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2002	AWWA	36
702	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2002	AWWA	24
703	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2002	AWWA	44
704	C500	Metal-seated Gate Valves for Water Supply Service	2002	AWWA	44
705	C540	Power-Actuating Devices for Valves and Slide Gates	2002	AWWA	44
706	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2002	AWWA	41
707	C701	Cold-Water Meters Turbine Type, for Customer Service	2002	AWWA	35
708	C704	Propeller-Type Meters for Waterworks Applications	2002	AWWA	36
709	C652	Disinfection of Water-storage Facilities	2002	AWWA	32
710	M23	PVC Pipe - Design and Installation Second Edition	2002	AWWA	176
711	M3	Safety Practices for Water Utilities Sixth Edition	2002	AWWA	153
712	M12	Simplified Procedures for Water Examination Fifth Edition	2002	AWWA	242
713	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2002	AWWA	25
714	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2002	AWWA	28
715	D130	Flexible-Membrane Materials for Potable Water Applications	2002	AWWA	28

716	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2002	AWWA	28
717	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2002	AWWA	48
718	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2002	AWWA	44
719	C712	Cold-Water Meters - Singlejet Type First Edition	2002	AWWA	31
720	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2002	AWWA	40
721	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2002	AWWA	30
722	C800	Underground Service Line Valves and Fittings	2001	AWWA	30
723	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2001	AWWA	32
724	C950	Fiberglass Pressure Pipe	2001	AWWA	36
725	C908	PVC Self-Tapping Saddle Tees for Use on PVC Pipe	2001	AWWA	22
726	M2	Instrumentation and Control Third Edition; Erratum: 03/2002	2001	AWWA	236
727	M19	Emergency Planning for Water Utility Management Fourth Edition	2001	AWWA	149
728	M28	Rehabilitation of Water Mains	2001	AWWA	71
729	C702	Cold-Water Meters Compound Type	2001	AWWA	47
730	C550	Protective Interior Coatings for Valves and Hydrants	2001	AWWA	16
731	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	2001	AWWA	36
732	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2001	AWWA	28
733	C509	Resilient-seated Gate Valves for Water Supply Service	2001	AWWA	38
734	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2001	AWWA	28
735	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2001	AWWA	30
736	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2001	AWWA	32
737	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2001	AWWA	31
738	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2001	AWWA	36
739	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2001	AWWA	36
740	B453	Polyacrylamide ANSI/AWWA 8453-01	2001	AWWA	40
741	B505	Disodium Phosphate, Anhydrous	2001	AWWA	20
742	B504	Monosodium Phosphate, Anhydrous	2001	AWWA	19
743	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2001	AWWA	20
744	B503	Sodium Tripolyphosphate	2001	AWWA	20
745	B101	Precoat Filter Media	2001	AWWA	24
746	B100	Granular Filter Material ANSI/AWWA B100-01	2001	AWWA	48
747	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition	2001	AWWA	52
748	M50	Water Resources Planning	2001	AWWA	362
749	M51	Air-Release,Air/vacuum, & Combination Air Valves	2001	AWWA	42
750	B405	Sodium Aluminate	2000	AWWA	24
751	B302	Ammonium Sulfate	2000	AWWA	20
752	B303	Sodium Chlorite	2000	AWWA	27
753	B402	Ferrous Sulfate	2000	AWWA	24
754	B550	Calcium Chloride	2000	AWWA	20

755	B511	Potassium Hydroxide	2000	AWWA	20
756	B510	Carbon Dioxide	2000	AWWA	28
757	B601	Sodium Metabisulfite	2000	AWWA	21
758	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2000	AWWA	32
759	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2000	AWWA	33
760	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2000	AWWA	24
761	C153	Ductile-Iron Compact Fittings	2000	AWWA	48
762	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2000	AWWA	36
763	C153/A21.53	Ductile-Iron Compact Fittings, for Water Service	2000	AWWA	48
764	B703	Fluorosilicic Acid	2000	AWWA	24
765	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2000	AWWA	41
766	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2000	AWWA	48
767	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2000	AWWA	32
768	C402	Asbestos-cement Transmission Pipe, 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2000	AWWA	22
769	C403	Selection of Asbestos-cement Transmission Pipe, Sizes 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2000	AWWA	92
770	C504	Rubber-seated Butterfly Valves	2000	AWWA	48
771	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2000	AWWA	36
772	M25	Flexible-Membrane Covers and Linings for Potable-Water Reservoirs Third Edition	2000	AWWA	47
773	M37	Operational Control of Coagulation and Filtration Processes Second Edition	2000	AWWA	113
774	M1	Principles of Water Rates, Fees, and Charges Fifth Edition	2000	AWWA	329
775	M6	Water Meters - Selection, Installation, Testing, and Maintenance Fourth Edition	1999	AWWA	127
776	M36	Water Audits and Leak Detection Second Edition	1999	AWWA	102
777	M34	Water Rate Structures and Pricing Second Edition	1999	AWWA	149
778	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	1999	AWWA	40
779	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	1999	AWWA	36
780	C651	Disinfecting Water Mains	1999	AWWA	25
781	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	1999	AWWA	25
782	C304	Design of Prestressed Concrete Cylinder Pipe	1999	AWWA	117
783	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	1999	AWWA	36
784	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	1999	AWWA	30
785	C512	Air Release, Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	1999	AWWA	16
786	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	1999	AWWA	24
787	C105/A21.5	Polyethylene Encasement for Ductile-Iron Pipe Systems	1999	AWWA	23
788	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	1999	AWWA	28
789	B702	Sodium Fluorosilicate	1999	AWWA	16
790	B605	Granular Activated Carbon	1999	AWWA	32
791	B701	Sodium Fluoride Seventh Edition	1999	AWWA	17
792	C115/A21.15	Flanged Ductile-Iron Pipe with Threaded Flanges	1999	AWWA	23
793	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	1999	AWWA	21

794	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	1999	AWWA	20
795	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	1999	AWWA	28
796	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	1999	AWWA	24
797	B301	Liquid Chlorine	1999	AWWA	15
798	B300	Hypochlorites	1999	AWWA	16
799	M46	Reverse Osmosis and Nanofiltration First Edition	1999	AWWA	181
800	M48	Waterborne Pathogens	1999	AWWA	278
801	M30	Precoat Filtration	1999	AWWA	52
802	B201	Soda Ash	1998	AWWA	16
803	B200	Sodium Chloride	1998	AWWA	24
804	B403	Aluminum Sulfate - Liquid, Ground, or Lump	1998	AWWA	24
805	B408	Liquid Polyaluminum Chloride	1998	AWWA	24
806	B407	Liquid Ferric Chloride	1998	AWWA	20
807	B404	Liquid Sodium Silicate	1998	AWWA	24
808	B603	Potassium Permanganate	1998	AWWA	18
809	B501	Sodium Hydroxide (Caustic Soda)	1998	AWWA	20
810	B451	PolyDiallyldimethylammonium Chloride)	1998	AWWA	24
811	B452	EPI-DMA Polyamines	1998	AWWA	24
812	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	1998	AWWA	28
813	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	1998	AWWA	16
814	C116/A21.16	Protective Fusion-Bonded Epoxy Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service First Edition	1998	AWWA	14
815	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	1998	AWWA	68
816	C110/A21.10	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water Erratum: October 1999	1998	AWWA	66
817	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	1998	AWWA	24
818	M31	Distribution System Requirements for Fire Protection Third Edition	1998	AWWA	67
819	M29	Water Utility Capital Financing Second Edition	1998	AWWA	93
820	M42	Steel Water-storage Tanks First Edition	1998	AWWA	151
821	D103	Factory-coated Bolted Steel Tanks for Water Storage	1997	AWWA	72
822	D102	Coating Steel Water-storage Tanks	1997	AWWA	44
823	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	1997	AWWA	28
824	C905	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution	1997	AWWA	40
825	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	1997	AWWA	24
826	C513	Open-channel, Fabricated-Metal Slide Gates First Edition	1997	AWWA	28
827	C511	Reduced-pressure Principle Backflow Prevention Assembly	1997	AWWA	24
828	C510	Double Check Valve Backflow Prevention Assembly	1997	AWWA	20
829	C503	Wet-Barrel Fire Hydrants	1997	AWWA	32
830	C606	Grooved and Shouldered Joints	1997	AWWA	28

831	C653	Disinfection of Water Treatment Plants	1997	AWWA	16
832	C654	Disinfection of Wells Second Edition	1997	AWWA	20
833	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	1997	AWWA	32
834	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	1997	AWWA	49
835	C206	Field Welding of Steel Water Pipe	1997	AWWA	20
836	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	1997	AWWA	24
837	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	1997	AWWA	32
838	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	1997	AWWA	28
839	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	1997	AWWA	24
840	B512	Sulfur Dioxide	1997	AWWA	20
841	B406	Ferric Sulfate	1997	AWWA	20
842	A100	Water Wells	1997	AWWA	88
843	B100	Granular Filter Material ANSI/AWWA B100-01	1996	AWWA	36
844	B550	Calcium Chloride	1996	AWWA	18
845	B511	Potassium Hydroxide	1996	AWWA	18
846	B604	Granular Activated Carbon	1996	AWWA	44
847	B600	Powdered Activated Carbon	1996	AWWA	32
848	B453	Polyacrylamide ANSI/AWWA 8453-01	1996	AWWA	30
849	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	1996	AWWA	24
850	C208	Dimensions for Fabricated Steel Water Pipe Fittings	1996	AWWA	28
851	C150	Thickness Design of Ductile-Iron Pipe	1996	AWWA	60
852	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	1996	AWWA	48
853	C703	Cold-Water Meters - Fire Service Type	1996	AWWA	28
854	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	1996	AWWA	16
855	C603	Installation of Asbestos-cement Pressure Pipe R(2000)	1996	AWWA	16
856	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	1996	AWWA	32
857	C708	Cold-Water Meters Multijet Type Addendum C708A-98	1996	AWWA	28
858	D100	Welded Steel Tanks for Water Storage	1996	AWWA	140
859	M44	Distribution Valves: Selection, Installation, Field Testing , and Maintenance First Edition	1996	AWWA	59
860	M45	Fiberglass Pipe Design First Edition	1996	AWWA	170
861	M26	Water Rates and Related Charges Second Edition	1996	AWWA	113
862	D130	Flexible-Membrane Materials for Potable Water Applications	1996	AWWA	16
863	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	1996	AWWA	24
864	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	1996	AWWA	20
865	M47	Construction Contact Administration First Edition	1996	AWWA	154
866	M30	Precoat Filtration Second Edition	1995	AWWA	53
867	M38	Electrodialysis and Electrodialysis Reversal First Edition	1995	AWWA	63
868	M4	Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995	1995	AWWA	76
869	M7	Problem Organisms in Water : Identification and Treatment Second Edition	1995	AWWA	147
870	M9	Concrete Pressure Pipe Second Edition	1995	AWWA	234
871	C950	Fiberglass Pressure Pipe	1995	AWWA	32

872	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	1995	AWWA	72
873	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	1995	AWWA	76
874	C710	Cold-Water Meters Displacement Type, Plastic Main Case	1995	AWWA	32
875	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	1995	AWWA	28
876	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	1995	AWWA	32
877	C302	Reinforced Concrete Pressure Pipe, Noneylinder Type	1995	AWWA	32
878	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	1995	AWWA	32
879	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	1995	AWWA	28
880	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	1995	AWWA	36
881	C104/A21.4	Cement-Mortar Lining for Ductile-Iron Pipe and Fittings for Water	1995	AWWA	15
882	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	1995	AWWA	20
883	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	1995	AWWA	24
884	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	1995	AWWA	24
885	B505	Disodium Phosphate, Anhydrous	1995	AWWA	18
886	B510	Carbon Dioxide	1995	AWWA	24
887	B302	Ammonium Sulfate	1995	AWWA	16
888	B402	Ferrous Sulfate	1995	AWWA	22
889	B303	Sodium Chlorite	1995	AWWA	22
890	B405	Sodium Aluminate	1994	AWWA	22
891	B101	Precoat Filter Media	1994	AWWA	20
892	B504	Monosodium Phosphate, Anhydrous	1994	AWWA	16
893	B503	Sodium Tripolyphosphate	1994	AWWA	16
894	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	1994	AWWA	16
895	B703	Fluosilicic Acid	1994	AWWA	22
896	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	1994	AWWA	28
897	C153	Ductile-Iron Compact Fittings	1994	AWWA	40
898	C504	Rubber-seated Butterfly Valves	1994	AWWA	40
899	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	1994	AWWA	28
900	C509	Resilient-seated Gate Valves for Water Supply Service	1994	AWWA	28
901	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	1994	AWWA	28
902	M24	Dual Water Systems Second Edition	1994	AWWA	91
903	C540	Power-Actuating Devices for Valves and Slide Gates	1993	AWWA	32
904	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	1993	AWWA	20
905	C401	Selection of Asbestos-cement Pressure Pipe, 4 in . Through 16 in.(100 mm Through 400 mm), for Water Distribution Systems	1993	AWWA	50
906	C500	Metal-seated Gate Valves for Water Supply Service	1993	AWWA	32
907	B200	Sodium Chloride	1993	AWWA	24
908	B202	Quicklime and Hydrated Lime	1993	AWWA	26
909	C501	Cast Iron Slide Gates	1992	AWWA	24
910	C652	Disinfection of Water-storage Facilities	1992	AWWA	20
911	C702	Cold-Water Meters Compound Type	1992	AWWA	28
912	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	1992	AWWA	12

913	C704	Propeller-Type Meters for Waterworks Applications	1992	AWWA	28
914	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	1991	AWWA	24
915	B602	Copper Sulfate	1991	AWWA	18
916	M14	Recommended Practice for Backflow Prevention and Cross- Connection Control Second Edition	1990	AWWA	131
917	M35	Revenue Requirements First Edition	1990	AWWA	58
918	C550	Protective Interior Coatings for Valves and Hydrants	1990	AWWA	16
919	M32	Distribution Network Analysis for Water Utilities First Edition	1989	AWWA	108
920	M33	Flowmeters in Water Supply First Edition	1989	AWWA	39
921	M17	Installation, Field Testing, and Maintenance of Fire Hydrants Third Edition	1989	AWWA	126
922	M11	Steel Pipe - A Guide for Design and Installation Third Edition	1989	AWWA	185
923	C800	Underground Service Line Valves and Fittings	1989	AWWA	28
924	C701	Cold-Water Meters Turbine Type, for Customer Service	1988	AWWA	24
925	E101	Vertical Turbine Pumps - Line Shaft and Submersible Types	1988	AWWA	76
926	M27	External Corrosion - Introduction to Chemistry and Control	1987	AWWA	60
927	D101	Inspecting and Repairing Steel Water Tanks, Standpipes, Reservoirs, and Elevated Tanks, for Water Storage	1986	AWWA	16
928	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	1984	AWWA	24
929	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	1982	AWWA	12
930	C601	Disinfecting Water Mains	1981	AWWA	20
931	M5	Water Utility Management	1980	AWWA	156
932	M22	Sizing Water Service Line and Meters	1975	AWWA	109
933	M20	Water Chlorination Principles and Practices	1973	AWWA	90
934	A21.14	Standard for Gray Iron and Ductile Iron Fittings, 3 Inch through 24 Inch, for Gas	1968	AWWA	26
935	M5	Water Utility Management	0	AWWA	0

**Hercules Ebooks Institute**

**[www.herculesebooks.com](http://www.herculesebooks.com) [info@herculesebooks.com](mailto:info@herculesebooks.com) +989141908737**