

Standards Manager Web Standards List
AWWA-American Water Works Association

Id	Number	Title	Year	Organization	Page
1	B302	Ammonium Sulfate	2023	AWWA	0
2	B451	PolyDiallyldimethylammonium Chloride)	2023	AWWA	0
3	B507	Phosphoric Acid	2023	AWWA	0
4	B512	Sulfur Dioxide	2023	AWWA	0
5	B603	Permanganates	2023	AWWA	0
6	C217	Microcrystalline Wax and Petrolatum Tape Coating Systems for Steel Water Pipe and Fittings	2023	AWWA	0
7	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings	2023	AWWA	0
8	C509	Resilient-Seated Gate Valves for Water Supply Service	2023	AWWA	0
9	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2023	AWWA	0
10	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2023	AWWA	
11	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2023	AWWA	
12	C504	Rubber-seated Butterfly Valves	2023	AWWA	
13	E200	Progressive Cavity Chemical Metering Pumps	2023	AWWA	
14	C206	Field Welding of Steel Water Pipe	2023	AWWA	
15	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2023	AWWA	
16	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2023	AWWA	
17	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2023	AWWA	
18	M25	Flexible-Membrane Covers and Linings for Potable-Water Reservoirs Third Edition	2023	AWWA	
19	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2022	AWWA	32
20	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2022	AWWA	32
21	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2022	AWWA	28
22	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2022	AWWA	28
23	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2022	AWWA	28
24	C232	Viscoelastic Coatings for Steel Water Pipe and Fittings	2022	AWWA	32
25	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2022	AWWA	40
26	C623	Cured-In-Place Pipe (CIPP) Rehabilitation of Pressurized Potable Water Pipelines, 4 In. (100 mm) and Larger	2022	AWWA	40
27	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2022	AWWA	52
28	F110	Ultraviolet Disinfection Systems for Drinking Water	2022	AWWA	36
29	F130	Aeration Systems for Biological Wastewater Treatment	2022	AWWA	36
30	G300	Source Water Protection	2022	AWWA	28
31	G440	Emergency Preparedness Practices	2022	AWWA	24
32	G560	Stormwater Management for Water Utilities	2022	AWWA	44
33	M3	Safety Practices for Water Utilities	2022	AWWA	179
34	M38	Electrodialysis and Electrodialysis Reversal	2022	AWWA	87

35	B101	Precoat Filter Media	2022	AWWA	28
36	B114	Reverse Osmosis and Nanofiltration Systems for Water Treatment	2022	AWWA	44
37	B200	Sodium Chloride	2022	AWWA	32
38	C104/A21.4	Cement Mortar Lining for Ductile-Iron Pipe and Fittings	2022	AWWA	24
39	C116/A21.16	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings	2022	AWWA	20
40	M75	Elastomers for Waterworks: Pipes, Valves, and Fittings	2022	AWWA	93
41	C150/A21.50	Thickness Design of Ductile-Iron Pipe	2021	AWWA	68
42	M64	Gas Transfer Applications in Water Addition and Removal	2021	AWWA	157
43	M71	Climate Action Plans Adaptive Management Strategies for Utilities	2021	AWWA	163
44	B304	Liquid Oxygen	2021	AWWA	24
45	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water	2021	AWWA	48
46	D102	Coating Steel Water-storage Tanks	2021	AWWA	72
47	J100	Risk and Resilience Management of Water and Wastewater Systems	2021	AWWA	92
48	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2021	AWWA	60
49	C671	Online Turbidimeter Operation and Maintenance	2021	AWWA	36
50	C800	Underground Service Line Valves and Fittings	2021	AWWA	40
51	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 In. thru 65 In. (100 mm Through 1650 mm), for Waterworks	2021	AWWA	48
52	D100	Welded Steel Tanks for Water Storage	2021	AWWA	212
53	G200	Distribution Systems Operation and Management	2021	AWWA	36
54	C560	Cast Iron Slide Gates	2021	AWWA	0
55	C562	Fabricated Aluminum Slide Gates	2021	AWWA	0
56	C110/A21.10	Ductile-Iron and Gray-Iron Fittings	2021	AWWA	0
57	C503	Wet-Barrel Fire Hydrants	2021	AWWA	0
58	C561	Fabricated Stainless Steel Slide Gates	2021	AWWA	0
59	C563	Fabricated Composite Slide Gates	2021	AWWA	0
60	C654	Disinfection of Wells	2021	AWWA	28
61	M23	PVC Pipe - Design and Installation	2020	AWWA	230
62	M75	Elastomers for Waterworks: Pipes, Valves, and Fittings	2020	AWWA	86
63	C514	Air Valve and Vent Inflow Preventer Assemblies for Potable Water Distribution System and Storage Facilities	2020	AWWA	32
64	C515	Reduced-Wall, Resilient-Seated Gate Valves for Water Supply Service	2020	AWWA	48
65	C670	Online Chlorine Analyzer Operation and Maintenance	2020	AWWA	28
66	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2020	AWWA	44
67	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2020	AWWA	44
68	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2020	AWWA	36
69	G480	Water Conservation Program Operation and Management	2020	AWWA	20
70	G485	Potable Reuse Program Operation and Management	2020	AWWA	28
71	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2020	AWWA	56
72	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2020	AWWA	32
73	M55	PE Pipe--Design and Installation	2020	AWWA	191
74	M72	Knife Gate Valves	2020	AWWA	63
75	A100	Water Wells	2020	AWWA	108

76	B102	Manganese Greensand for Filters	2020	AWWA	20
77	B406	Ferric Sulfate	2020	AWWA	28
78	B452	EPI-DMA Polyamines	2020	AWWA	32
79	C115/A21.15	Flanged Ductile-Iron Pipe With Ductile-Iron or Gray-Iron Threaded Flanges	2020	AWWA	36
80	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines	2020	AWWA	28
81	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2020	AWWA	28
82	C653	Disinfection of Water Treatment Plants	2020	AWWA	20
83	C950	Fiberglass Pressure Pipe	2020	AWWA	40
84	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2020	AWWA	36
85	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons	2020	AWWA	92
86	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2019	AWWA	52
87	D108	Aluminum Dome Roofs For Water Storage Facilities	2019	AWWA	32
88	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2019	AWWA	28
89	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2019	AWWA	24
90	C702	Cold-Water Meters Compound Type	2019	AWWA	36
91	C703	Cold-Water Meters - Fire Service Type	2019	AWWA	40
92	C704	Propeller-Type Meters for Waterworks Applications	2019	AWWA	36
93	C620	Spray-Applied In-Place Epoxy Lining of Water Pipelines, 3 in. and Larger	2019	AWWA	48
94	C622	Pipe Bursting of Potable Water Mains 4 In. (100 mm) to 36 In. (900 mm)	2019	AWWA	24
95	C652	Disinfection of Water-storage Facilities	2019	AWWA	32
96	C708	Cold-Water Meters Multijet Type	2019	AWWA	40
97	C712	Cold-Water Meters - Singlejet Type	2019	AWWA	40
98	C713	Cold-Water Meters: Fluidic-Oscillator Type	2019	AWWA	36
99	C714	Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes	2019	AWWA	36
100	C750	Transit-Time Flowmeters in Full Closed Conduits	2019	AWWA	32
101	C751	Magnetic Inductive Flowmeters	2019	AWWA	28
102	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type	2019	AWWA	48
103	C304	Design of Prestressed Concrete Cylinder Pipe	2019	AWWA	144
104	C500	Metal-seated Gate Valves for Water Supply Service	2019	AWWA	52
105	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2019	AWWA	28
106	C520	Knife Gate Valves, Sizes 2 In. (50 mm) Through 96 In. (2,400 mm)	2019	AWWA	36
107	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2019	AWWA	32
108	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2019	AWWA	32
109	C153/A21.53	Ductile-Iron Compact Fittings	2019	AWWA	56
110	B453	Polyacrylamide	2019	AWWA	44
111	B501	Sodium Hydroxide (Caustic Soda)	2019	AWWA	24
112	B202	Quicklime and Hydrated Lime	2019	AWWA	32
113	B703	Fluorosilicic Acid	2019	AWWA	32
114	B112	Microfiltration and Ultrafiltration Membrane Systems	2019	AWWA	44
115	B116	Electrodialysis and Ion-Exchange Membrane Systems	2019	AWWA	40
116	10123	Let's Talk Safety 2019: 52 Talks on Common Utility Safety Practices for Water Professionals	2019	AWWA	151

117	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2019	AWWA	24
118	D103	Factory-coated Bolted Steel Tanks for Water Storage	2019	AWWA	112
119	M24	Dual Water Systems Second Edition	2019	AWWA	159
120	C701	Cold-Water Meters Turbine Type, for Customer Service	2019	AWWA	40
121	M77	Condition Assessment of Water Mains	2019	AWWA	225
122	M60	Drought Preparedness and Response	2019	AWWA	104
123	M69	Inland Desalination and Concentrate Management	2019	AWWA	226
124	D130	Flexible-Membrane Materials for Potable Water Applications	2019	AWWA	24
125	20504	NULL	2018	AWWA	0
126	M62	NULL	2018	AWWA	347
127	B130	Membrane Bioreactor Systems	2018	AWWA	36
128	B201	Soda Ash	2018	AWWA	24
129	M33	Flowmeters in Water Supply First Editiion	2018	AWWA	90
130	E200	NULL	2018	AWWA	28
131	F120	NULL	2018	AWWA	64
132	G400	Utility Management System	2018	AWWA	20
133	G485	NULL	2018	AWWA	28
134	M19	Emergency Planning for Water Utility Management Fourth Edition	2018	AWWA	132
135	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2018	AWWA	52
136	C519	NULL	2018	AWWA	56
137	C655	Field Dechlorination	2018	AWWA	30
138	C715	NULL	2018	AWWA	36
139	C105/A21.5	Polyethylene Encasement for Ductile-Iron Pipe Systems	2018	AWWA	36
140	B301	Liquid Chlorine	2018	AWWA	24
141	B304	Liquid Oxygen	2018	AWWA	28
142	B604	Granular Activated Carbon	2018	AWWA	60
143	B605	Granular Activated Carbon	2018	AWWA	32
144	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2018	AWWA	40
145	C521	Plastic Ball Valves	2018	AWWA	24
146	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2018	AWWA	36
147	C502	Dry-Barrel Fire Hydrants	2018	AWWA	44
148	C503	Wet-Barrel Fire Hydrants	2018	AWWA	44
149	C305	CFPR Renewal and Strengthening of Prestressed Concrete Cylinder Pipe (PCCP)	2018	AWWA	80
150	C621	Internal Pipe Joint Seal Assemblies for Water Service	2018	AWWA	24
151	G410	Business Practices for Operation and Management	2018	AWWA	60
152	M6 add	Water Meters - Selection, Installation, Testing, and Maintenance	2018	AWWA	12
153	M11 errata	Steel Pipe: A Guide for Design and Installation	2018	AWWA	3
154	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks	2018	AWWA	112
155	B303	Sodium Chlorite	2018	AWWA	28
156	B402	Ferrous Sulfate	2018	AWWA	24
157	B300	Hypochlorites	2018	AWWA	32

158	B407	Liquid Ferric Chloride	2018	AWWA	24
159	B408	Liquid Polyaluminum Chloride	2018	AWWA	32
160	B504	Monosodium Phosphate, Anhydrous	2018	AWWA	20
161	B505	Disodium Phosphate, Anhydrous	2018	AWWA	24
162	B506	Zinc Orthophosphate	2018	AWWA	24
163	B510	Carbon Dioxide	2018	AWWA	32
164	B701	Sodium Fluoride Seventh Edition	2018	AWWA	32
165	B702	Sodium Fluorosilicate	2018	AWWA	28
166	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2018	AWWA	40
167	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2018	AWWA	28
168	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	2018	AWWA	32
169	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2017	AWWA	28
170	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2017	AWWA	28
171	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2017	AWWA	32
172	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2017	AWWA	24
173	B503	Sodium Tripolyphosphate	2017	AWWA	24
174	C111-A21.11	NULL	2017	AWWA	56
175	C151-A21.51	NULL	2017	AWWA	60
176	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2017	AWWA	44
177	C206	Field Welding of Steel Water Pipe	2017	AWWA	28
178	B511	Potassium Hydroxide	2017	AWWA	24
179	B550	Calcium Chloride	2017	AWWA	24
180	B601	Sodium Metabisulfite	2017	AWWA	20
181	B602	Copper Sulfate	2017	AWWA	28
182	20622	NULL	2017	AWWA	156
183	20831	NULL	2017	AWWA	47
184	M11	Steel Pipe - A Guide for Design and Installation	2017	AWWA	300
185	C900-16 Errata	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 In. Through 60 In. (100 mm Through 1,500 mm)	2017	AWWA	1
186	C217a	Microcrystalline Wax and Petrolatum Tape Coating Systems for Steel Water Pipe and Fittings	2017	AWWA	1
187	C810	NULL	2017	AWWA	28
188	B200	Sodium Chloride	2017	AWWA	32
189	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2017	AWWA	44
190	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2017	AWWA	36
191	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2017	AWWA	32
192	D102	Coating Steel Water-storage Tanks	2017	AWWA	64
193	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2017	AWWA	36
194	C530	Pilot Operated Control Valves	2017	AWWA	44
195	C550	Protective Interior Coatings for Valves and Hydrants	2017	AWWA	22
196	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2017	AWWA	48
197	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2017	AWWA	32
198	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2017	AWWA	64

199	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2017	AWWA	36
200	C510	Double Check Valve Backflow Prevention Assembly	2017	AWWA	28
201	C511	Reduced-pressure Principle Backflow Prevention Assembly	2017	AWWA	28
202	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2017	AWWA	32
203	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2017	AWWA	36
204	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2017	AWWA	36
205	C231	NULL	2017	AWWA	28
206	M5	Water Utility Management	2017	AWWA	145
207	G520	NULL	2017	AWWA	32
208	M1	Principles of Water Rates, Fees, and Charges Fifth Edition	2017	AWWA	401
209	G420	Communications and Customer Relations	2017	AWWA	28
210	G440	Emergency Preparedness Practices	2017	AWWA	24
211	G100	Water Treatment Plant Operation and Management	2017	AWWA	32
212	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	2017	AWWA	92
213	E102	Submersible Vertical Turbine Pumps	2017	AWWA	48
214	M32	Distribution Network Analysis for Water Utilities First Edition	2017	AWWA	312
215	M58	Internal Corrosion Control in Water Distribution Systems	2017	AWWA	223
216	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition	2017	AWWA	131
217	M50	Water Resources Planning	2017	AWWA	243
218	M52	Water Conservation Programs--A Planning Manual	2017	AWWA	258
219	M68	NULL	2017	AWWA	444
220	M52 Errata	Water Conservation Programs--A Planning Manual	2017	AWWA	3
221	M54	Developing Rates for Small Systems	2016	AWWA	73
222	F110	Ultraviolet Disinfection Systems for Drinking Water	2016	AWWA	32
223	M4	Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995	2016	AWWA	137
224	M11	Steel Pipe - A Guide for Design and Installation Third Edition	2016	AWWA	309
225	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2016	AWWA	40
226	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2016	AWWA	40
227	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2016	AWWA	36
228	C541	Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates	2016	AWWA	48
229	C542	Electric Motor Actuators for Valves and Slide Gates	2016	AWWA	36
230	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2016	AWWA	36
231	D107	Composite Elevated Tanks for Water Storage	2016	AWWA	136
232	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2016	AWWA	32
233	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2016	AWWA	32
234	C671	NULL	2016	AWWA	36
235	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2016	AWWA	52
236	C750	Transit-Time Flowmeters in Full Closed Conduits	2016	AWWA	32
237	C751	NULL	2016	AWWA	28

238	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings	2016	AWWA	32
239	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters	2016	AWWA	20
240	B100	Granular Filter Material ANSI/AWWA B100-01	2016	AWWA	56
241	B101	Precoat Filter Media	2016	AWWA	28
242	B114	NULL	2016	AWWA	40
243	20691	NULL	2016	AWWA	149
244	M36	Water Audits and Loss Control Programs - Fourth Edition	2016	AWWA	423
245	M44	Distribution Valves: Selection, Installation, Field Testing, and Maintenance - Third Edition	2016	AWWA	87
246	M51	Air-Valves: Air-Release, Air/Vacuum and Combination - Second Edition	2016	AWWA	77
247	M53	Microfiltration and Ultrafiltration Membranes for Drinking Water - Second Edition	2016	AWWA	255
248	1940	NULL	2016	AWWA	435
249	1941	NULL	2016	AWWA	410
250	1942	NULL	2016	AWWA	302
251	1943	NULL	2016	AWWA	482
252	1944	NULL	2016	AWWA	278
253	C904	Cross-Linked Polyethylene (PEX) Pressure Tubing, ¹ / ₂ In. (13 mm) Through 3 In. (76 mm), for Water Service	2016	AWWA	52
254	M17	Fire Hydrants: Installation, Field, Testing, and Maintenance - Fifth Edition	2016	AWWA	159
255	B507	NULL	2016	AWWA	24
256	B451	Polydiallyldimethylammonium Chloride)	2016	AWWA	32
257	B302	Ammonium Sulfate	2016	AWWA	24
258	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2016	AWWA	32
259	B405	Sodium Aluminate	2016	AWWA	24
260	C104-A21.4	NULL	2016	AWWA	24
261	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2016	AWWA	28
262	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2016	AWWA	24
263	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2016	AWWA	24
264	B600	Powdered Activated Carbon	2016	AWWA	40
265	B603	Permanganates	2016	AWWA	24
266	C606	Grooved and Shouldered Joints	2015	AWWA	40
267	416	Sustainability assessment for water treatment chemical products	2015	AWWA	56
268	A100	Water Wells	2015	AWWA	108
269	C670	Online Chlorine Analyzer Operation and Maintenance	2015	AWWA	28
270	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2015	AWWA	40
271	C701	Cold-Water Meters Turbine Type, for Customer Service	2015	AWWA	36
272	C702	Cold-Water Meters Compound Type	2015	AWWA	40
273	C703	Cold-Water Meters - Fire Service Type	2015	AWWA	40
274	C704	Propeller-Type Meters for Waterworks Applications	2015	AWWA	36
275	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2015	AWWA	36
276	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2015	AWWA	0
277	C712	Cold-Water Meters - Singlejet Type First Edition	2015	AWWA	40
278	C713	Cold-Water Meters: Fluidic-Oscillator Type	2015	AWWA	36

279	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	2015	AWWA	52
280	G200	Distribution Systems Operation and Management	2015	AWWA	32
281	B102	Manganese Greensand for Filters	2015	AWWA	20
282	B112	NULL	2015	AWWA	48
283	B116	NULL	2015	AWWA	40
284	B305	Anhydrous Ammonia	2015	AWWA	20
285	B306	Aqua Ammonia (Liquid Ammonium Hydroxide)	2015	AWWA	28
286	B512	Sulfur Dioxide	2015	AWWA	24
287	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2015	AWWA	60
288	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2015	AWWA	28
289	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2015	AWWA	32
290	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2015	AWWA	28
291	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2015	AWWA	28
292	C504	Rubber-seated Butterfly Valves	2015	AWWA	52
293	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2015	AWWA	44
294	E103	Horizontal and Vertical Line-Shaft Pumps	2015	AWWA	92
295	M14	Backflow Prevention and Cross-Connection Control Recommended Practices - Fourth Edition	2015	AWWA	221
296	C509	Resilient-Seated Gate Valves for Water Supply Service	2015	AWWA	48
297	C515	Reduced-Wall, Resilient-Seated Gate Valves for Water Supply Service	2015	AWWA	48
298	M63	Aquifer Storage and Recovery - First Edition	2015	AWWA	147
299	M65	On-Site Generation of Hypochlorite - First Edition	2015	AWWA	173
300	C906-15 Errata	Polyethylene (PE) Pressure Pipe and Fittings, 4 In. thru 65 In. (100 mm Through 1650 mm), for Waterworks	2015	AWWA	2
301	C116/A21.16	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2015	AWWA	20
302	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2015	AWWA	28
303	C514	Air Valve and Vent Inflow Preventer Assemblies for Potable Water Distribution System and Storage Facilities	2015	AWWA	28
304	C560a	Cast Iron Slide Gates Addendum	2015	AWWA	1
305	M66	Cylinder and Vane Actuators and Controls-Design and Installation	2015	AWWA	71
306	C150/A21.50	Thickness Design of Ductile-Iron Pipe	2014	AWWA	64
307	D121a	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage	2014	AWWA	1
308	M45	Fiberglass Pipe Design - Third Edition	2014	AWWA	170
309	C520	Knife Gate Valves, Sizes 2 In. (50 mm) Through 96 In. (2,400 mm)	2014	AWWA	36
310	C800	Underground Service Line Valves and Fittings	2014	AWWA	40
311	C225	Fused Polyolefin Coatings for Steel Water Pipe	2014	AWWA	32
312	M12	Simplified Procedures for Water Examination - Sixth Edition	2014	AWWA	301
313	M22	Sizing Water Service Lines and Meters - Third Edition	2014	AWWA	133
314	M27	External Corrosion Control for Infrastructure Sustainability - Third Edition	2014	AWWA	110
315	M29	Water Utility Capital Financing - Fourth Edition	2014	AWWA	169
316	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2014	AWWA	44
317	M45	Fiberglass Pipe Design	2014	AWWA	170

318	C304	Design of Prestressed Concrete Cylinder Pipe	2014	AWWA	144
319	G300	Source Water Protection	2014	AWWA	28
320	C651	Disinfecting Water Mains	2014	AWWA	40
321	M3	Safety Practices for Water Utilities Sixth Edition	2014	AWWA	156
322	M21	Groundwater	2014	AWWA	297
323	M28	Rehabilitation of Water Mains	2014	AWWA	133
324	B404	Liquid Sodium Silicate	2014	AWWA	28
325	B406	Ferric Sulfate	2014	AWWA	24
326	B452	EPI-DMA Polyamines	2014	AWWA	32
327	C150	Thickness Design of Ductile-Iron Pipe	2014	AWWA	64
328	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2014	AWWA	32
329	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2014	AWWA	28
330	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	2014	AWWA	48
331	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	2014	AWWA	44
332	C503	Wet-Barrel Fire Hydrants	2014	AWWA	40
333	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2014	AWWA	36
334	C561	Fabricated Stainless Steel Slide Gates	2014	AWWA	36
335	C562	Fabricated Aluminum Slide Gates	2014	AWWA	36
336	C563	Fabricated Composite Slide Gates	2014	AWWA	40
337	D102	Coating Steel Water-storage Tanks	2014	AWWA	64
338	D121	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage includes Amendment (2014)	2014	AWWA	89
339	G481	Reclaimed Water Program Operation and Management	2014	AWWA	32
340	G430	Security Practices for Operation and Management	2014	AWWA	40
341	G480	Water Conservation Program Operation and Management	2013	AWWA	16
342	G510	Standard for Wastewater Treatment Plant Operations and Management	2013	AWWA	28
343	J100	Risk Analysis and Management for Critical Asset Protection Risk and Resilience Management of Water and Wastewater Systems	2013	AWWA	135
344	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2013	AWWA	28
345	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2013	AWWA	24
346	C950	Fiberglass Pressure Pipe	2013	AWWA	40
347	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	2013	AWWA	112
348	C714	Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes	2013	AWWA	36
349	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	2013	AWWA	48
350	C653	Disinfection of Water Treatment Plants	2013	AWWA	20
351	C654	Disinfection of Wells Second Edition	2013	AWWA	24
352	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2013	AWWA	28
353	C550	Protective Interior Coatings for Valves and Hydrants	2013	AWWA	24
354	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2013	AWWA	28
355	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2013	AWWA	28
356	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2013	AWWA	44
357	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2013	AWWA	28

358	B605	Granular Activated Carbon	2013	AWWA	32
359	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2013	AWWA	24
360	B453	Polyacrylamide ANSI/AWWA 8453-01	2013	AWWA	44
361	B501	Sodium Hydroxide (Caustic Soda)	2013	AWWA	20
362	B506	Zinc Orthophosphate	2013	AWWA	24
363	B304	Liquid Oxygen	2013	AWWA	28
364	B130	Membrane Bioreactor Systems	2013	AWWA	36
365	B201	Soda Ash	2013	AWWA	20
366	B202	Quicklime and Hydrated Lime	2013	AWWA	32
367	M42	Steel Water-storage Tanks	2013	AWWA	168
368	M9 Errata	Concrete Pressure Pipe	2013	AWWA	1
369	M11	Steel Pipe - A Guide for Design and Installation	2013	AWWA	259
370	M56	Fundamentals and Control of Nitrification in Chloraminated Drinking Water Distribution Systems	2013	AWWA	320
371	J100	Risk and Resilience Management of Water and Wastewater Systems - First Edition	2013	AWWA	136
372	C950	Fiberglass Pressure Pipe	2013	AWWA	1
373	M9-2008 Errata	Concrete Pressure Pipe	2013	AWWA	1
374	C905-10 Errata	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 in. Through 48 in. (350 mm through 1,200 mm), for Water Transmission and Distribution	2013	AWWA	1
375	M19	Emergency Planning for Water Utility Management	2012	AWWA	148
376	C110/A21.10	Ductile-Iron and Gray-Iron Fittings	2012	AWWA	92
377	STANDARD METHODS	NULL	2012	AWWA	1545
378	M1	Principles of Water Rates, Fees, and Charges	2012	AWWA	380
379	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis	2012	AWWA	104
380	M32	Distribution Network Analysis for Water Utilities	2012	AWWA	238
381	C111-A21.11	NULL	2012	AWWA	52
382	C200	Steel Water Pipe, 6 in. (150 mm) and Larger	2012	AWWA	1
383	B200	Sodium Chloride	2012	AWWA	32
384	B101	Precoat Filter Media	2012	AWWA	24
385	B402	Ferrous Sulfate	2012	AWWA	24
386	B407	Liquid Ferric Chloride	2012	AWWA	26
387	B505	Disodium Phosphate, Anhydrous	2012	AWWA	20
388	B510	Carbon Dioxide	2012	AWWA	32
389	B504	Monosodium Phosphate, Anhydrous	2012	AWWA	24
390	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2012	AWWA	92
391	B604	Granular Activated Carbon	2012	AWWA	56
392	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2012	AWWA	49
393	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2012	AWWA	36
394	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2012	AWWA	32
395	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2012	AWWA	28
396	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2012	AWWA	36
397	C530	Pilot Operated Control Valves	2012	AWWA	32

398	C701	Cold-Water Meters Turbine Type, for Customer Service	2012	AWWA	36
399	C704	Propeller-Type Meters for Waterworks Applications	2012	AWWA	36
400	C561	Fabricated Stainless Steel Slide Gates	2012	AWWA	36
401	C563	Fabricated Composite Slide Gates	2012	AWWA	40
402	C562	Fabricated Aluminum Slide Gates	2012	AWWA	36
403	C800	Underground Service Line Valves and Fittings	2012	AWWA	38
404	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2012	AWWA	32
405	F110	Ultraviolet Disinfection Systems for Drinking Water	2012	AWWA	32
406	D121	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage	2012	AWWA	88
407	M6	Water Meters - Selection , Installation, Testing, and Maintenance	2012	AWWA	130
408	D130	Flexible-Membrane Materials for Potable Water Applications	2011	AWWA	24
409	G440	Emergency Preparedness Practices	2011	AWWA	20
410	G100	Water Treatment Plant Operation and Management	2011	AWWA	32
411	D100	Welded Steel Tanks for Water Storage	2011	AWWA	236
412	D102	Coating Steel Water-storage Tanks	2011	AWWA	56
413	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2011	AWWA	36
414	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2011	AWWA	36
415	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2011	AWWA	48
416	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2011	AWWA	32
417	C606	Grooved and Shouldered Joints	2011	AWWA	32
418	C703	Cold-Water Meters - Fire Service Type	2011	AWWA	40
419	C652	Disinfection of Water-storage Facilities	2011	AWWA	32
420	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2011	AWWA	40
421	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2011	AWWA	40
422	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2011	AWWA	40
423	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2011	AWWA	32
424	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connecctions, Fittings, and Special Sections	2011	AWWA	28
425	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2011	AWWA	28
426	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2011	AWWA	24
427	C206	Field Welding of Steel Water Pipe	2011	AWWA	28
428	C153	Ductile-Iron Compact Fittings	2011	AWWA	52
429	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	2011	AWWA	36
430	B701	Sodium Fluoride Seventh Edition	2011	AWWA	32
431	B702	Sodium Fluorosilicate	2011	AWWA	24
432	B703	Fluorosilicic Acid	2011	AWWA	28
433	B503	Sodium Tripolyphosphate	2011	AWWA	24
434	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2011	AWWA	24
435	B601	Sodium Metabisulfite	2011	AWWA	20
436	M58	Internal Corrosion Control in Water Distribution Systems	2011	AWWA	212
437	M60	Drought Preparedness and Response	2011	AWWA	84
438	M61	Desalination of Seawater	2011	AWWA	120

439	M37	Operational Control of Coagulation and Filtration Processes	2011	AWWA	242
440	C508	Swing-Check Valves for Waterworks Service, 2-In. Through 48-In. (50-mm Through 1,200-mm) NPS	2011	AWWA	3
441	M57	Algae-Source to Treatment	2010	AWWA	1
442	M47	Construction Contact Administration	2010	AWWA	184
443	C105-A21.5	NULL	2010	AWWA	36
444	M23	PVC Pipe - Design and Installation	2010	AWWA	182
445	B600	Powdered Activated Carbon	2010	AWWA	36
446	B550	Calcium Chloride	2010	AWWA	24
447	B603	Potassium Permanganate	2010	AWWA	24
448	B511	Potassium Hydroxide	2010	AWWA	20
449	B408	Liquid Polyaluminum Chloride	2010	AWWA	32
450	B451	PolyDiallyldimethylammonium Chloride)	2010	AWWA	36
451	B302	Ammonium Sulfate	2010	AWWA	24
452	B303	Sodium Chlorite	2010	AWWA	28
453	B102	Manganese Greensand for Filters	2010	AWWA	20
454	B300	Hypochlorites	2010	AWWA	28
455	B301	Liquid Chlorine	2010	AWWA	24
456	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	2010	AWWA	36
457	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2010	AWWA	32
458	C504	Rubber-seated Butterfly Valves	2010	AWWA	48
459	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2010	AWWA	40
460	C702	Cold-Water Meters Compound Type	2010	AWWA	36
461	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	2010	AWWA	20
462	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2010	AWWA	44
463	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	2010	AWWA	20
464	C712	Cold-Water Meters - Singlejet Type First Edition	2010	AWWA	36
465	C750	Transit-Time Flowmeters in Full Closed Conduits	2010	AWWA	32
466	C713	Cold-Water Meters: Fluidic-Oscillator Type	2010	AWWA	36
467	C905	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution	2010	AWWA	44
468	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2010	AWWA	32
469	D107	Composite Elevated Tanks for Water Storage	2010	AWWA	164
470	D108	Aluminum Dome Roofs For Water Storage Facilities	2010	AWWA	24
471	D103	Factory-coated Bolted Steel Tanks for Water Storage	2009	AWWA	136
472	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2009	AWWA	48
473	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2009	AWWA	32
474	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2009	AWWA	40
475	G200	Distribution Systems Operation and Management	2009	AWWA	28
476	G400	Utility Management System	2009	AWWA	20
477	G410	Business Practices for Operation and Management	2009	AWWA	44
478	G420	Communications and Customer Relations	2009	AWWA	24

479	G430	Security Practices for Operation and Management	2009	AWWA	36
480	C655	Field Dechlorination	2009	AWWA	28
481	C670	Online Chlorine Analyzer Operation and Maintenance	2009	AWWA	28
482	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2009	AWWA	36
483	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2009	AWWA	36
484	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	2009	AWWA	40
485	C542	Electric Motor Actuators for Valves and Slide Gates	2009	AWWA	28
486	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2009	AWWA	30
487	C509	Resilient-seated Gate Valves for Water Supply Service	2009	AWWA	42
488	C500	Metal-seated Gate Valves for Water Supply Service	2009	AWWA	48
489	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2009	AWWA	20
490	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2009	AWWA	21
491	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	2009	AWWA	52
492	B110	Membrane Systems	2009	AWWA	48
493	B100	Granular Filter Material ANSI/AWWA B100-01	2009	AWWA	52
494	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2009	AWWA	32
495	M41	Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003	2009	AWWA	276
496	M24	Dual Water Systems Second Edition	2009	AWWA	115
497	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings	2009	AWWA	1
498	M36	Water Audits and Leak Detection	2009	AWWA	302
499	M9	Concrete Pressure Pipe	2008	AWWA	284
500	M29	Water Utility Capital Financing	2008	AWWA	114
501	M31	Distribution System Requirements for Fire Protection	2008	AWWA	72
502	B404	Liquid Sodium Silicate	2008	AWWA	24
503	B304	Liquid Oxygen	2008	AWWA	24
504	B201	Soda Ash	2008	AWWA	20
505	B501	Sodium Hydroxide (Caustic Soda)	2008	AWWA	20
506	B512	Sulfur Dioxide	2008	AWWA	24
507	B602	Copper Sulfate	2008	AWWA	24
508	C150	Thickness Design of Ductile-Iron Pipe	2008	AWWA	64
509	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2008	AWWA	60
510	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2008	AWWA	25
511	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2008	AWWA	78
512	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2008	AWWA	36
513	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2008	AWWA	28
514	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2008	AWWA	28
515	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	2008	AWWA	32
516	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2008	AWWA	44
517	C541	Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates	2008	AWWA	40
518	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2008	AWWA	28

519	C704	Propeller-Type Meters for Waterworks Applications	2008	AWWA	32
520	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2008	AWWA	36
521	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2007	AWWA	44
522	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	2007	AWWA	52
523	C950	Fiberglass Pressure Pipe	2007	AWWA	40
524	G300	Source Water Protection	2007	AWWA	24
525	E103	Horizontal and Vertical Line-Shaft Pumps	2007	AWWA	84
526	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2007	AWWA	24
527	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2007	AWWA	28
528	C701	Cold-Water Meters Turbine Type, for Customer Service	2007	AWWA	36
529	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2007	AWWA	32
530	C620	Spray-Applied In-Place Epoxy Lining of Water Pipelines, 3 in. and Larger	2007	AWWA	32
531	C530	Pilot Operated Control Valves	2007	AWWA	32
532	C510	Double Check Valve Backflow Prevention Assembly	2007	AWWA	28
533	C511	Reduced-pressure Principle Backflow Prevention Assembly	2007	AWWA	28
534	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2007	AWWA	24
535	C304	Design of Prestressed Concrete Cylinder Pipe	2007	AWWA	144
536	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	2007	AWWA	48
537	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2007	AWWA	28
538	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2007	AWWA	36
539	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2007	AWWA	24
540	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2007	AWWA	28
541	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition	2007	AWWA	28
542	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2007	AWWA	28
543	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2007	AWWA	32
544	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2007	AWWA	32
545	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2007	AWWA	32
546	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2007	AWWA	40
547	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2007	AWWA	28
548	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2007	AWWA	52
549	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2007	AWWA	52
550	B605	Granular Activated Carbon	2007	AWWA	36
551	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2007	AWWA	36
552	B202	Quicklime and Hydrated Lime	2007	AWWA	32
553	B200	Sodium Chloride	2007	AWWA	28
554	B306	Aqua Ammonia (Liquid Ammonium Hydroxide)	2007	AWWA	28
555	M46	Reverse Osmosis and Nanofiltration	2007	AWWA	242
556	M50	Water Resources Planning	2007	AWWA	412
557	M52	Water Conservation Programs--A Planning Manual	2006	AWWA	162

558	M44	Distribution Valves: Selection, Installation, Field Testing , and Maintenance	2006	AWWA	72
559	M33	Flowmeters in Water Supply	2006	AWWA	68
560	M17	Installation, Field Testing, and Maintenance of Fire Hydrants	2006	AWWA	136
561	M20	Water Chlorination Principles and Practices	2006	AWWA	188
562	M48	Waterborne Pathogens	2006	AWWA	352
563	M55	PE Pipe--Design and Installation	2006	AWWA	178
564	E102	Submersible Vertical Turbine Pumps	2006	AWWA	1
565	B305	Anhydrous Ammonia	2006	AWWA	20
566	B402	Ferrous Sulfate	2006	AWWA	24
567	B405	Sodium Aluminate	2006	AWWA	24
568	B406	Ferric Sulfate	2006	AWWA	24
569	A100	Water Wells	2006	AWWA	100
570	B510	Carbon Dioxide	2006	AWWA	32
571	B506	Zinc Orthophosphate	2006	AWWA	24
572	B453	Polyacrylamide ANSI/AWWA 8453-01	2006	AWWA	40
573	B452	EPI-DMA Polyamines	2006	AWWA	30
574	C153	Ductile-Iron Compact Fittings	2006	AWWA	48
575	B701	Sodium Fluoride Seventh Edition	2006	AWWA	24
576	B703	Fluorosilicic Acid	2006	AWWA	28
577	B702	Sodium Fluorosilicate	2006	AWWA	25
578	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2006	AWWA	36
579	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2006	AWWA	28
580	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2006	AWWA	28
581	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2006	AWWA	32
582	C504	Rubber-seated Butterfly Valves	2006	AWWA	48
583	C606	Grooved and Shouldered Joints	2006	AWWA	30
584	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2006	AWWA	32
585	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2006	AWWA	48
586	E102	Submersible Vertical Turbine Pumps	2006	AWWA	40
587	D102	Coating Steel Water-storage Tanks	2006	AWWA	48
588	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	2006	AWWA	96
589	C904	Cross-Linked Polyethylene (PEX) Pressure Pipe, 1/2 In. (12mm) Through 3 In. (76 mm), for Water Service	2006	AWWA	28
590	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2005	AWWA	32
591	C800	Underground Service Line Valves and Fittings	2005	AWWA	36
592	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2005	AWWA	36
593	C713	Cold-Water Meters: Fluidic-Oscillator Type	2005	AWWA	36
594	D100	Welded Steel Tanks for Water Storage	2005	AWWA	256
595	G100	Water Treatment Plant Operation and Management	2005	AWWA	36
596	C651	Disinfecting Water Mains	2005	AWWA	36
597	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	2005	AWWA	36

598	C550	Protective Interior Coatings for Valves and Hydrants	2005	AWWA	20
599	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2005	AWWA	44
600	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	2005	AWWA	20
601	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	2005	AWWA	24
602	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2005	AWWA	32
603	C503	Wet-Barrel Fire Hydrants	2005	AWWA	40
604	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	2005	AWWA	40
605	C513	Open-channel, Fabricated-Metal Slide Gates First Edition	2005	AWWA	32
606	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2005	AWWA	36
607	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	2005	AWWA	32
608	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2005	AWWA	44
609	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	2005	AWWA	36
610	C115/A21.15	Flanged Ductile-Iron Pipe with Ductile-Iron or Gray-Iron Threaded Flanges	2005	AWWA	36
611	B407	Liquid Ferric Chloride	2005	AWWA	24
612	B503	Sodium Tripolyphosphate	2005	AWWA	24
613	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2005	AWWA	24
614	B504	Monosodium Phosphate, Anhydrous	2005	AWWA	20
615	B505	Disodium Phosphate, Anhydrous	2005	AWWA	20
616	B511	Potassium Hydroxide	2005	AWWA	20
617	B601	Sodium Metabisulfite	2005	AWWA	20
618	B604	Granular Activated Carbon	2005	AWWA	56
619	B550	Calcium Chloride	2005	AWWA	20
620	B600	Powdered Activated Carbon	2005	AWWA	40
621	B304	Liquid Oxygen	2005	AWWA	24
622	B303	Sodium Chlorite	2005	AWWA	28
623	B302	Ammonium Sulfate	2005	AWWA	24
624	M5	Water Utility Management	2005	AWWA	146
625	M45	Fiberglass Pipe Design	2005	AWWA	179
626	M53	Microfiltration and Ultrafiltration Membranes for Drinking Water	2005	AWWA	280
627	C603	Installation of Asbestos-cement Pressure Pipe	2005	AWWA	24
628	C402	Asbestos-cement Transmission Pipe, 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2005	AWWA	24
629	C403	Selection of Asbestos-cement Transmission Pipe, Sizes 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2005	AWWA	96
630	M54	Developing Rates for Small Systems	2004	AWWA	76
631	M22	Sizing Water Service Line and Meters	2004	AWWA	132
632	M27	External Corrosion - Introduction to Chemistry and Control	2004	AWWA	110
633	M7	Problem Organisms in Water : Identification and Treatment	2004	AWWA	166
634	M4	Water Fluoridation Principles and Practices	2004	AWWA	103
635	M14	Recommended Practice for Backflow Prevention and Cross- Connection Control	2004	AWWA	148
636	B102	Manganese Greensand for Filters	2004	AWWA	20
637	B300	Hypochlorites	2004	AWWA	28
638	B301	Liquid Chlorine	2004	AWWA	24

639	B451	PolyDiallyldimethylammonium Chloride)	2004	AWWA	28
640	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2004	AWWA	40
641	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2004	AWWA	28
642	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2004	AWWA	24
643	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2004	AWWA	24
644	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2004	AWWA	40
645	C703	Cold-Water Meters - Fire Service Type	2004	AWWA	40
646	C561	Fabricated Stainless Steel Slide Gates	2004	AWWA	36
647	C563	Fabricated Composite Slide Gates	2004	AWWA	36
648	C606	Grooved and Shouldered Joints	2004	AWWA	32
649	G200	Distribution Systems Operation and Management	2004	AWWA	28
650	M11	Steel Pipe - A Guide for Design and Installation Third Edition	2004	AWWA	263
651	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2004	AWWA	32
652	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	2004	AWWA	112
653	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2004	AWWA	32
654	C750	Transit-Time Flowmeters in Full Closed Conduits	2003	AWWA	28
655	D102	Coating Steel Water-storage Tanks	2003	AWWA	48
656	M21	Groundwater Third Edition	2003	AWWA	226
657	M41	Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003	2003	AWWA	255
658	C653	Disinfection of Water Treatment Plants	2003	AWWA	20
659	C654	Disinfection of Wells Second Edition	2003	AWWA	24
660	C400	Asbestos-cement Pressure Pipe, 4 in . Through 16 in (100 mm Through 400 mm), for Water Distribution Systems	2003	AWWA	28
661	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2003	AWWA	28
662	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition	2003	AWWA	32
663	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2003	AWWA	20
664	C206	Field Welding of Steel Water Pipe	2003	AWWA	28
665	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2003	AWWA	76
666	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2003	AWWA	24
667	B408	Liquid Polyaluminum Chloride	2003	AWWA	28
668	B501	Sodium Hydroxide (Caustic Soda)	2003	AWWA	20
669	B603	Potassium Permanganate	2003	AWWA	24
670	B201	Soda Ash	2003	AWWA	20
671	B200	Sodium Chloride	2003	AWWA	28
672	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2003	AWWA	32
673	B404	Liquid Sodium Silicate	2003	AWWA	24
674	C401	Selection of Asbestos-cement Pressure Pipe, 4 in . Through 16 in.(100 mm Through 400 mm), for Water Distribution Systems	2003	AWWA	48
675	B202	Quicklime and Hydrated Lime	2002	AWWA	32
676	B602	Copper Sulfate	2002	AWWA	24
677	B512	Sulfur Dioxide	2002	AWWA	24

678	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2002	AWWA	59
679	C150	Thickness Design of Ductile-Iron Pipe	2002	AWWA	64
680	C150/A21.50	Thickness Design of Ductile-Iron Pipe Erratum: 02/2003	2002	AWWA	61
681	C151/A21.51	Ductile-Iron Pipe, Centrifugally Cast, for Water Erratum	2002	AWWA	50
682	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	2002	AWWA	52
683	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2002	AWWA	25
684	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2002	AWWA	36
685	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2002	AWWA	24
686	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2002	AWWA	44
687	C500	Metal-seated Gate Valves for Water Supply Service	2002	AWWA	44
688	C540	Power-Actuating Devices for Valves and Slide Gates	2002	AWWA	44
689	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2002	AWWA	41
690	C701	Cold-Water Meters Turbine Type, for Customer Service	2002	AWWA	35
691	C704	Propeller-Type Meters for Waterworks Applications	2002	AWWA	36
692	C652	Disinfection of Water-storage Facilities	2002	AWWA	32
693	M23	PVC Pipe - Design and Installation Second Edition	2002	AWWA	176
694	M3	Safety Practices for Water Utilities Sixth Edition	2002	AWWA	153
695	M12	Simplified Procedures for Water Examination Fifth Edition	2002	AWWA	242
696	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2002	AWWA	25
697	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2002	AWWA	28
698	D130	Flexible-Membrane Materials for Potable Water Applications	2002	AWWA	28
699	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2002	AWWA	28
700	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2002	AWWA	48
701	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2002	AWWA	44
702	C712	Cold-Water Meters - Singlejet Type First Edition	2002	AWWA	31
703	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2002	AWWA	40
704	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2002	AWWA	30
705	C800	Underground Service Line Valves and Fittings	2001	AWWA	30
706	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2001	AWWA	32
707	C950	Fiberglass Pressure Pipe	2001	AWWA	36
708	C908	PVC Self-Tapping Saddle Tees for Use on PVC Pipe	2001	AWWA	22
709	M2	Instrumentation and Control Third Edition; Erratum: 03/2002	2001	AWWA	236
710	M19	Emergency Planning for Water Utility Management Fourth Edition	2001	AWWA	149
711	M28	Rehabilitation of Water Mains	2001	AWWA	71
712	C702	Cold-Water Meters Compound Type	2001	AWWA	47
713	C550	Protective Interior Coatings for Valves and Hydrants	2001	AWWA	16
714	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	2001	AWWA	36
715	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2001	AWWA	28
716	C509	Resilient-seated Gate Valves for Water Supply Service	2001	AWWA	38

717	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2001	AWWA	28
718	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2001	AWWA	30
719	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2001	AWWA	32
720	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2001	AWWA	31
721	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2001	AWWA	36
722	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2001	AWWA	36
723	B453	Polyacrylamide ANSI/AWWA 8453-01	2001	AWWA	40
724	B505	Disodium Phosphate, Anhydrous	2001	AWWA	20
725	B504	Monosodium Phosphate, Anhydrous	2001	AWWA	19
726	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2001	AWWA	20
727	B503	Sodium Tripolyphosphate	2001	AWWA	20
728	B101	Precoat Filter Media	2001	AWWA	24
729	B100	Granular Filter Material ANSI/AWWA B100-01	2001	AWWA	48
730	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition	2001	AWWA	52
731	M50	Water Resources Planning	2001	AWWA	362
732	M51	Air-Release, Air/vacuum, & Combination Air Valves	2001	AWWA	42
733	B405	Sodium Aluminate	2000	AWWA	24
734	B302	Ammonium Sulfate	2000	AWWA	20
735	B303	Sodium Chlorite	2000	AWWA	27
736	B402	Ferrous Sulfate	2000	AWWA	24
737	B550	Calcium Chloride	2000	AWWA	20
738	B511	Potassium Hydroxide	2000	AWWA	20
739	B510	Carbon Dioxide	2000	AWWA	28
740	B601	Sodium Metabisulfite	2000	AWWA	21
741	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2000	AWWA	32
742	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2000	AWWA	33
743	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2000	AWWA	24
744	C153	Ductile-Iron Compact Fittings	2000	AWWA	48
745	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2000	AWWA	36
746	C153/A21.53	Ductile-Iron Compact Fittings, for Water Service	2000	AWWA	48
747	B703	Fluorosilicic Acid	2000	AWWA	24
748	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2000	AWWA	41
749	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2000	AWWA	48
750	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2000	AWWA	32
751	C402	Asbestos-cement Transmission Pipe, 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2000	AWWA	22
752	C403	Selection of Asbestos-cement Transmission Pipe, Sizes 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2000	AWWA	92
753	C504	Rubber-seated Butterfly Valves	2000	AWWA	48
754	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2000	AWWA	36
755	M25	Flexible-Membrane Covers and Linings for Potable-Water Reservoirs Third Edition	2000	AWWA	47

756	M37	Operational Control of Coagulation and Filtration Processes Second Edition	2000	AWWA	113
757	M1	Principles of Water Rates, Fees, and Charges Fifth Edition	2000	AWWA	329
758	M6	Water Meters - Selection , Installation, Testing, and Maintenance Fourth Edition	1999	AWWA	127
759	M36	Water Audits and Leak Detection Second Edition	1999	AWWA	102
760	M34	Water Rate Structures and Pricing Second Edition	1999	AWWA	149
761	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	1999	AWWA	40
762	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	1999	AWWA	36
763	C651	Disinfecting Water Mains	1999	AWWA	25
764	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	1999	AWWA	25
765	C304	Design of Prestressed Concrete Cylinder Pipe	1999	AWWA	117
766	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	1999	AWWA	36
767	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	1999	AWWA	30
768	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	1999	AWWA	16
769	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	1999	AWWA	24
770	C105/A21.5	Polyethylene Encasement for Ductile-Iron Pipe Systems	1999	AWWA	23
771	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	1999	AWWA	28
772	B702	Sodium Fluorosilicate	1999	AWWA	16
773	B605	Granular Activated Carbon	1999	AWWA	32
774	B701	Sodium Fluoride Seventh Edition	1999	AWWA	17
775	C115/A21.15	Flanged Ductile-Iron Pipe with Threaded Flanges	1999	AWWA	23
776	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	1999	AWWA	21
777	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	1999	AWWA	20
778	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	1999	AWWA	28
779	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	1999	AWWA	24
780	B301	Liquid Chlorine	1999	AWWA	15
781	B300	Hypochlorites	1999	AWWA	16
782	M46	Reverse Osmosis and Nanofiltration First Edition	1999	AWWA	181
783	M48	Waterborne Pathogens	1999	AWWA	278
784	M30	Precoat Filtration	1999	AWWA	52
785	B201	Soda Ash	1998	AWWA	16
786	B200	Sodium Chloride	1998	AWWA	24
787	B403	Aluminum Sulfate - Liquid, Ground, or Lump	1998	AWWA	24
788	B408	Liquid Polyaluminum Chloride	1998	AWWA	24
789	B407	Liquid Ferric Chloride	1998	AWWA	20
790	B404	Liquid Sodium Silicate	1998	AWWA	24
791	B603	Potassium Permanganate	1998	AWWA	18
792	B501	Sodium Hydroxide (Caustic Soda)	1998	AWWA	20
793	B451	PolyDiallyldimethylammonium Chloride)	1998	AWWA	24
794	B452	EPI-DMA Polyamines	1998	AWWA	24
795	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	1998	AWWA	28

796	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	1998	AWWA	16
797	C116/A21.16	Protective Fusion-Bonded Epoxy Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service First Edition	1998	AWWA	14
798	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	1998	AWWA	68
799	C110/A21.10	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water Erratum: October 1999	1998	AWWA	66
800	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	1998	AWWA	24
801	M31	Distribution System Requirements for Fire Protection Third Edition	1998	AWWA	67
802	M29	Water Utility Capital Financing Second Edition	1998	AWWA	93
803	M42	Steel Water-storage Tanks First Edition	1998	AWWA	151
804	D103	Factory-coated Bolted Steel Tanks for Water Storage	1997	AWWA	72
805	D102	Coating Steel Water-storage Tanks	1997	AWWA	44
806	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	1997	AWWA	28
807	C905	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution	1997	AWWA	40
808	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	1997	AWWA	24
809	C513	Open-channel, Fabricated-Metal Slide Gates First Edition	1997	AWWA	28
810	C511	Reduced-pressure Principle Backflow Prevention Assembly	1997	AWWA	24
811	C510	Double Check Valve Backflow Prevention Assembly	1997	AWWA	20
812	C503	Wet-Barrel Fire Hydrants	1997	AWWA	32
813	C606	Grooved and Shouldered Joints	1997	AWWA	28
814	C653	Disinfection of Water Treatment Plants	1997	AWWA	16
815	C654	Disinfection of Wells Second Edition	1997	AWWA	20
816	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	1997	AWWA	32
817	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	1997	AWWA	49
818	C206	Field Welding of Steel Water Pipe	1997	AWWA	20
819	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	1997	AWWA	24
820	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	1997	AWWA	32
821	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	1997	AWWA	28
822	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	1997	AWWA	24
823	B512	Sulfur Dioxide	1997	AWWA	20
824	B406	Ferric Sulfate	1997	AWWA	20
825	A100	Water Wells	1997	AWWA	88
826	B100	Granular Filter Material ANSI/AWWA B100-01	1996	AWWA	36
827	B550	Calcium Chloride	1996	AWWA	18
828	B511	Potassium Hydroxide	1996	AWWA	18
829	B604	Granular Activated Carbon	1996	AWWA	44
830	B600	Powdered Activated Carbon	1996	AWWA	32
831	B453	Polyacrylamide ANSI/AWWA 8453-01	1996	AWWA	30
832	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	1996	AWWA	24
833	C208	Dimensions for Fabricated Steel Water Pipe Fittings	1996	AWWA	28

834	C150	Thickness Design of Ductile-Iron Pipe	1996	AWWA	60
835	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	1996	AWWA	48
836	C703	Cold-Water Meters - Fire Service Type	1996	AWWA	28
837	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	1996	AWWA	16
838	C603	Installation of Asbestos-cement Pressure Pipe R(2000)	1996	AWWA	16
839	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	1996	AWWA	32
840	C708	Cold-Water Meters Multijet Type Addendum C708A-98	1996	AWWA	28
841	D100	Welded Steel Tanks for Water Storage	1996	AWWA	140
842	M44	Distribution Valves: Selection, Installation, Field Testing , and Maintenance First Edition	1996	AWWA	59
843	M45	Fiberglass Pipe Design First Edition	1996	AWWA	170
844	M26	Water Rates and Related Charges Second Edition	1996	AWWA	113
845	D130	Flexible-Membrane Materials for Potable Water Applications	1996	AWWA	16
846	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	1996	AWWA	24
847	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	1996	AWWA	20
848	M47	Construction Contact Administration First Edition	1996	AWWA	154
849	M30	Precoat Filtration Second Edition	1995	AWWA	53
850	M38	Electrodialysis and Electrodialysis Reversal First Edition	1995	AWWA	63
851	M4	Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995	1995	AWWA	76
852	M7	Problem Organisms in Water : Identification and Treatment Second Edition	1995	AWWA	147
853	M9	Concrete Pressure Pipe Second Edition	1995	AWWA	234
854	C950	Fiberglass Pressure Pipe	1995	AWWA	32
855	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	1995	AWWA	72
856	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	1995	AWWA	76
857	C710	Cold-Water Meters Displacement Type, Plastic Main Case	1995	AWWA	32
858	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	1995	AWWA	28
859	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	1995	AWWA	32
860	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	1995	AWWA	32
861	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	1995	AWWA	32
862	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	1995	AWWA	28
863	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	1995	AWWA	36
864	C104/A21.4	Cement-Mortar Lining for Ductile-Iron Pipe and Fittings for Water	1995	AWWA	15
865	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	1995	AWWA	20
866	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	1995	AWWA	24
867	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	1995	AWWA	24
868	B505	Disodium Phosphate, Anhydrous	1995	AWWA	18
869	B510	Carbon Dioxide	1995	AWWA	24
870	B302	Ammonium Sulfate	1995	AWWA	16
871	B402	Ferrous Sulfate	1995	AWWA	22
872	B303	Sodium Chlorite	1995	AWWA	22
873	B405	Sodium Aluminate	1994	AWWA	22
874	B101	Precoat Filter Media	1994	AWWA	20

875	B504	Monosodium Phosphate, Anhydrous	1994	AWWA	16
876	B503	Sodium Tripolyphosphate	1994	AWWA	16
877	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	1994	AWWA	16
878	B703	Fluorosilicic Acid	1994	AWWA	22
879	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	1994	AWWA	28
880	C153	Ductile-Iron Compact Fittings	1994	AWWA	40
881	C504	Rubber-seated Butterfly Valves	1994	AWWA	40
882	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	1994	AWWA	28
883	C509	Resilient-seated Gate Valves for Water Supply Service	1994	AWWA	28
884	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	1994	AWWA	28
885	M24	Dual Water Systems Second Edition	1994	AWWA	91
886	C540	Power-Actuating Devices for Valves and Slide Gates	1993	AWWA	32
887	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	1993	AWWA	20
888	C401	Selection of Asbestos-cement Pressure Pipe, 4 in . Through 16 in.(100 mm Through 400 mm), for Water Distribution Systems	1993	AWWA	50
889	C500	Metal-seated Gate Valves for Water Supply Service	1993	AWWA	32
890	B200	Sodium Chloride	1993	AWWA	24
891	B202	Quicklime and Hydrated Lime	1993	AWWA	26
892	C501	Cast Iron Slide Gates	1992	AWWA	24
893	C652	Disinfection of Water-storage Facilities	1992	AWWA	20
894	C702	Cold-Water Meters Compound Type	1992	AWWA	28
895	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	1992	AWWA	12
896	C704	Propeller-Type Meters for Waterworks Applications	1992	AWWA	28
897	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	1991	AWWA	24
898	B602	Copper Sulfate	1991	AWWA	18
899	M14	Recommended Practice for Backflow Prevention and Cross- Connection Control Second Edition	1990	AWWA	131
900	M35	Revenue Requirements First Edition	1990	AWWA	58
901	C550	Protective Interior Coatings for Valves and Hydrants	1990	AWWA	16
902	M32	Distribution Network Analysis for Water Utilities First Edition	1989	AWWA	108
903	M33	Flowmeters in Water Supply First Edition	1989	AWWA	39
904	M17	Installation, Field Testing, and Maintenance of Fire Hydrants Third Edition	1989	AWWA	126
905	M11	Steel Pipe - A Guide for Design and Installation Third Edition	1989	AWWA	185
906	C800	Underground Service Line Valves and Fittings	1989	AWWA	28
907	C701	Cold-Water Meters Turbine Type, for Customer Service	1988	AWWA	24
908	E101	Vertical Turbine Pumps - Line Shaft and Submersible Types	1988	AWWA	76
909	M27	External Corrosion - Introduction to Chemistry and Control	1987	AWWA	60
910	D101	Inspecting and Repairing Steel Water Tanks, Standpipes, Reservoirs, and Elevated Tanks, for Water Storage	1986	AWWA	16
911	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	1984	AWWA	24
912	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	1982	AWWA	12
913	C601	Disinfecting Water Mains	1981	AWWA	20
914	M5	Water Utility Management	1980	AWWA	156
915	M22	Sizing Water Service Line and Meters	1975	AWWA	109

916	M20	Water Chlorination Principles and Practices	1973	AWWA	90
917	A21.14	Standard for Gray Iron and Ductile Iron Fittings, 3 Inch through 24 Inch, for Gas	1968	AWWA	26
918	M5	Water Utility Management	0	AWWA	0

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737