

**Standards Manager Web Standards List**  
**IETF-Internet Engineering Task Force**

| <b>Id</b> | <b>Number</b> | <b>Title</b>  | <b>Year</b> | <b>Organization</b> | <b>Page</b> |
|-----------|---------------|---|-------------|---------------------|-------------|
| 1         | RFC 8405      | Shortest Path First (SPF) Back-Off Delay Algorithm for Link-State IGPs  | 2018        | IETF                | 0           |
| 2         | RFC 8332      | Use of RSA Keys with SHA-256 and SHA-512 in the Secure Shell (SSH) Protocol   | 2018        | IETF                | 0           |
| 3         | RFC 8315      | Cancel-Locks in Netnews Articles  | 2018        | IETF                | 0           |
| 4         | RFC 8408      | Conveying Path Setup Type in PCE Communication Protocol (PCEP) Messages   | 2018        | IETF                | 0           |
| 5         | RFC 8383      | Transparent Interconnection of Lots of Links (TRILL): Address Flush Message   | 2018        | IETF                | 0           |
| 6         | RFC 8420      | Using the Edwards-Curve Digital Signature Algorithm (EdDSA) in the Internet Key Exchange Protocol Version 2 (IKEv2) | 2018        | IETF                | 0           |
| 7         | RFC 8345      | A YANG Data Model for Network Topologies  | 2018        | IETF                | 0           |
| 8         | RFC 8302      | Transparent Interconnection of Lots of Links (TRILL): ARP and Neighbor Discovery (ND) Optimization                  | 2018        | IETF                | 0           |
| 9         | RFC 8443      | Personal Assertion Token (PASSporT) Extension for Resource Priority Authorization                                   | 2018        | IETF                | 0           |
| 10        | RFC 8363      | GMPLS OSPF-TE Extensions in Support of Flexi-Grid Dense Wavelength Division Multiplexing (DWDM) Networks            | 2018        | IETF                | 0           |
| 11        | RFC 8362      | OSPFv3 Link State Advertisement (LSA) Extensibility   | 2018        | IETF                | 0           |
| 12        | RFC 8414      | OAuth 2.0 Authorization Server Metadata   | 2018        | IETF                | 0           |
| 13        | RFC 8333      | Micro-loop Prevention by Introducing a Local Convergence Delay  | 2018        | IETF                | 0           |
| 14        | RFC 8319      | Support for Adjustable Maximum Router Lifetimes per Link  | 2018        | IETF                | 0           |
| 15        | RFC 8412      | Software Inventory Message and Attributes (SWIMA) for PA-TNC  | 2018        | IETF                | 0           |
| 16        | RFC 8392      | CBOR Web Token (CWT)  | 2018        | IETF                | 0           |
| 17        | RFC 8422      | Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) Versions 1.2 and Earlier         | 2018        | IETF                | 0           |
| 18        | RFC 8346      | A YANG Data Model for Layer 3 Topologies  | 2018        | IETF                | 0           |
| 19        | RFC 8307      | Well-Known URIs for the WebSocket Protocol  | 2018        | IETF                | 0           |
| 20        | RFC 8446      | The Transport Layer Security (TLS) Protocol Version 1.3   | 2018        | IETF                | 0           |
| 21        | RFC 8366      | A Voucher Artifact for Bootstrapping Protocols  | 2018        | IETF                | 0           |
| 22        | RFC 8334      | Launch Phase Mapping for the Extensible Provisioning Protocol (EPP)   | 2018        | IETF                | 0           |
| 23        | RFC 8320      | LDP Extensions to Support Maximally Redundant Trees   | 2018        | IETF                | 0           |
| 24        | RFC 8417      | Security Event Token (SET)  | 2018        | IETF                | 0           |
| 25        | RFC 8393      | Operating the Network Service Header (NSH) with Next Protocol "None"  | 2018        | IETF                | 0           |
| 26        | RFC 8428      | Sensor Measurement Lists (SenML)  | 2018        | IETF                | 0           |
| 27        | RFC 8347      | A YANG Data Model for the Virtual Router Redundancy Protocol (VRRP)   | 2018        | IETF                | 0           |
| 28        | RFC 8311      | Relaxing Restrictions on Explicit Congestion Notification (ECN) Experimentation                                     | 2018        | IETF                | 0           |
| 29        | RFC 8447      | IANA Registry Updates for TLS and DTLS  | 2018        | IETF                | 0           |
| 30        | RFC 8370      | Techniques to Improve the Scalability of RSVP-TE Deployments  | 2018        | IETF                | 0           |
| 31        | RFC 8336      | The ORIGIN HTTP/2 Frame   | 2018        | IETF                | 0           |
| 32        | RFC 8322      | Resource-Oriented Lightweight Information Exchange (ROLIE)  | 2018        | IETF                | 0           |
| 33        | RFC 8425      | IANA Considerations for IPv6 Neighbor Discovery Prefix Information Option Flags                                     | 2018        | IETF                | 0           |
| 34        | RFC 8397      | Transparent Interconnection of Lots of Links (TRILL) Multilevel Using Unique Nicknames                              | 2018        | IETF                | 0           |
| 35        | RFC 8434      | Requirements for Parallel NFS (pNFS) Layout Types   | 2018        | IETF                | 0           |
| 36        | RFC 8348      | A YANG Data Model for Hardware Management   | 2018        | IETF                | 0           |

|    |          |   |      |      |   |
|----|----------|---|------|------|---|
| 37 | RFC 8314 | Cleartext Considered Obsolete: Use of Transport Layer Security (TLS) for Email Submission and Access                            | 2018 | IETF | 0 |
| 38 | RFC 8449 | Record Size Limit Extension for TLS   | 2018 | IETF | 0 |
| 39 | RFC 8371 | Mobile Node Identifier Types for MIPv6  | 2018 | IETF | 0 |
| 40 | RFC 8373 | Negotiating Human Language in Real-Time Communications  | 2018 | IETF | 0 |
| 41 | RFC 8338 | Signaling Root-Initiated Point-to-Multipoint Pseudowire Using LDP   | 2018 | IETF | 0 |
| 42 | RFC 8323 | CoAP (Constrained Application Protocol) over TCP, TLS, and WebSockets   | 2018 | IETF | 0 |
| 43 | RFC 8445 | Interactive Connectivity Establishment (ICE): A Protocol for Network Address Translator (NAT) Traversal                         | 2018 | IETF | 0 |
| 44 | RFC 8398 | Internationalized Email Addresses in X.509 Certificates   | 2018 | IETF | 0 |
| 45 | RFC 8278 | Mobile Access Gateway (MAG) Multipath Options   | 2018 | IETF | 0 |
| 46 | RFC 8435 | Parallel NFS (pNFS) Flexible File Layout  | 2018 | IETF | 0 |
| 47 | RFC 8349 | A YANG Data Model for Routing Management (NMDA Version)   | 2018 | IETF | 0 |
| 48 | RFC 8317 | Ethernet-Tree (E-Tree) Support in Ethernet VPN (EVPN) and Provider Backbone Bridging EVPN (PBB-EVPN)                            | 2018 | IETF | 0 |
| 49 | RFC 8377 | Transparent Interconnection of Lots of Links (TRILL): Multi-Topology  | 2018 | IETF | 0 |
| 50 | RFC 8375 | Special-Use Domain â home.arpa.â  | 2018 | IETF | 0 |
| 51 | RFC 8410 | Algorithm Identifiers for Ed25519, Ed448, X25519, and X448 for Use in the Internet X.509 Public Key Infrastructure              | 2018 | IETF | 0 |
| 52 | RFC 8339 | Definition of P2MP PW TLV for Label Switched Path (LSP) Ping Mechanisms   | 2018 | IETF | 0 |
| 53 | RFC 8325 | Mapping Diffserv to IEEE 802.11   | 2018 | IETF | 0 |
| 54 | RFC 8399 | Internationalization Updates to RFC 5280  | 2018 | IETF | 0 |
| 55 | RFC 8295 | EST (Enrollment over Secure Transport) Extensions   | 2018 | IETF | 0 |
| 56 | RFC 8436 | Update to IANA Registration Procedures for Pool 3 Values in the Differentiated Services Field Codepoints (DSCP) Registry        | 2018 | IETF | 0 |
| 57 | RFC 8356 | Experimental Codepoint Allocation for the Path Computation Element Communication Protocol (PCEP)                                | 2018 | IETF | 0 |
| 58 | RFC 8395 | Extensions to BGP-Signaled Pseudowires to Support Flow-Aware Transport Labels   | 2018 | IETF | 0 |
| 59 | RFC 8308 | Extension Negotiation in the Secure Shell (SSH) Protocol  | 2018 | IETF | 0 |
| 60 | RFC 8224 | Authenticated Identity Management in the Session Initiation Protocol (SIP)  | 2018 | IETF | 0 |
| 61 | RFC 8384 | Transparent Interconnection of Lots of Links (TRILL) Smart Endnodes   | 2018 | IETF | 0 |
| 62 | RFC 8379 | OSPF Graceful Link Shutdown   | 2018 | IETF | 0 |
| 63 | RFC 8416 | Simplified Local Internet Number Resource Management with the RPKI (SLURM)  | 2018 | IETF | 0 |
| 64 | RFC 8342 | Network Management Datastore Architecture (NMDA)  | 2018 | IETF | 0 |
| 65 | RFC 8330 | OSPF Traffic Engineering (OSPF-TE) Link Availability Extension for Links with Variable Discrete Bandwidth                       | 2018 | IETF | 0 |
| 66 | RFC 8299 | YANG Data Model for L3VPN Service Delivery  | 2018 | IETF | 0 |
| 67 | RFC 8437 | IMAP UNAUTHENTICATE Extension for Connection Reuse  | 2018 | IETF | 0 |
| 68 | RFC 8357 | Generalized UDP Source Port for DHCP Relay  | 2018 | IETF | 0 |
| 69 | RFC 8400 | Extensions to RSVP-TE for Label Switched Path (LSP) Egress Protection   | 2018 | IETF | 0 |
| 70 | RFC 8310 | Usage Profiles for DNS over TLS and DNS over DTLS   | 2018 | IETF | 0 |
| 71 | RFC 8225 | PASSporT: Personal Assertion Token  | 2018 | IETF | 0 |
| 72 | RFC 8390 | RSVP-TE Path Diversity Using Exclude Route  | 2018 | IETF | 0 |
| 73 | RFC 8380 | Directory-Assisted Transparent Interconnection of Lots of Links (TRILL) Encapsulation   | 2018 | IETF | 0 |
| 74 | RFC 8418 | Use of the Elliptic Curve Diffie-Hellman Key Agreement Algorithm with X25519 and X448 in the Cryptographic Message Syntax (CMS) | 2018 | IETF | 0 |
| 75 | RFC 8343 | A YANG Data Model for Interface Management  | 2018 | IETF | 0 |
| 76 | RFC 8331 | RTP Payload for Society of Motion Picture and Television Engineers (SMPTE) ST 291-1 Ancillary Data                              | 2018 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 77  | RFC 8300 | Network Service Header (NSH)   | 2018 | IETF | 0 |
| 78  | RFC 8438 | IMAP Extension for STATUS=SIZE   | 2018 | IETF | 0 |
| 79  | RFC 8359 | Network-Assigned Upstream Label  | 2018 | IETF | 0 |
| 80  | RFC 8360 | Resource Public Key Infrastructure (RPKI) Validation Reconsidered  | 2018 | IETF | 0 |
| 81  | RFC 8401 | Bit Index Explicit Replication (BIER) Support via IS-IS  | 2018 | IETF | 0 |
| 82  | RFC 8326 | Graceful BGP Session Shutdown  | 2018 | IETF | 0 |
| 83  | RFC 8226 | Secure Telephone Identity Credentials: Certificates  | 2018 | IETF | 0 |
| 84  | RFC 8402 | Segment Routing Architecture   | 2018 | IETF | 0 |
| 85  | RFC 8381 | Transparent Interconnection of Lots of Links (TRILL): Vendor-Specific RBridge Channel Protocol   | 2018 | IETF | 0 |
| 86  | RFC 8419 | Use of Edwards-Curve Digital Signature Algorithm (EdDSA) Signatures in the Cryptographic Message Syntax (CMS)                              | 2018 | IETF | 0 |
| 87  | RFC 8344 | A YANG Data Model for IP Management  | 2018 | IETF | 0 |
| 88  | RFC 8335 | PROBE: A Utility for Probing Interfaces  | 2018 | IETF | 0 |
| 89  | RFC 8064 | Recommendation on Stable IPv6 Interface Identifiers  | 2017 | IETF | 0 |
| 90  | RFC 8104 | Pseudowire (PW) Endpoint Fast Failure Protection   | 2017 | IETF | 0 |
| 91  | RFC 8177 | YANG Data Model for Key Chains   | 2017 | IETF | 0 |
| 92  | RFC 8247 | Algorithm Implementation Requirements and Usage Guidance for the Internet Key Exchange Protocol Version 2 (IKEv2)                          | 2017 | IETF | 0 |
| 93  | RFC 8105 | Transmission of IPv6 Packets over Digital Enhanced Cordless Telecommunications (DECT) Ultra Low Energy (ULE)                               | 2017 | IETF | 0 |
| 94  | RFC 8285 | A General Mechanism for RTP Header Extensions  | 2017 | IETF | 0 |
| 95  | RFC 8213 | Security of Messages Exchanged between Servers and Relay Agents  | 2017 | IETF | 0 |
| 96  | RFC 8080 | Edwards-Curve Digital Security Algorithm (EdDSA) for DNSSEC  | 2017 | IETF | 0 |
| 97  | RFC 8255 | Multiple Language Content Type   | 2017 | IETF | 0 |
| 98  | RFC 8196 | IS-IS Autoconfiguration  | 2017 | IETF | 0 |
| 99  | RFC 8052 | Group Domain of Interpretation (GDOI) Protocol Support for IEC 62351 Security Services   | 2017 | IETF | 0 |
| 100 | RFC 8036 | Applicability Statement for the Routing Protocol for Low-Power and Lossy Networks (RPL) in Advanced Metering Infrastructure (AMI) Networks | 2017 | IETF | 0 |
| 101 | RFC 8206 | BGPsec Considerations for Autonomous System (AS) Migration   | 2017 | IETF | 0 |
| 102 | RFC 8142 | GeoJSON Text Sequences   | 2017 | IETF | 0 |
| 103 | RFC 8282 | Extensions to the Path Computation Element Communication Protocol (PCEP) for Inter-Layer MPLS and GMPLS Traffic Engineering                | 2017 | IETF | 0 |
| 104 | RFC 8130 | RTP Payload Format for the Mixed Excitation Linear Prediction Enhanced (MELPe) Codec   | 2017 | IETF | 0 |
| 105 | RFC 8063 | Key Relay Mapping for the Extensible Provisioning Protocol   | 2017 | IETF | 0 |
| 106 | RFC 8102 | Remote-LFA Node Protection and Manageability   | 2017 | IETF | 0 |
| 107 | RFC 8050 | Multi-Threaded Routing Toolkit (MRT) Routing Information Export Format with BGP Additional Path Extensions                                 | 2017 | IETF | 0 |
| 108 | RFC 8058 | Signaling One-Click Functionality for List Email Headers   | 2017 | IETF | 0 |
| 109 | RFC 8176 | Authentication Method Reference Values   | 2017 | IETF | 0 |
| 110 | RFC 8246 | HTTP Immutable Responses   | 2017 | IETF | 0 |
| 111 | RFC 8277 | Using BGP to Bind MPLS Labels to Address Prefixes  | 2017 | IETF | 0 |
| 112 | RFC 8079 | Guidelines for End-to-End Support of the RTP Control Protocol (RTCP) in Back-to-Back User Agents (B2BUAs)                                  | 2017 | IETF | 0 |
| 113 | RFC 8254 | Uniform Resource Name (URN) Namespace Registration Transition  | 2017 | IETF | 0 |
| 114 | RFC 8011 | Internet Printing Protocol/1.1: Model and Semantics  | 2017 | IETF | 0 |
| 115 | RFC 8183 | An Out-of-Band Setup Protocol for Resource Public Key Infrastructure (RPKI) Production Services  | 2017 | IETF | 0 |
| 116 | RFC 8194 | A YANG Data Model for LMAP Measurement Agents  | 2017 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 117 | RFC 8141 | Uniform Resource Names (URNs)   | 2017 | IETF | 0 |
| 118 | RFC 8281 | Path Computation Element Communication Protocol (PCEP) Extensions for PCE-Initiated LSP Setup in a Stateful PCE Model                     | 2017 | IETF | 0 |
| 119 | RFC 8129 | Authentication Indicator in Kerberos Tickets  | 2017 | IETF | 0 |
| 120 | RFC 8062 | Anonymity Support for Kerberos  | 2017 | IETF | 0 |
| 121 | RFC 8169 | Residence Time Measurement in MPLS Networks   | 2017 | IETF | 0 |
| 122 | RFC 8234 | Updates to MPLS Transport Profile (MPLS-TP) Linear Protection in Automatic Protection Switching (APS) Mode                                | 2017 | IETF | 0 |
| 123 | RFC 8097 | BGP Prefix Origin Validation State Extended Community   | 2017 | IETF | 0 |
| 124 | RFC 8038 | Exporting MIB Variables Using the IP Flow Information Export (IPFIX) Protocol   | 2017 | IETF | 0 |
| 125 | RFC 8056 | Extensible Provisioning Protocol (EPP) and Registration Data Access Protocol (RDAP) Status Mapping  | 2017 | IETF | 0 |
| 126 | RFC 8306 | Extensions to the Path Computation Element Communication Protocol (PCEP) for Point-to-Multipoint Traffic Engineering Label Switched Paths | 2017 | IETF | 0 |
| 127 | RFC 8175 | Dynamic Link Exchange Protocol (DLEP)   | 2017 | IETF | 0 |
| 128 | RFC 8233 | Extensions to the Path Computation Element Communication Protocol (PCEP) to Compute Service-Aware Label Switched Paths (LSPs)             | 2017 | IETF | 0 |
| 129 | RFC 8160 | IUTF8 Terminal Mode in Secure Shell (SSH)   | 2017 | IETF | 0 |
| 130 | RFC 8182 | The RPKI Repository Delta Protocol (RRDP)   | 2017 | IETF | 0 |
| 131 | RFC 8010 | Internet Printing Protocol/1.1: Encoding and Transport  | 2017 | IETF | 0 |
| 132 | RFC 8075 | Guidelines for Mapping Implementations: HTTP to the Constrained Application Protocol (CoAP)   | 2017 | IETF | 0 |
| 133 | RFC 8253 | PCEPS: Usage of TLS to Provide a Secure Transport for the Path Computation Element Communication Protocol (PCEP)                          | 2017 | IETF | 0 |
| 134 | RFC 8271 | Updates to the Resource Reservation Protocol for Fast Reroute of Traffic Engineering GMPLS Label Switched Paths (LSPs)                    | 2017 | IETF | 0 |
| 135 | RFC 8193 | Information Model for Large-Scale Measurement Platforms (LMAPs)   | 2017 | IETF | 0 |
| 136 | RFC 8138 | IPv6 over Low-Power Wireless Personal Area Network (6LoWPAN) Routing Header   | 2017 | IETF | 0 |
| 137 | RFC 8187 | Indicating Character Encoding and Language for HTTP Header Field Parameters   | 2017 | IETF | 0 |
| 138 | RFC 8276 | File System Extended Attributes in NFSv4  | 2017 | IETF | 0 |
| 139 | RFC 8124 | The Session Description Protocol (SDP) WebSocket Connection URI Attribute   | 2017 | IETF | 0 |
| 140 | RFC 8168 | DHCPv6 Prefix-Length Hint Issues  | 2017 | IETF | 0 |
| 141 | RFC 8229 | TCP Encapsulation of IKE and IPsec Packets  | 2017 | IETF | 0 |
| 142 | RFC 8086 | GRE-in-UDP Encapsulation  | 2017 | IETF | 0 |
| 143 | RFC 8055 | Session Initiation Protocol (SIP) Via Header Field Parameter to Indicate Received Realm   | 2017 | IETF | 0 |
| 144 | RFC 8292 | Voluntary Application Server Identification (VAPID) for Web Push  | 2017 | IETF | 0 |
| 145 | RFC 8173 | Precision Time Protocol Version 2 (PTPv2) Management Information Base   | 2017 | IETF | 0 |
| 146 | RFC 8155 | Traversal Using Relays around NAT (TURN) Server Auto Discovery  | 2017 | IETF | 0 |
| 147 | RFC 8232 | Optimizations of Label Switched Path State Synchronization Procedures for a Stateful PCE  | 2017 | IETF | 0 |
| 148 | RFC 8181 | A Publication Protocol for the Resource Public Key Infrastructure (RPKI)  | 2017 | IETF | 0 |
| 149 | RFC 8191 | Home Network Prefix Renumbering in Proxy Mobile IPv6 (PMIPv6)   | 2017 | IETF | 0 |
| 150 | RFC 8001 | RSVP-TE Extensions for Collecting Shared Risk Link Group (SRLG) Information   | 2017 | IETF | 0 |
| 151 | RFC 8074 | Source Address Validation Improvement (SAVI) for Mixed Address Assignment Methods Scenario  | 2017 | IETF | 0 |
| 152 | RFC 8251 | Updates to the Opus Audio Codec   | 2017 | IETF | 0 |
| 153 | RFC 8267 | Network File System (NFS) Upper-Layer Binding to RPC-over-RDMA Version 1  | 2017 | IETF | 0 |
| 154 | RFC 8132 | PATCH and FETCH Methods for the Constrained Application Protocol (CoAP)   | 2017 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 155 | RFC 8275 | Allowing Inheritable NFSv4 Access Control Entries to Override the Umask  | 2017 | IETF | 0 |
| 156 | RFC 8122 | Connection-Oriented Media Transport over the Transport Layer Security (TLS) Protocol in the Session Description Protocol (SDP) | 2017 | IETF | 0 |
| 157 | RFC 8047 | Host Multihoming with the Host Identity Protocol   | 2017 | IETF | 0 |
| 158 | RFC 8163 | Transmission of IPv6 over Master-Slave/Token-Passing (MS/TP) Networks  | 2017 | IETF | 0 |
| 159 | RFC 8054 | Network News Transfer Protocol (NNTP) Extension for Compression  | 2017 | IETF | 0 |
| 160 | RFC 8171 | Transparent Interconnection of Lots of Links (TRILL): Edge Directory Assistance Mechanisms                                     | 2017 | IETF | 0 |
| 161 | RFC 8291 | Message Encryption for Web Push  | 2017 | IETF | 0 |
| 162 | RFC 8083 | Multimedia Congestion Control: Circuit Breakers for Unicast RTP Sessions   | 2017 | IETF | 0 |
| 163 | RFC 8227 | MPLS-TP Shared-Ring Protection (MSRP) Mechanism for Ring Topology  | 2017 | IETF | 0 |
| 164 | RFC 8127 | Mobile Access Gateway Configuration Parameters Controlled by the Local Mobility Anchor   | 2017 | IETF | 0 |
| 165 | RFC 8150 | MPLS Transport Profile Linear Protection MIB   | 2017 | IETF | 0 |
| 166 | RFC 8231 | Path Computation Element Communication Protocol (PCEP) Extensions for Stateful PCE   | 2017 | IETF | 0 |
| 167 | RFC 8072 | YANG Patch Media Type  | 2017 | IETF | 0 |
| 168 | RFC 8245 | Rules for Designing Protocols Using the Generalized Packet/Message Format from RFC 5444  | 2017 | IETF | 0 |
| 169 | RFC 8103 | Using ChaCha20-Poly1305 Authenticated Encryption in the Cryptographic Message Syntax (CMS)                                     | 2017 | IETF | 0 |
| 170 | RFC 8266 | Preparation, Enforcement, and Comparison of Internationalized Strings Representing Nicknames                                   | 2017 | IETF | 0 |
| 171 | RFC 8178 | Rules for NFSv4 Extensions and Minor Versions  | 2017 | IETF | 0 |
| 172 | RFC 8270 | Increase the Secure Shell Minimum Recommended Diffie-Hellman Modulus Size to 2048 Bits   | 2017 | IETF | 0 |
| 173 | RFC 8115 | DHCPv6 Option for IPv4-Embedded Multicast and Unicast IPv6 Prefixes  | 2017 | IETF | 0 |
| 174 | RFC 8159 | Keyed IPv6 Tunnel  | 2017 | IETF | 0 |
| 175 | RFC 8046 | Host Mobility with the Host Identity Protocol  | 2017 | IETF | 0 |
| 176 | RFC 8202 | IS-IS Multi-Instance   | 2017 | IETF | 0 |
| 177 | RFC 8212 | Default External BGP (EBGP) Route Propagation Behavior without Policies  | 2017 | IETF | 0 |
| 178 | RFC 8082 | Using Codec Control Messages in the RTP Audio-Visual Profile with Feedback with Layered Codecs                                 | 2017 | IETF | 0 |
| 179 | RFC 8223 | Application-Aware Targeted LDP   | 2017 | IETF | 0 |
| 180 | RFC 8045 | RADIUS Extensions for IP Port Configuration and Reporting  | 2017 | IETF | 0 |
| 181 | RFC 8263 | Group Domain of Interpretation (GDOI) GROUPKEY-PUSH Acknowledgement Message  | 2017 | IETF | 0 |
| 182 | RFC 8167 | Bidirectional Remote Procedure Call on RPC-over-RDMA Transports  | 2017 | IETF | 0 |
| 183 | RFC 8149 | RSVP Extensions for Reoptimization of Loosely Routed Point-to-Multipoint Traffic Engineering Label Switched Paths (LSPs)       | 2017 | IETF | 0 |
| 184 | RFC 8230 | Using RSA Algorithms with CBOR Object Signing and Encryption (COSE) Messages   | 2017 | IETF | 0 |
| 185 | RFC 8093 | Deprecation of BGP Path Attribute Values 30, 31, 129, 241, 242, and 243  | 2017 | IETF | 0 |
| 186 | RFC 8265 | Preparation, Enforcement, and Comparison of Internationalized Strings Representing Usernames and Passwords                     | 2017 | IETF | 0 |
| 187 | RFC 8152 | CBOR Object Signing and Encryption (COSE)  | 2017 | IETF | 0 |
| 188 | RFC 8071 | NETCONF Call Home and RESTCONF Call Home   | 2017 | IETF | 0 |
| 189 | RFC 8237 | MPLS Label Switched Path (LSP) Pseudowire (PW) Status Refresh Reduction for Static PWs   | 2017 | IETF | 0 |
| 190 | RFC 8268 | More Modular Exponentiation (MODP) Diffie-Hellman (DH) Key Exchange (KEX) Groups for Secure Shell (SSH)                        | 2017 | IETF | 0 |
| 191 | RFC 8114 | Delivery of IPv4 Multicast Services to IPv4 Clients over an IPv6 Multicast Network   | 2017 | IETF | 0 |
| 192 | RFC 8013 | Forwarding and Control Element Separation (ForCES) Inter-FE Logical Functional Block (LFB)                                     | 2017 | IETF | 0 |
| 193 | RFC 8154 | Parallel NFS (pNFS) Small Computer System Interface (SCSI) Layout  | 2017 | IETF | 0 |
| 194 | RFC 8188 | Encrypted Content-Encoding for HTTP  | 2017 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 195 | RFC 8217 | Clarifications for When to Use the name-addr Production in SIP Messages  | 2017 | IETF | 0 |
| 196 | RFC 8044 | Data Types in RADIUS   | 2017 | IETF | 0 |
| 197 | RFC 8166 | Remote Direct Memory Access Transport for Remote Procedure Call Version 1  | 2017 | IETF | 0 |
| 198 | RFC 8145 | Signaling Trust Anchor Knowledge in DNS Security Extensions (DNSSEC)   | 2017 | IETF | 0 |
| 199 | RFC 8210 | The Resource Public Key Infrastructure (RPKI) to Router Protocol, Version 1  | 2017 | IETF | 0 |
| 200 | RFC 8261 | Datagram Transport Layer Security (DTLS) Encapsulation of SCTP Packets   | 2017 | IETF | 0 |
| 201 | RFC 8203 | BGP Administrative Shutdown Communication  | 2017 | IETF | 0 |
| 202 | RFC 8078 | Managing DS Records from the Parent via CDS/CDNSKEY  | 2017 | IETF | 0 |
| 203 | RFC 8305 | Happy Eyeballs Version 2: Better Connectivity Using Concurrency  | 2017 | IETF | 0 |
| 204 | RFC 8070 | Public Key Cryptography for Initial Authentication in Kerberos (PKINIT) Freshness Extension  | 2017 | IETF | 0 |
| 205 | RFC 8221 | Cryptographic Algorithm Implementation Requirements and Usage Guidance for Encapsulating Security Payload (ESP) and Authentication Header (AH) | 2017 | IETF | 0 |
| 206 | RFC 8092 | BGP Large Communities Attribute  | 2017 | IETF | 0 |
| 207 | RFC 8264 | PRECIS Framework: Preparation, Enforcement, and Comparison of Internationalized Strings in Application Protocols                               | 2017 | IETF | 0 |
| 208 | RFC 8158 | IP Flow Information Export (IPFIX) Information Elements for Logging NAT Events   | 2017 | IETF | 0 |
| 209 | RFC 8108 | Sending Multiple RTP Streams in a Single RTP Session   | 2017 | IETF | 0 |
| 210 | RFC 8148 | Next-Generation Vehicle-Initiated Emergency Calls  | 2017 | IETF | 0 |
| 211 | RFC 8186 | Support of the IEEE 1588 Timestamp Format in a Two-Way Active Measurement Protocol (TWAMP)   | 2017 | IETF | 0 |
| 212 | RFC 8250 | IPv6 Performance and Diagnostic Metrics (PDM) Destination Option   | 2017 | IETF | 0 |
| 213 | RFC 8288 | Web Linking  | 2017 | IETF | 0 |
| 214 | RFC 8260 | Stream Schedulers and User Message Interleaving for the Stream Control Transmission Protocol   | 2017 | IETF | 0 |
| 215 | RFC 8040 | RESTCONF Protocol  | 2017 | IETF | 0 |
| 216 | RFC 8198 | Aggressive Use of DNSSEC-Validated Cache   | 2017 | IETF | 0 |
| 217 | RFC 8076 | A Usage for Shared Resources in RELOAD (ShaRe)   | 2017 | IETF | 0 |
| 218 | RFC 8215 | Local-Use IPv4/IPv6 Translation Prefix   | 2017 | IETF | 0 |
| 219 | RFC 8294 | Common YANG Data Types for the Routing Area  | 2017 | IETF | 0 |
| 220 | RFC 8144 | Use of the Prefer Header Field in Web Distributed Authoring and Versioning (WebDAV)  | 2017 | IETF | 0 |
| 221 | RFC 8209 | A Profile for BGPsec Router Certificates, Certificate Revocation Lists, and Certification Requests   | 2017 | IETF | 0 |
| 222 | RFC 8156 | DHCPv6 Failover Protocol   | 2017 | IETF | 0 |
| 223 | RFC 8066 | IPv6 over Low-Power Wireless Personal Area Network (6LoWPAN) ESC Dispatch Code Points and Guidelines   | 2017 | IETF | 0 |
| 224 | RFC 8189 | Multi-Cost Application-Layer Traffic Optimization (ALTO)   | 2017 | IETF | 0 |
| 225 | RFC 8089 | The "file" URI Scheme  | 2017 | IETF | 0 |
| 226 | RFC 8262 | Content-ID Header Field in the Session Initiation Protocol (SIP)   | 2017 | IETF | 0 |
| 227 | RFC 8106 | IPv6 Router Advertisement Options for DNS Configuration  | 2017 | IETF | 0 |
| 228 | RFC 8185 | Dual-Homing Coordination for MPLS Transport Profile (MPLS-TP) Pseudowires Protection   | 2017 | IETF | 0 |
| 229 | RFC 8147 | Next-Generation Pan-European eCall   | 2017 | IETF | 0 |
| 230 | RFC 8249 | Transparent Interconnection of Lots of Links (TRILL): MTU Negotiation  | 2017 | IETF | 0 |
| 231 | RFC 8286 | RTP/RTCP Extension for RTP Splicing Notification   | 2017 | IETF | 0 |
| 232 | RFC 8197 | A SIP Response Code for Unwanted Calls   | 2017 | IETF | 0 |
| 233 | RFC 8029 | Detecting Multiprotocol Label Switched (MPLS) Data-Plane Failures  | 2017 | IETF | 0 |
| 234 | RFC 8214 | Virtual Private Wire Service Support in Ethernet VPN   | 2017 | IETF | 0 |
| 235 | RFC 7784 | Transparent Interconnection of Lots of Links (TRILL) Operations, Administration, and Maintenance (OAM) MIB                                     | 2016 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 236 | RFC 7870 | Dual-Stack Lite (DS-Lite) Management Information Base (MIB) for Address Family Transition Routers (AFTRs)   | 2016 | IETF | 0 |
| 237 | RFC 8031 | Curve25519 and Curve448 for the Internet Key Exchange Protocol Version 2 (IKEv2) Key Agreement  | 2016 | IETF | 0 |
| 238 | RFC 7809 | Calendaring Extensions to WebDAV (CalDAV): Time Zones by Reference  | 2016 | IETF | 0 |
| 239 | RFC 7844 | Anonymity Profiles for DHCP Clients   | 2016 | IETF | 0 |
| 240 | RFC 8016 | Mobility with Traversal Using Relays around NAT (TURN)  | 2016 | IETF | 0 |
| 241 | RFC 7939 | Definition of Managed Objects for the Neighborhood Discovery Protocol   | 2016 | IETF | 0 |
| 242 | RFC 7905 | ChaCha20-Poly1305 Cipher Suites for Transport Layer Security (TLS)  | 2016 | IETF | 0 |
| 243 | RFC 7867 | RTP Control Protocol (RTCP) Extended Report (XR) Block for Loss Concealment Metrics for Video Applications  | 2016 | IETF | 0 |
| 244 | RFC 7829 | SCTP-PF: A Quick Failover Algorithm for the Stream Control Transmission Protocol  | 2016 | IETF | 0 |
| 245 | RFC 7953 | Calendar Availability   | 2016 | IETF | 0 |
| 246 | RFC 7874 | WebRTC Audio Codec and Processing Requirements  | 2016 | IETF | 0 |
| 247 | RFC 7986 | New Properties for iCalendar  | 2016 | IETF | 0 |
| 248 | RFC 7791 | Cloning the IKE Security Association in the Internet Key Exchange Protocol Version 2 (IKEv2)  | 2016 | IETF | 0 |
| 249 | RFC 7978 | Transparent Interconnection of Lots of Links (TRILL): RBridge Channel Header Extension  | 2016 | IETF | 0 |
| 250 | RFC 7730 | Resource Public Key Infrastructure (RPKI) Trust Anchor Locator  | 2016 | IETF | 0 |
| 251 | RFC 7757 | Explicit Address Mappings for Stateless IP/ICMP Translation   | 2016 | IETF | 0 |
| 252 | RFC 7795 | Pseudowire Redundancy on the Switching Provider Edge (S-PE)   | 2016 | IETF | 0 |
| 253 | RFC 7887 | Hierarchical Join/Prune Attributes  | 2016 | IETF | 0 |
| 254 | RFC 7916 | Operational Management of Loop-Free Alternates  | 2016 | IETF | 0 |
| 255 | RFC 8042 | OSPF Two-Part Metric  | 2016 | IETF | 0 |
| 256 | RFC 7817 | Updated Transport Layer Security (TLS) Server Identity Check Procedure for Email-Related Protocols  | 2016 | IETF | 0 |
| 257 | RFC 7846 | Peer-to-Peer Streaming Tracker Protocol (PPSTP)   | 2016 | IETF | 0 |
| 258 | RFC 8019 | Protecting Internet Key Exchange Protocol Version 2 (IKEv2) Implementations from Distributed Denial-of-Service Attacks  | 2016 | IETF | 0 |
| 259 | RFC 7940 | Representing Label Generation Rulesets Using XML  | 2016 | IETF | 0 |
| 260 | RFC 7909 | Securing Routing Policy Specification Language (RPSL) Objects with Resource Public Key Infrastructure (RPKI) Signatures                                       | 2016 | IETF | 0 |
| 261 | RFC 7879 | DTLS-SRTP Handling in SIP Back-to-Back User Agents  | 2016 | IETF | 0 |
| 262 | RFC 7838 | HTTP Alternative Services   | 2016 | IETF | 0 |
| 263 | RFC 7876 | UDP Return Path for Packet Loss and Delay Measurement for MPLS Networks   | 2016 | IETF | 0 |
| 264 | RFC 7982 | Measurement of Round-Trip Time and Fractional Loss Using Session Traversal Utilities for NAT (STUN)   | 2016 | IETF | 0 |
| 265 | RFC 7734 | Support for Shortest Path Bridging MAC Mode over Ethernet VPN (EVPN)  | 2016 | IETF | 0 |
| 266 | RFC 7759 | Configuration of Proactive Operations, Administration, and Maintenance (OAM) Functions for MPLS-Based Transport Networks Using Label Switched Path (LSP) Ping | 2016 | IETF | 0 |
| 267 | RFC 7987 | IS-IS Minimum Remaining Lifetime  | 2016 | IETF | 0 |
| 268 | RFC 7792 | RSVP-TE Signaling Extensions in Support of Flexi-Grid Dense Wavelength Division Multiplexing (DWDM) Networks  | 2016 | IETF | 0 |
| 269 | RFC 7891 | Explicit Reverse Path Forwarding (RPF) Vector   | 2016 | IETF | 0 |
| 270 | RFC 7917 | Advertising Node Administrative Tags in IS-IS   | 2016 | IETF | 0 |
| 271 | RFC 7861 | Remote Procedure Call (RPC) Security Version 3  | 2016 | IETF | 0 |
| 272 | RFC 7797 | JSON Web Signature (JWS) Unencoded Payload Option   | 2016 | IETF | 0 |
| 273 | RFC 7851 | Peer-to-Peer (P2P) Overlay Diagnostics  | 2016 | IETF | 0 |
| 274 | RFC 8020 | NXDOMAIN: There Really Is Nothing Underneath  | 2016 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 275 | RFC 8048 | Interworking between the Session Initiation Protocol (SIP) and the Extensible Messaging and Presence Protocol (XMPP): Presence       | 2016 | IETF | 0 |
| 276 | RFC 7822 | Network Time Protocol Version 4 (NTPv4) Extension Fields   | 2016 | IETF | 0 |
| 277 | RFC 7941 | RTP Header Extension for the RTP Control Protocol (RTCP) Source Description Items  | 2016 | IETF | 0 |
| 278 | RFC 7915 | IP/ICMP Translation Algorithm  | 2016 | IETF | 0 |
| 279 | RFC 7741 | RTP Payload Format for VP8 Video   | 2016 | IETF | 0 |
| 280 | RFC 7880 | Seamless Bidirectional Forwarding Detection (S-BFD)  | 2016 | IETF | 0 |
| 281 | RFC 7845 | Ogg Encapsulation for the Opus Audio Codec   | 2016 | IETF | 0 |
| 282 | RFC 7888 | IMAP4 Non-synchronizing Literals   | 2016 | IETF | 0 |
| 283 | RFC 7811 | An Algorithm for Computing IP/LDP Fast Reroute Using Maximally Redundant Trees (MRT-FRR)   | 2016 | IETF | 0 |
| 284 | RFC 7961 | Transparent Interconnection of Lots of Links (TRILL): Interface Addresses APPsub-TLV   | 2016 | IETF | 0 |
| 285 | RFC 7737 | Label Switched Path (LSP) Ping and Traceroute Reply Mode Simplification  | 2016 | IETF | 0 |
| 286 | RFC 7769 | Media Access Control (MAC) Address Withdrawal over Static Pseudowire   | 2016 | IETF | 0 |
| 287 | RFC 7983 | Multiplexing Scheme Updates for Secure Real-time Transport Protocol (SRTP) Extension for Datagram Transport Layer Security (DTLS)    | 2016 | IETF | 0 |
| 288 | RFC 7825 | A Network Address Translator (NAT) Traversal Mechanism for Media Controlled by the Real-Time Streaming Protocol (RTSP)               | 2016 | IETF | 0 |
| 289 | RFC 7988 | Ingress Replication Tunnels in Multicast VPN   | 2016 | IETF | 0 |
| 290 | RFC 7794 | IS-IS Prefix Attributes for Extended IPv4 and IPv6 Reachability  | 2016 | IETF | 0 |
| 291 | RFC 7924 | Transport Layer Security (TLS) Cached Information Extension  | 2016 | IETF | 0 |
| 292 | RFC 7894 | Alternative Challenge Password Attributes for Enrollment over Secure Transport   | 2016 | IETF | 0 |
| 293 | RFC 7856 | Softwire Mesh Management Information Base (MIB)  | 2016 | IETF | 0 |
| 294 | RFC 7725 | An HTTP Status Code to Report Legal Obstacles  | 2016 | IETF | 0 |
| 295 | RFC 7670 | Generic Raw Public-Key Support for IKEv2   | 2016 | IETF | 0 |
| 296 | RFC 7944 | Diameter Routing Message Priority  | 2016 | IETF | 0 |
| 297 | RFC 7881 | Seamless Bidirectional Forwarding Detection (S-BFD) for IPv4, IPv6, and MPLS   | 2016 | IETF | 0 |
| 298 | RFC 7850 | Registering Values of the SDP â protoâ Field for Transporting RTP Media over TCP under Various RTP Profiles                          | 2016 | IETF | 0 |
| 299 | RFC 7742 | WebRTC Video Processing and Codec Requirements   | 2016 | IETF | 0 |
| 300 | RFC 7889 | The IMAP APPENDLIMIT Extension   | 2016 | IETF | 0 |
| 301 | 8254-2   | Paper and board - Measurement of specular gloss - Part 2: 75° gloss with a parallel beam - Deuxi <sup>è</sup> me é <sup>dition</sup> | 2016 | IETF | 0 |
| 302 | RFC 7826 | Real-Time Streaming Protocol Version 2.0   | 2016 | IETF | 0 |
| 303 | RFC 7989 | End-to-End Session Identification in IP-Based Multimedia Communication Networks  | 2016 | IETF | 0 |
| 304 | RFC 7810 | IS-IS Traffic Engineering (TE) Metric Extensions   | 2016 | IETF | 0 |
| 305 | RFC 7984 | Locating Session Initiation Protocol (SIP) Servers in a Dual-Stack IP Network  | 2016 | IETF | 0 |
| 306 | RFC 7740 | Simulating Partial Mesh of Multipoint-to-Multipoint (MP2MP) Provider Tunnels with Ingress Replication                                | 2016 | IETF | 0 |
| 307 | RFC 7775 | IS-IS Route Preference for Extended IP and IPv6 Reachability   | 2016 | IETF | 0 |
| 308 | RFC 7812 | An Architecture for IP/LDP Fast Reroute Using Maximally Redundant Trees (MRT-FRR)  | 2016 | IETF | 0 |
| 309 | RFC 7965 | LDP Extensions for Pseudowire Binding to Label Switched Path (LSP) Tunnels   | 2016 | IETF | 0 |
| 310 | RFC 7895 | YANG Module Library  | 2016 | IETF | 0 |
| 311 | RFC 7925 | Transport Layer Security (TLS) / Datagram Transport Layer Security (DTLS) Profiles for the Internet of Things                        | 2016 | IETF | 0 |
| 312 | RFC 7877 | Session Peering Provisioning Framework (SPPF)  | 2016 | IETF | 0 |
| 313 | RFC 7863 | Network File System (NFS) Version 4 Minor Version 2 External Data Representation Standard (XDR) Description                          | 2016 | IETF | 0 |



|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 314 | RFC 7796 | Ethernet-Tree (E-Tree) Support in Virtual Private LAN Service (VPLS)  | 2016 | IETF | 0 |
| 315 | RFC 8024 | Multi-Chassis Passive Optical Network (MC-PON) Protection in MPLS   | 2016 | IETF | 0 |
| 316 | RFC 7946 | The GeoJSON Format  | 2016 | IETF | 0 |
| 317 | RFC 7697 | MPLS Transport Profile (MPLS-TP) Operations, Administration, and Maintenance (OAM) Identifiers Management Information Base (MIB)          | 2016 | IETF | 0 |
| 318 | RFC 7728 | RTP Stream Pause and Resume   | 2016 | IETF | 0 |
| 319 | RFC 7892 | IANA Allocation Procedures for the GMPLS OTN Signal Type Registry   | 2016 | IETF | 0 |
| 320 | RFC 7751 | Kerberos Authorization Data Container Authenticated by Multiple Message Authentication Codes (MACs)                                       | 2016 | IETF | 0 |
| 321 | RFC 7860 | HMAC-SHA-2 Authentication Protocols in User-Based Security Model (USM) for SNMPv3   | 2016 | IETF | 0 |
| 322 | RFC 7883 | Advertising Seamless Bidirectional Forwarding Detection (S-BFD) Discriminators in IS-IS   | 2016 | IETF | 0 |
| 323 | RFC 7743 | Relayed Echo Reply Mechanism for Label Switched Path (LSP) Ping   | 2016 | IETF | 0 |
| 324 | RFC 7813 | IS-IS Path Control and Reservation  | 2016 | IETF | 0 |
| 325 | RFC 7968 | Transparent Interconnection of Lots of Links (TRILL): Using Data Labels for Tree Selection for Multi-Destination Data                     | 2016 | IETF | 0 |
| 326 | RFC 8006 | Content Delivery Network Interconnection (CDNI) Metadata  | 2016 | IETF | 0 |
| 327 | RFC 8002 | Host Identity Protocol Certificates   | 2016 | IETF | 0 |
| 328 | RFC 7798 | RTP Payload Format for High Efficiency Video Coding (HEVC)  | 2016 | IETF | 0 |
| 329 | RFC 7830 | The EDNS(0) Padding Option  | 2016 | IETF | 0 |
| 330 | RFC 7970 | The Incident Object Description Exchange Format Version 2   | 2016 | IETF | 0 |
| 331 | RFC 7931 | NFSv4.0 Migration: Specification Update   | 2016 | IETF | 0 |
| 332 | RFC 7896 | Update to the Include Route Object (IRO) Specification in the Path Computation Element Communication Protocol (PCEP)                      | 2016 | IETF | 0 |
| 333 | RFC 7878 | Session Peering Provisioning (SPP) Protocol over SOAP   | 2016 | IETF | 0 |
| 334 | RFC 7864 | Proxy Mobile IPv6 Extensions to Support Flow Mobility   | 2016 | IETF | 0 |
| 335 | RFC 8025 | IPv6 over Low-Power Wireless Personal Area Network (6LoWPAN) Paging Dispatch  | 2016 | IETF | 0 |
| 336 | RFC 7787 | Distributed Node Consensus Protocol   | 2016 | IETF | 0 |
| 337 | RFC 7949 | OSPFv3 over IPv4 for IPv6 Transition  | 2016 | IETF | 0 |
| 338 | RFC 7947 | Internet Exchange BGP Route Server  | 2016 | IETF | 0 |
| 339 | RFC 7715 | Multipoint LDP (mLDP) Node Protection   | 2016 | IETF | 0 |
| 340 | RFC 7731 | Multicast Protocol for Low-Power and Lossy Networks (MPL)   | 2016 | IETF | 0 |
| 341 | RFC 7752 | North-Bound Distribution of Link-State and Traffic Engineering (TE) Information Using BGP   | 2016 | IETF | 0 |
| 342 | RFC 7746 | Label Switched Path (LSP) Self-Ping   | 2016 | IETF | 0 |
| 343 | RFC 7781 | Transparent Interconnection of Lots of Links (TRILL): Pseudo-Nickname for Active-Active Access  | 2016 | IETF | 0 |
| 344 | RFC 7884 | OSPF Extensions to Advertise Seamless Bidirectional Forwarding Detection (S-BFD) Target Discriminators                                    | 2016 | IETF | 0 |
| 345 | RFC 7839 | Access-Network-Identifier Option in DHCP  | 2016 | IETF | 0 |
| 346 | RFC 7802 | A Pseudo-Random Function (PRF) for the Kerberos V Generic Security Service Application Program Interface (GSS-API) Mechanism              | 2016 | IETF | 0 |
| 347 | RFC 8003 | Host Identity Protocol (HIP) Registration Extension   | 2016 | IETF | 0 |
| 348 | RFC 7833 | A RADIUS Attribute, Binding, Profiles, Name Identifier Format, and Confirmation Methods for the Security Assertion Markup Language (SAML) | 2016 | IETF | 0 |
| 349 | RFC 8000 | Requirements for NFSv4 Multi-Domain Namespace Deployment  | 2016 | IETF | 0 |
| 350 | RFC 8007 | Content Delivery Network Interconnection (CDNI) Control Interface / Triggers  | 2016 | IETF | 0 |
| 351 | RFC 7777 | Advertising Node Administrative Tags in OSPF  | 2016 | IETF | 0 |
| 352 | RFC 7936 | Clarifying Registry Procedures for the WebSocket Subprotocol Name Registry  | 2016 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 353 | RFC 7919 | Negotiated Finite Field Diffie-Hellman Ephemeral Parameters for Transport Layer Security (TLS)   | 2016 | IETF | 0 |
| 354 | RFC 7899 | Multicast VPN State Damping  | 2016 | IETF | 0 |
| 355 | RFC 7865 | Session Initiation Protocol (SIP) Recording Metadata   | 2016 | IETF | 0 |
| 356 | RFC 8026 | Unified IPv4-in-IPv6 Software Customer Premises Equipment (CPE): A DHCPv6-Based Prioritization Mechanism   | 2016 | IETF | 0 |
| 357 | RFC 7956 | Transparent Interconnection of Lots of Links (TRILL) Distributed Layer 3 Gateway   | 2016 | IETF | 0 |
| 358 | RFC 7733 | Applicability Statement: The Use of the Routing Protocol for Low-Power and Lossy Networks (RPL) Protocol Suite in Home Automation and Building Control | 2016 | IETF | 0 |
| 359 | RFC 7904 | A SIP Usage for REsource LOcation And Discovery (RELOAD)   | 2016 | IETF | 0 |
| 360 | RFC 7766 | DNS Transport over TCP - Implementation Requirements   | 2016 | IETF | 0 |
| 361 | RFC 7848 | Mark and Signed Mark Objects Mapping   | 2016 | IETF | 0 |
| 362 | RFC 7885 | Seamless Bidirectional Forwarding Detection (S-BFD) for Virtual Circuit Connectivity Verification (VCCV)   | 2016 | IETF | 0 |
| 363 | RFC 8008 | Content Delivery Network Interconnection (CDNI) Request Routing: Footprint and Capabilities Semantics  | 2016 | IETF | 0 |
| 364 | RFC 8012 | Label Switched Path (LSP) and Pseudowire (PW) Ping/Trace over MPLS Networks Using Entropy Labels (ELs)   | 2016 | IETF | 0 |
| 365 | RFC 8004 | Host Identity Protocol (HIP) Rendezvous Extension  | 2016 | IETF | 0 |
| 366 | RFC 7807 | Problem Details for HTTP APIs  | 2016 | IETF | 0 |
| 367 | RFC 7840 | A Routing Request Extension for the HTTP-Enabled Location Delivery (HELD) Protocol   | 2016 | IETF | 0 |
| 368 | RFC 7770 | Extensions to OSPF for Advertising Optional Router Capabilities  | 2016 | IETF | 0 |
| 369 | RFC 7782 | Transparent Interconnection of Lots of Links (TRILL) Active-Active Edge Using Multiple MAC Attachments   | 2016 | IETF | 0 |
| 370 | RFC 7900 | Extranet Multicast in BGP/IP MPLS VPNs   | 2016 | IETF | 0 |
| 371 | RFC 7800 | Proof-of-Possession Key Semantics for JSON Web Tokens (JWTs)   | 2016 | IETF | 0 |
| 372 | RFC 8028 | First-Hop Router Selection by Hosts in a Multi-Prefix Network  | 2016 | IETF | 0 |
| 373 | RFC 7951 | JSON Encoding of Data Modeled with YANG  | 2016 | IETF | 0 |
| 374 | RFC 7866 | Session Recording Protocol   | 2016 | IETF | 0 |
| 375 | RFC 7726 | Clarifying Procedures for Establishing BFD Sessions for MPLS Label Switched Paths (LSPs)   | 2016 | IETF | 0 |
| 376 | RFC 7750 | Differentiated Service Code Point and Explicit Congestion Notification Monitoring in the Two-Way Active Measurement Protocol (TWAMP)                   | 2016 | IETF | 0 |
| 377 | RFC 7964 | Solutions for BGP Persistent Route Oscillation   | 2016 | IETF | 0 |
| 378 | RFC 7975 | Request Routing Redirection Interface for Content Delivery Network (CDN) Interconnection   | 2016 | IETF | 0 |
| 379 | RFC 7773 | Authentication Context Certificate Extension   | 2016 | IETF | 0 |
| 380 | RFC 7886 | Advertising Seamless Bidirectional Forwarding Detection (S-BFD) Discriminators in the Layer Two Tunneling Protocol Version 3 (L2TPv3)                  | 2016 | IETF | 0 |
| 381 | RFC 7854 | BGP Monitoring Protocol (BMP)  | 2016 | IETF | 0 |
| 382 | RFC 7771 | Switching Provider Edge (S-PE) Protection for MPLS and MPLS Transport Profile (MPLS-TP) Static Multi-Segment Pseudowires                               | 2016 | IETF | 0 |
| 383 | RFC 7783 | Coordinated Multicast Trees (CMT) for Transparent Interconnection of Lots of Links (TRILL)   | 2016 | IETF | 0 |
| 384 | RFC 8015 | RTP Control Protocol (RTCP) Extended Report (XR) Block for Independent Reporting of Burst/Gap Discard Metrics  | 2016 | IETF | 0 |
| 385 | RFC 8030 | Generic Event Delivery Using HTTP Push   | 2016 | IETF | 0 |
| 386 | RFC 8005 | Host Identity Protocol (HIP) Domain Name System (DNS) Extension  | 2016 | IETF | 0 |
| 387 | RFC 7808 | Time Zone Data Distribution Service  | 2016 | IETF | 0 |
| 388 | RFC 7843 | Port Control Protocol (PCP) Third-Party ID Option  | 2016 | IETF | 0 |
| 389 | RFC 7937 | Content Distribution Network Interconnection (CDNI) Logging Interface  | 2016 | IETF | 0 |
| 390 | RFC 7902 | Registry and Extensions for P-Multicast Service Interface Tunnel Attribute Flags   | 2016 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 391 | RFC 7873 | Domain Name System (DNS) Cookies  | 2016 | IETF | 0 |
| 392 | RFC 7852 | Additional Data Related to an Emergency Call  | 2016 | IETF | 0 |
| 393 | RFC 7828 | The edns-tcp-keepalive EDNS0 Option   | 2016 | IETF | 0 |
| 394 | RFC 8035 | Session Description Protocol (SDP) Offer/Answer Clarifications for RTP/RTCP Multiplexing  | 2016 | IETF | 0 |
| 395 | RFC 7447 | Deprecation of BGP Entropy Label Capability Attribute   | 2015 | IETF | 0 |
| 396 | RFC 7729 | Forwarding and Control Element Separation (ForCES) Logical Functional Block (LFB) Subsidiary Management   | 2015 | IETF | 0 |
| 397 | RFC 7527 | Enhanced Duplicate Address Detection  | 2015 | IETF | 0 |
| 398 | RFC 7636 | Proof Key for Code Exchange by OAuth Public Clients   | 2015 | IETF | 0 |
| 399 | RFC 7579 | General Network Element Constraint Encoding for GMPLS-Controlled Networks   | 2015 | IETF | 0 |
| 400 | RFC 7684 | OSPFv2 Prefix/Link Attribute Advertisement  | 2015 | IETF | 0 |
| 401 | RFC 7675 | Session Traversal Utilities for NAT (STUN) Usage for Consent Freshness  | 2015 | IETF | 0 |
| 402 | RFC 7597 | Mapping of Address and Port with Encapsulation (MAP-E)  | 2015 | IETF | 0 |
| 403 | RFC 7461 | Energy Object Context MIB   | 2015 | IETF | 0 |
| 404 | RFC 7414 | A Roadmap for Transmission Control Protocol (TCP) Specification Documents   | 2015 | IETF | 0 |
| 405 | RFC 7549 | 3GPP SIP URI Inter-Operator Traffic Leg Parameter   | 2015 | IETF | 0 |
| 406 | RFC 7490 | Remote Loop-Free Alternate (LFA) Fast Reroute (FRR)   | 2015 | IETF | 0 |
| 407 | RFC 7659 | Definitions of Managed Objects for Network Address Translators (NATs)   | 2015 | IETF | 0 |
| 408 | RFC 7570 | Label Switched Path (LSP) Attribute in the Explicit Route Object (ERO)  | 2015 | IETF | 0 |
| 409 | RFC 7711 | PKIX over Secure HTTP (POSH)  | 2015 | IETF | 0 |
| 410 | RFC 7472 | Internet Printing Protocol (IPP) over HTTPS Transport Binding and the âippâ URI Scheme  | 2015 | IETF | 0 |
| 411 | RFC 7456 | Loss and Delay Measurement in Transparent Interconnection of Lots of Links (TRILL)  | 2015 | IETF | 0 |
| 412 | RFC 7543 | Covering Prefixes Outbound Route Filter for BGP-4   | 2015 | IETF | 0 |
| 413 | RFC 7652 | Port Control Protocol (PCP) Authentication Mechanism  | 2015 | IETF | 0 |
| 414 | RFC 7443 | Applicationâ Layer Protocol Negotiation (ALPN) Labels for Session Traversal Utilities for NAT (STUN) Usages                                       | 2015 | IETF | 0 |
| 415 | RFC 7724 | Active DHCPv4 Lease Query   | 2015 | IETF | 0 |
| 416 | RFC 7573 | Interworking between the Session Initiation Protocol (SIP) and the Extensible Messaging and Presence Protocol (XMPP): One-to-One Text Chat Sessions | 2015 | IETF | 0 |
| 417 | RFC 7450 | Automatic Multicast Tunneling   | 2015 | IETF | 0 |
| 418 | RFC 7674 | Clarification of the Flowspec Redirect Extended Community   | 2015 | IETF | 0 |
| 419 | RFC 7596 | Lightweight 4over6: An Extension to the Dual-Stack Lite Architecture  | 2015 | IETF | 0 |
| 420 | RFC 7460 | Monitoring and Control MIB for Power and Energy   | 2015 | IETF | 0 |
| 421 | RFC 7512 | The PKCS #11 URI Scheme   | 2015 | IETF | 0 |
| 422 | RFC 7631 | TLV Naming in the Mobile Ad Hoc Network (MANET) Generalized Packet/Message Format   | 2015 | IETF | 0 |
| 423 | RFC 7493 | The Iâ JSON Message Format  | 2015 | IETF | 0 |
| 424 | RFC 7488 | Port Control Protocol (PCP) Server Selection  | 2015 | IETF | 0 |
| 425 | RFC 7451 | Extension Registry for the Extensible Provisioning Protocol   | 2015 | IETF | 0 |
| 426 | RFC 7692 | Compression Extensions for WebSocket  | 2015 | IETF | 0 |
| 427 | RFC 7545 | Protocol to Access White-Space (PAWS) Databases   | 2015 | IETF | 0 |
| 428 | RFC 7658 | Deprecation of MIB Module NAT-MIB: Managed Objects for Network Address Translators (NATs)   | 2015 | IETF | 0 |
| 429 | RFC 7569 | Registry Specification for Mandatory Access Control (MAC) Security Label Formats  | 2015 | IETF | 0 |
| 430 | RFC 7639 | The ALPN HTTP Header Field  | 2015 | IETF | 0 |
| 431 | RFC 7518 | JSON Web Algorithms (JWA)   | 2015 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 432 | RFC 7471 | OSPF Traffic Engineering (TE) Metric Extensions   | 2015 | IETF | 0 |
| 433 | RFC 7455 | Transparent Interconnection of Lots of Links (TRILL): Fault Management  | 2015 | IETF | 0 |
| 434 | RFC 7542 | The Network Access Identifier   | 2015 | IETF | 0 |
| 435 | RFC 7650 | A Constrained Application Protocol (CoAP) Usage for REsource LOcation And Discovery (RELOAD)  | 2015 | IETF | 0 |
| 436 | RFC 7611 | BGP ACCEPT_OWN Community Attribute  | 2015 | IETF | 0 |
| 437 | RFC 7448 | MIB Transfer from the IETF to the IEEE 802.3 WG   | 2015 | IETF | 0 |
| 438 | RFC 7708 | Using a Generic Associated Channel Label as a Virtual Circuit Connectivity Verification Channel Indicator   | 2015 | IETF | 0 |
| 439 | RFC 7442 | Carrying Protocol Independent Multicast â__ Sparse Mode (PIMâ__ SM) in Anyâ__ Source Multicast (ASM) Mode Trees over Multipoint LDP (mLDP)              | 2015 | IETF | 0 |
| 440 | RFC 7718 | Registries for the One-Way Active Measurement Protocol (OWAMP)  | 2015 | IETF | 0 |
| 441 | RFC 7627 | Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension  | 2015 | IETF | 0 |
| 442 | RFC 7673 | Using DNS-Based Authentication of Named Entities (DANE) TLSA Records with SRV Records   | 2015 | IETF | 0 |
| 443 | RFC 7591 | OAuth 2.0 Dynamic Client Registration Protocol  | 2015 | IETF | 0 |
| 444 | RFC 7438 | Multipoint LDP (mLDP) In-Band Signaling with Wildcards  | 2015 | IETF | 0 |
| 445 | RFC 7510 | Encapsulating MPLS in UDP   | 2015 | IETF | 0 |
| 446 | RFC 7541 | HPACK: Header Compression for HTTP/2  | 2015 | IETF | 0 |
| 447 | RFC 7635 | Session Traversal Utilities for NAT (STUN) Extension for Third-Party Authorization  | 2015 | IETF | 0 |
| 448 | RFC 7655 | RTP Payload Format for G.711.0  | 2015 | IETF | 0 |
| 449 | RFC 7492 | Analysis of Bidirectional Forwarding Detection (BFD) Security According to the Keying and Authentication for Routing Protocols (KARP) Design Guidelines | 2015 | IETF | 0 |
| 450 | RFC 7484 | Finding the Authoritative Registration Data (RDAP) Service  | 2015 | IETF | 0 |
| 451 | RFC 7517 | JSON Web Key (JWK)  | 2015 | IETF | 0 |
| 452 | RFC 7452 | Architectural Considerations in Smart Object Networking   | 2015 | IETF | 0 |
| 453 | RFC 7538 | The Hypertext Transfer Protocol Status Code 308 (Permanent Redirect)  | 2015 | IETF | 0 |
| 454 | RFC 7648 | Port Control Protocol (PCP) Proxy Function  | 2015 | IETF | 0 |
| 455 | RFC 7705 | Autonomous System Migration Mechanisms and Their Effects on the BGP AS_PATH Attribute   | 2015 | IETF | 0 |
| 456 | RFC 7470 | Conveying Vendor-Specific Constraints in the Path Computation Element Communication Protocol  | 2015 | IETF | 0 |
| 457 | RFC 7686 | The ".onion" Special-Use Domain Name  | 2015 | IETF | 0 |
| 458 | RFC 7446 | Routing and Wavelength Assignment Information Model for Wavelength Switched Optical Networks  | 2015 | IETF | 0 |
| 459 | RFC 7607 | Codification of AS 0 Processing   | 2015 | IETF | 0 |
| 460 | RFC 7441 | Encoding Multipoint LDP (mLDP) Forwarding Equivalence Classes (FECs) in the NLRI of BGP MCASTâ__ VPN Routes   | 2015 | IETF | 0 |
| 461 | RFC 7717 | IKEv2-Derived Shared Secret Key for the One-Way Active Measurement Protocol (OWAMP) and Two-Way Active Measurement Protocol (TWAMP)                     | 2015 | IETF | 0 |
| 462 | RFC 7568 | Deprecating Secure Sockets Layer Version 3.0  | 2015 | IETF | 0 |
| 463 | RFC 7623 | Provider Backbone Bridging Combined with Ethernet VPN (PBB-EVPN)  | 2015 | IETF | 0 |
| 464 | RFC 7507 | TLS Fallback Signaling Cipher Suite Value (SCSV) for Preventing Protocol Downgrade Attacks  | 2015 | IETF | 0 |
| 465 | RFC 7672 | SMTP Security via Opportunistic DNS-Based Authentication of Named Entities (DANE) Transport Layer Security (TLS)  | 2015 | IETF | 0 |
| 466 | RFC 7584 | Session Traversal Utilities for NAT (STUN) Message Handling for SIP Back-to-Back User Agents (B2BUAs)   | 2015 | IETF | 0 |
| 467 | RFC 7427 | Signature Authentication in the Internet Key Exchange Version 2 (IKEv2)   | 2015 | IETF | 0 |
| 468 | RFC 7540 | Hypertext Transfer Protocol Version 2 (HTTP/2)  | 2015 | IETF | 0 |
| 469 | RFC 7634 | ChaCha20, Poly1305, and Their Use in the Internet Key Exchange Protocol (IKE) and IPsec   | 2015 | IETF | 0 |
| 470 | RFC 7465 | Prohibiting RC4 Cipher Suites   | 2015 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 471 | RFC 7653 | DHCPv6 Active Leasequery   | 2015 | IETF | 0 |
| 472 | RFC 7491 | A PCEâ Based Architecture for Applicationâ Based Network Operations                              | 2015 | IETF | 0 |
| 473 | RFC 7483 | JSON Responses for the Registration Data Access Protocol (RDAP)                                  | 2015 | IETF | 0 |
| 474 | RFC 7533 | Administration Protocol for Federated File Systems   | 2015 | IETF | 0 |
| 475 | RFC 7647 | Clarifications for the Use of REFER with RFC 6665  | 2015 | IETF | 0 |
| 476 | RFC 7516 | JSON Web Encryption (JWE)  | 2015 | IETF | 0 |
| 477 | RFC 7590 | Use of Transport Layer Security (TLS) in the Extensible Messaging and Presence Protocol (XMPP)   | 2015 | IETF | 0 |
| 478 | RFC 7445 | Analysis of Failure Cases in IPv6 Roaming Scenarios  | 2015 | IETF | 0 |
| 479 | RFC 7469 | Public Key Pinning Extension for HTTP  | 2015 | IETF | 0 |
| 480 | RFC 7699 | Generalized Labels for the Flexi-Grid in Lambda Switch Capable (LSC) Label Switching Routers     | 2015 | IETF | 0 |
| 481 | RFC 7606 | Revised Error Handling for BGP UPDATE Messages   | 2015 | IETF | 0 |
| 482 | RFC 7685 | A Transport Layer Security (TLS) ClientHello Padding Extension                                   | 2015 | IETF | 0 |
| 483 | RFC 7444 | Security Labels in Internet Email  | 2015 | IETF | 0 |
| 484 | RFC 7565 | The â acctâ URI Scheme   | 2015 | IETF | 0 |
| 485 | RFC 7716 | Global Table Multicast with BGP Multicast VPN (BGP-MVPN) Procedures                              | 2015 | IETF | 0 |
| 486 | RFC 7440 | TFTP Window Size Option  | 2015 | IETF | 0 |
| 487 | RFC 7563 | Extensions to the Proxy Mobile IPv6 (PMIPv6) Access Network Identifier Option                    | 2015 | IETF | 0 |
| 488 | RFC 7671 | The DNS-Based Authentication of Named Entities (DANE) Protocol: Updates and Operational Guidance | 2015 | IETF | 0 |
| 489 | RFC 7582 | Multicast Virtual Private Network (MVPN): Using Bidirectional P-Tunnels                          | 2015 | IETF | 0 |
| 490 | RFC 7415 | Session Initiation Protocol (SIP) Rate Control   | 2015 | IETF | 0 |
| 491 | RFC 7506 | IPv6 Router Alert Option for MPLS Operations, Administration, and Maintenance (OAM)              | 2015 | IETF | 0 |
| 492 | RFC 7622 | Extensible Messaging and Presence Protocol (XMPP): Address Format                                | 2015 | IETF | 0 |
| 493 | RFC 7628 | A Set of Simple Authentication and Security Layer (SASL) Mechanisms for OAuth                    | 2015 | IETF | 0 |
| 494 | RFC 7464 | JavaScript Object Notation (JSON) Text Sequences   | 2015 | IETF | 0 |
| 495 | RFC 7489 | Domainâ based Message Authentication, Reporting, and Conformance (DMARC)                         | 2015 | IETF | 0 |
| 496 | RFC 7482 | Registration Data Access Protocol (RDAP) Query Format  | 2015 | IETF | 0 |
| 497 | RFC 7532 | Namespace Database (NSDB) Protocol for Federated File Systems                                    | 2015 | IETF | 0 |
| 498 | RFC 7644 | System for Cross-domain Identity Management: Protocol  | 2015 | IETF | 0 |
| 499 | RFC 7515 | JSON Web Signature (JWS)   | 2015 | IETF | 0 |
| 500 | RFC 7589 | Using the NETCONF Protocol over Transport Layer Security (TLS) with Mutual X.509 Authentication  | 2015 | IETF | 0 |
| 501 | RFC 7633 | X.509v3 Transport Layer Security (TLS) Feature Extension   | 2015 | IETF | 0 |
| 502 | RFC 7683 | Diameter Overload Indication Conveyance  | 2015 | IETF | 0 |
| 503 | RFC 7432 | BGP MPLSâ Based Ethernet VPN   | 2015 | IETF | 0 |
| 504 | RFC 7603 | Energy Management (EMAN) Applicability Statement   | 2015 | IETF | 0 |
| 505 | RFC 7695 | Distributed Prefix Assignment Algorithm  | 2015 | IETF | 0 |
| 506 | RFC 7468 | Textual Encodings of PKIX, PKCS, and CMS Structures  | 2015 | IETF | 0 |
| 507 | RFC 7434 | Interworking ISDN Call Control User Information with SIP   | 2015 | IETF | 0 |
| 508 | RFC 7714 | AES-GCM Authenticated Encryption in the Secure Real-time Transport Protocol (SRTP)               | 2015 | IETF | 0 |
| 509 | RFC 7555 | Proxy MPLS Echo Request  | 2015 | IETF | 0 |
| 510 | RFC 7503 | OSPFv3 Autoconfiguration   | 2015 | IETF | 0 |
| 511 | RFC 7617 | The â Basicâ HTTP Authentication Scheme  | 2015 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 512 | RFC 7668 | IPv6 over BLUETOOTH(R) Low Energy  | 2015 | IETF | 0 |
| 513 | RFC 7578 | Returning Values from Forms: multipart/form-data   | 2015 | IETF | 0 |
| 514 | RFC 7524 | Inter-Area Point-to-Multipoint (P2MP) Segmented Label Switched Paths (LSPs)  | 2015 | IETF | 0 |
| 515 | RFC 7481 | Security Services for the Registration Data Access Protocol (RDAP)   | 2015 | IETF | 0 |
| 516 | RFC 7487 | Configuration of Proactive Operations, Administration, and Maintenance (OAM) Functions for MPLS-Based Transport Networks Using RSVP-TE | 2015 | IETF | 0 |
| 517 | RFC 7621 | A Clarification on the Use of Globally Routable User Agent URIs (GRUUs) in the SIP Event Notification Framework                        | 2015 | IETF | 0 |
| 518 | RFC 7459 | Representation of Uncertainty and Confidence in the Presence Information Data Format Location Object (PIDF-LO)                         | 2015 | IETF | 0 |
| 519 | RFC 7513 | Source Address Validation Improvement (SAVI) Solution for DHCP   | 2015 | IETF | 0 |
| 520 | RFC 7587 | RTP Payload Format for the Opus Speech and Audio Codec   | 2015 | IETF | 0 |
| 521 | RFC 7531 | Network File System (NFS) Version 4 External Data Representation Standard (XDR) Description  | 2015 | IETF | 0 |
| 522 | RFC 7643 | System for Cross-domain Identity Management: Core Schema   | 2015 | IETF | 0 |
| 523 | RFC 7694 | Hypertext Transfer Protocol (HTTP) Client-Initiated Content-Encoding   | 2015 | IETF | 0 |
| 524 | RFC 7466 | An Optimization for the Mobile Ad Hoc Network (MANET) Neighborhood Discovery Protocol (NHDP)   | 2015 | IETF | 0 |
| 525 | RFC 7601 | Message Header Field for Indicating Message Authentication Status  | 2015 | IETF | 0 |
| 526 | RFC 7678 | Attribute-Value Pairs for Provisioning Customer Equipment Supporting IPv4-Over-IPv6 Transitional Solutions                             | 2015 | IETF | 0 |
| 527 | RFC 7398 | A Reference Path and Measurement Points for Large-Scale Measurement of Broadband Performance   | 2015 | IETF | 0 |
| 528 | RFC 7602 | IS-IS Extended Sequence Number TLV   | 2015 | IETF | 0 |
| 529 | RFC 7559 | Packet-Loss Resiliency for Router Solicitations  | 2015 | IETF | 0 |
| 530 | RFC 7710 | Captive-Portal Identification Using DHCP or Router Advertisements (RAs)  | 2015 | IETF | 0 |
| 531 | RFC 7433 | A Mechanism for Transporting User-to-User Call Control Information in SIP  | 2015 | IETF | 0 |
| 532 | RFC 7552 | Updates to LDP for IPv6  | 2015 | IETF | 0 |
| 533 | RFC 7402 | Using the Encapsulating Security Payload (ESP) Transport Format with the Host Identity Protocol (HIP)                                  | 2015 | IETF | 0 |
| 534 | RFC 7496 | Additional Policies for the Partially Reliable Stream Control Transmission Protocol Extension  | 2015 | IETF | 0 |
| 535 | RFC 7616 | HTTP Digest Access Authentication  | 2015 | IETF | 0 |
| 536 | RFC 7523 | JSON Web Token (JWT) Profile for OAuth 2.0 Client Authentication and Authorization Grants  | 2015 | IETF | 0 |
| 537 | RFC 7666 | Management Information Base for Virtual Machines Controlled by a Hypervisor  | 2015 | IETF | 0 |
| 538 | RFC 7577 | Definition of Managed Objects for Battery Monitoring   | 2015 | IETF | 0 |
| 539 | RFC 7478 | Web Real-Time Communication Use Cases and Requirements   | 2015 | IETF | 0 |
| 540 | RFC 7480 | HTTP Usage in the Registration Data Access Protocol (RDAP)   | 2015 | IETF | 0 |
| 541 | RFC 7619 | The NULL Authentication Method in the Internet Key Exchange Protocol Version 2 (IKEv2)   | 2015 | IETF | 0 |
| 542 | RFC 7458 | Extensible Authentication Protocol (EAP) Attributes for Wi-Fi Integration with the Evolved Packet Core                                 | 2015 | IETF | 0 |
| 543 | RFC 7509 | RTP Control Protocol (RTCP) Extended Report (XR) for Post-Repair Loss Count Metrics  | 2015 | IETF | 0 |
| 544 | RFC 7581 | Routing and Wavelength Assignment Information Encoding for Wavelength Switched Optical Networks  | 2015 | IETF | 0 |
| 545 | RFC 7599 | Mapping of Address and Port using Translation (MAP-T)  | 2015 | IETF | 0 |
| 546 | RFC 7689 | Signaling Extensions for Wavelength Switched Optical Networks  | 2015 | IETF | 0 |
| 547 | RFC 7463 | Shared Appearances of a Session Initiation Protocol (SIP) Address of Record (AOR)  | 2015 | IETF | 0 |
| 548 | RFC 7677 | SCRAM-SHA-256 and SCRAM-SHA-256-PLUS Simple Authentication and Security Layer (SASL) Mechanisms  | 2015 | IETF | 0 |
| 549 | RFC 7429 | Distributed Mobility Management: Current Practices and Gap Analysis  | 2015 | IETF | 0 |
| 550 | RFC 7505 | A "Null MX" No Service Resource Record for Domains That Accept No Mail   | 2015 | IETF | 0 |
| 551 | RFC 7702 | Interworking between the Session Initiation Protocol (SIP) and the Extensible Messaging and Presence Protocol (XMPP): Groupchat        | 2015 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 552 | RFC 7551 | RSVP-TE Extensions for Associated Bidirectional Label Switched Paths (LSPs)   | 2015 | IETF | 0 |
| 553 | RFC 7662 | OAuth 2.0 Token Introspection   | 2015 | IETF | 0 |
| 554 | RFC 7574 | Peer-to-Peer Streaming Peer Protocol (PPSPP)  | 2015 | IETF | 0 |
| 555 | RFC 7495 | Enumeration Reference Format for the Incident Object Description Exchange Format (IODEF)  | 2015 | IETF | 0 |
| 556 | RFC 7615 | HTTP Authentication-Info and Proxy-Authentication-Info Response Header Fields   | 2015 | IETF | 0 |
| 557 | RFC 7618 | Dynamic Allocation of Shared IPv4 Addresses   | 2015 | IETF | 0 |
| 558 | RFC 7474 | Security Extension for OSPFv2 When Using Manual Key Management  | 2015 | IETF | 0 |
| 559 | RFC 7477 | Child to Parent Synchronization in DNS  | 2015 | IETF | 0 |
| 560 | RFC 7522 | Security Assertion Markup Language (SAML) 2.0 Profile for OAuth 2.0 Client Authentication and Authorization Grants                                  | 2015 | IETF | 0 |
| 561 | RFC 7449 | Path Computation Element Communication Protocol (PCEP) Requirements for Wavelength Switched Optical Network (WSO) Routing and Wavelength Assignment | 2015 | IETF | 0 |
| 562 | RFC 7529 | Non-Gregorian Recurrence Rules in the Internet Calendaring and Scheduling Core Object Specification (iCalendar)                                     | 2015 | IETF | 0 |
| 563 | RFC 7638 | JSON Web Key (JWK) Thumbprint   | 2015 | IETF | 0 |
| 564 | RFC 7580 | OSPF-TE Extensions for General Network Element Constraints  | 2015 | IETF | 0 |
| 565 | RFC 7454 | BGP Operations and Security   | 2015 | IETF | 0 |
| 566 | RFC 7676 | IPv6 Support for Generic Routing Encapsulation (GRE)  | 2015 | IETF | 0 |
| 567 | RFC 7598 | DHCPv6 Options for Configuration of Software Address and Port-Mapped Clients  | 2015 | IETF | 0 |
| 568 | RFC 7688 | GMPLS OSPF Enhancement for Signal and Network Element Compatibility for Wavelength Switched Optical Networks  | 2015 | IETF | 0 |
| 569 | RFC 7462 | URNs for the Alert-Info Header Field of the Session Initiation Protocol (SIP)   | 2015 | IETF | 0 |
| 570 | RFC 7428 | Transmission of IPv6 Packets over ITU-T G.9959 Networks   | 2015 | IETF | 0 |
| 571 | RFC 7701 | Multi-party Chat Using the Message Session Relay Protocol (MSRP)  | 2015 | IETF | 0 |
| 572 | RFC 7494 | IEEE 802.11 Medium Access Control (MAC) Profile for Control and Provisioning of Wireless Access Points (CAPWAP)                                     | 2015 | IETF | 0 |
| 573 | RFC 7504 | SMTP 521 and 556 Reply Codes  | 2015 | IETF | 0 |
| 574 | RFC 7550 | Issues and Recommendations with Multiple Stateful DHCPv6 Options  | 2015 | IETF | 0 |
| 575 | RFC 7660 | Diameter Congestion and Filter Attributes   | 2015 | IETF | 0 |
| 576 | RFC 7571 | GMPLS RSVP-TE Extensions for Lock Instruct and Loopback   | 2015 | IETF | 0 |
| 577 | RFC 7323 | TCP Extensions for High Performance   | 2014 | IETF | 0 |
| 578 | RFC 7317 | A YANG Data Model for System Management   | 2014 | IETF | 0 |
| 579 | RFC 7392 | Explicit Path Routing for Dynamic Multi-Segment Pseudowires   | 2014 | IETF | 0 |
| 580 | RFC 7250 | Using Raw Public Keys in Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)  | 2014 | IETF | 0 |
| 581 | RFC 7133 | Information Elements for Data Link Layer Traffic Measurement  | 2014 | IETF | 0 |
| 582 | RFC 7405 | Case-Sensitive String Support in ABNF   | 2014 | IETF | 0 |
| 583 | RFC 7318 | Policy Qualifiers in Resource Public Key Infrastructure (RPKI) Certificates   | 2014 | IETF | 0 |
| 584 | RFC 7261 | Offer/Answer Considerations for G723 Annex A and G729 Annex B   | 2014 | IETF | 0 |
| 585 | RFC 7222 | Quality-of-Service Option for Proxy Mobile IPv6   | 2014 | IETF | 0 |
| 586 | RFC 7330 | Definitions of Textual Conventions (TCs) for Bidirectional Forwarding Detection (BFD) Management  | 2014 | IETF | 0 |
| 587 | RFC 7048 | Neighbor Unreachability Detection Is Too Impatient  | 2014 | IETF | 0 |
| 588 | RFC 7090 | Public Safety Answering Point (PSAP) Callback   | 2014 | IETF | 0 |
| 589 | RFC 7151 | File Transfer Protocol HOST Command for Virtual Hosts   | 2014 | IETF | 0 |
| 590 | RFC 7291 | DHCP Options for the Port Control Protocol (PCP)  | 2014 | IETF | 0 |
| 591 | RFC 7112 | Implications of Oversized IPv6 Header Chains  | 2014 | IETF | 0 |
| 592 | RFC 7352 | Sieve Email Filtering: Detecting Duplicate Deliveries   | 2014 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 593 | RFC 7339 | Session Initiation Protocol (SIP) Overload Control  | 2014 | IETF | 0 |
| 594 | RFC 7235 | Hypertext Transfer Protocol (HTTP/1.1): Authentication  | 2014 | IETF | 0 |
| 595 | RFC 7286 | Application-Layer Traffic Optimization (ALTO) Server Discovery  | 2014 | IETF | 0 |
| 596 | RFC 7395 | An Extensible Messaging and Presence Protocol (XMPP) Subprotocol for WebSocket  | 2014 | IETF | 0 |
| 597 | RFC 7162 | IMAP Extensions: Quick Flag Changes Resynchronization (CONDSTORE) and Quick Mailbox Resynchronization (QRESYNC)   | 2014 | IETF | 0 |
| 598 | RFC 7182 | Integrity Check Value and Timestamp TLV Definitions for Mobile Ad Hoc Networks (MANETs)   | 2014 | IETF | 0 |
| 599 | RFC 7406 | Extensions to the Emergency Services Architecture for Dealing With Unauthenticated and Unauthorized Devices   | 2014 | IETF | 0 |
| 600 | RFC 7331 | Bidirectional Forwarding Detection (BFD) Management Information Base  | 2014 | IETF | 0 |
| 601 | RFC 7138 | Traffic Engineering Extensions to OSPF for GMPLS Control of Evolving G.709 Optical Transport Networks   | 2014 | IETF | 0 |
| 602 | RFC 7117 | Multicast in Virtual Private LAN Service (VPLS)   | 2014 | IETF | 0 |
| 603 | RFC 7356 | IS-IS Flooding Scope Link State PDUs (LSPs)   | 2014 | IETF | 0 |
| 604 | RFC 7343 | An IPv6 Prefix for Overlay Routable Cryptographic Hash Identifiers Version 2 (ORCHIDv2)   | 2014 | IETF | 0 |
| 605 | RFC 7396 | JSON Merge Patch  | 2014 | IETF | 0 |
| 606 | RFC 7380 | RTP Control Protocol (RTCP) Extended Report (XR) Block for MPEG2 Transport Stream (TS) Program Specific Information (PSI) Decodability Statistics Metrics Reporting | 2014 | IETF | 0 |
| 607 | RFC 7114 | Creation of a Registry for smime-type Parameter Values  | 2014 | IETF | 0 |
| 608 | RFC 7153 | IANA Registries for BGP Extended Communities  | 2014 | IETF | 0 |
| 609 | RFC 7293 | The Require-Recipient-Valid-Since Header Field and SMTP Service Extension   | 2014 | IETF | 0 |
| 610 | RFC 7239 | Forwarded HTTP Extension  | 2014 | IETF | 0 |
| 611 | RFC 7130 | Bidirectional Forwarding Detection (BFD) on Link Aggregation Group (LAG) Interfaces   | 2014 | IETF | 0 |
| 612 | RFC 7256 | Multicast Control Extensions for the Access Node Control Protocol (ANCP)  | 2014 | IETF | 0 |
| 613 | RFC 7170 | Tunnel Extensible Authentication Protocol (TEAP) Version 1  | 2014 | IETF | 0 |
| 614 | RFC 7183 | Integrity Protection for the Neighborhood Discovery Protocol (NHDP) and Optimized Link State Routing Protocol Version 2 (OLSRv2)                                    | 2014 | IETF | 0 |
| 615 | RFC 7407 | A YANG Data Model for SNMP Configuration  | 2014 | IETF | 0 |
| 616 | RFC 7332 | Loop Detection Mechanisms for Session Initiation Protocol (SIP) Back-to-Back User Agents (B2BUAs)   | 2014 | IETF | 0 |
| 617 | RFC 7119 | Operation of the IP Flow Information Export (IPFIX) Protocol on IPFIX Mediators   | 2014 | IETF | 0 |
| 618 | RFC 7272 | Inter-Destination Media Synchronization (IDMS) Using the RTP Control Protocol (RTCP)  | 2014 | IETF | 0 |
| 619 | RFC 7224 | IANA Interface Type YANG Module   | 2014 | IETF | 0 |
| 620 | RFC 7118 | The WebSocket Protocol as a Transport for the Session Initiation Protocol (SIP)   | 2014 | IETF | 0 |
| 621 | RFC 7357 | Transparent Interconnection of Lots of Links (TRILL): End Station Address Distribution Information (ESADI) Protocol   | 2014 | IETF | 0 |
| 622 | RFC 7369 | GMPLS RSVP-TE Extensions for Ethernet Operations, Administration, and Maintenance (OAM) Configuration   | 2014 | IETF | 0 |
| 623 | RFC 7155 | Diameter Network Access Server Application  | 2014 | IETF | 0 |
| 624 | RFC 7294 | RTP Control Protocol (RTCP) Extended Report (XR) Blocks for Concealment Metrics Reporting on Audio Applications   | 2014 | IETF | 0 |
| 625 | RFC 7383 | Internet Key Exchange Protocol Version 2 (IKEv2) Message Fragmentation  | 2014 | IETF | 0 |
| 626 | RFC 7358 | Label Advertisement Discipline for LDP Forwarding Equivalence Classes (FECs)  | 2014 | IETF | 0 |
| 627 | RFC 7134 | The Management Policy of the Resource Priority Header (RPH) Registry Changed to "IETF Review"   | 2014 | IETF | 0 |
| 628 | RFC 7189 | Virtual Circuit Connectivity Verification (VCCV) Capability Advertisement for MPLS Transport Profile (MPLS-TP)  | 2014 | IETF | 0 |
| 629 | RFC 7413 | TCP Fast Open   | 2014 | IETF | 0 |
| 630 | RFC 7257 | Virtual Private LAN Service (VPLS) Management Information Base  | 2014 | IETF | 0 |
| 631 | RFC 7171 | PT-EAP: Posture Transport (PT) Protocol for Extensible Authentication Protocol (EAP) Tunnel Methods   | 2014 | IETF | 0 |



|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 632 | RFC 7184 | Definition of Managed Objects for the Optimized Link State Routing Protocol Version 2  | 2014 | IETF | 0 |
| 633 | RFC 7225 | Discovering NAT64 IPv6 Prefixes Using the Port Control Protocol (PCP)  | 2014 | IETF | 0 |
| 634 | RFC 7143 | Internet Small Computer System Interface (iSCSI) Protocol (Consolidated)   | 2014 | IETF | 0 |
| 635 | RFC 7273 | RTP Clock Source Signalling  | 2014 | IETF | 0 |
| 636 | RFC 7195 | Session Description Protocol (SDP) Extension for Setting Audio and Video Media Streams over Circuit-Switched Bearers in the Public Switched Telephone Network (PSTN) | 2014 | IETF | 0 |
| 637 | RFC 7335 | IPv4 Service Continuity Prefix   | 2014 | IETF | 0 |
| 638 | RFC 7324 | Updates to MPLS Transport Profile Linear Protection  | 2014 | IETF | 0 |
| 639 | RFC 6940 | REsource LOcation And Discovery (RELOAD) Base Protocol   | 2014 | IETF | 0 |
| 640 | RFC 7361 | LDP Extensions for Optimized MAC Address Withdrawal in a Hierarchical Virtual Private LAN Service (H-VPLS)   | 2014 | IETF | 0 |
| 641 | RFC 7156 | Diameter Support for Proxy Mobile IPv6 Localized Routing   | 2014 | IETF | 0 |
| 642 | RFC 7394 | Definition of Time to Live TLV for LSP-Ping Mechanisms   | 2014 | IETF | 0 |
| 643 | RFC 7370 | Updates to the IS-IS TLV Codepoints Registry   | 2014 | IETF | 0 |
| 644 | RFC 7374 | Service Discovery Usage for REsource LOcation And Discovery (RELOAD)   | 2014 | IETF | 0 |
| 645 | RFC 7243 | RTP Control Protocol (RTCP) Extended Report (XR) Block for the Bytes Discarded Metric  | 2014 | IETF | 0 |
| 646 | RFC 7136 | Significance of IPv6 Interface Identifiers   | 2014 | IETF | 0 |
| 647 | RFC 7191 | Cryptographic Message Syntax (CMS) Key Package Receipt and Error Content Types   | 2014 | IETF | 0 |
| 648 | RFC 7187 | Routing Multipoint Relay Optimization for the Optimized Link State Routing Protocol Version 2 (OLSRv2)   | 2014 | IETF | 0 |
| 649 | RFC 7260 | GMPLS RSVP-TE Extensions for Operations, Administration, and Maintenance (OAM) Configuration   | 2014 | IETF | 0 |
| 650 | RFC 7172 | Transparent Interconnection of Lots of Links (TRILL): Fine-Grained Labeling  | 2014 | IETF | 0 |
| 651 | RFC 7214 | Moving Generic Associated Channel (G-ACh) IANA Registries to a New Registry  | 2014 | IETF | 0 |
| 652 | RFC 7417 | Extensions to Generic Aggregate RSVP for IPv4 and IPv6 Reservations over Pre-Congestion Notification (PCN) Domains   | 2014 | IETF | 0 |
| 653 | RFC 7124 | Ethernet in the First Mile Copper (EFMCu) Interfaces MIB   | 2014 | IETF | 0 |
| 654 | RFC 7144 | Internet Small Computer System Interface (iSCSI) SCSI Features Update  | 2014 | IETF | 0 |
| 655 | RFC 7341 | DHCPv4-over-DHCPv6 (DHCP 4o6) Transport  | 2014 | IETF | 0 |
| 656 | RFC 7307 | LDP Extensions for Multi-Topology  | 2014 | IETF | 0 |
| 657 | RFC 7274 | Allocating and Retiring Special-Purpose MPLS Labels  | 2014 | IETF | 0 |
| 658 | RFC 7196 | Making Route Flap Damping Usable   | 2014 | IETF | 0 |
| 659 | RFC 7230 | Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing   | 2014 | IETF | 0 |
| 660 | RFC 7160 | Support for Multiple Clock Rates in an RTP Session   | 2014 | IETF | 0 |
| 661 | RFC 7078 | Distributing Address Selection Policy Using DHCPv6   | 2014 | IETF | 0 |
| 662 | RFC 7363 | Self-Tuning Distributed Hash Table (DHT) for REsource LOcation And Discovery (RELOAD)  | 2014 | IETF | 0 |
| 663 | RFC 7377 | IMAP4 Multimapbox SEARCH Extension   | 2014 | IETF | 0 |
| 664 | RFC 7244 | RTP Control Protocol (RTCP) Extended Report (XR) Blocks for Synchronization Delay and Offset Metrics Reporting   | 2014 | IETF | 0 |
| 665 | RFC 7303 | XML Media Types  | 2014 | IETF | 0 |
| 666 | RFC 7400 | 6LoWPAN-GHC: Generic Header Compression for IPv6 over Low-Power Wireless Personal Area Networks (6LoWPANs)   | 2014 | IETF | 0 |
| 667 | RFC 7371 | Updates to the IPv6 Multicast Addressing Architecture  | 2014 | IETF | 0 |
| 668 | RFC 7419 | Common Interval Support in Bidirectional Forwarding Detection  | 2014 | IETF | 0 |
| 669 | RFC 7216 | Location Information Server (LIS) Discovery Using IP Addresses and Reverse DNS   | 2014 | IETF | 0 |
| 670 | RFC 7188 | Optimized Link State Routing Protocol Version 2 (OLSRv2) and MANET Neighborhood Discovery Protocol (NHDP) Extension TLVs   | 2014 | IETF | 0 |
| 671 | RFC 7263 | An Extension to the REsource LOcation And Discovery (RELOAD) Protocol to Support Direct Response Routing   | 2014 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 672 | RFC 7173 | Transparent Interconnection of Lots of Links (TRILL) Transport Using Pseudowires  | 2014 | IETF | 0 |
| 673 | RFC 7192 | Algorithms for Cryptographic Message Syntax (CMS) Key Package Receipt and Error Content Types   | 2014 | IETF | 0 |
| 674 | RFC 7345 | UDP Transport Layer (UDPTL) over Datagram Transport Layer Security (DTLS)   | 2014 | IETF | 0 |
| 675 | RFC 7275 | Inter-Chassis Communication Protocol for Layer 2 Virtual Private Network (L2VPN) Provider Edge (PE) Redundancy  | 2014 | IETF | 0 |
| 676 | RFC 7197 | Duplication Delay Attribute in the Session Description Protocol   | 2014 | IETF | 0 |
| 677 | RFC 7145 | Internet Small Computer System Interface (iSCSI) Extensions for the Remote Direct Memory Access (RDMA) Specification  | 2014 | IETF | 0 |
| 678 | RFC 7097 | RTP Control Protocol (RTCP) Extended Report (XR) for RLE of Discarded Packets   | 2014 | IETF | 0 |
| 679 | RFC 7366 | Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)  | 2014 | IETF | 0 |
| 680 | RFC 7310 | RTP Payload Format for Standard apt-X and Enhanced apt-X Codecs   | 2014 | IETF | 0 |
| 681 | RFC 7231 | Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content   | 2014 | IETF | 0 |
| 682 | RFC 7095 | jCard: The JSON Format for vCard  | 2014 | IETF | 0 |
| 683 | RFC 7163 | URN for Country-Specific Emergency Services   | 2014 | IETF | 0 |
| 684 | RFC 7306 | Remote Direct Memory Access (RDMA) Protocol Extensions  | 2014 | IETF | 0 |
| 685 | RFC 7403 | A Media-Based Traceroute Function for the Session Initiation Protocol (SIP)   | 2014 | IETF | 0 |
| 686 | RFC 7425 | Adobe's RTMFP Profile for Flash Communication   | 2014 | IETF | 0 |
| 687 | RFC 7372 | Email Authentication Status Codes   | 2014 | IETF | 0 |
| 688 | RFC 7373 | Textual Representation of IP Flow Information Export (IPFIX) Abstract Data Types  | 2014 | IETF | 0 |
| 689 | RFC 7203 | An Incident Object Description Exchange Format (IODEF) Extension for Structured Cybersecurity Information   | 2014 | IETF | 0 |
| 690 | RFC 7264 | An Extension to the Resource Location And Discovery (RELOAD) Protocol to Support Relay Peer Routing   | 2014 | IETF | 0 |
| 691 | RFC 7175 | Transparent Interconnection of Lots of Links (TRILL): Bidirectional Forwarding Detection (BFD) Support  | 2014 | IETF | 0 |
| 692 | RFC 7420 | Path Computation Element Communication Protocol (PCEP) Management Information Base (MIB) Module   | 2014 | IETF | 0 |
| 693 | RFC 7217 | A Method for Generating Semantically Opaque Interface Identifiers with IPv6 Stateless Address Autoconfiguration (SLAAC)   | 2014 | IETF | 0 |
| 694 | RFC 7346 | IPv6 Multicast Address Scopes   | 2014 | IETF | 0 |
| 695 | RFC 7104 | Duplication Grouping Semantics in the Session Description Protocol  | 2014 | IETF | 0 |
| 696 | RFC 7146 | Securing Block Storage Protocols over IP: RFC 3723 Requirements Update for IPsec v3   | 2014 | IETF | 0 |
| 697 | RFC 7198 | Duplicating RTP Streams   | 2014 | IETF | 0 |
| 698 | RFC 7232 | Hypertext Transfer Protocol (HTTP/1.1): Conditional Requests  | 2014 | IETF | 0 |
| 699 | RFC 7311 | The Accumulated IGP Metric Attribute for BGP  | 2014 | IETF | 0 |
| 700 | RFC 7164 | RTP and Leap Seconds  | 2014 | IETF | 0 |
| 701 | RFC 7212 | MPLS Generic Associated Channel (G-ACh) Advertisement Protocol  | 2014 | IETF | 0 |
| 702 | RFC 7247 | Interworking between the Session Initiation Protocol (SIP) and the Extensible Messaging and Presence Protocol (XMPP): Architecture, Addresses, and Error Handling | 2014 | IETF | 0 |
| 703 | RFC 7308 | Extended Administrative Groups in MPLS Traffic Engineering (MPLS-TE)  | 2014 | IETF | 0 |
| 704 | RFC 7285 | Application-Layer Traffic Optimization (ALTO) Protocol  | 2014 | IETF | 0 |
| 705 | RFC 7408 | Forwarding and Control Element Separation (ForCES) Model Extension  | 2014 | IETF | 0 |
| 706 | RFC 7378 | Trustworthy Location  | 2014 | IETF | 0 |
| 707 | RFC 7388 | Definition of Managed Objects for IPv6 over Low-Power Wireless Personal Area Networks (6LoWPANs)  | 2014 | IETF | 0 |
| 708 | RFC 7422 | Deterministic Address Mapping to Reduce Logging in Carrier-Grade NAT Deployments  | 2014 | IETF | 0 |
| 709 | RFC 7210 | Database of Long-Lived Symmetric Cryptographic Keys   | 2014 | IETF | 0 |
| 710 | RFC 7159 | The JavaScript Object Notation (JSON) Data Interchange Format   | 2014 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 711 | RFC 7266 | RTP Control Protocol (RTCP) Extended Report (XR) Blocks for Mean Opinion Score (MOS) Metric Reporting   | 2014 | IETF | 0 |
| 712 | RFC 7176 | Transparent Interconnection of Lots of Links (TRILL) Use of IS-IS   | 2014 | IETF | 0 |
| 713 | RFC 7219 | SEcure Neighbor Discovery (SEND) Source Address Validation Improvement (SAVI)   | 2014 | IETF | 0 |
| 714 | RFC 7105 | Using Device-Provided Location-Related Measurements in Location Configuration Protocols   | 2014 | IETF | 0 |
| 715 | RFC 7349 | LDP Hello Cryptographic Authentication  | 2014 | IETF | 0 |
| 716 | RFC 7280 | IANA Guidance for Managing the Unidirectional Lightweight Encapsulation (ULE) Next-Header Registry  | 2014 | IETF | 0 |
| 717 | RFC 7199 | Location Configuration Extensions for Policy Management   | 2014 | IETF | 0 |
| 718 | RFC 7233 | Hypertext Transfer Protocol (HTTP/1.1): Range Requests  | 2014 | IETF | 0 |
| 719 | RFC 7147 | Definitions of Managed Objects for the Internet Small Computer System Interface (iSCSI)   | 2014 | IETF | 0 |
| 720 | RFC 7313 | Enhanced Route Refresh Capability for BGP-4   | 2014 | IETF | 0 |
| 721 | RFC 7166 | Supporting Authentication Trailer for OSPFv3  | 2014 | IETF | 0 |
| 722 | RFC 7213 | MPLS Transport Profile (MPLS-TP) Next-Hop Ethernet Addressing   | 2014 | IETF | 0 |
| 723 | RFC 7309 | Redundancy Mechanism for Inter-domain VPLS Service  | 2014 | IETF | 0 |
| 724 | RFC 7389 | Separation of Control and User Plane for Proxy Mobile IPv6  | 2014 | IETF | 0 |
| 725 | RFC 7397 | Report from the Smart Object Security Workshop  | 2014 | IETF | 0 |
| 726 | RFC 7218 | Adding Acronyms to Simplify Conversations about DNS-Based Authentication of Named Entities (DANE)   | 2014 | IETF | 0 |
| 727 | RFC 7044 | An Extension to the Session Initiation Protocol (SIP) for Request History Information   | 2014 | IETF | 0 |
| 728 | RFC 7267 | Dynamic Placement of Multi-Segment Pseudowires  | 2014 | IETF | 0 |
| 729 | RFC 7220 | Description Option for the Port Control Protocol (PCP)  | 2014 | IETF | 0 |
| 730 | RFC 6869 | vCard KIND:device   | 2013 | IETF | 0 |
| 731 | RFC 6925 | The DHCPv4 Relay Agent Identifier Sub-Option  | 2013 | IETF | 0 |
| 732 | RFC 6878 | IANA Registry for the Session Initiation Protocol (SIP) "Priority" Header Field   | 2013 | IETF | 0 |
| 733 | RFC 6946 | Processing of IPv6 "Atomic" Fragments   | 2013 | IETF | 0 |
| 734 | RFC 7075 | Realm-Based Redirection In Diameter   | 2013 | IETF | 0 |
| 735 | RFC 7045 | Transmission and Processing of IPv6 Extension Headers   | 2013 | IETF | 0 |
| 736 | RFC 7006 | Miscellaneous Capabilities Negotiation in the Session Description Protocol (SDP)  | 2013 | IETF | 0 |
| 737 | RFC 6904 | Encryption of Header Extensions in the Secure Real-time Transport Protocol (SRTP)   | 2013 | IETF | 0 |
| 738 | RFC 6764 | Locating Services for Calendaring Extensions to WebDAV (CalDAV) and vCard Extensions to WebDAV (CardDAV)  | 2013 | IETF | 0 |
| 739 | RFC 6960 | X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP  | 2013 | IETF | 0 |
| 740 | RFC 6851 | Internet Message Access Protocol (IMAP) - MOVE Extension  | 2013 | IETF | 0 |
| 741 | RFC 7035 | Relative Location Representation  | 2013 | IETF | 0 |
| 742 | RFC 6969 | OSPFv3 Instance ID Registry Update  | 2013 | IETF | 0 |
| 743 | RFC 6868 | Parameter Value Encoding in iCalendar and vCard   | 2013 | IETF | 0 |
| 744 | RFC 6827 | Automatically Switched Optical Network (ASON) Routing for OSPFv2 Protocols  | 2013 | IETF | 0 |
| 745 | RFC 6945 | Definitions of Managed Objects for the Resource Public Key Infrastructure (RPKI) to Router Protocol   | 2013 | IETF | 0 |
| 746 | RFC 7070 | An Architecture for Reputation Reporting  | 2013 | IETF | 0 |
| 747 | RFC 6920 | Naming Things with Hashes   | 2013 | IETF | 0 |
| 748 | RFC 6876 | A Posture Transport Protocol over TLS (PT-TLS)  | 2013 | IETF | 0 |
| 749 | RFC 7005 | RTP Control Protocol (RTCP) Extended Report (XR) Block for De-Jitter Buffer Metric Reporting  | 2013 | IETF | 0 |
| 750 | RFC 7057 | Update to the Extensible Authentication Protocol (EAP) Applicability Statement for Application Bridging for Federated Access Beyond Web (ABFAB) | 2013 | IETF | 0 |
| 751 | RFC 7074 | Revised Definition of the GMPLS Switching Capability and Type Fields  | 2013 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 752 | RFC 6772 | Geolocation Policy: A Document Format for Expressing Privacy Preferences for Location Information  | 2013 | IETF | 0 |
| 753 | RFC 6763 | DNS-Based Service Discovery  | 2013 | IETF | 0 |
| 754 | RFC 6957 | Duplicate Address Detection Proxy  | 2013 | IETF | 0 |
| 755 | RFC 6850 | Definitions of Managed Objects for Routing Bridges (RBridges)  | 2013 | IETF | 0 |
| 756 | RFC 7032 | LDP Downstream-on-Demand in Seamless MPLS  | 2013 | IETF | 0 |
| 757 | RFC 6880 | An Information Model for Kerberos Version 5  | 2013 | IETF | 0 |
| 758 | RFC 6871 | Session Description Protocol (SDP) Media Capabilities Negotiation  | 2013 | IETF | 0 |
| 759 | RFC 7065 | Traversal Using Relays around NAT (TURN) Uniform Resource Identifiers  | 2013 | IETF | 0 |
| 760 | RFC 6942 | Diameter Support for the EAP Re-authentication Protocol (ERP)  | 2013 | IETF | 0 |
| 761 | RFC 6864 | Updated Specification of the IPv4 ID Field   | 2013 | IETF | 0 |
| 762 | RFC 7073 | A Reputation Response Set for Email Identifiers  | 2013 | IETF | 0 |
| 763 | RFC 7056 | Name Attributes for the GSS-API Extensible Authentication Protocol (EAP) Mechanism   | 2013 | IETF | 0 |
| 764 | RFC 7004 | RTP Control Protocol (RTCP) Extended Report (XR) Blocks for Summary Statistics Metrics Reporting   | 2013 | IETF | 0 |
| 765 | RFC 6944 | Applicability Statement: DNS Security (DNSSEC) DNSKEY Algorithm Implementation Status  | 2013 | IETF | 0 |
| 766 | RFC 6762 | Multicast DNS  | 2013 | IETF | 0 |
| 767 | RFC 6860 | Hiding Transit-Only Networks in OSPF   | 2013 | IETF | 0 |
| 768 | RFC 6956 | Forwarding and Control Element Separation (ForCES) Logical Function Block (LFB) Library  | 2013 | IETF | 0 |
| 769 | RFC 6936 | Applicability Statement for the Use of IPv6 UDP Datagrams with Zero Checksums  | 2013 | IETF | 0 |
| 770 | RFC 6848 | Specifying Civic Address Extensions in the Presence Information Data Format Location Object (PIDF-LO)  | 2013 | IETF | 0 |
| 771 | RFC 7030 | Enrollment over Secure Transport   | 2013 | IETF | 0 |
| 772 | RFC 6939 | Client Link-Layer Address Option in DHCPv6   | 2013 | IETF | 0 |
| 773 | RFC 6849 | An Extension to the Session Description Protocol (SDP) and Real-time Transport Protocol (RTP) for Media Loopback   | 2013 | IETF | 0 |
| 774 | RFC 6825 | Traffic Engineering Database Management Information Base in Support of MPLS-TE/GMPLS   | 2013 | IETF | 0 |
| 775 | RFC 6918 | Formally Deprecating Some ICMPv4 Message Types   | 2013 | IETF | 0 |
| 776 | RFC 6865 | Simple Reed-Solomon Forward Error Correction (FEC) Scheme for FECFRAME   | 2013 | IETF | 0 |
| 777 | RFC 7064 | URI Scheme for the Session Traversal Utilities for NAT (STUN) Protocol   | 2013 | IETF | 0 |
| 778 | RFC 7033 | WebFinger  | 2013 | IETF | 0 |
| 779 | RFC 7072 | A Reputation Query Protocol  | 2013 | IETF | 0 |
| 780 | RFC 6990 | RTP Control Protocol (RTCP) Extended Report (XR) Block for MPEG-2 Transport Stream (TS) Program Specific Information (PSI) Independent Decodability Statistics Metrics Reporting | 2013 | IETF | 0 |
| 781 | RFC 7003 | RTP Control Protocol (RTCP) Extended Report (XR) Block for Burst/Gap Discard Metric Reporting  | 2013 | IETF | 0 |
| 782 | RFC 7055 | A GSS-API Mechanism for the Extensible Authentication Protocol   | 2013 | IETF | 0 |
| 783 | RFC 6761 | Special-Use Domain Names   | 2013 | IETF | 0 |
| 784 | RFC 6846 | RObust Header Compression (ROHC): A Profile for TCP/IP (ROHC-TCP)  | 2013 | IETF | 0 |
| 785 | RFC 6935 | IPv6 and UDP Checksums for Tunneled Packets  | 2013 | IETF | 0 |
| 786 | RFC 7024 | Virtual Hub-and-Spoke in BGP/MPLS VPNs   | 2013 | IETF | 0 |
| 787 | RFC 7060 | Using LDP Multipoint Extensions on Targeted LDP Sessions   | 2013 | IETF | 0 |
| 788 | RFC 6917 | Media Resource Brokering   | 2013 | IETF | 0 |
| 789 | RFC 6858 | Simplified POP and IMAP Downgrading for Internationalized Email  | 2013 | IETF | 0 |
| 790 | RFC 7026 | Retiring TLVs from the Associated Channel Header of the MPLS Generic Associated Channel  | 2013 | IETF | 0 |
| 791 | RFC 6840 | Clarifications and Implementation Notes for DNS Security (DNSSEC)  | 2013 | IETF | 0 |
| 792 | RFC 6938 | Deprecation of BGP Path Attributes: DPA, ADVERTISER, and RCID PATH / CLUSTER ID  | 2013 | IETF | 0 |

|     |          |  |      |      |   |
|-----|----------|--|------|------|---|
| 793 | RFC 7002 | RTP Control Protocol (RTCP) Extended Report (XR) Block for Discard Count Metric Reporting  | 2013 | IETF | 0 |
| 794 | RFC 6994 | Shared Use of Experimental TCP Options   | 2013 | IETF | 0 |
| 795 | RFC 6874 | Representing IPv6 Zone Identifiers in Address Literals and Uniform Resource Identifiers  | 2013 | IETF | 0 |
| 796 | RFC 6884 | RTP Payload Format for the Enhanced Variable Rate Narrowband-Wideband Codec (EVRC-NW)  | 2013 | IETF | 0 |
| 797 | RFC 6991 | Common YANG Data Types   | 2013 | IETF | 0 |
| 798 | RFC 6845 | OSPF Hybrid Broadcast and Point-to-Multipoint Interface Type   | 2013 | IETF | 0 |
| 799 | RFC 6931 | Additional XML Security Uniform Resource Identifiers (URIs)  | 2013 | IETF | 0 |
| 800 | RFC 6768 | ATM-Based xDSL Bonded Interfaces MIB   | 2013 | IETF | 0 |
| 801 | RFC 6915 | Flow Identity Extension for HTTP-Enabled Location Delivery (HELD)  | 2013 | IETF | 0 |
| 802 | RFC 6857 | Post-Delivery Message Downgrading for Internationalized Email Messages   | 2013 | IETF | 0 |
| 803 | RFC 7022 | Guidelines for Choosing RTP Control Protocol (RTCP) Canonical Names (CNAMEs)   | 2013 | IETF | 0 |
| 804 | RFC 7053 | SACK-IMMEDIATELY Extension for the Stream Control Transmission Protocol  | 2013 | IETF | 0 |
| 805 | RFC 6933 | Entity MIB (Version 4)   | 2013 | IETF | 0 |
| 806 | RFC 7007 | Update to Remove DVI4 from the Recommended Codecs for the RTP Profile for Audio and Video conferences with Minimal Control (RTP/AVP) | 2013 | IETF | 0 |
| 807 | RFC 6898 | Link Management Protocol Behavior Negotiation and Configuration Modifications  | 2013 | IETF | 0 |
| 808 | RFC 6989 | Additional Diffie-Hellman Tests for the Internet Key Exchange Protocol Version 2 (IKEv2)   | 2013 | IETF | 0 |
| 809 | RFC 6930 | RADIUS Attribute for IPv6 Rapid Deployment on IPv4 Infrastructures (6rd)   | 2013 | IETF | 0 |
| 810 | RFC 6844 | DNS Certification Authority Authorization (CAA) Resource Record  | 2013 | IETF | 0 |
| 811 | RFC 6873 | Format for the Session Initiation Protocol (SIP) Common Log Format (CLF)   | 2013 | IETF | 0 |
| 812 | RFC 6958 | RTP Control Protocol (RTCP) Extended Report (XR) Block for Burst/Gap Loss Metric Reporting   | 2013 | IETF | 0 |
| 813 | RFC 7050 | Discovery of the IPv6 Prefix Used for IPv6 Address Synthesis   | 2013 | IETF | 0 |
| 814 | RFC 7015 | Flow Aggregation for the IP Flow Information Export (IPFIX) Protocol   | 2013 | IETF | 0 |
| 815 | RFC 6767 | Ethernet-Based xDSL Multi-Pair Bonding (G.Bond/Ethernet) MIB   | 2013 | IETF | 0 |
| 816 | RFC 6818 | Updates to the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile                    | 2013 | IETF | 0 |
| 817 | RFC 6911 | RADIUS Attributes for IPv6 Access Networks   | 2013 | IETF | 0 |
| 818 | RFC 6856 | Post Office Protocol Version 3 (POP3) Support for UTF-8  | 2013 | IETF | 0 |
| 819 | RFC 6923 | MPLS Transport Profile (MPLS-TP) Identifiers Following ITU-T Conventions   | 2013 | IETF | 0 |
| 820 | RFC 6980 | Security Implications of IPv6 Fragmentation with IPv6 Neighbor Discovery   | 2013 | IETF | 0 |
| 821 | RFC 6901 | JavaScript Object Notation (JSON) Pointer  | 2013 | IETF | 0 |
| 822 | RFC 7023 | MPLS and Ethernet Operations, Administration, and Maintenance (OAM) Interworking   | 2013 | IETF | 0 |
| 823 | RFC 6977 | Triggering DHCPv6 Reconfiguration from Relay Agents  | 2013 | IETF | 0 |
| 824 | RFC 6955 | Diffie-Hellman Proof-of-Possession Algorithms  | 2013 | IETF | 0 |
| 825 | RFC 6929 | Remote Authentication Dial-In User Service (RADIUS) Protocol Extensions  | 2013 | IETF | 0 |
| 826 | RFC 6843 | RTP Control Protocol (RTCP) Extended Report (XR) Block for Delay Metric Reporting  | 2013 | IETF | 0 |
| 827 | RFC 6872 | The Common Log Format (CLF) for the Session Initiation Protocol (SIP): Framework and Information Model                               | 2013 | IETF | 0 |
| 828 | RFC 7083 | Modification to Default Values of SOL MAX RT and INF MAX RT  | 2013 | IETF | 0 |
| 829 | RFC 7014 | Flow Selection Techniques  | 2013 | IETF | 0 |
| 830 | RFC 6910 | Completion of Calls for the Session Initiation Protocol (SIP)  | 2013 | IETF | 0 |
| 831 | RFC 6855 | IMAP Support for UTF-8   | 2013 | IETF | 0 |
| 832 | RFC 6766 | xDSL Multi-Pair Bonding Using Time-Division Inverse Multiplexing (G.Bond/TDIM) MIB   | 2013 | IETF | 0 |
| 833 | RFC 6902 | JavaScript Object Notation (JSON) Patch  | 2013 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 834 | RFC 6975 | Signaling Cryptographic Algorithm Understanding in DNS Security Extensions (DNSSEC)                                     | 2013 | IETF | 0 |
| 835 | RFC 7049 | Concise Binary Object Representation (CBOR)   | 2013 | IETF | 0 |
| 836 | RFC 7009 | OAuth 2.0 Token Revocation  | 2013 | IETF | 0 |
| 837 | RFC 6951 | UDP Encapsulation of Stream Control Transmission Protocol (SCTP) Packets for End-Host to End-Host Communication         | 2013 | IETF | 0 |
| 838 | RFC 6842 | Client Identifier Option in DHCP Server Replies   | 2013 | IETF | 0 |
| 839 | RFC 7012 | Information Model for IP Flow Information Export (IPFIX)  | 2013 | IETF | 0 |
| 840 | RFC 6854 | Update to Internet Message Format to Allow Group Syntax in the "From:" and "Sender:" Header Fields                      | 2013 | IETF | 0 |
| 841 | RFC 6909 | IPv4 Traffic Offload Selector Option for Proxy Mobile IPv6  | 2013 | IETF | 0 |
| 842 | RFC 7077 | Update Notifications for Proxy Mobile IPv6  | 2013 | IETF | 0 |
| 843 | RFC 6811 | BGP Prefix Origin Validation  | 2013 | IETF | 0 |
| 844 | RFC 6765 | xDSL Multi-Pair Bonding (G.Bond) MIB  | 2013 | IETF | 0 |
| 845 | RFC 6551 | Routing Metrics Used for Path Calculation in Low-Power and Lossy Networks   | 2012 | IETF | 0 |
| 846 | RFC 6575 | Address Resolution Protocol (ARP) Mediation for IP Interworking of Layer 2 VPNs   | 2012 | IETF | 0 |
| 847 | RFC 6710 | Simple Mail Transfer Protocol Extension for Message Transfer Priorities   | 2012 | IETF | 0 |
| 848 | RFC 6736 | Diameter Network Address and Port Translation Control Application   | 2012 | IETF | 0 |
| 849 | RFC 6667 | LDP Typed Wildcard Forwarding Equivalence Class (FEC) for Pwid and Generalized Pwid FEC Elements                        | 2012 | IETF | 0 |
| 850 | RFC 6492 | A Protocol for Provisioning Resource Certificates   | 2012 | IETF | 0 |
| 851 | RFC 6705 | Localized Routing for Proxy Mobile IPv6   | 2012 | IETF | 0 |
| 852 | RFC 6515 | IPv4 and IPv6 Infrastructure Addresses in BGP Updates for Multicast VPN   | 2012 | IETF | 0 |
| 853 | RFC 6795 | A Session Initiation Protocol (SIP) Event Package for Session-Specific Policies   | 2012 | IETF | 0 |
| 854 | RFC 6544 | TCP Candidates with Interactive Connectivity Establishment (ICE)  | 2012 | IETF | 0 |
| 855 | RFC 6777 | Label Switched Path (LSP) Data Path Delay Metrics in Generalized MPLS and MPLS Traffic Engineering (MPLS-TE) Networks   | 2012 | IETF | 0 |
| 856 | RFC 6510 | Resource Reservation Protocol (RSVP) Message Formats for Label Switched Path (LSP) Attributes Objects                   | 2012 | IETF | 0 |
| 857 | RFC 6597 | RTP Payload Format for Society of Motion Picture and Television Engineers (SMPTE) ST 336 Encoded Data                   | 2012 | IETF | 0 |
| 858 | RFC 6553 | The Routing Protocol for Low-Power and Lossy Networks (RPL) Option for Carrying RPL Information in Data-Plane Datagrams | 2012 | IETF | 0 |
| 859 | RFC 6549 | OSPFv2 Multi-Instance Extensions  | 2012 | IETF | 0 |
| 860 | RFC 6585 | Additional HTTP Status Codes  | 2012 | IETF | 0 |
| 861 | RFC 6816 | Simple Low-Density Parity Check (LDPC) Staircase Forward Error Correction (FEC) Scheme for FECFRAME                     | 2012 | IETF | 0 |
| 862 | RFC 6481 | A Profile for Resource Certificate Repository Structure   | 2012 | IETF | 0 |
| 863 | RFC 6572 | RADIUS Support for Proxy Mobile IPv6  | 2012 | IETF | 0 |
| 864 | RFC 6714 | Connection Establishment for Media Anchoring (CEMA) for the Message Session Relay Protocol (MSRP)                       | 2012 | IETF | 0 |
| 865 | RFC 6533 | Internationalized Delivery Status and Disposition Notifications   | 2012 | IETF | 0 |
| 866 | RFC 6611 | Mobile IPv6 (MIPv6) Bootstrapping for the Integrated Scenario   | 2012 | IETF | 0 |
| 867 | RFC 6787 | Media Resource Control Protocol Version 2 (MRCPv2)  | 2012 | IETF | 0 |
| 868 | RFC 6578 | Collection Synchronization for Web Distributed Authoring and Versioning (WebDAV)  | 2012 | IETF | 0 |
| 869 | RFC 6668 | SHA-2 Data Integrity Verification for the Secure Shell (SSH) Transport Layer Protocol                                   | 2012 | IETF | 0 |
| 870 | RFC 6493 | The Resource Public Key Infrastructure (RPKI) Ghostbusters Record   | 2012 | IETF | 0 |
| 871 | RFC 6796 | A User Agent Profile Data Set for Media Policy  | 2012 | IETF | 0 |
| 872 | RFC 6558 | Sieve Extension for Converting Messages before Delivery   | 2012 | IETF | 0 |
| 873 | RFC 6604 | xNAME RCODE and Status Bits Clarification   | 2012 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 874 | RFC 6637 | Elliptic Curve Cryptography (ECC) in OpenPGP  | 2012 | IETF | 0 |
| 875 | RFC 6554 | An IPv6 Routing Header for Source Routes with the Routing Protocol for Low-Power and Lossy Networks (RPL)                           | 2012 | IETF | 0 |
| 876 | RFC 6688 | Parallel NFS (pNFS) Block Disk Protection   | 2012 | IETF | 0 |
| 877 | RFC 6511 | Non-Penultimate Hop Popping Behavior and Out-of-Band Mapping for RSVP-TE Label Switched Paths                                       | 2012 | IETF | 0 |
| 878 | RFC 6750 | The OAuth 2.0 Authorization Framework: Bearer Token Usage   | 2012 | IETF | 0 |
| 879 | RFC 6594 | Use of the SHA-256 Algorithm with RSA, Digital Signature Algorithm (DSA), and Elliptic Curve DSA (ECDSA) in SSHFP Resource Records  | 2012 | IETF | 0 |
| 880 | RFC 6532 | Internationalized Email Headers   | 2012 | IETF | 0 |
| 881 | RFC 6643 | Translation of Structure of Management Information Version 2 (SMIv2) MIB Modules to YANG Modules                                    | 2012 | IETF | 0 |
| 882 | RFC 6565 | OSPFv3 as a Provider Edge to Customer Edge (PE-CE) Routing Protocol   | 2012 | IETF | 0 |
| 883 | RFC 6482 | A Profile for Route Origin Authorizations (ROAs)  | 2012 | IETF | 0 |
| 884 | RFC 6580 | IANA Registries for the Remote Direct Data Placement (RDDP) Protocols   | 2012 | IETF | 0 |
| 885 | RFC 6512 | Using Multipoint LDP When the Backbone Has No Route to the Root   | 2012 | IETF | 0 |
| 886 | RFC 6737 | The Diameter Capabilities Update Application  | 2012 | IETF | 0 |
| 887 | RFC 6715 | vCard Format Extensions: Representing vCard Extensions Defined by the Open Mobile Alliance (OMA) Converged Address Book (CAB) Group | 2012 | IETF | 0 |
| 888 | RFC 6516 | IPv6 Multicast VPN (MVPN) Support Using PIM Control Plane and Selective Provider Multicast Service Interface (S-PMSI) Join Messages | 2012 | IETF | 0 |
| 889 | RFC 6494 | Certificate Profile and Certificate Management for SEcure Neighbor Discovery (SEND)   | 2012 | IETF | 0 |
| 890 | RFC 6806 | Kerberos Principal Name Canonicalization and Cross-Realm Referrals  | 2012 | IETF | 0 |
| 891 | RFC 6721 | The Atom "deleted-entry" Element  | 2012 | IETF | 0 |
| 892 | RFC 6673 | Round-Trip Packet Loss Metrics  | 2012 | IETF | 0 |
| 893 | RFC 6562 | Guidelines for the Use of Variable Bit Rate Audio with Secure RTP   | 2012 | IETF | 0 |
| 894 | RFC 6633 | Deprecation of ICMP Source Quench Messages  | 2012 | IETF | 0 |
| 895 | RFC 6446 | Session Initiation Protocol (SIP) Event Notification Extension for Notification Rate Control  | 2012 | IETF | 0 |
| 896 | RFC 6605 | Elliptic Curve Digital Signature Algorithm (DSA) for DNSSEC   | 2012 | IETF | 0 |
| 897 | RFC 6712 | Internet X.509 Public Key Infrastructure - HTTP Transfer for the Certificate Management Protocol (CMP)                              | 2012 | IETF | 0 |
| 898 | RFC 6526 | IP Flow Information Export (IPFIX) Per Stream Control Transmission Protocol (SCTP) Stream   | 2012 | IETF | 0 |
| 899 | RFC 6690 | Constrained RESTful Environments (CoRE) Link Format   | 2012 | IETF | 0 |
| 900 | RFC 6672 | DNAME Redirection in the DNS  | 2012 | IETF | 0 |
| 901 | RFC 6623 | IANA Registry for MEDIACTRL Interactive Voice Response Control Package  | 2012 | IETF | 0 |
| 902 | RFC 6581 | Enhanced Remote Direct Memory Access (RDMA) Connection Establishment  | 2012 | IETF | 0 |
| 903 | RFC 6788 | The Line-Identification Option  | 2012 | IETF | 0 |
| 904 | RFC 6738 | Diameter IKEv2 SK: Using Shared Keys to Support Interaction between IKEv2 Servers and Diameter Servers                              | 2012 | IETF | 0 |
| 905 | RFC 6644 | Rebind Capability in DHCPv6 Reconfigure Messages  | 2012 | IETF | 0 |
| 906 | RFC 6607 | Virtual Subnet Selection Options for DHCPv4 and DHCPv6  | 2012 | IETF | 0 |
| 907 | RFC 6727 | Definitions of Managed Objects for Packet Sampling  | 2012 | IETF | 0 |
| 908 | RFC 6809 | Mechanism to Indicate Support of Features and Capabilities in the Session Initiation Protocol (SIP)                                 | 2012 | IETF | 0 |
| 909 | RFC 6780 | RSVP ASSOCIATION Object Extensions  | 2012 | IETF | 0 |
| 910 | RFC 6519 | RADIUS Extensions for Dual-Stack Lite   | 2012 | IETF | 0 |
| 911 | RFC 6674 | Gateway-Initiated Dual-Stack Lite Deployment  | 2012 | IETF | 0 |
| 912 | RFC 6652 | Sender Policy Framework (SPF) Authentication Failure Reporting Using the Abuse Reporting Format                                     | 2012 | IETF | 0 |

|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 913 | RFC 6495 | Subject Key Identifier (SKI) SEcure Neighbor Discovery (SEND) Name Type Fields  | 2012 | IETF | 0 |
| 914 | RFC 6543 | Reserved IPv6 Interface Identifier for Proxy Mobile IPv6  | 2012 | IETF | 0 |
| 915 | RFC 6630 | EAP Re-authentication Protocol Extensions for Authenticated Anticipatory Keying (ERP/AAK)                                     | 2012 | IETF | 0 |
| 916 | RFC 6447 | Filtering Location Notifications in the Session Initiation Protocol (SIP)   | 2012 | IETF | 0 |
| 917 | RFC 6534 | Loss Episode Metrics for IP Performance Metrics (IPPM)  | 2012 | IETF | 0 |
| 918 | RFC 6729 | Indicating Email Handling States in Trace Fields  | 2012 | IETF | 0 |
| 919 | RFC 6692 | Source Ports in Abuse Reporting Format (ARF) Reports  | 2012 | IETF | 0 |
| 920 | RFC 6582 | The NewReno Modification to TCP's Fast Recovery Algorithm   | 2012 | IETF | 0 |
| 921 | RFC 6486 | Manifests for the Resource Public Key Infrastructure (RPKI)   | 2012 | IETF | 0 |
| 922 | RFC 6655 | AES-CCM Cipher Suites for Transport Layer Security (TLS)  | 2012 | IETF | 0 |
| 923 | RFC 6608 | Subcodes for BGP Finite State Machine Error   | 2012 | IETF | 0 |
| 924 | RFC 6525 | Stream Control Transmission Protocol (SCTP) Stream Reconfiguration  | 2012 | IETF | 0 |
| 925 | RFC 6753 | A Location Dereference Protocol Using HTTP-Enabled Location Delivery (HELD)   | 2012 | IETF | 0 |
| 926 | RFC 6651 | Extensions to DomainKeys Identified Mail (DKIM) for Failure Reporting   | 2012 | IETF | 0 |
| 927 | RFC 6584 | Simple Authentication Schemes for the Asynchronous Layered Coding (ALC) and NACK-Oriented Reliable Multicast (NORM) Protocols | 2012 | IETF | 0 |
| 928 | RFC 6501 | Conference Information Data Model for Centralized Conferencing (XCON)   | 2012 | IETF | 0 |
| 929 | RFC 6719 | The Minimum Rank with Hysteresis Objective Function   | 2012 | IETF | 0 |
| 930 | RFC 6728 | Configuration Data Model for the IP Flow Information Export (IPFIX) and Packet Sampling (PSAMP) Protocols                     | 2012 | IETF | 0 |
| 931 | RFC 6814 | Formally Deprecating Some IPv4 Options  | 2012 | IETF | 0 |
| 932 | RFC 6675 | A Conservative Loss Recovery Algorithm Based on Selective Acknowledgment (SACK) for TCP                                       | 2012 | IETF | 0 |
| 933 | RFC 6784 | Kerberos Options for DHCPv6   | 2012 | IETF | 0 |
| 934 | RFC 6540 | IPv6 Support Required for All IP-Capable Nodes  | 2012 | IETF | 0 |
| 935 | RFC 6626 | Dynamic Prefix Allocation for Network Mobility for Mobile IPv4 (NEMOv4)   | 2012 | IETF | 0 |
| 936 | RFC 6463 | Runtime Local Mobility Anchor (LMA) Assignment Support for Proxy Mobile IPv6  | 2012 | IETF | 0 |
| 937 | RFC 6560 | One-Time Password (OTP) Pre-Authentication  | 2012 | IETF | 0 |
| 938 | RFC 6696 | EAP Extensions for the EAP Re-authentication Protocol (ERP)   | 2012 | IETF | 0 |
| 939 | RFC 6791 | Stateless Source Address Mapping for ICMPv6 Packets   | 2012 | IETF | 0 |
| 940 | RFC 6726 | FLUTE - File Delivery over Unidirectional Transport   | 2012 | IETF | 0 |
| 941 | RFC 6754 | Protocol Independent Multicast Equal-Cost Multipath (ECMP) Redirect   | 2012 | IETF | 0 |
| 942 | RFC 6527 | Definitions of Managed Objects for the Virtual Router Redundancy Protocol Version 3 (VRRPv3)                                  | 2012 | IETF | 0 |
| 943 | RFC 6476 | Using Message Authentication Code (MAC) Encryption in the Cryptographic Message Syntax (CMS)                                  | 2012 | IETF | 0 |
| 944 | RFC 6657 | Update to MIME regarding "charset" Parameter Handling in Textual Media Types  | 2012 | IETF | 0 |
| 945 | RFC 6620 | FCFS SAVI: First-Come, First-Served Source Address Validation Improvement for Locally Assigned IPv6 Addresses                 | 2012 | IETF | 0 |
| 946 | RFC 6098 | Generic Notification Message for Mobile IPv4  | 2012 | IETF | 0 |
| 947 | RFC 6528 | Defending against Sequence Number Attacks   | 2012 | IETF | 0 |
| 948 | RFC 6677 | Channel-Binding Support for Extensible Authentication Protocol (EAP) Methods  | 2012 | IETF | 0 |
| 949 | RFC 6723 | Update of the Pseudowire Control-Word Negotiation Mechanism   | 2012 | IETF | 0 |
| 950 | RFC 6650 | Creation and Use of Email Feedback Reports: An Applicability Statement for the Abuse Reporting Format (ARF)                   | 2012 | IETF | 0 |
| 951 | RFC 6590 | Redaction of Potentially Sensitive Data from Mail Abuse Reports   | 2012 | IETF | 0 |
| 952 | RFC 6502 | Conference Event Package Data Format Extension for Centralized Conferencing (XCON)  | 2012 | IETF | 0 |
| 953 | RFC 6785 | Support for Internet Message Access Protocol (IMAP) Events in Sieve   | 2012 | IETF | 0 |



|     |          |   |      |      |   |
|-----|----------|---|------|------|---|
| 954 | RFC 6602 | Bulk Binding Update Support for Proxy Mobile IPv6   | 2012 | IETF | 0 |
| 955 | RFC 6749 | The OAuth 2.0 Authorization Framework   | 2012 | IETF | 0 |
| 956 | RFC 6619 | Scalable Operation of Address Translators with Per-Interface Bindings   | 2012 | IETF | 0 |
| 957 | RFC 6564 | A Uniform Format for IPv6 Extension Headers   | 2012 | IETF | 0 |
| 958 | RFC 6545 | Real-time Inter-network Defense (RID)   | 2012 | IETF | 0 |
| 959 | RFC 6468 | Sieve Notification Mechanism: SIP MESSAGE   | 2012 | IETF | 0 |
| 960 | RFC 6797 | HTTP Strict Transport Security (HSTS)   | 2012 | IETF | 0 |
| 961 | RFC 6658 | Packet Pseudowire Encapsulation over an MPLS PSN  | 2012 | IETF | 0 |
| 962 | RFC 6488 | Signed Object Template for the Resource Public Key Infrastructure (RPKI)  | 2012 | IETF | 0 |
| 963 | RFC 6535 | Dual-Stack Hosts Using "Bump-in-the-Host" (BIH)   | 2012 | IETF | 0 |
| 964 | RFC 6773 | DCCP-UDP: A Datagram Congestion Control Protocol UDP Encapsulation for NAT Traversal  | 2012 | IETF | 0 |
| 965 | RFC 6731 | Improved Recursive DNS Server Selection for Multi-Interfaced Nodes  | 2012 | IETF | 0 |
| 966 | RFC 6647 | Email Greylisting: An Applicability Statement for SMTP  | 2012 | IETF | 0 |
| 967 | RFC 6307 | Encapsulation Methods for Transport of Fibre Channel Traffic over MPLS Networks   | 2012 | IETF | 0 |
| 968 | RFC 6724 | Default Address Selection for Internet Protocol Version 6 (IPv6)  | 2012 | IETF | 0 |
| 969 | RFC 6503 | Centralized Conferencing Manipulation Protocol  | 2012 | IETF | 0 |
| 970 | RFC 6603 | Prefix Exclude Option for DHCPv6-based Prefix Delegation  | 2012 | IETF | 0 |
| 971 | RFC 6546 | Real-time Inter-network Defense (RID)   | 2012 | IETF | 0 |
| 972 | RFC 6470 | Network Configuration Protocol (NETCONF) Base Notifications   | 2012 | IETF | 0 |
| 973 | RFC 6616 | A Simple Authentication and Security Layer (SASL) and Generic Security Service Application Program Interface (GSS-API) Mechanism for OpenID | 2012 | IETF | 0 |
| 974 | RFC 6570 | URI Template  | 2012 | IETF | 0 |
| 975 | RFC 6798 | RTP Control Protocol (RTCP) Extended Report (XR) Block for Packet Delay Variation Metric Reporting  | 2012 | IETF | 0 |
| 976 | RFC 6793 | BGP Support for Four-Octet Autonomous System (AS) Number Space  | 2012 | IETF | 0 |
| 977 | RFC 6734 | Diameter Attribute-Value Pairs for Cryptographic Key Transport  | 2012 | IETF | 0 |
| 978 | RFC 6536 | Network Configuration Protocol (NETCONF) Access Control Model   | 2012 | IETF | 0 |
| 979 | RFC 6775 | Neighbor Discovery Optimization for IPv6 over Low-Power Wireless Personal Area Networks (6LoWPANs)  | 2012 | IETF | 0 |
| 980 | RFC 6660 | Encoding Three Pre-Congestion Notification (PCN) States in the IP Header Using a Single Diffserv Codepoint (DSCP)                           | 2012 | IETF | 0 |
| 981 | RFC 6329 | IS-IS Extensions Supporting IEEE 802.1aq Shortest Path Bridging   | 2012 | IETF | 0 |
| 982 | RFC 6642 | RTP Control Protocol (RTCP) Extension for a Third-Party Loss Report   | 2012 | IETF | 0 |
| 983 | RFC 6725 | DNS Security (DNSSEC) DNSKEY Algorithm IANA Registry Updates  | 2012 | IETF | 0 |
| 984 | RFC 6505 | A Mixer Control Package for the Media Control Channel Framework   | 2012 | IETF | 0 |
| 985 | RFC 6530 | Overview and Framework for Internationalized Email  | 2012 | IETF | 0 |
| 986 | RFC 6681 | Raptor Forward Error Correction (FEC) Schemes for FECFRAME  | 2012 | IETF | 0 |
| 987 | RFC 6609 | Sieve Email Filtering: Include Extension  | 2012 | IETF | 0 |
| 988 | RFC 6786 | Encrypting the Protocol for Carrying Authentication for Network Access (PANA) Attribute-Value Pairs   | 2012 | IETF | 0 |
| 989 | RFC 6550 | RPL: IPv6 Routing Protocol for Low-Power and Lossy Networks   | 2012 | IETF | 0 |
| 990 | RFC 6475 | Proxy Mobile IPv6 Management Information Base   | 2012 | IETF | 0 |
| 991 | RFC 6615 | Definitions of Managed Objects for IP Flow Information Export   | 2012 | IETF | 0 |
| 992 | RFC 6704 | Forcerenew Nonce Authentication   | 2012 | IETF | 0 |
| 993 | RFC 6491 | Resource Public Key Infrastructure (RPKI) Objects Issued by IANA  | 2012 | IETF | 0 |
| 994 | RFC 6680 | Generic Security Service Application Programming Interface (GSS-API) Naming Extensions  | 2012 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 995  | RFC 6794 | A Framework for Session Initiation Protocol (SIP) Session Policies   | 2012 | IETF | 0 |
| 996  | RFC 6735 | Diameter Priority Attribute-Value Pairs  | 2012 | IETF | 0 |
| 997  | RFC 6465 | A Real-time Transport Protocol (RTP) Header Extension for Mixer-to-Client Audio Level Indication                     | 2011 | IETF | 0 |
| 998  | RFC 6083 | Datagram Transport Layer Security (DTLS) for Stream Control Transmission Protocol (SCTP)                             | 2011 | IETF | 0 |
| 999  | RFC 6334 | Dynamic Host Configuration Protocol for IPv6 (DHCPv6) Option for Dual-Stack Lite                                     | 2011 | IETF | 0 |
| 1000 | RFC 6454 | The Web Origin Concept   | 2011 | IETF | 0 |
| 1001 | RFC 6230 | Media Control Channel Framework  | 2011 | IETF | 0 |
| 1002 | RFC 6286 | Autonomous-System-Wide Unique BGP Identifier for BGP-4   | 2011 | IETF | 0 |
| 1003 | RFC 6437 | IPv6 Flow Label Specification  | 2011 | IETF | 0 |
| 1004 | RFC 6396 | Multi-Threaded Routing Toolkit (MRT) Routing Information Export Format   | 2011 | IETF | 0 |
| 1005 | RFC 6276 | DHCPv6 Prefix Delegation for Network Mobility (NEMO)   | 2011 | IETF | 0 |
| 1006 | RFC 6364 | Session Description Protocol Elements for the Forward Error Correction (FEC) Framework                               | 2011 | IETF | 0 |
| 1007 | RFC 6452 | The Unicode Code Points and Internationalized Domain Names for Applications (IDNA) - Unicode 6.0                     | 2011 | IETF | 0 |
| 1008 | RFC 6132 | Sieve Notification Using Presence Information  | 2011 | IETF | 0 |
| 1009 | RFC 6165 | Extensions to IS-IS for Layer-2 Systems  | 2011 | IETF | 0 |
| 1010 | RFC 6242 | Using the NETCONF Protocol over Secure Shell (SSH)   | 2011 | IETF | 0 |
| 1011 | RFC 6089 | Flow Bindings in Mobile IPv6 and Network Mobility (NEMO) Basic Support   | 2011 | IETF | 0 |
| 1012 | RFC 6420 | PIM Multi-Topology ID (MT-ID) Join Attribute   | 2011 | IETF | 0 |
| 1013 | RFC 6187 | X.509v3 Certificates for Secure Shell Authentication   | 2011 | IETF | 0 |
| 1014 | RFC 6116 | The E.164 to Uniform Resource Identifiers (URI) Dynamic Delegation Discovery System (DDDS) Application (ENUM)        | 2011 | IETF | 0 |
| 1015 | RFC 6387 | GMPLS Asymmetric Bandwidth Bidirectional Label Switched Paths (LSPs)   | 2011 | IETF | 0 |
| 1016 | RFC 6080 | A Framework for Session Initiation Protocol User Agent Profile Delivery  | 2011 | IETF | 0 |
| 1017 | RFC 6228 | Session Initiation Protocol (SIP) Response Code for Indication of Terminated Dialog                                  | 2011 | IETF | 0 |
| 1018 | RFC 6363 | Forward Error Correction (FEC) Framework   | 2011 | IETF | 0 |
| 1019 | RFC 6060 | Generalized Multiprotocol Label Switching (GMPLS) Control of Ethernet Provider Backbone Traffic Engineering (PBB-TE) | 2011 | IETF | 0 |
| 1020 | RFC 6389 | MPLS Upstream Label Assignment for LDP   | 2011 | IETF | 0 |
| 1021 | RFC 6160 | Algorithms for Cryptographic Message Syntax (CMS) Protection of Symmetric Key Package Content Types                  | 2011 | IETF | 0 |
| 1022 | RFC 6435 | MPLS Transport Profile Lock Instruct and Loopback Functions  | 2011 | IETF | 0 |
| 1023 | RFC 6284 | Port Mapping between Unicast and Multicast RTP Sessions  | 2011 | IETF | 0 |
| 1024 | RFC 6241 | Network Configuration Protocol (NETCONF)   | 2011 | IETF | 0 |
| 1025 | RFC 6166 | A Registry for PIM Message Types   | 2011 | IETF | 0 |
| 1026 | RFC 6450 | Multicast Ping Protocol  | 2011 | IETF | 0 |
| 1027 | RFC 6275 | Mobility Support in IPv6   | 2011 | IETF | 0 |
| 1028 | RFC 6153 | DHCPv4 and DHCPv6 Options for Access Network Discovery and Selection Function (ANDSF) Discovery                      | 2011 | IETF | 0 |
| 1029 | RFC 6131 | Sieve Vacation Extension: "Seconds" Parameter  | 2011 | IETF | 0 |
| 1030 | RFC 6088 | Traffic Selectors for Flow Bindings  | 2011 | IETF | 0 |
| 1031 | RFC 6416 | RTP Payload Format for MPEG-4 Audio/Visual Streams   | 2011 | IETF | 0 |
| 1032 | RFC 6162 | Elliptic Curve Algorithms for Cryptographic Message Syntax (CMS) Asymmetric Key Package Content Type                 | 2011 | IETF | 0 |
| 1033 | RFC 6188 | The Use of AES-192 and AES-256 in Secure RTP   | 2011 | IETF | 0 |
| 1034 | RFC 6332 | Multicast Acquisition Report Block Type for RTP Control Protocol (RTCP) Extended Reports (XRs)                       | 2011 | IETF | 0 |
| 1035 | RFC 6113 | A Generalized Framework for Kerberos Pre-Authentication  | 2011 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1036 | RFC 6270 | The âurn:urn:ietf:params:uri:schemeâ URI Scheme   | 2011 | IETF | 0 |
| 1037 | RFC 6184 | RTP Payload Format for H.264 Video  | 2011 | IETF | 0 |
| 1038 | RFC 6432 | Carrying Q.850 Codes in Reason Header Fields in SIP (Session Initiation Protocol) Responses   | 2011 | IETF | 0 |
| 1039 | RFC 6262 | RTP Payload Format for IP-MR Speech Codec   | 2011 | IETF | 0 |
| 1040 | RFC 6226 | PIM Group-to-Rendezvous-Point Mapping   | 2011 | IETF | 0 |
| 1041 | RFC 6448 | The Unencrypted Form of Kerberos 5 KRB-CRED Message   | 2011 | IETF | 0 |
| 1042 | RFC 6313 | Export of Structured Data in IP Flow Information Export (IPFIX)   | 2011 | IETF | 0 |
| 1043 | RFC 6170 | Internet X.509 Public Key Infrastructure - Certificate Image  | 2011 | IETF | 0 |
| 1044 | RFC 6148 | DHCPv4 Lease Query by Relay Agent Remote ID   | 2011 | IETF | 0 |
| 1045 | RFC 6185 | RTP Payload Format for H.264 Reduced-Complexity Decoding Operation (RCDO) Video   | 2011 | IETF | 0 |
| 1046 | RFC 6415 | Web Host Metadata   | 2011 | IETF | 0 |
| 1047 | RFC 6190 | RTP Payload Format for Scalable Video Coding  | 2011 | IETF | 0 |
| 1048 | RFC 6111 | Additional Kerberos Naming Constraints  | 2011 | IETF | 0 |
| 1049 | RFC 6381 | The âCodecsâ and âProfilesâ Parameters for "Bucket" Media Types   | 2011 | IETF | 0 |
| 1050 | RFC 6330 | RaptorQ Forward Error Correction Scheme for Object Delivery   | 2011 | IETF | 0 |
| 1051 | RFC 6223 | Indication of Support for Keep-Alive  | 2011 | IETF | 0 |
| 1052 | RFC 6154 | IMAP LIST Extension for Special-Use Mailboxes   | 2011 | IETF | 0 |
| 1053 | RFC 6266 | Use of the Content-Disposition Header Field in the Hypertext Transfer Protocol (HTTP)   | 2011 | IETF | 0 |
| 1054 | RFC 6430 | Email Feedback Report Type Value: not-spam  | 2011 | IETF | 0 |
| 1055 | RFC 6225 | Dynamic Host Configuration Protocol Options for Coordinate-Based Location Configuration Information   | 2011 | IETF | 0 |
| 1056 | RFC 6285 | Unicast-Based Rapid Acquisition of Multicast RTP Sessions   | 2011 | IETF | 0 |
| 1057 | RFC 6445 | Multiprotocol Label Switching (MPLS) Traffic Engineering Management Information Base for Fast Reroute   | 2011 | IETF | 0 |
| 1058 | RFC 6298 | Computing TCPâs Retransmission Timer  | 2011 | IETF | 0 |
| 1059 | RFC 6171 | The Lightweight Directory Access Protocol (LDAP) Donât Use Copy Control   | 2011 | IETF | 0 |
| 1060 | RFC 6128 | RTP Control Protocol (RTCP) Port for Source-Specific Multicast (SSM) Sessions   | 2011 | IETF | 0 |
| 1061 | RFC 6147 | DNS64: DNS Extensions for Network Address Translation from IPv6 Clients to IPv4 Servers   | 2011 | IETF | 0 |
| 1062 | RFC 6355 | Definition of the UUID-Based DHCPv6 Unique Identifier (DUID-UUID)   | 2011 | IETF | 0 |
| 1063 | RFC 6086 | Session Initiation Protocol (SIP) INFO Method and Package Framework   | 2011 | IETF | 0 |
| 1064 | RFC 6474 | vCard Format Extensions: Place of Birth, Place and Date of Death  | 2011 | IETF | 0 |
| 1065 | RFC 6240 | Synchronous Optical Network/Synchronous Digital Hierarchy (SONET/SDH) Circuit Emulation over Packet (CEP) MIB Using SMIPv2  | 2011 | IETF | 0 |
| 1066 | RFC 6203 | IMAP4 Extension for Fuzzy Search  | 2011 | IETF | 0 |
| 1067 | RFC 6395 | An Interface Identifier (ID) Hello Option for PIM   | 2011 | IETF | 0 |
| 1068 | RFC 6265 | HTTP State Management Mechanism   | 2011 | IETF | 0 |
| 1069 | RFC 6125 | Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS) | 2011 | IETF | 0 |
| 1070 | RFC 6196 | Moving mailserver: URI Scheme to Historic   | 2011 | IETF | 0 |
| 1071 | RFC 6172 | Deprecation of the Internet Fibre Channel Protocol (iFCP) Address Translation Mode  | 2011 | IETF | 0 |
| 1072 | RFC 6473 | vCard KIND:application  | 2011 | IETF | 0 |
| 1073 | RFC 6408 | Diameter Straightforward-Naming Authority Pointer (S-NAPTR) Usage   | 2011 | IETF | 0 |
| 1074 | RFC 6345 | Protocol for Carrying Authentication for Network Access (PANA) Relay Element  | 2011 | IETF | 0 |
| 1075 | RFC 6407 | The Group Domain of Interpretation  | 2011 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1076 | RFC 6146 | Stateful NAT64: Network Address and Protocol Translation from IPv6 Clients to IPv4 Servers  | 2011 | IETF | 0 |
| 1077 | RFC 6336 | IANA Registry for Interactive Connectivity Establishment (ICE) Options  | 2011 | IETF | 0 |
| 1078 | RFC 6323 | Sender RTT Estimate Option for the Datagram Congestion Control Protocol (DCCP)  | 2011 | IETF | 0 |
| 1079 | RFC 6384 | An FTP Application Layer Gateway (ALG) for IPv6-to-IPv4 Translation   | 2011 | IETF | 0 |
| 1080 | RFC 6072 | Certificate Management Service for the Session Initiation Protocol (SIP)  | 2011 | IETF | 0 |
| 1081 | RFC 6236 | Negotiation of Generic Image Attributes in the Session Description Protocol (SDP)   | 2011 | IETF | 0 |
| 1082 | RFC 6221 | Lightweight DHCPv6 Relay Agent  | 2011 | IETF | 0 |
| 1083 | RFC 6263 | Application Mechanism for Keeping Alive the NAT Mappings Associated with RTP / RTP Control Protocol (RTCP) Flows                              | 2011 | IETF | 0 |
| 1084 | RFC 6157 | IPv6 Transition in the Session Initiation Protocol (SIP)  | 2011 | IETF | 0 |
| 1085 | RFC 6085 | Address Mapping of IPv6 Multicast Packets on Ethernet   | 2011 | IETF | 0 |
| 1086 | RFC 6121 | Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence   | 2011 | IETF | 0 |
| 1087 | RFC 6440 | The EAP Re-authentication Protocol (ERP) Local Domain Name DHCPv6 Option  | 2011 | IETF | 0 |
| 1088 | RFC 6173 | Definitions of Managed Objects for the Internet Fibre Channel Protocol (iFCP)   | 2011 | IETF | 0 |
| 1089 | RFC 6344 | Operating Virtual Concatenation (VCAT) and the Link Capacity Adjustment Scheme (LCAS) with Generalized Multi-Protocol Label Switching (GMPLS) | 2011 | IETF | 0 |
| 1090 | RFC 6081 | Teredo Extensions   | 2011 | IETF | 0 |
| 1091 | RFC 6233 | IS-IS Registry Extension for Purges   | 2011 | IETF | 0 |
| 1092 | RFC 6107 | Procedures for Dynamically Signaled Hierarchical Label Switched Paths   | 2011 | IETF | 0 |
| 1093 | RFC 6469 | RTP Payload Format for DV (IEC 61834) Video   | 2011 | IETF | 0 |
| 1094 | RFC 6402 | Certificate Management over CMS (CMC) Updates   | 2011 | IETF | 0 |
| 1095 | RFC 6426 | MPLS On-Demand Connectivity Verification and Route Tracing  | 2011 | IETF | 0 |
| 1096 | RFC 6161 | Elliptic Curve Algorithms for Cryptographic Message Syntax (CMS) Encrypted Key Package Content Type   | 2011 | IETF | 0 |
| 1097 | RFC 6249 | Metalink/HTTP: Mirrors and Hashes   | 2011 | IETF | 0 |
| 1098 | RFC 6311 | Protocol Support for High Availability of IKEv2/IPsec   | 2011 | IETF | 0 |
| 1099 | RFC 6212 | Authentication-Results Registration for Vouch by Reference Results  | 2011 | IETF | 0 |
| 1100 | RFC 6049 | Spatial Composition of Metrics  | 2011 | IETF | 0 |
| 1101 | RFC 6119 | IPv6 Traffic Engineering in IS-IS   | 2011 | IETF | 0 |
| 1102 | RFC 6176 | Prohibiting Secure Sockets Layer (SSL) Version 2.0  | 2011 | IETF | 0 |
| 1103 | RFC 6141 | Re-INVITE and Target-Refresh Request Handling in the Session Initiation Protocol (SIP)  | 2011 | IETF | 0 |
| 1104 | RFC 6340 | Textual Conventions for the Representation of Floating-Point Numbers  | 2011 | IETF | 0 |
| 1105 | RFC 6295 | RTP Payload Format for MIDI   | 2011 | IETF | 0 |
| 1106 | RFC 6466 | IANA Registration of the "image" Media Type for the Session Description Protocol (SDP)  | 2011 | IETF | 0 |
| 1107 | RFC 6401 | RSVP Extensions for Admission Priority  | 2011 | IETF | 0 |
| 1108 | RFC 6464 | A Real-time Transport Protocol (RTP) Header Extension for Client-to-Mixer Audio Level Indication  | 2011 | IETF | 0 |
| 1109 | RFC 6425 | Detecting Data-Plane Failures in Point-to-Multipoint MPLS - Extensions to LSP Ping  | 2011 | IETF | 0 |
| 1110 | RFC 6309 | IANA Rules for MIKEY (Multimedia Internet KEYing)   | 2011 | IETF | 0 |
| 1111 | RFC 6245 | Generic Routing Encapsulation (GRE) Key Extension for Mobile IPv4   | 2011 | IETF | 0 |
| 1112 | RFC 6361 | PPP Transparent Interconnection of Lots of Links (TRILL) Protocol Control Protocol  | 2011 | IETF | 0 |
| 1113 | RFC 6076 | Basic Telephony SIP End-to-End Performance Metrics  | 2011 | IETF | 0 |
| 1114 | RFC 6211 | Cryptographic Message Syntax (CMS) Algorithm Identifier Protection Attribute  | 2011 | IETF | 0 |
| 1115 | RFC 6310 | Pseudowire (PW) Operations, Administration, and Maintenance (OAM) Message Mapping   | 2011 | IETF | 0 |
| 1116 | RFC 6370 | MPLS Transport Profile (MPLS-TP) Identifiers  | 2011 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1117 | RFC 6232 | Purge Originator Identification TLV for IS-IS  | 2011 | IETF | 0 |
| 1118 | RFC 6423 | Using the Generic Associated Channel Label for Pseudowire in the MPLS Transport Profile (MPLS-TP)  | 2011 | IETF | 0 |
| 1119 | RFC 6178 | Label Edge Router Forwarding of IPv4 Option Packets  | 2011 | IETF | 0 |
| 1120 | RFC 6118 | Update of Legacy IANA Registrations of Enumservices  | 2011 | IETF | 0 |
| 1121 | RFC 6096 | Stream Control Transmission Protocol (SCTP) Chunk Flags Registration   | 2011 | IETF | 0 |
| 1122 | RFC 6213 | IS-IS BFD-Enabled TLV  | 2011 | IETF | 0 |
| 1123 | RFC 6339 | Context Token Encapsulate/Decapsulate and OID Comparison Functions for the Generic Security Service Application Program Interface (GSS-API)  | 2011 | IETF | 0 |
| 1124 | RFC 6135 | An Alternative Connection Model for the Message Session Relay Protocol (MSRP)  | 2011 | IETF | 0 |
| 1125 | RFC 6283 | Extensible Markup Language Evidence Record Syntax (XMLERS)   | 2011 | IETF | 0 |
| 1126 | RFC 6290 | A Quick Crash Detection Method for the Internet Key Exchange Protocol (IKE)  | 2011 | IETF | 0 |
| 1127 | RFC 6397 | Multi-Threaded Routing Toolkit (MRT) Border Gateway Protocol (BGP) Routing Information Export Format with Geo-Location Extensions            | 2011 | IETF | 0 |
| 1128 | RFC 6438 | Using the IPv6 Flow Label for Equal Cost Multipath Routing and Link Aggregation in Tunnels   | 2011 | IETF | 0 |
| 1129 | RFC 6164 | Using 127-Bit IPv6 Prefixes on Inter-Router Links  | 2011 | IETF | 0 |
| 1130 | RFC 6243 | With-defaults Capability for NETCONF   | 2011 | IETF | 0 |
| 1131 | RFC 6206 | The Trickle Algorithm  | 2011 | IETF | 0 |
| 1132 | RFC 5875 | An Extensible Markup Language (XML) Configuration Access Protocol (XCAP) Diff Event Package  | 2010 | IETF | 0 |
| 1133 | RFC 5961 | Improving TCP's Robustness to Blind In-Window Attacks  | 2010 | IETF | 0 |
| 1134 | RFC 5775 | Asynchronous Layered Coding (ALC) Protocol Instantiation - Obsoletes: 3450   | 2010 | IETF | 0 |
| 1135 | RFC 5778 | Diameter Mobile IPv6: Support for Home Agent to Diameter Server Interaction  | 2010 | IETF | 0 |
| 1136 | RFC 6002 | Generalized MPLS (GMPLS) Data Channel Switching Capable (DCSC) and Channel Set Label Extensions  | 2010 | IETF | 0 |
| 1137 | RFC 6065 | Using Authentication, Authorization, and Accounting Services to Dynamically Provision View-Based Access Control Model User-to-Group Mappings | 2010 | IETF | 0 |
| 1138 | RFC 5839 | An Extension to Session Initiation Protocol (SIP) Events for Conditional Event Notification  | 2010 | IETF | 0 |
| 1139 | RFC 5901 | Extensions to the IODEF-Documents Class for Reporting Phishing   | 2010 | IETF | 0 |
| 1140 | RFC 6030 | Portable Symmetric Key Container (PSKC)  | 2010 | IETF | 0 |
| 1141 | RFC 5864 | DNS SRV Resource Records for AFS - Updates: 1183   | 2010 | IETF | 0 |
| 1142 | RFC 5793 | PB-TNC: A Posture Broker (PB) Protocol Compatible with Trusted Network Connect (TNC)   | 2010 | IETF | 0 |
| 1143 | RFC 5891 | Internationalized Domain Names in Applications (IDNA): Protocol - Obsoletes: 3490, 3491; Updates: 3492                                       | 2010 | IETF | 0 |
| 1144 | RFC 5956 | Forward Error Correction Grouping Semantics in the Session Description Protocol  | 2010 | IETF | 0 |
| 1145 | RFC 5760 | RTP Control Protocol (RTCP) Extensions for Single-Source Multicast Sessions with Unicast Feedback  | 2010 | IETF | 0 |
| 1146 | RFC 5923 | Connection Reuse in the Session Initiation Protocol (SIP)  | 2010 | IETF | 0 |
| 1147 | RFC 5952 | A Recommendation for IPv6 Address Text Representation - Updates: 4291  | 2010 | IETF | 0 |
| 1148 | RFC 5664 | Object-Based Parallel NFS (pNFS) Operations  | 2010 | IETF | 0 |
| 1149 | RFC 5749 | Distribution of EAP-Based Keys for Handover and Re-Authentication  | 2010 | IETF | 0 |
| 1150 | RFC 5779 | Diameter Proxy Mobile IPv6: Mobile Access Gateway and Local Mobility Anchor Interaction with Diameter Server                                 | 2010 | IETF | 0 |
| 1151 | RFC 5819 | IMAP4 Extension for Returning STATUS Information in Extended LIST  | 2010 | IETF | 0 |
| 1152 | RFC 5991 | Teredo Security Updates - Updates: 4380  | 2010 | IETF | 0 |
| 1153 | RFC 6004 | Generalized MPLS (GMPLS) Support for Metro Ethernet Forum and G.8011 Ethernet Service Switching  | 2010 | IETF | 0 |
| 1154 | RFC 5854 | The Metalink Download Description Format   | 2010 | IETF | 0 |
| 1155 | RFC 6048 | Network News Transfer Protocol (NNTP) Additions to LIST Command  | 2010 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1156 | RFC 5746 | Transport Layer Security (TLS) Renegotiation Indication Extension - Updates: 5246, 4366, 4347, 4346, 2246  | 2010 | IETF | 0 |
| 1157 | RFC 5783 | Congestion Control in the RFC Series   | 2010 | IETF | 0 |
| 1158 | RFC 5837 | Extending ICMP for Interface and Next-Hop Identification   | 2010 | IETF | 0 |
| 1159 | RFC 5929 | Channel Bindings for TLS   | 2010 | IETF | 0 |
| 1160 | RFC 5801 | Using Generic Security Service Application Program Interface (GSS-API) Mechanisms in Simple Authentication and Security Layer (SASL): The GS2 Mechanism Family | 2010 | IETF | 0 |
| 1161 | RFC 6063 | Dynamic Symmetric Key Provisioning Protocol (DSKPP)  | 2010 | IETF | 0 |
| 1162 | RFC 5865 | A Differentiated Services Code Point (DSCP) for Capacity-Admitted Traffic - Updates: 4542, 4594  | 2010 | IETF | 0 |
| 1163 | RFC 5907 | Definitions of Managed Objects for Network Time Protocol Version 4 (NTPv4)   | 2010 | IETF | 0 |
| 1164 | RFC 5954 | Essential Correction for IPv6 ABNF and URI Comparison in RFC 3261 - Updates: 3261  | 2010 | IETF | 0 |
| 1165 | RFC 5711 | Node Behavior upon Originating and Receiving Resource Reservation Protocol (RSVP) Path Error Messages - Updates: 3209  | 2010 | IETF | 0 |
| 1166 | RFC 5763 | Framework for Establishing a Secure Real-time Transport Protocol (SRTP) Security Context Using Datagram Transport Layer Security (DTLS)                        | 2010 | IETF | 0 |
| 1167 | RFC 5723 | Internet Key Exchange Protocol Version 2 (IKEv2) Session Resumption  | 2010 | IETF | 0 |
| 1168 | RFC 5860 | Requirements for Operations, Administration, and Maintenance (OAM) in MPLS Transport Networks  | 2010 | IETF | 0 |
| 1169 | RFC 5896 | Generic Security Service Application Program Interface (GSS-API): Delegate if Approved by Policy - Updates: 4120   | 2010 | IETF | 0 |
| 1170 | RFC 5750 | Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Certificate Handling - Obsoletes: 3850   | 2010 | IETF | 0 |
| 1171 | RFC 6005 | Generalized MPLS (GMPLS) Support for Metro Ethernet Forum and G.8011 User Network Interface (UNI)  | 2010 | IETF | 0 |
| 1172 | RFC 5751 | Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification - Obsoletes: 3851  | 2010 | IETF | 0 |
| 1173 | RFC 5881 | Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop)  | 2010 | IETF | 0 |
| 1174 | RFC 5990 | Use of the RSA-KEM Key Transport Algorithm in the Cryptographic Message Syntax (CMS)   | 2010 | IETF | 0 |
| 1175 | RFC 5962 | Dynamic Extensions to the Presence Information Data Format Location Object (PIDF-LO)   | 2010 | IETF | 0 |
| 1176 | RFC 5785 | Defining Well-Known Uniform Resource Identifiers (URIs) - Updates: 2616, 2818  | 2010 | IETF | 0 |
| 1177 | RFC 5544 | Syntax for Binding Documents with Time-Stamps  | 2010 | IETF | 0 |
| 1178 | RFC 5788 | IMAP4 Keyword Registry   | 2010 | IETF | 0 |
| 1179 | RFC 6068 | The <code>mailto</code> URI Scheme   | 2010 | IETF | 0 |
| 1180 | RFC 5871 | IANA Allocation Guidelines for the IPv6 Routing Header - Updates: 2460   | 2010 | IETF | 0 |
| 1181 | RFC 6032 | Cryptographic Message Syntax (CMS) Encrypted Key Package Content Type  | 2010 | IETF | 0 |
| 1182 | RFC 5914 | Trust Anchor Format  | 2010 | IETF | 0 |
| 1183 | RFC 5777 | Traffic Classification and Quality of Service (QoS) Attributes for Diameter  | 2010 | IETF | 0 |
| 1184 | RFC 5903 | Elliptic Curve Groups modulo a Prime (ECP Groups) for IKE and IKEv2 - Obsoletes: 4753  | 2010 | IETF | 0 |
| 1185 | RFC 5725 | Post-Repair Loss RLE Report Block Type for RTP Control Protocol (RTCP) Extended Reports (XRs)  | 2010 | IETF | 0 |
| 1186 | RFC 6051 | Rapid Synchronisation of RTP Flows   | 2010 | IETF | 0 |
| 1187 | RFC 5934 | Trust Anchor Management Protocol (TAMP)  | 2010 | IETF | 0 |
| 1188 | RFC 5866 | Diameter Quality-of-Service Application  | 2010 | IETF | 0 |
| 1189 | RFC 5753 | Use of Elliptic Curve Cryptography (ECC) Algorithms in Cryptographic Message Syntax (CMS) - Obsoletes: 3278  | 2010 | IETF | 0 |
| 1190 | RFC 5882 | Generic Application of Bidirectional Forwarding Detection (BFD)  | 2010 | IETF | 0 |
| 1191 | RFC 6003 | Ethernet Traffic Parameters  | 2010 | IETF | 0 |
| 1192 | RFC 5578 | PPP over Ethernet (PPPoE) Extensions for Credit Flow and Link Metrics - Obsoletes: 4938  | 2010 | IETF | 0 |
| 1193 | RFC 5964 | Specifying Holes in Location-to-Service Translation (LoST) Service Boundaries  | 2010 | IETF | 0 |
| 1194 | RFC 5789 | PATCH Method for HTTP  | 2010 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1195 | RFC 5967 | The application/pkcs10 Media Type - Updates: 2986  | 2010 | IETF | 0 |
| 1196 | RFC 5840 | Wrapped Encapsulating Security Payload (ESP) for Traffic Visibility  | 2010 | IETF | 0 |
| 1197 | RFC 6033 | Algorithms for Cryptographic Message Syntax (CMS) Encrypted Key Package Content Type   | 2010 | IETF | 0 |
| 1198 | RFC 5872 | IANA Rules for the Protocol for Carrying Authentication for Network Access (PANA) - Updates: 5191                              | 2010 | IETF | 0 |
| 1199 | RFC 5955 | The application/timestamped-data Media Type - Updates: 5544  | 2010 | IETF | 0 |
| 1200 | RFC 5737 | IPv4 Address Blocks Reserved for Documentation - Updates: 1166   | 2010 | IETF | 0 |
| 1201 | RFC 5989 | A SIP Event Package for Subscribing to Changes to an HTTP Resource   | 2010 | IETF | 0 |
| 1202 | RFC 5784 | Sieve Email Filtering: Sieves and Display Directives in XML  | 2010 | IETF | 0 |
| 1203 | RFC 5688 | A Session Initiation Protocol (SIP) Media Feature Tag for MIME Application Subtypes  | 2010 | IETF | 0 |
| 1204 | RFC 5754 | Using SHA2 Algorithms with Cryptographic Message Syntax - Updates: 3370  | 2010 | IETF | 0 |
| 1205 | RFC 5883 | Bidirectional Forwarding Detection (BFD) for Multihop Paths  | 2010 | IETF | 0 |
| 1206 | RFC 6052 | IPv6 Addressing of IPv4/IPv6 Translators   | 2010 | IETF | 0 |
| 1207 | RFC 6031 | Cryptographic Message Syntax (CMS) Symmetric Key Package Content Type  | 2010 | IETF | 0 |
| 1208 | RFC 5886 | A Set of Monitoring Tools for Path Computation Element (PCE)-Based Architecture  | 2010 | IETF | 0 |
| 1209 | RFC 6823 | Advertising Generic Information in IS-IS   | 2010 | IETF | 0 |
| 1210 | RFC 5790 | Lightweight Internet Group Management Protocol Version 3 (IGMPv3) and Multicast Listener Discovery Version 2 (MLDv2) Protocols | 2010 | IETF | 0 |
| 1211 | RFC 6008 | Authentication-Results Registration for Differentiating among Cryptographic Results  | 2010 | IETF | 0 |
| 1212 | RFC 5795 | The RObust Header Compression (ROHC) Framework - Obsoletes: 4995   | 2010 | IETF | 0 |
| 1213 | RFC 6009 | Sieve Email Filtering: Delivery Status Notifications and Deliver-By Extensions   | 2010 | IETF | 0 |
| 1214 | RFC 5791 | RFC 2731 ("Encoding Dublin Core Metadata in HTML") Is Obsolete   | 2010 | IETF | 0 |
| 1215 | RFC 5876 | Updates to Asserted Identity in the Session Initiation Protocol (SIP) - Updates: 3325  | 2010 | IETF | 0 |
| 1216 | RFC 5844 | IPv4 Support for Proxy Mobile IPv6   | 2010 | IETF | 0 |
| 1217 | RFC 6034 | Unicast-Prefix-Based IPv4 Multicast Addresses  | 2010 | IETF | 0 |
| 1218 | RFC 5944 | IP Mobility Support for IPv4, Revised  | 2010 | IETF | 0 |
| 1219 | RFC 5870 | A Uniform Resource Identifier for Geographic Locations (â geoâ URI)  | 2010 | IETF | 0 |
| 1220 | RFC 5847 | Heartbeat Mechanism for Proxy Mobile IPv6  | 2010 | IETF | 0 |
| 1221 | RFC 5910 | Domain Name System (DNS) Security Extensions Mapping for the Extensible Provisioning Protocol (EPP) - Obsoletes: 4310          | 2010 | IETF | 0 |
| 1222 | RFC 5969 | IPv6 Rapid Deployment on IPv4 Infrastructures (6rd) - Protocol Specification   | 2010 | IETF | 0 |
| 1223 | RFC 5993 | RTP Payload Format for Global System for Mobile Communications Half Rate (GSM-HR)  | 2010 | IETF | 0 |
| 1224 | RFC 6054 | Using Counter Modes with Encapsulating Security Payload (ESP) and Authentication Header (AH) to Protect Group Traffic          | 2010 | IETF | 0 |
| 1225 | RFC 5935 | Expressing SNMP SMI Datatypes in XML Schema Definition Language  | 2010 | IETF | 0 |
| 1226 | RFC 5796 | Authentication and Confidentiality in Protocol Independent Multicast Sparse Mode (PIM-SM) Link-Local Messages - Updates: 4601  | 2010 | IETF | 0 |
| 1227 | RFC 5755 | An Internet Attribute Certificate Profile for Authorization - Obsoletes: 3281  | 2010 | IETF | 0 |
| 1228 | RFC 6012 | Datagram Transport Layer Security (DTLS) Transport Mapping for Syslog  | 2010 | IETF | 0 |
| 1229 | RFC 5792 | PA-TNC: A Posture Attribute (PA) Protocol Compatible with Trusted Network Connect (TNC)  | 2010 | IETF | 0 |
| 1230 | RFC 6075 | The Internet Assigned Number Authority (IANA) Application Configuration Access Protocol (ACAP) Vendor Subtrees Registry        | 2010 | IETF | 0 |
| 1231 | RFC 6010 | Cryptographic Message Syntax (CMS) Content Constraints Extension   | 2010 | IETF | 0 |
| 1232 | RFC 5669 | The SEED Cipher Algorithm and Its Use with the Secure Real-Time Transport Protocol (SRTP)                                      | 2010 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1233 | RFC 5932 | Camellia Cipher Suites for TLS - Obsoletes: 4132  | 2010 | IETF | 0 |
| 1234 | RFC 5724 | URI Scheme for Global System for Mobile Communications (GSM) Short Message Service (SMS)                              | 2010 | IETF | 0 |
| 1235 | RFC 5946 | Resource Reservation Protocol (RSVP) Extensions for Path-Triggered RSVP Receiver Proxy                                | 2010 | IETF | 0 |
| 1236 | RFC 5845 | Generic Routing Encapsulation (GRE) Key Option for Proxy Mobile IPv6  | 2010 | IETF | 0 |
| 1237 | RFC 6035 | Session Initiation Protocol Event Package for Voice Quality Reporting   | 2010 | IETF | 0 |
| 1238 | RFC 5857 | IKEv2 Extensions to Support Robust Header Compression over IPsec  | 2010 | IETF | 0 |
| 1239 | RFC 5385 | Version 2.0 Microsoft Word Template for Creating Internet Drafts and RFCs - Obsoletes: 3285                           | 2010 | IETF | 0 |
| 1240 | RFC 6059 | Simple Procedures for Detecting Network Attachment in IPv6  | 2010 | IETF | 0 |
| 1241 | RFC 5995 | Using POST to Add Members to Web Distributed Authoring and Versioning (WebDAV) Collections                            | 2010 | IETF | 0 |
| 1242 | RFC 5970 | DHCPv6 Options for Network Boot   | 2010 | IETF | 0 |
| 1243 | RFC 5756 | Updates for RSAES-OAEP and RSASSA-PSS Algorithm Parameters - Updates: 4055  | 2010 | IETF | 0 |
| 1244 | RFC 5797 | FTP Command and Extension Registry - Updates: 959   | 2010 | IETF | 0 |
| 1245 | RFC 6014 | Cryptographic Algorithm Identifier Allocation for DNSSEC  | 2010 | IETF | 0 |
| 1246 | RFC 5908 | Network Time Protocol (NTP) Server Option for DHCPv6  | 2010 | IETF | 0 |
| 1247 | RFC 6016 | Support for the Resource Reservation Protocol (RSVP) in Layer 3 VPNs  | 2010 | IETF | 0 |
| 1248 | RFC 5936 | DNS Zone Transfer Protocol (AXFR) - Updates: 1034, 1035   | 2010 | IETF | 0 |
| 1249 | RFC 5892 | The Unicode Code Points and Internationalized Domain Names for Applications (IDNA)                                    | 2010 | IETF | 0 |
| 1250 | RFC 5807 | Definition of Master Key between PANA Client and Enforcement Point  | 2010 | IETF | 0 |
| 1251 | RFC 5948 | Transmission of IPv4 Packets over the IP Convergence Sublayer of IEEE 802.16  | 2010 | IETF | 0 |
| 1252 | RFC 6038 | Two-Way Active Measurement Protocol (TWAMP) Reflect Octets and Symmetrical Size Features                              | 2010 | IETF | 0 |
| 1253 | RFC 5710 | PathErr Message Triggered MPLS and GMPLS LSP Reroutes   | 2010 | IETF | 0 |
| 1254 | RFC 6019 | BinaryTime: An Alternate Format for Representing Date and Time in ASN.1   | 2010 | IETF | 0 |
| 1255 | RFC 5846 | Binding Revocation for IPv6 Mobility  | 2010 | IETF | 0 |
| 1256 | RFC 5943 | A Dedicated Routing Policy Specification Language Interface Identifier for Operational Testing                        | 2010 | IETF | 0 |
| 1257 | RFC 5998 | An Extension for EAP-Only Authentication in IKEv2   | 2010 | IETF | 0 |
| 1258 | RFC 5925 | The TCP Authentication Option - Obsoletes: 2385   | 2010 | IETF | 0 |
| 1259 | RFC 5858 | IPsec Extensions to Support Robust Header Compression over IPsec  | 2010 | IETF | 0 |
| 1260 | RFC 5958 | Asymmetric Key Packages - Obsoletes: 5208   | 2010 | IETF | 0 |
| 1261 | RFC 5758 | Internet X.509 Public Key Infrastructure: Additional Algorithms and Identifiers for DSA and ECDSA - Updates: 3279     | 2010 | IETF | 0 |
| 1262 | RFC 5940 | Additional Cryptographic Message Syntax (CMS) Revocation Information Choices  | 2010 | IETF | 0 |
| 1263 | RFC 5893 | Right-to-Left Scripts for Internationalized Domain Names for Applications (IDNA)                                      | 2010 | IETF | 0 |
| 1264 | RFC 5813 | Forwarding and Control Element Separation (ForCES) MIB  | 2010 | IETF | 0 |
| 1265 | RFC 5665 | IANA Considerations for Remote Procedure Call (RPC) Network Identifiers and Universal Address Formats - Updates: 1833 | 2010 | IETF | 0 |
| 1266 | RFC 6015 | RTP Payload Format for 1-D Interleaved Parity Forward Error Correction (FEC)  | 2010 | IETF | 0 |
| 1267 | RFC 5913 | Clearance Attribute and Authority Clearance Constraints Certificate Extension   | 2010 | IETF | 0 |
| 1268 | RFC 5922 | Domain Certificates in the Session Initiation Protocol (SIP) - Updates: 3261  | 2010 | IETF | 0 |
| 1269 | RFC 5798 | Virtual Router Redundancy Protocol (VRRP) Version 3 for IPv4 and IPv6 - Obsoletes: 3768                               | 2010 | IETF | 0 |
| 1270 | RFC 5938 | Individual Session Control Feature for the Two-Way Active Measurement Protocol (TWAMP) - Updates: 5357                | 2010 | IETF | 0 |
| 1271 | RFC 5957 | Display-Based Address Sorting for the IMAP4 SORT Extension - Updates: 5256  | 2010 | IETF | 0 |
| 1272 | RFC 5888 | The Session Description Protocol (SDP) Grouping Framework - Obsoletes: 3388   | 2010 | IETF | 0 |
| 1273 | RFC 5949 | Fast Handovers for Proxy Mobile IPv6  | 2010 | IETF | 0 |



|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1274 | RFC 5752 | Multiple Signatures in Cryptographic Message Syntax (CMS)   | 2010 | IETF | 0 |
| 1275 | RFC 5874 | An Extensible Markup Language (XML) Document Format for Indicating a Change in XML Configuration Access Protocol (XCAP) Resources | 2010 | IETF | 0 |
| 1276 | RFC 5662 | Network File System (NFS) Version 4 Minor Version 1 External Data Representation Standard (XDR) Description                       | 2010 | IETF | 0 |
| 1277 | RFC 5959 | Algorithms for Asymmetric Key Package Content Type  | 2010 | IETF | 0 |
| 1278 | RFC 6022 | YANG Module for NETCONF Monitoring  | 2010 | IETF | 0 |
| 1279 | RFC 5848 | Signed Syslog Messages  | 2010 | IETF | 0 |
| 1280 | RFC 6040 | Tunnelling of Explicit Congestion Notification  | 2010 | IETF | 0 |
| 1281 | RFC 5712 | MPLS Traffic Engineering Soft Preemption  | 2010 | IETF | 0 |
| 1282 | RFC 5986 | Discovering the Local Location Information Server (LIS)   | 2010 | IETF | 0 |
| 1283 | RFC 5997 | Use of Status-Server Packets in the Remote Authentication Dial In User Service (RADIUS) Protocol - Updates: 2866                  | 2010 | IETF | 0 |
| 1284 | RFC 5811 | SCTP-Based Transport Mapping Layer (TML) for the Forwarding and Control Element Separation (ForCES) Protocol                      | 2010 | IETF | 0 |
| 1285 | RFC 6062 | Traversal Using Relays around NAT (TURN) Extensions for TCP Allocations   | 2010 | IETF | 0 |
| 1286 | RFC 5768 | Indicating Support for Interactive Connectivity Establishment (ICE) in the Session Initiation Protocol (SIP)                      | 2010 | IETF | 0 |
| 1287 | RFC 6001 | Generalized MPLS (GMPLS) Protocol Extensions for Multi-Layer and Multi-Region Networks (MLN/MRN)                                  | 2010 | IETF | 0 |
| 1288 | RFC 5960 | MPLS Transport Profile Data Plane Architecture  | 2010 | IETF | 0 |
| 1289 | RFC 6026 | Correct Transaction Handling for 2xx Responses to Session Initiation Protocol (SIP) INVITE Requests                               | 2010 | IETF | 0 |
| 1290 | RFC 5816 | ESSCertIDv2 Update for RFC 3161 - Updates: 3161   | 2010 | IETF | 0 |
| 1291 | RFC 5814 | Label Switched Path (LSP) Dynamic Provisioning Performance Metrics in Generalized MPLS Networks                                   | 2010 | IETF | 0 |
| 1292 | RFC 5898 | Connectivity Preconditions for Session Description Protocol (SDP) Media Streams   | 2010 | IETF | 0 |
| 1293 | RFC 5926 | Cryptographic Algorithms for the TCP Authentication Option (TCP-AO)   | 2010 | IETF | 0 |
| 1294 | RFC 6020 | YANG - A Data Modeling Language for the Network Configuration Protocol (NETCONF)  | 2010 | IETF | 0 |
| 1295 | RFC 5734 | Extensible Provisioning Protocol (EPP) Transport over TCP - Part of STD 69; Obsoletes: 4934                                       | 2009 | IETF | 0 |
| 1296 | RFC 5480 | Elliptic Curve Cryptography Subject Public Key Information  | 2009 | IETF | 0 |
| 1297 | RFC 5521 | Extensions to the Path Computation Element Communication Protocol (PCEP) for Route Exclusions                                     | 2009 | IETF | 0 |
| 1298 | RFC 5588 | Generic Security Service Application Program Interface (GSS-API) Extension for Storing Delegated Credentials                      | 2009 | IETF | 0 |
| 1299 | RFC 5624 | Quality of Service Parameters for Usage with Diameter   | 2009 | IETF | 0 |
| 1300 | RFC 5607 | Remote Authentication Dial-In User Service (RADIUS) Authorization for Network Access Server (NAS) Management                      | 2009 | IETF | 0 |
| 1301 | RFC 5426 | Transmission of Syslog Messages over UDP  | 2009 | IETF | 0 |
| 1302 | RFC 5550 | The Internet Email to Support Diverse Service Environments (Lemonade) Profile   | 2009 | IETF | 0 |
| 1303 | RFC 5681 | TCP Congestion Control  | 2009 | IETF | 0 |
| 1304 | RFC 5566 | BGP IPsec Tunnel Encapsulation Attribute  | 2009 | IETF | 0 |
| 1305 | RFC 5656 | Elliptic Curve Algorithm Integration in the Secure Shell Transport Layer  | 2009 | IETF | 0 |
| 1306 | RFC 5464 | The IMAP METADATA Extension   | 2009 | IETF | 0 |
| 1307 | RFC 5574 | RTP Payload Format for the Speex Codec  | 2009 | IETF | 0 |
| 1308 | RFC 5494 | IANA Allocation Guidelines for the Address Resolution Protocol (ARP)  | 2009 | IETF | 0 |
| 1309 | RFC 5453 | Reserved IPv6 Interface Identifiers   | 2009 | IETF | 0 |
| 1310 | RFC 5682 | Forward RTO-Recovery (F-RTO): An Algorithm for Detecting Spurious Retransmission Timeouts with TCP                                | 2009 | IETF | 0 |
| 1311 | RFC 5744 | Procedures for Rights Handling in the RFC Independent Submission Stream - Updates: 4846   | 2009 | IETF | 0 |
| 1312 | RFC 5535 | Hash-Based Addresses (HBA)  | 2009 | IETF | 0 |
| 1313 | RFC 5438 | Instant Message Disposition Notification (IMDN)   | 2009 | IETF | 0 |
| 1314 | RFC 5644 | IP Performance Metrics (IPPM): Spatial and Multicast  | 2009 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1315 | RFC 5674 | Alarms in Syslog   | 2009 | IETF | 0 |
| 1316 | RFC 5520 | Preserving Topology Confidentiality in Inter-Domain Path Computation Using a Path-Key-Based Mechanism            | 2009 | IETF | 0 |
| 1317 | RFC 5518 | Vouch By Reference   | 2009 | IETF | 0 |
| 1318 | RFC 5733 | Extensible Provisioning Protocol (EPP) Contact Mapping - Part of STD: 69; Obsoletes: 4933                        | 2009 | IETF | 0 |
| 1319 | RFC 5425 | Transport Layer Security (TLS) Transport Mapping for Syslog  | 2009 | IETF | 0 |
| 1320 | RFC 5692 | Transmission of IP over Ethernet over IEEE 802.16 Networks   | 2009 | IETF | 0 |
| 1321 | RFC 5605 | Managed Objects for ATM over Packet Switched Networks (PSNs)   | 2009 | IETF | 0 |
| 1322 | RFC 5565 | Softwire Mesh Framework  | 2009 | IETF | 0 |
| 1323 | RFC 5549 | Advertising IPv4 Network Layer Reachability Information with an IPv6 Next Hop                                    | 2009 | IETF | 0 |
| 1324 | RFC 5463 | Sieve Email Filtering: Ihave Extension   | 2009 | IETF | 0 |
| 1325 | RFC 5741 | RFC Streams, Headers, and Boilerplates - Updates: 2223, 4844   | 2009 | IETF | 0 |
| 1326 | RFC 5452 | Measures for Making DNS More Resilient against Forged Answers  | 2009 | IETF | 0 |
| 1327 | RFC 5437 | Sieve Notification Mechanism: Extensible Messaging and Presence Protocol (XMPP)                                  | 2009 | IETF | 0 |
| 1328 | RFC 5670 | Metering and Marking Behaviour of PCN-Nodes  | 2009 | IETF | 0 |
| 1329 | RFC 5651 | Layered Coding Transport (LCT) Building Block - Obsoletes: 3451  | 2009 | IETF | 0 |
| 1330 | RFC 5643 | Management Information Base for OSPFv3   | 2009 | IETF | 0 |
| 1331 | RFC 5534 | Failure Detection and Locator Pair Exploration Protocol for IPv6 Multihoming                                     | 2009 | IETF | 0 |
| 1332 | RFC 5511 | Routing Backus-Naur Form (RBNF): A Syntax Used to Form Encoding Rules in Various Routing Protocol Specifications | 2009 | IETF | 0 |
| 1333 | RFC 5478 | IANA Registration of New Session Initiation Protocol (SIP) Resource-Priority Namespaces                          | 2009 | IETF | 0 |
| 1334 | RFC 5519 | Multicast Group Membership Discovery MIB   | 2009 | IETF | 0 |
| 1335 | RFC 5436 | Sieve Notification Mechanism: mailto   | 2009 | IETF | 0 |
| 1336 | RFC 5619 | Softwire Security Analysis and Requirements  | 2009 | IETF | 0 |
| 1337 | RFC 5424 | The Syslog Protocol  | 2009 | IETF | 0 |
| 1338 | RFC 5732 | Extensible Provisioning Protocol (EPP) Host Mapping - Part of STD: 69; Obsoletes: 4932                           | 2009 | IETF | 0 |
| 1339 | RFC 5604 | Managed Objects for Time Division Multiplexing (TDM) over Packet Switched Networks (PSNs)                        | 2009 | IETF | 0 |
| 1340 | RFC 5561 | LDP Capabilities   | 2009 | IETF | 0 |
| 1341 | RFC 5660 | IPsec Channels: Connection Latching  | 2009 | IETF | 0 |
| 1342 | RFC 5547 | A Session Description Protocol (SDP) Offer/Answer Mechanism to Enable File Transfer                              | 2009 | IETF | 0 |
| 1343 | RFC 5679 | Locating IEEE 802.21 Mobility Services Using DNS   | 2009 | IETF | 0 |
| 1344 | RFC 5740 | NACK-Oriented Reliable Multicast (NORM) Transport Protocol - Obsoletes: 3940                                     | 2009 | IETF | 0 |
| 1345 | RFC 5490 | The Sieve Mail-Filtering Language - Extensions for Checking Mailbox Status and Accessing Mailbox Metadata        | 2009 | IETF | 0 |
| 1346 | RFC 5642 | Dynamic Hostname Exchange Mechanism for OSPF   | 2009 | IETF | 0 |
| 1347 | RFC 5533 | Shim6: Level 3 Multihoming Shim Protocol for IPv6  | 2009 | IETF | 0 |
| 1348 | RFC 5729 | Clarifications on the Routing of Diameter Requests Based on the Username and the Realm                           | 2009 | IETF | 0 |
| 1349 | RFC 5630 | The Use of the SIPS URI Scheme in the Session Initiation Protocol (SIP) - Updates: 3261, 3608                    | 2009 | IETF | 0 |
| 1350 | RFC 5435 | Sieve Email Filtering: Extension for Notifications   | 2009 | IETF | 0 |
| 1351 | RFC 5510 | Reed-Solomon Forward Error Correction (FEC) Schemes  | 2009 | IETF | 0 |
| 1352 | RFC 5423 | Internet Message Store Events  | 2009 | IETF | 0 |
| 1353 | RFC 5618 | Mixed Security Mode for the Two-Way Active Measurement Protocol (TWAMP)  | 2009 | IETF | 0 |
| 1354 | RFC 5603 | Ethernet Pseudowire (PW) Management Information Base (MIB)   | 2009 | IETF | 0 |
| 1355 | RFC 5560 | A One-Way Packet Duplication Metric  | 2009 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1356 | RFC 5477 | Information Model for Packet Sampling Exports   | 2009 | IETF | 0 |
| 1357 | RFC 5584 | RTP Payload Format for the Adaptive Transform Acoustic Coding (ATRAC) Family  | 2009 | IETF | 0 |
| 1358 | RFC 5731 | Extensible Provisioning Protocol (EPP) Domain Name Mapping - Part of STD: 69; Obsoletes: 4931   | 2009 | IETF | 0 |
| 1359 | RFC 5512 | The BGP Encapsulation Subsequent Address Family Identifier (SAFI) and the BGP Tunnel Encapsulation Attribute                                    | 2009 | IETF | 0 |
| 1360 | RFC 5462 | Multiprotocol Label Switching (MPLS) Label Stack Entry: "EXP" Field Renamed to "Traffic Class" Field  | 2009 | IETF | 0 |
| 1361 | RFC 5658 | Addressing Record-Route Issues in the Session Initiation Protocol (SIP)   | 2009 | IETF | 0 |
| 1362 | RFC 5450 | Transmission Time Offsets in RTP Streams  | 2009 | IETF | 0 |
| 1363 | RFC 5703 | Sieve Email Filtering: MIME Part Tests, Iteration, Extraction, Replacement, and Enclosure   | 2009 | IETF | 0 |
| 1364 | RFC 5641 | Layer 2 Tunneling Protocol Version 3 (L2TPv3) Extended Circuit Status Values  | 2009 | IETF | 0 |
| 1365 | RFC 5433 | Extensible Authentication Protocol - Generalized Pre-Shared Key (EAP-GPSK) Method   | 2009 | IETF | 0 |
| 1366 | RFC 5626 | Managing Client-Initiated Connections in the Session Initiation Protocol (SIP) - Updates: 3261, 3327  | 2009 | IETF | 0 |
| 1367 | RFC 5668 | 4-Octet AS Specific BGP Extended Community  | 2009 | IETF | 0 |
| 1368 | RFC 5476 | Packet Sampling (PSAMP) Protocol Specifications   | 2009 | IETF | 0 |
| 1369 | RFC 5509 | Internet Assigned Numbers Authority (IANA) Registration of Instant Messaging and Presence DNS SRV RRs for the Session Initiation Protocol (SIP) | 2009 | IETF | 0 |
| 1370 | RFC 5311 | Simplified Extension of Link State PDU (LSP) Space for IS-IS  | 2009 | IETF | 0 |
| 1371 | RFC 5730 | Extensible Provisioning Protocol (EPP) - Part of STD: 69; Obsoletes: 4930   | 2009 | IETF | 0 |
| 1372 | RFC 5553 | Resource Reservation Protocol (RSVP) Extensions for Path Key Support  | 2009 | IETF | 0 |
| 1373 | RFC 5602 | Pseudowire (PW) over MPLS PSN Management Information Base (MIB)   | 2009 | IETF | 0 |
| 1374 | RFC 5583 | Signaling Media Decoding Dependency in the Session Description Protocol (SDP)   | 2009 | IETF | 0 |
| 1375 | RFC 5617 | DomainKeys Identified Mail (DKIM) Author Domain Signing Practices (ADSP)  | 2009 | IETF | 0 |
| 1376 | RFC 5678 | Dynamic Host Configuration Protocol (DHCPv4 and DHCPv6) Options for IEEE 802.21 Mobility Services (MoS) Discovery                               | 2009 | IETF | 0 |
| 1377 | RFC 5447 | Diameter Mobile IPv6: Support for Network Access Server to Diameter Server Interaction  | 2009 | IETF | 0 |
| 1378 | RFC 5655 | Specification of the IP Flow Information Export (IPFIX) File Format   | 2009 | IETF | 0 |
| 1379 | RFC 5530 | IMAP Response Codes   | 2009 | IETF | 0 |
| 1380 | RFC 5536 | Netnews Article Format - Obsoletes: 1036  | 2009 | IETF | 0 |
| 1381 | RFC 5488 | Network Mobility (NEMO) Management Information Base   | 2009 | IETF | 0 |
| 1382 | RFC 5640 | Load-Balancing for Mesh Softwires   | 2009 | IETF | 0 |
| 1383 | RFC 5432 | Quality of Service (QoS) Mechanism Selection in the Session Description Protocol (SDP)  | 2009 | IETF | 0 |
| 1384 | RFC 5475 | Sampling and Filtering Techniques for IP Packet Selection   | 2009 | IETF | 0 |
| 1385 | RFC 5580 | Carrying Location Objects in RADIUS and Diameter  | 2009 | IETF | 0 |
| 1386 | RFC 5417 | Control And Provisioning of Wireless Access Points (CAPWAP) Access Controller DHCP Option   | 2009 | IETF | 0 |
| 1387 | RFC 5613 | OSPF Link-Local Signaling   | 2009 | IETF | 0 |
| 1388 | RFC 5601 | Pseudowire (PW) Management Information Base (MIB)   | 2009 | IETF | 0 |
| 1389 | RFC 5557 | Path Computation Element Communication Protocol (PCEP) Requirements and Protocol Extensions in Support of Global Concurrent Optimization        | 2009 | IETF | 0 |
| 1390 | RFC 5506 | Support for Reduced-Size Real-Time Transport Control Protocol (RTCP): Opportunities and Consequences  | 2009 | IETF | 0 |
| 1391 | RFC 5542 | Definitions of Textual Conventions for Pseudowire (PW) Management   | 2009 | IETF | 0 |
| 1392 | RFC 5392 | OSPF Extensions in Support of Inter-Autonomous System (AS) MPLS and GMPLS Traffic Engineering   | 2009 | IETF | 0 |
| 1393 | RFC 5445 | Basic Forward Error Correction (FEC) Schemes  | 2009 | IETF | 0 |
| 1394 | RFC 5654 | Requirements of an MPLS Transport Profile   | 2009 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1395 | RFC 5487 | Pre-Shared Key Cipher Suites for TLS with SHA-256/384 and AES Galois Counter Mode   | 2009 | IETF | 0 |
| 1396 | RFC 5492 | Capabilities Advertisement with BGP-4 - Obsoletes: 3392   | 2009 | IETF | 0 |
| 1397 | RFC 5429 | Sieve Email Filtering: Reject and Extended Reject Extensions  | 2009 | IETF | 0 |
| 1398 | RFC 5629 | A Framework for Application Interaction in the Session Initiation Protocol (SIP)  | 2009 | IETF | 0 |
| 1399 | RFC 5529 | Modes of Operation for Camellia for Use with IPsec  | 2009 | IETF | 0 |
| 1400 | RFC 5577 | RTP Payload Format for ITU-T Recommendation G.722.1   | 2009 | IETF | 0 |
| 1401 | RFC 5686 | RTP Payload Format for mU-law EMbedded Codec for Low-delay IP Communication (UEMCLIP) Speech Codec  | 2009 | IETF | 0 |
| 1402 | RFC 5611 | Layer Two Tunneling Protocol version 3 - Setup of Time-Division Multiplexing (TDM) Pseudowires  | 2009 | IETF | 0 |
| 1403 | RFC 5416 | Control and Provisioning of Wireless Access Points (CAPWAP) Protocol Binding for IEEE 802.11  | 2009 | IETF | 0 |
| 1404 | RFC 5596 | Datagram Congestion Control Protocol (DCCP) Simultaneous-Open Technique to Facilitate NAT/Middlebox Traversal                                     | 2009 | IETF | 0 |
| 1405 | RFC 5555 | Mobile IPv6 Support for Dual Stack Hosts and Routers  | 2009 | IETF | 0 |
| 1406 | RFC 5498 | IANA Allocations for Mobile Ad Hoc Network (MANET) Protocols  | 2009 | IETF | 0 |
| 1407 | RFC 5541 | Encoding of Objective Functions in the Path Computation Element Communication Protocol (PCEP)   | 2009 | IETF | 0 |
| 1408 | RFC 5677 | IEEE 802.21 Mobility Services Framework Design (MSFD)   | 2009 | IETF | 0 |
| 1409 | RFC 5484 | Associating Time-Codes with RTP Streams   | 2009 | IETF | 0 |
| 1410 | RFC 5428 | Management Event Management Information Base (MIB) for PacketCable-and IPCablecom-Compliant Devices   | 2009 | IETF | 0 |
| 1411 | RFC 5628 | Registration Event Package Extension for Session Initiation Protocol (SIP) Globally Routable User Agent URIs (GRUUs)                              | 2009 | IETF | 0 |
| 1412 | RFC 5524 | Extended URLFETCH for Binary and Converted Parts  | 2009 | IETF | 0 |
| 1413 | RFC 5593 | Internet Message Access Protocol (IMAP) - URL Access Identifier Extension   | 2009 | IETF | 0 |
| 1414 | RFC 5685 | Redirect Mechanism for the Internet Key Exchange Protocol Version 2 (IKEv2)   | 2009 | IETF | 0 |
| 1415 | RFC 5610 | Exporting Type Information for IP Flow Information Export (IPFIX) Information Elements  | 2009 | IETF | 0 |
| 1416 | RFC 5415 | Control And Provisioning of Wireless Access Points (CAPWAP) Protocol Specification  | 2009 | IETF | 0 |
| 1417 | RFC 5497 | Representing Multi-Value Time in Mobile Ad Hoc Networks (MANETs)  | 2009 | IETF | 0 |
| 1418 | RFC 5595 | The Datagram Congestion Control Protocol (DCCP) Service Codes   | 2009 | IETF | 0 |
| 1419 | RFC 5554 | Clarifications and Extensions to the Generic Security Service Application Program Interface (GSS-API) for the Use of Channel Bindings             | 2009 | IETF | 0 |
| 1420 | RFC 5576 | Source-Specific Media Attributes in the Session Description Protocol (SDP)  | 2009 | IETF | 0 |
| 1421 | RFC 5466 | IMAP4 Extension for Named Searches (Filters)  | 2009 | IETF | 0 |
| 1422 | RFC 5531 | RPC: Remote Procedure Call Protocol Specification Version 2 - Obsoletes: 1831   | 2009 | IETF | 0 |
| 1423 | RFC 5571 | Softwire Hub and Spoke Deployment Framework with Layer Two Tunneling Protocol Version 2 (L2TPv2)  | 2009 | IETF | 0 |
| 1424 | RFC 5441 | A Backward-Recursive PCE-Based Computation (BRPC) Procedure to Compute Shortest Constrained Inter-Domain Traffic Engineering Label Switched Paths | 2009 | IETF | 0 |
| 1425 | RFC 5650 | Definitions of Managed Objects for Very High Speed Digital Subscriber Line 2 (VDSL2)  | 2009 | IETF | 0 |
| 1426 | RFC 5459 | G.729.1 RTP Payload Format Update: Discontinuous Transmission (DTX) Support   | 2009 | IETF | 0 |
| 1427 | RFC 5592 | Secure Shell Transport Model for the Simple Network Management Protocol (SNMP)  | 2009 | IETF | 0 |
| 1428 | RFC 5482 | TCP User Timeout Option   | 2009 | IETF | 0 |
| 1429 | RFC 5676 | Definitions of Managed Objects for Mapping SYSLOG Messages to Simple Network Management Protocol (SNMP) Notifications                             | 2009 | IETF | 0 |
| 1430 | RFC 5587 | Extended Generic Security Service Mechanism Inquiry APIs  | 2009 | IETF | 0 |
| 1431 | RFC 5568 | Mobile IPv6 Fast Handovers  | 2009 | IETF | 0 |
| 1432 | RFC 5652 | Cryptographic Message Syntax (CMS) - Part of Std 70;Obsoletes: 3852   | 2009 | IETF | 0 |
| 1433 | RFC 5717 | Partial Lock Remote Procedure Call (RPC) for NETCONF  | 2009 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1434 | RFC 5698 | Data Structure for the Security Suitability of Cryptographic Algorithms (DSSC)   | 2009 | IETF | 0 |
| 1435 | RFC 5608 | Remote Authentication Dial-In User Service (RADIUS) Usage for Simple Network Management Protocol (SNMP) Transport Models | 2009 | IETF | 0 |
| 1436 | RFC 5427 | Textual Conventions for Syslog Management  | 2009 | IETF | 0 |
| 1437 | RFC 5627 | Obtaining and Using Globally Routable User Agent URIs (GRUUs) in the Session Initiation Protocol (SIP)                   | 2009 | IETF | 0 |
| 1438 | RFC 5454 | Dual-Stack Mobile IPv4   | 2009 | IETF | 0 |
| 1439 | RFC 5745 | Procedures for Rights Handling in the RFC IAB Stream - Updates: 4846   | 2009 | IETF | 0 |
| 1440 | RFC 5404 | RTP Payload Format for G.719   | 2009 | IETF | 0 |
| 1441 | RFC 5465 | The IMAP NOTIFY Extension  | 2009 | IETF | 0 |
| 1442 | RFC 5269 | Distributing a Symmetric Fast Mobile IPv6 (FMIPv6) Handover Key Using SEcure Neighbor Discovery (SEND)                   | 2008 | IETF | 0 |
| 1443 | RFC 5172 | Negotiation for IPv6 Datagram Compression Using IPv6 Control Protocol  | 2008 | IETF | 0 |
| 1444 | RFC 5284 | User-Defined Errors for RSVP   | 2008 | IETF | 0 |
| 1445 | RFC 5097 | MIB for the UDP-Lite Protocol  | 2008 | IETF | 0 |
| 1446 | RFC 5142 | Mobility Header Home Agent Switch Message  | 2008 | IETF | 0 |
| 1447 | RFC 5088 | OSPF Protocol Extensions for Path Computation Element (PCE) Discovery  | 2008 | IETF | 0 |
| 1448 | RFC 5191 | Protocol for Carrying Authentication for Network Access (PANA)   | 2008 | IETF | 0 |
| 1449 | RFC 5259 | Internet Message Access Protocol - CONVERT Extension   | 2008 | IETF | 0 |
| 1450 | RFC 5225 | RObust Header Compression Version 2 (ROHCv2): Profiles for RTP, UDP, IP, ESP and UDP-Lite                                | 2008 | IETF | 0 |
| 1451 | RFC 5272 | Certificate Management over CMS (CMC)  | 2008 | IETF | 0 |
| 1452 | RFC 5059 | Bootstrap Router (BSR) Mechanism for Protocol Independent Multicast (PIM)  | 2008 | IETF | 0 |
| 1453 | RFC 5173 | Sieve Email Filtering: Body Extension  | 2008 | IETF | 0 |
| 1454 | RFC 5250 | The OSPF Opaque LSA Option   | 2008 | IETF | 0 |
| 1455 | RFC 5362 | The Session Initiation Protocol (SIP) Pending Additions Event Package  | 2008 | IETF | 0 |
| 1456 | RFC 5112 | The Presence-Specific Static Dictionary for Signaling Compression (Sigcomp)  | 2008 | IETF | 0 |
| 1457 | RFC 5301 | Dynamic Hostname Exchange Mechanism for IS-IS  | 2008 | IETF | 0 |
| 1458 | RFC 5361 | A Document Format for Requesting Consent   | 2008 | IETF | 0 |
| 1459 | RFC 5161 | The IMAP ENABLE Extension  | 2008 | IETF | 0 |
| 1460 | RFC 5365 | Multiple-Recipient MESSAGE Requests in the Session Initiation Protocol (SIP)   | 2008 | IETF | 0 |
| 1461 | RFC 5332 | MPLS Multicast Encapsulations  | 2008 | IETF | 0 |
| 1462 | RFC 5098 | Signaling MIB for PacketCable and IPcablecom Multimedia Terminal Adapters (MTAs)   | 2008 | IETF | 0 |
| 1463 | RFC 5391 | RTP Payload Format for ITU-T Recommendation G.711.1  | 2008 | IETF | 0 |
| 1464 | RFC 5227 | IPv4 Address Conflict Detection  | 2008 | IETF | 0 |
| 1465 | RFC 5060 | Protocol Independent Multicast MIB   | 2008 | IETF | 0 |
| 1466 | RFC 5302 | Domain-Wide Prefix Distribution with Two-Level IS-IS   | 2008 | IETF | 0 |
| 1467 | RFC 5115 | Telephony Routing over IP (TRIP) Attribute for Resource Priority   | 2008 | IETF | 0 |
| 1468 | RFC 5363 | Framework and Security Considerations for Session Initiation Protocol (SIP) URI-List Services                            | 2008 | IETF | 0 |
| 1469 | RFC 5366 | Conference Establishment Using Request-Contained Lists in the Session Initiation Protocol (SIP)                          | 2008 | IETF | 0 |
| 1470 | RFC 5192 | DHCP Options for Protocol for Carrying Authentication for Network Access (PANA) Authentication Agents                    | 2008 | IETF | 0 |
| 1471 | RFC 5260 | Sieve Email Filtering: Date and Index Extensions   | 2008 | IETF | 0 |
| 1472 | RFC 5251 | Layer 1 VPN Basic Mode   | 2008 | IETF | 0 |
| 1473 | RFC 5089 | IS-IS Protocol Extensions for Path Computation Element (PCE) Discovery   | 2008 | IETF | 0 |
| 1474 | RFC 5175 | IPv6 Router Advertisement Flags Option   | 2008 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1475 | RFC 5286 | Basic Specification for IP Fast Reroute: Loop-Free Alternates  | 2008 | IETF | 0 |
| 1476 | RFC 5101 | Specification of the IP Flow Information Export (IPFIX) Protocol for the Exchange of IP Traffic Flow Information                     | 2008 | IETF | 0 |
| 1477 | RFC 5232 | Sieve Email Filtering: Imap4flags Extension  | 2008 | IETF | 0 |
| 1478 | RFC 5303 | Three-Way Handshake for IS-IS Point-to-Point Adjacencies   | 2008 | IETF | 0 |
| 1479 | RFC 5116 | An Interface and Algorithms for Authenticated Encryption   | 2008 | IETF | 0 |
| 1480 | RFC 5367 | Subscriptions to Request-Contained Resource Lists in the Session Initiation Protocol (SIP)   | 2008 | IETF | 0 |
| 1481 | RFC 5261 | An Extensible Markup Language (XML) Patch Operations Framework Utilizing XML Path Language (XPath) Selectors                         | 2008 | IETF | 0 |
| 1482 | RFC 5195 | BGP-Based Auto-Discovery for Layer-1 VPNs  | 2008 | IETF | 0 |
| 1483 | RFC 5364 | Extensible Markup Language (XML) Format Extension for Representing Copy Control Attributes in Resource Lists                         | 2008 | IETF | 0 |
| 1484 | RFC 5178 | Generic Security Service Application Program Interface (GSS-API) Internationalization and Domain-Based Service Names and Name Type   | 2008 | IETF | 0 |
| 1485 | RFC 5231 | Sieve Email Filtering: Relational Extension  | 2008 | IETF | 0 |
| 1486 | RFC 5215 | RTP Payload Format for Vorbis Encoded Audio  | 2008 | IETF | 0 |
| 1487 | RFC 5252 | OSPF-Based Layer 1 VPN Auto-Discovery  | 2008 | IETF | 0 |
| 1488 | RFC 5275 | CMS Symmetric Key Management and Distribution  | 2008 | IETF | 0 |
| 1489 | RFC 5287 | Control Protocol Extensions for the Setup of Time-Division Multiplexing (TDM) Pseudowires in MPLS Networks                           | 2008 | IETF | 0 |
| 1490 | RFC 5393 | Addressing an Amplification Vulnerability in Session Initiation Protocol (SIP) Forking Proxies                                       | 2008 | IETF | 0 |
| 1491 | RFC 5233 | Sieve Email Filtering: Subaddress Extension  | 2008 | IETF | 0 |
| 1492 | RFC 5090 | RADIUS Extension for Digest Authentication   | 2008 | IETF | 0 |
| 1493 | RFC 5196 | Session Initiation Protocol (SIP) User Agent Capability Extension to Presence Information Data Format (PIDF)                         | 2008 | IETF | 0 |
| 1494 | RFC 5179 | Generic Security Service Application Program Interface (GSS-API) Domain-Based Service Names Mapping for the Kerberos V GSS Mechanism | 2008 | IETF | 0 |
| 1495 | RFC 5139 | Revised Civic Location Format for Presence Information Data Format Location Object (PIDF-LO)   | 2008 | IETF | 0 |
| 1496 | RFC 5304 | IS-IS Cryptographic Authentication   | 2008 | IETF | 0 |
| 1497 | RFC 5120 | M-ISIS: Multi Topology (MT) Routing in Intermediate System to Intermediate Systems (IS-ISs)  | 2008 | IETF | 0 |
| 1498 | RFC 5262 | Presence Information Data Format (PIDF) Extension for Partial Presence   | 2008 | IETF | 0 |
| 1499 | RFC 5276 | Using the Server-Based Certificate Validation Protocol (SCVP) to Convey Long-Term Evidence Records                                   | 2008 | IETF | 0 |
| 1500 | RFC 5374 | Multicast Extensions to the Security Architecture for the Internet Protocol  | 2008 | IETF | 0 |
| 1501 | RFC 5230 | Sieve Email Filtering: Vacation Extension  | 2008 | IETF | 0 |
| 1502 | RFC 5371 | RTP Payload Format for JPEG 2000 Video Streams   | 2008 | IETF | 0 |
| 1503 | RFC 5396 | Textual Representation of Autonomous System (AS) Numbers   | 2008 | IETF | 0 |
| 1504 | RFC 5235 | Sieve Email Filtering: Spamttest and Virustest Extensions  | 2008 | IETF | 0 |
| 1505 | RFC 5185 | OSPF Multi-Area Adjacency  | 2008 | IETF | 0 |
| 1506 | RFC 5288 | AES Galois Counter Mode (GCM) Cipher Suites for TLS  | 2008 | IETF | 0 |
| 1507 | RFC 5103 | Bidirectional Flow Export Using IP Flow Information Export (IPFIX)   | 2008 | IETF | 0 |
| 1508 | RFC 5370 | The Session Initiation Protocol (SIP) Conference Bridge Transcoding Model  | 2008 | IETF | 0 |
| 1509 | RFC 5263 | Session Initiation Protocol (SIP) Extension for Partial Notification of Presence Information   | 2008 | IETF | 0 |
| 1510 | RFC 5239 | A Framework for Centralized Conferencing   | 2008 | IETF | 0 |
| 1511 | RFC 5229 | Sieve Email Filtering: Variables Extension   | 2008 | IETF | 0 |
| 1512 | RFC 5140 | A Telephony Gateway REgistration Protocol (TGREP)  | 2008 | IETF | 0 |
| 1513 | RFC 5316 | ISIS Extensions in Support of Inter-Autonomous System (AS) MPLS and GMPLS Traffic Engineering  | 2008 | IETF | 0 |
| 1514 | RFC 5277 | NETCONF Event Notifications  | 2008 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1515 | RFC 5329 | Traffic Engineering Extensions to OSPF Version 3  | 2008 | IETF | 0 |
| 1516 | RFC 5380 | Hierarchical Mobile IPv6 (HMIPv6) Mobility Management   | 2008 | IETF | 0 |
| 1517 | RFC 5216 | The EAP-TLS Authentication Protocol   | 2008 | IETF | 0 |
| 1518 | RFC 5187 | OSPFv3 Graceful Restart   | 2008 | IETF | 0 |
| 1519 | RFC 5238 | Datagram Transport Layer Security (DTLS) over the Datagram Congestion Control Protocol (DCCP)   | 2008 | IETF | 0 |
| 1520 | RFC 5372 | Payload Format for JPEG 2000 Video: Extensions for Scalability and Main Header Recovery   | 2008 | IETF | 0 |
| 1521 | RFC 5291 | Outbound Route Filtering Capability for BGP-4   | 2008 | IETF | 0 |
| 1522 | RFC 5397 | WebDAV Current Principal Extension  | 2008 | IETF | 0 |
| 1523 | RFC 5341 | The Internet Assigned Number Authority (IANA) tel Uniform Resource Identifier (URI) Parameter Registry  | 2008 | IETF | 0 |
| 1524 | RFC 5293 | Sieve Email Filtering: Edithheader Extension  | 2008 | IETF | 0 |
| 1525 | RFC 5122 | Internationalized Resource Identifiers (IRIs) and Uniform Resource Identifiers (URIs) for the Extensible Messaging and Presence Protocol (XMPP) | 2008 | IETF | 0 |
| 1526 | RFC 5264 | Publication of Partial Presence Information   | 2008 | IETF | 0 |
| 1527 | RFC 5306 | Restart Signaling for IS-IS   | 2008 | IETF | 0 |
| 1528 | RFC 5240 | Protocol Independent Multicast (PIM) Bootstrap Router MIB   | 2008 | IETF | 0 |
| 1529 | RFC 5182 | IMAP Extension for Referencing the Last SEARCH Result   | 2008 | IETF | 0 |
| 1530 | RFC 5150 | Label Switched Path Stitching with Generalized Multiprotocol Label Switching Traffic Engineering (GMPLS TE)                                     | 2008 | IETF | 0 |
| 1531 | RFC 5219 | A More Loss-Tolerant RTP Payload Format for MP3 Audio   | 2008 | IETF | 0 |
| 1532 | RFC 5323 | Web Distributed Authoring and Versioning (WebDAV) SEARCH  | 2008 | IETF | 0 |
| 1533 | RFC 5350 | IANA Considerations for the IPv4 and IPv6 Router Alert Options  | 2008 | IETF | 0 |
| 1534 | RFC 5151 | Inter-Domain MPLS and GMPLS Traffic Engineering - Resource Reservation Protocol-Traffic Engineering (RSVP-TE) Extensions                        | 2008 | IETF | 0 |
| 1535 | RFC 5401 | Multicast Negative-Acknowledgment (NACK) Building Blocks  | 2008 | IETF | 0 |
| 1536 | RFC 5348 | TCP Friendly Rate Control (TFRC): Protocol Specification  | 2008 | IETF | 0 |
| 1537 | RFC 5292 | Address-Prefix-Based Outbound Route Filter for BGP-4  | 2008 | IETF | 0 |
| 1538 | RFC 5255 | Internet Message Access Protocol Internationalization   | 2008 | IETF | 0 |
| 1539 | RFC 5188 | RTP Payload Format for the Enhanced Variable Rate Wideband Codec (EVRC-WB) and the Media Subtype Updates for EVRC-B Codec                       | 2008 | IETF | 0 |
| 1540 | RFC 5373 | Requesting Answering Modes for the Session Initiation Protocol (SIP)  | 2008 | IETF | 0 |
| 1541 | RFC 5244 | Definition of Events for Channel-Oriented Telephony Signalling  | 2008 | IETF | 0 |
| 1542 | RFC 5265 | Mobile IPv4 Traversal across IPsec-Based VPN Gateways   | 2008 | IETF | 0 |
| 1543 | RFC 5124 | Extended Secure RTP Profile for Real-time Transport Control Protocol (RTCP)-Based Feedback (RTP/SAVPF)  | 2008 | IETF | 0 |
| 1544 | RFC 5163 | Extension Formats for Unidirectional Lightweight Encapsulation (ULE) and the Generic Stream Encapsulation (GSE)                                 | 2008 | IETF | 0 |
| 1545 | RFC 5183 | Sieve Email Filtering: Environment Extension  | 2008 | IETF | 0 |
| 1546 | RFC 5386 | Better-Than-Nothing Security: An Unauthenticated Mode of IPsec  | 2008 | IETF | 0 |
| 1547 | RFC 5324 | MIB for Fibre-Channel Security Protocols (FC-SP)  | 2008 | IETF | 0 |
| 1548 | RFC 5282 | Using Authenticated Encryption Algorithms with the Encrypted Payload of the Internet Key Exchange version 2 (IKEv2) Protocol                    | 2008 | IETF | 0 |
| 1549 | RFC 5147 | URI Fragment Identifiers for the text/plain Media Type  | 2008 | IETF | 0 |
| 1550 | RFC 5189 | Middlebox Communication (MIDCOM) Protocol Semantics   | 2008 | IETF | 0 |
| 1551 | RFC 5152 | A Per-Domain Path Computation Method for Establishing Inter-Domain Traffic Engineering (TE) Label Switched Paths (LSPs)                         | 2008 | IETF | 0 |
| 1552 | RFC 5295 | Specification for the Derivation of Root Keys from an Extended Master Session Key (EMSK)  | 2008 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1553 | RFC 5256 | Internet Message Access Protocol - SORT and THREAD Extensions   | 2008 | IETF | 0 |
| 1554 | RFC 5107 | DHCP Server Identifier Override Suboption   | 2008 | IETF | 0 |
| 1555 | RFC 5170 | Low Density Parity Check (LDPC) Staircase and Triangle Forward Error Correction (FEC) Schemes   | 2008 | IETF | 0 |
| 1556 | RFC 5198 | Unicode Format for Network Interchange  | 2008 | IETF | 0 |
| 1557 | RFC 5144 | A Domain Availability Check (DCHK) Registry Type for the Internet Registry Information Service (IRIS)                                     | 2008 | IETF | 0 |
| 1558 | RFC 5330 | A Link-Type sub-TLV to Convey the Number of Traffic Engineering Label Switched Paths Signalled with Zero Reserved Bandwidth across a Link | 2008 | IETF | 0 |
| 1559 | RFC 5283 | LDP Extension for Inter-Area Label Switched Paths (LSPs)  | 2008 | IETF | 0 |
| 1560 | RFC 4880 | OpenPGP Message Format  | 2007 | IETF | 0 |
| 1561 | RFC 5085 | Pseudowire Virtual Circuit Connectivity Verification (VCCV): A Control Channel for Pseudowires  | 2007 | IETF | 0 |
| 1562 | RFC 4983 | Fibre Channel Registered State Change Notification (RSCN) MIB   | 2007 | IETF | 0 |
| 1563 | RFC 5034 | The Post Office Protocol (POP3) Simple Authentication and Security Layer (SASL) Authentication Mechanism                                  | 2007 | IETF | 0 |
| 1564 | RFC 4817 | Encapsulation of MPLS over Layer 2 Tunneling Protocol Version 3   | 2007 | IETF | 0 |
| 1565 | RFC 4920 | Crankback Signaling Extensions for MPLS and GMPLS RSVP-TE   | 2007 | IETF | 0 |
| 1566 | RFC 5020 | The Lightweight Directory Access Protocol (LDAP) entryDN Operational Attribute  | 2007 | IETF | 0 |
| 1567 | RFC 5073 | IGP Routing Protocol Extensions for Discovery of Traffic Engineering Node Capabilities  | 2007 | IETF | 0 |
| 1568 | RFC 5005 | Feed Paging and Archiving   | 2007 | IETF | 0 |
| 1569 | RFC 4895 | Authenticated Chunks for the Stream Control Transmission Protocol (SCTP)  | 2007 | IETF | 0 |
| 1570 | RFC 3659 | Extensions to FTP   | 2007 | IETF | 0 |
| 1571 | RFC 4853 | Cryptographic Message Syntax (CMS) Multiple Signer Clarification  | 2007 | IETF | 0 |
| 1572 | RFC 4798 | Connecting IPv6 Islands over IPv4 MPLS Using IPv6 Provider Edge Routers (6PE)   | 2007 | IETF | 0 |
| 1573 | RFC 5053 | Raptor Forward Error Correction Scheme for Object Delivery  | 2007 | IETF | 0 |
| 1574 | RFC 4820 | Padding Chunk and Parameter for the Stream Control Transmission Protocol (SCTP)   | 2007 | IETF | 0 |
| 1575 | RFC 4974 | Generalized MPLS (GMPLS) RSVP-TE Signaling Extensions in Support of Calls   | 2007 | IETF | 0 |
| 1576 | RFC 4780 | Management Information Base for the Session Initiation Protocol (SIP)   | 2007 | IETF | 0 |
| 1577 | RFC 5084 | Using AES-CCM and AES-GCM Authenticated Encryption in the Cryptographic Message Syntax (CMS)  | 2007 | IETF | 0 |
| 1578 | RFC 4816 | Pseudowire Emulation Edge-to-Edge (PWE3) Asynchronous Transfer Mode (ATM) Transparent Cell Transport Service                              | 2007 | IETF | 0 |
| 1579 | RFC 4833 | Timezone Options for DHCP   | 2007 | IETF | 0 |
| 1580 | RFC 4878 | Definitions and Managed Objects for Operations, Administration, and Maintenance (OAM) Functions on Ethernet-Like Interfaces               | 2007 | IETF | 0 |
| 1581 | RFC 4629 | RTP Payload Format for ITU-T Rec. H.263 Video   | 2007 | IETF | 0 |
| 1582 | RFC 4954 | SMTP Service Extension for Authentication   | 2007 | IETF | 0 |
| 1583 | RFC 4982 | Support for Multiple Hash Algorithms in Cryptographically Generated Addresses (CGAs)  | 2007 | IETF | 0 |
| 1584 | RFC 5032 | WITHIN Search Extension to the IMAP Protocol  | 2007 | IETF | 0 |
| 1585 | RFC 4918 | HTTP Extensions for Web Distributed Authoring and Versioning (WebDAV)   | 2007 | IETF | 0 |
| 1586 | RFC 4867 | RTP Payload Format and File Storage Format for the Adaptive Multi-Rate (AMR) and Adaptive Multi-Rate Wideband (AMR-WB) Audio Codecs       | 2007 | IETF | 0 |
| 1587 | RFC 5096 | Mobile IPv6 Experimental Messages   | 2007 | IETF | 0 |
| 1588 | RFC 4896 | Signaling Compression (SigComp) Corrections and Clarifications  | 2007 | IETF | 0 |
| 1589 | RFC 5004 | Avoid BGP Best Path Transitions from One External to Another  | 2007 | IETF | 0 |
| 1590 | RFC 4790 | Internet Application Protocol Collation Registry  | 2007 | IETF | 0 |
| 1591 | RFC 5019 | The Lightweight Online Certificate Status Protocol (OCSP) Profile for High-Volume Environments  | 2007 | IETF | 0 |



|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1592 | RFC 5105 | ENUM Validation Token Format Definition  | 2007 | IETF | 0 |
| 1593 | RFC 4951 | Fail Over Extensions for Layer 2 Tunneling Protocol (L2TP) "failover"                                    | 2007 | IETF | 0 |
| 1594 | RFC 4991 | A Common Schema for Internet Registry Information Service Transfer Protocols                             | 2007 | IETF | 0 |
| 1595 | RFC 4724 | Graceful Restart Mechanism for BGP   | 2007 | IETF | 0 |
| 1596 | RFC 4807 | IPsec Security Policy Database Configuration MIB   | 2007 | IETF | 0 |
| 1597 | RFC 4815 | RObust Header Compression (ROHC): Corrections and Clarifications to RFC 3095                             | 2007 | IETF | 0 |
| 1598 | RFC 4917 | Mobile IPv4 Message String Extension   | 2007 | IETF | 0 |
| 1599 | RFC 4979 | IANA Registration for Enumservice â XMPPâ  | 2007 | IETF | 0 |
| 1600 | RFC 4866 | Enhanced Route Optimization for Mobile IPv6  | 2007 | IETF | 0 |
| 1601 | RFC 4822 | RIPv2 Cryptographic Authentication   | 2007 | IETF | 0 |
| 1602 | RFC 5003 | Attachment Individual Identifier (AII) Types for Aggregation   | 2007 | IETF | 0 |
| 1603 | RFC 4898 | TCP Extended Statistics MIB  | 2007 | IETF | 0 |
| 1604 | RFC 5018 | Connection Establishment in the Binary Floor Control Protocol (BFCP)                                     | 2007 | IETF | 0 |
| 1605 | RFC 4796 | The Session Description Protocol (SDP) Content Attribute   | 2007 | IETF | 0 |
| 1606 | RFC 4849 | RADIUS Filter Rule Attribute   | 2007 | IETF | 0 |
| 1607 | RFC 5052 | Forward Error Correction (FEC) Building Block  | 2007 | IETF | 0 |
| 1608 | RFC 4950 | ICMP Extensions for Multiprotocol Label Switching  | 2007 | IETF | 0 |
| 1609 | RFC 4877 | Mobile IPv6 Operation with IKEv2 and the Revised IPsec Architecture                                      | 2007 | IETF | 0 |
| 1610 | RFC 4792 | Encoding Instructions for the Generic String Encoding Rules (GSER)                                       | 2007 | IETF | 0 |
| 1611 | RFC 5083 | Cryptographic Message Syntax (CMS) Authenticated-Enveloped-Data Content Type                             | 2007 | IETF | 0 |
| 1612 | RFC 5029 | Definition of an IS-IS Link Attribute Sub-TLV  | 2007 | IETF | 0 |
| 1613 | RFC 4865 | SMTP Submission Service Extension for Future Message Relea   | 2007 | IETF | 0 |
| 1614 | RFC 5017 | MIB Textual Conventions for Uniform Resource Identifiers (URIs)  | 2007 | IETF | 0 |
| 1615 | RFC 5064 | The Archived-At Message Header Field   | 2007 | IETF | 0 |
| 1616 | RFC 4788 | Enhancements to RTP Payload Formats for EVRC Family Codecs   | 2007 | IETF | 0 |
| 1617 | RFC 4901 | Protocol Extensions for Header Compression over MPLS   | 2007 | IETF | 0 |
| 1618 | RFC 5001 | DNS Name Server Identifier (NSID) Option   | 2007 | IETF | 0 |
| 1619 | RFC 4848 | Domain-Based Application Service Location Using URIs and the Dynamic Delegation Discovery Service (DDDS) | 2007 | IETF | 0 |
| 1620 | RFC 4969 | IANA Registration for vCard Enumservice  | 2007 | IETF | 0 |
| 1621 | RFC 5051 | i;unicode-casemap - Simple Unicode Collation Algorithm   | 2007 | IETF | 0 |
| 1622 | RFC 4721 | Mobile IPv4 Challenge/Response Extensions (Revised)  | 2007 | IETF | 0 |
| 1623 | RFC 4978 | The IMAP COMPRESS Extension  | 2007 | IETF | 0 |
| 1624 | RFC 4945 | The Internet IP Security PKI Profile of IKEv1/ISAKMP, IKEv2, and PKIX                                    | 2007 | IETF | 0 |
| 1625 | RFC 5082 | The Generalized TTL Security Mechanism (GTSM)  | 2007 | IETF | 0 |
| 1626 | RFC 4806 | Online Certificate Status Protocol (OCSP) Extensions to IKEv2  | 2007 | IETF | 0 |
| 1627 | RFC 4863 | Wildcard Pseudowire Type   | 2007 | IETF | 0 |
| 1628 | RFC 5028 | A Telephone Number Mapping (ENUM) Service Registration for Instant Messaging (IM) Services               | 2007 | IETF | 0 |
| 1629 | RFC 4998 | Evidence Record Syntax (ERS)   | 2007 | IETF | 0 |
| 1630 | RFC 4904 | Representing Trunk Groups in tel/sip Uniform Resource Identifiers (URIs)                                 | 2007 | IETF | 0 |
| 1631 | RFC 5015 | Bidirectional Protocol Independent Multicast (BIDIR-PIM)   | 2007 | IETF | 0 |
| 1632 | RFC 5063 | Extensions to GMPLS Resource Reservation Protocol (RSVP) Graceful Restart                                | 2007 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1633 | RFC 4967 | Dial String Parameter for the Session Initiation Protocol Uniform Resource Identifier                                      | 2007 | IETF | 0 |
| 1634 | RFC 4771 | Integrity Transform Carrying Roll-Over Counter for the Secure Real-time Transport Protocol (SRTP)                          | 2007 | IETF | 0 |
| 1635 | RFC 5092 | IMAP URL Scheme  | 2007 | IETF | 0 |
| 1636 | RFC 4842 | Synchronous Optical Network/Synchronous Digital Hierarchy (SONET/SDH) Circuit Emulation over Packet (CEP)                  | 2007 | IETF | 0 |
| 1637 | RFC 4819 | Secure Shell Public Key Subsystem  | 2007 | IETF | 0 |
| 1638 | RFC 5010 | The Dynamic Host Configuration Protocol Version 4 (DHCPv4) Relay Agent Flags Suboption                                     | 2007 | IETF | 0 |
| 1639 | RFC 4754 | IKE and IKEv2 Authentication Using the Elliptic Curve Digital Signature Algorithm (ECDSA)                                  | 2007 | IETF | 0 |
| 1640 | RFC 4805 | Definitions of Managed Objects for the DS1, J1, E1, DS2, and E2 Interface Types  | 2007 | IETF | 0 |
| 1641 | RFC 5027 | Security Preconditions for Session Description Protocol (SDP) Media Streams  | 2007 | IETF | 0 |
| 1642 | RFC 5080 | Common Remote Authentication Dial In User Service (RADIUS) Implementation Issues and Suggested Fixes                       | 2007 | IETF | 0 |
| 1643 | RFC 4745 | Common Policy: A Document Format for Expressing Privacy Preferences  | 2007 | IETF | 0 |
| 1644 | RFC 5133 | Terminal Endpoint Identifier (TEI) Query Request Number Change   | 2007 | IETF | 0 |
| 1645 | RFC 4860 | Generic Aggregate Resource ReSerVation Protocol (RSVP) Reservations  | 2007 | IETF | 0 |
| 1646 | RFC 5061 | Stream Control Transmission Protocol (SCTP) Dynamic Address Reconfiguration  | 2007 | IETF | 0 |
| 1647 | RFC 5011 | Automated Updates of DNS Security (DNSSEC) Trust Anchors   | 2007 | IETF | 0 |
| 1648 | RFC 4915 | Multi-Topology (MT) Routing in OSPF  | 2007 | IETF | 0 |
| 1649 | RFC 4827 | An Extensible Markup Language (XML) Configuration Access Protocol (XCAP) Usage for Manipulating Presence Document Contents | 2007 | IETF | 0 |
| 1650 | RFC 4837 | Managed Objects of Ethernet Passive Optical Networks (EPON)  | 2007 | IETF | 0 |
| 1651 | RFC 4941 | Privacy Extensions for Stateless Address Autoconfiguration in IPv6 - Obsoletes: 3041                                       | 2007 | IETF | 0 |
| 1652 | RFC 4939 | Definitions of Managed Objects for iSNS (Internet Storage Name Service)  | 2007 | IETF | 0 |
| 1653 | RFC 5049 | Applying Signaling Compression (SigComp) to the Session Initiation Protocol (SIP)  | 2007 | IETF | 0 |
| 1654 | RFC 5094 | Mobile IPv6 Vendor Specific Option   | 2007 | IETF | 0 |
| 1655 | RFC 4873 | GMPLS Segment Recovery   | 2007 | IETF | 0 |
| 1656 | RFC 5026 | Mobile IPv6 Bootstrapping in Split Scenario  | 2007 | IETF | 0 |
| 1657 | RFC 5079 | Rejecting Anonymous Requests in the Session Initiation Protocol (SIP)  | 2007 | IETF | 0 |
| 1658 | RFC 4804 | Aggregation of Resource ReSerVation Protocol (RSVP) Reservations over MPLS TE/DS-TE Tunnels                                | 2007 | IETF | 0 |
| 1659 | RFC 5025 | Presence Authorization Rules   | 2007 | IETF | 0 |
| 1660 | RFC 4856 | Media Type Registration of Payload Formats in the RTP Profile for Audio and Video Conferences                              | 2007 | IETF | 0 |
| 1661 | RFC 4916 | Connected Identity in the Session Initiation Protocol (SIP)  | 2007 | IETF | 0 |
| 1662 | RFC 5132 | IP Multicast MIB   | 2007 | IETF | 0 |
| 1663 | RFC 4994 | DHCPv6 Relay Agent Echo Request Option   | 2007 | IETF | 0 |
| 1664 | RFC 4785 | Pre-Shared Key (PSK) Ciphersuites with NULL Encryption for Transport Layer Security (TLS)                                  | 2007 | IETF | 0 |
| 1665 | RFC 4826 | Extensible Markup Language (XML) Formats for Representing Resource Lists   | 2007 | IETF | 0 |
| 1666 | RFC 4959 | IMAP Extension for Simple Authentication and Security Layer (SASL) Initial Client Response                                 | 2007 | IETF | 0 |
| 1667 | RFC 4836 | Definitions of Managed Objects for IEEE 802.3 Medium Attachment Units (MAUs)   | 2007 | IETF | 0 |
| 1668 | RFC 5095 | Deprecation of Type 0 Routing Headers in IPv6  | 2007 | IETF | 0 |
| 1669 | RFC 4762 | Virtual Private LAN Service (VPLS) Using Label Distribution Protocol (LDP) Signaling                                       | 2007 | IETF | 0 |
| 1670 | RFC 4936 | Fibre Channel Zone Server MIB  | 2007 | IETF | 0 |
| 1671 | RFC 5023 | The Atom Publishing Protocol   | 2007 | IETF | 0 |
| 1672 | RFC 5131 | A MIB Textual Convention for Language Tags   | 2007 | IETF | 0 |
| 1673 | RFC 4803 | Generalized Multiprotocol Label Switching (GMPLS) Label Switching Router (LSR) Management Information Base                 | 2007 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1674 | RFC 4993 | A Lightweight UDP Transfer Protocol for the Internet Registry Information Service  | 2007 | IETF | 0 |
| 1675 | RFC 4825 | The Extensible Markup Language (XML) Configuration Access Protocol (XCAP)  | 2007 | IETF | 0 |
| 1676 | RFC 5035 | Enhanced Security Services (ESS) Update: Adding CertID Algorithm Agility   | 2007 | IETF | 0 |
| 1677 | RFC 4818 | RADIUS Delegated-IPv6-Prefix Attribute   | 2007 | IETF | 0 |
| 1678 | RFC 5065 | Autonomous System Confederations for BGP - Obsoletes: 3065   | 2007 | IETF | 0 |
| 1679 | RFC 4955 | DNS Security (DNSSEC) Experiments  | 2007 | IETF | 0 |
| 1680 | RFC 4997 | Formal Notation for RObusT Header Compression (ROHC-FN)  | 2007 | IETF | 0 |
| 1681 | RFC 4868 | Using HMAC-SHA-256, HMAC-SHA-384, and HMAC-SHA-512 with IPsec  | 2007 | IETF | 0 |
| 1682 | RFC 4985 | Internet X.509 Public Key Infrastructure Subject Alternative Name for Expression of Service Name   | 2007 | IETF | 0 |
| 1683 | RFC 4935 | Fibre Channel Fabric Configuration Server MIB  | 2007 | IETF | 0 |
| 1684 | RFC 5021 | Extended Kerberos Version 5 Key Distribution Center (KDC) Exchanges over TCP   | 2007 | IETF | 0 |
| 1685 | RFC 5076 | ENUM Validation Information Mapping for the Extensible Provisioning Protocol   | 2007 | IETF | 0 |
| 1686 | RFC 5007 | DHCPv6 Leasequery  | 2007 | IETF | 0 |
| 1687 | RFC 4802 | Generalized Multiprotocol Label Switching (GMPLS) Traffic Engineering Management Information Base  | 2007 | IETF | 0 |
| 1688 | RFC 4511 | Lightweight Directory Access Protocol (LDAP): The Protocol   | 2006 | IETF | 0 |
| 1689 | RFC 4650 | HMAC-Authenticated Diffie-Hellman for Multimedia Internet KEYing (MIKEY)   | 2006 | IETF | 0 |
| 1690 | RFC 4345 | Improved Arcfour Modes for the Secure Shell (SSH) Transport Layer Protocol   | 2006 | IETF | 0 |
| 1691 | RFC 4668 | RADIUS Authentication Client MIB for IPv6  | 2006 | IETF | 0 |
| 1692 | RFC 4743 | Using NETCONF over the Simple Object Access Protocol (SOAP)  | 2006 | IETF | 0 |
| 1693 | RFC 4555 | IKEv2 Mobility and Multihoming Protocol (MOBIKE)   | 2006 | IETF | 0 |
| 1694 | RFC 4712 | Transport Mappings for Real-time Application Quality-of-Service Monitoring (RAQMOM) Protocol Data Unit (PDU)   | 2006 | IETF | 0 |
| 1695 | RFC 4362 | RObusT Header Compression (ROHC): A Link-Layer Assisted Profile for IP/UDP/RTP   | 2006 | IETF | 0 |
| 1696 | RFC 4545 | Definitions of Managed Objects for IP Storage User Identity Authorization  | 2006 | IETF | 0 |
| 1697 | RFC 4526 | Lightweight Directory Access Protocol (LDAP) Absolute True and False Filters   | 2006 | IETF | 0 |
| 1698 | RFC 4635 | HMAC SHA TSIG Algorithm Identifiers  | 2006 | IETF | 0 |
| 1699 | RFC 4439 | Fibre Channel Fabric Address Manager MIB   | 2006 | IETF | 0 |
| 1700 | RFC 4501 | Domain Name System Uniform Resource Identifiers  | 2006 | IETF | 0 |
| 1701 | RFC 4783 | GMPLS - Communication of Alarm Information   | 2006 | IETF | 0 |
| 1702 | RFC 4675 | RADIUS Attributes for Virtual LAN and Priority Support   | 2006 | IETF | 0 |
| 1703 | RFC 4615 | The Advanced Encryption Standard-Cipher-based Message Authentication Code-Pseudo-Random Function-128 (AES-CMAC-PRF-128) Algorithm for the Internet Key Exchange Protocol (IKE) | 2006 | IETF | 0 |
| 1704 | RFC 4335 | The Secure Shell (SSH) Session Channel Break Extension   | 2006 | IETF | 0 |
| 1705 | RFC 4568 | Session Description Protocol (SDP) Security Descriptions for Media Streams   | 2006 | IETF | 0 |
| 1706 | RFC 4548 | Internet Code Point (ICP) Assignments for NSAP Addresses   | 2006 | IETF | 0 |
| 1707 | RFC 4759 | The ENUM Dip Indicator Parameter for the "tel" URI   | 2006 | IETF | 0 |
| 1708 | RFC 4530 | Lightweight Directory Access Protocol (LDAP) entryUUID Operational Attribute   | 2006 | IETF | 0 |
| 1709 | RFC 4546 | Radio Frequency (RF) Interface Management Information Base for Data over Cable Service Interface Specifications (DOCSIS) 2.0 Compliant RF Interfaces                           | 2006 | IETF | 0 |
| 1710 | RFC 4414 | An ENUM Registry Type for the Internet Registry Information Service (IRIS)   | 2006 | IETF | 0 |
| 1711 | RFC 4233 | Integrated Services Digital Network (ISDN) Q.921-User Adaptation Layer   | 2006 | IETF | 0 |
| 1712 | RFC 4481 | Timed Presence Extensions to the Presence Information Data Format (PIDF) to Indicate Status Information for Past and Future Time Intervals                                     | 2006 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1713 | RFC 4404 | Definitions of Managed Objects for Fibre Channel Over TCP/IP (FCIP)   | 2006 | IETF | 0 |
| 1714 | RFC 4744 | Using the NETCONF Protocol over the Blocks Extensible Exchange Protocol (BEEP)  | 2006 | IETF | 0 |
| 1715 | RFC 4576 | Using a Link State Advertisement (LSA) Options Bit to Prevent Looping in BGP/MPLS IP Virtual Private Networks (VPNs)  | 2006 | IETF | 0 |
| 1716 | RFC 4363 | Definitions of Managed Objects for Bridges with Traffic Classes, Multicast Filtering, and Virtual LAN Extensions  | 2006 | IETF | 0 |
| 1717 | RFC 4587 | RTP Payload Format for H.261 Video Streams  | 2006 | IETF | 0 |
| 1718 | RFC 4717 | Encapsulation Methods for Transport of Asynchronous Transfer Mode (ATM) over MPLS Networks  | 2006 | IETF | 0 |
| 1719 | RFC 4684 | Constrained Route Distribution for Border Gateway Protocol/MultiProtocol Label Switching (BGP/MPLS) Internet Protocol (IP) Virtual Private Networks (VPNs)              | 2006 | IETF | 0 |
| 1720 | RFC 4495 | A Resource Reservation Protocol (RSVP) Extension for the Reduction of Bandwidth of a Reservation Flow   | 2006 | IETF | 0 |
| 1721 | RFC 4483 | A Mechanism for Content Indirection in Session Initiation Protocol (SIP) Messages   | 2006 | IETF | 0 |
| 1722 | RFC 4387 | Internet X.509 Public Key Infrastructure Operational Protocols: Certificate Store Access via HTTP   | 2006 | IETF | 0 |
| 1723 | RFC 4293 | Management Information Base for the Internet Protocol (IP)  | 2006 | IETF | 0 |
| 1724 | RFC 4510 | Lightweight Directory Access Protocol (LDAP): Technical Specification Road Map  | 2006 | IETF | 0 |
| 1725 | RFC 4570 | Session Description Protocol (SDP) Source Filters   | 2006 | IETF | 0 |
| 1726 | RFC 4337 | MIME Type Registration for MPEG-4   | 2006 | IETF | 0 |
| 1727 | RFC 4636 | Foreign Agent Error Extension for Mobile IPv4   | 2006 | IETF | 0 |
| 1728 | RFC 4438 | Fibre Channel Name Server MIB   | 2006 | IETF | 0 |
| 1729 | RFC 4616 | The PLAIN Simple Authentication and Security Layer (SASL) Mechanism   | 2006 | IETF | 0 |
| 1730 | RFC 4383 | The Use of Timed Efficient Stream Loss-Tolerant Authentication (TESLA) in the Secure Real-time Transport Protocol (SRTP)  | 2006 | IETF | 0 |
| 1731 | RFC 4411 | Extending the Session Initiation Protocol (SIP) Reason Header for Preemption Events   | 2006 | IETF | 0 |
| 1732 | RFC 4659 | BGP-MPLS IP Virtual Private Network (VPN) Extension for IPv6 VPN  | 2006 | IETF | 0 |
| 1733 | RFC 4349 | High-Level Data Link Control (HDLC) Frames over Layer 2 Tunneling Protocol, Version 3 (L2TPv3)  | 2006 | IETF | 0 |
| 1734 | RFC 4512 | Lightweight Directory Access Protocol (LDAP): Directory Information Models  | 2006 | IETF | 0 |
| 1735 | RFC 4480 | RPID: Rich Presence Extensions to the Presence Information Data Format (PIDF)   | 2006 | IETF | 0 |
| 1736 | RFC 4669 | RADIUS Authentication Server MIB for IPv6   | 2006 | IETF | 0 |
| 1737 | RFC 4577 | OSPF as the Provider/Customer Edge Protocol for BGP/MPLS IP Virtual Private Networks (VPNs)   | 2006 | IETF | 0 |
| 1738 | RFC 4755 | IP over InfiniBand: Connected Mode  | 2006 | IETF | 0 |
| 1739 | RFC 4685 | Atom Threading Extensions   | 2006 | IETF | 0 |
| 1740 | RFC 4769 | IANA Registration for an Enumservice Containing Public Switched Telephone Network (PSTN) Signaling Information  | 2006 | IETF | 0 |
| 1741 | RFC 4592 | The Role of Wildcards in the Domain Name System   | 2006 | IETF | 0 |
| 1742 | RFC 4719 | Transport of Ethernet Frames over Layer 2 Tunneling Protocol Version 3 (L2TPv3)   | 2006 | IETF | 0 |
| 1743 | RFC 4557 | Online Certificate Status Protocol (OCSP) Support for Public Key Cryptography for Initial Authentication in Kerberos (PKINIT)   | 2006 | IETF | 0 |
| 1744 | RFC 4547 | Event Notification Management Information Base for Data over Cable Service Interface Specifications (DOCSIS)-Compliant Cable Modems and Cable Modem Termination Systems | 2006 | IETF | 0 |
| 1745 | RFC 4532 | Lightweight Directory Access Protocol (LDAP) "Who am I?" Operation  | 2006 | IETF | 0 |
| 1746 | RFC 4462 | Generic Security Service Application Program Interface (GSS-API) Authentication and Key Exchange for the Secure Shell (SSH) Protocol                                    | 2006 | IETF | 0 |
| 1747 | RFC 4388 | Dynamic Host Configuration Protocol (DHCP) Leasequery   | 2006 | IETF | 0 |
| 1748 | RFC 4494 | The AES-CMAC-96 Algorithm and Its Use with IPsec  | 2006 | IETF | 0 |
| 1749 | RFC 4470 | Minimally Covering NSEC Records and DNSSEC On-line Signing  | 2006 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1750 | RFC 4618 | Encapsulation Methods for Transport of PPP/High-Level Data Link Control (HDLC) over MPLS Networks  | 2006 | IETF | 0 |
| 1751 | RFC 4734 | Definition of Events for Modem, Fax, and Text Telephony Signals  | 2006 | IETF | 0 |
| 1752 | RFC 4571 | Framing Real-time Transport Protocol (RTP) and RTP Control Protocol (RTCP) Packets over Connection-Oriented Transport  | 2006 | IETF | 0 |
| 1753 | RFC 4639 | Cable Device Management Information Base for Data-Over-Cable Service Interface Specification (DOCSIS) Compliant Cable Modems and Cable Modem Termination Systems | 2006 | IETF | 0 |
| 1754 | RFC 4566 | SDP: Session Description Protocol  | 2006 | IETF | 0 |
| 1755 | RFC 4372 | Chargeable User Identity   | 2006 | IETF | 0 |
| 1756 | RFC 4479 | A Data Model for Presence  | 2006 | IETF | 0 |
| 1757 | RFC 4426 | Generalized Multi-Protocol Label Switching (GMPLS) Recovery Functional Specification   | 2006 | IETF | 0 |
| 1758 | RFC 4380 | Teredo: Tunneling IPv6 over UDP through Network Address Translations (NATs)  | 2006 | IETF | 0 |
| 1759 | RFC 4352 | RTP Payload Format for the Extended Adaptive Multi-Rate Wideband (AMR-WB+) Audio Codec   | 2006 | IETF | 0 |
| 1760 | RFC 4580 | Dynamic Host Configuration Protocol for IPv6 (DHCPv6) Relay Agent Subscriber-ID Option   | 2006 | IETF | 0 |
| 1761 | RFC 4513 | Lightweight Directory Access Protocol (LDAP): Authentication Methods and Security Mechanisms   | 2006 | IETF | 0 |
| 1762 | RFC 4702 | The Dynamic Host Configuration Protocol (DHCP) Client Fully Qualified Domain Name (FQDN) Option  | 2006 | IETF | 0 |
| 1763 | RFC 4273 | Definitions of Managed Objects for BGP-4   | 2006 | IETF | 0 |
| 1764 | RFC 4455 | Definition of Managed Objects for Small Computer System Interface (SCSI) Entities  | 2006 | IETF | 0 |
| 1765 | RFC 4534 | Group Security Policy Token v1   | 2006 | IETF | 0 |
| 1766 | RFC 4598 | Real-time Transport Protocol (RTP) Payload Format for Enhanced AC-3 (E-AC-3) Audio   | 2006 | IETF | 0 |
| 1767 | RFC 4588 | RTP Retransmission Payload Format  | 2006 | IETF | 0 |
| 1768 | RFC 4320 | Actions Addressing Identified Issues with the Session Initiation Protocol's (SIP) Non-INVITE Transaction   | 2006 | IETF | 0 |
| 1769 | RFC 4560 | Definitions of Managed Objects for Remote Ping, Traceroute, and Lookup Operations  | 2006 | IETF | 0 |
| 1770 | RFC 4491 | Using the GOST R 34.10-94, GOST R 34.10-2001, and GOST R 34.11-94 Algorithms with the Internet X.509 Public Key Infrastructure Certificate and CRL Profile       | 2006 | IETF | 0 |
| 1771 | RFC 4390 | Dynamic Host Configuration Protocol (DHCP) over InfiniBand   | 2006 | IETF | 0 |
| 1772 | RFC 4698 | IRIS: An Address Registry (areg) Type for the Internet Registry Information Service  | 2006 | IETF | 0 |
| 1773 | RFC 4454 | Asynchronous Transfer Mode (ATM) over Layer 2 Tunneling Protocol Version 3 (L2TPv3)  | 2006 | IETF | 0 |
| 1774 | RFC 4720 | Pseudowire Emulation Edge-to-Edge (PWE3) Frame Check Sequence Retention  | 2006 | IETF | 0 |
| 1775 | RFC 4434 | The AES-XCBC-PRF-128 Algorithm for the Internet Key Exchange Protocol (IKE)  | 2006 | IETF | 0 |
| 1776 | RFC 4619 | Encapsulation Methods for Transport of Frame Relay over Multiprotocol Label Switching (MPLS) Networks  | 2006 | IETF | 0 |
| 1777 | RFC 4735 | Example Media Types for Use in Documentation   | 2006 | IETF | 0 |
| 1778 | RFC 4747 | The Virtual Fabrics MIB  | 2006 | IETF | 0 |
| 1779 | RFC 4703 | Resolution of Fully Qualified Domain Name (FQDN) Conflicts among Dynamic Host Configuration Protocol (DHCP) Clients  | 2006 | IETF | 0 |
| 1780 | RFC 4355 | IANA Registration for Enumservices email, fax, mms, ems, and sms   | 2006 | IETF | 0 |
| 1781 | RFC 4514 | Lightweight Directory Access Protocol (LDAP): String Representation of Distinguished Names   | 2006 | IETF | 0 |
| 1782 | RFC 4476 | Attribute Certificate (AC) Policies Extension  | 2006 | IETF | 0 |
| 1783 | RFC 4518 | Lightweight Directory Access Protocol (LDAP): Internationalized String Preparation   | 2006 | IETF | 0 |
| 1784 | RFC 4661 | An Extensible Markup Language (XML)-Based Format for Event Notification Filtering  | 2006 | IETF | 0 |
| 1785 | RFC 4752 | The Kerberos V5 ("GSSAPI") Simple Authentication and Security Layer (SASL) Mechanism   | 2006 | IETF | 0 |
| 1786 | RFC 4552 | Authentication/Confidentiality for OSPFv3  | 2006 | IETF | 0 |
| 1787 | RFC 4506 | XDR: External Data Representation Standard - Part of STD: 67; Obsoletes: 1832  | 2006 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1788 | RFC 4535 | GSAKMP: Group Secure Association Key Management Protocol  | 2006 | IETF | 0 |
| 1789 | RFC 4449 | Securing Mobile IPv6 Route Optimization Using a Static Shared Key   | 2006 | IETF | 0 |
| 1790 | RFC 4323 | Data Over Cable System Interface Specification Quality of Service Management Information Base (DOCSIS-QoS MIB)  | 2006 | IETF | 0 |
| 1791 | RFC 4561 | Definition of a Record Route Object (RRO) Node-Id Sub-Object  | 2006 | IETF | 0 |
| 1792 | RFC 4589 | Location Types Registry   | 2006 | IETF | 0 |
| 1793 | RFC 4701 | A DNS Resource Record (RR) for Encoding Dynamic Host Configuration Protocol (DHCP) Information (DHCID RR)   | 2006 | IETF | 0 |
| 1794 | RFC 4643 | Network News Transfer Protocol (NNTP) Extension for Authentication  | 2006 | IETF | 0 |
| 1795 | RFC 4573 | MIME Type Registration for RTP Payload Format for H.224   | 2006 | IETF | 0 |
| 1796 | RFC 4623 | Pseudowire Emulation Edge-to-Edge (PWE3) Fragmentation and Reassembly   | 2006 | IETF | 0 |
| 1797 | RFC 4737 | Packet Reordering Metrics   | 2006 | IETF | 0 |
| 1798 | RFC 4490 | Using the GOST 28147-89, GOST R 34.11-94, GOST R 34.10-94, and GOST R 34.10-2001 Algorithms with Cryptographic Message Syntax (CMS)                   | 2006 | IETF | 0 |
| 1799 | RFC 4436 | Detecting Network Attachment in IPv4 (DNAv4)  | 2006 | IETF | 0 |
| 1800 | RFC 4433 | Mobile IPv4 Dynamic Home Agent (HA) Assignment  | 2006 | IETF | 0 |
| 1801 | RFC 4255 | Using DNS to Securely Publish Secure Shell (SSH) Key Fingerprints   | 2006 | IETF | 0 |
| 1802 | RFC 4519 | Lightweight Directory Access Protocol (LDAP): Schema for User Applications  | 2006 | IETF | 0 |
| 1803 | RFC 4704 | The Dynamic Host Configuration Protocol for IPv6 (DHCPv6) Client Fully Qualified Domain Name (FQDN) Option  | 2006 | IETF | 0 |
| 1804 | RFC 4749 | RTP Payload Format for the G.729.1 Audio Codec  | 2006 | IETF | 0 |
| 1805 | RFC 4424 | Real-Time Transport Protocol (RTP) Payload Format for the Variable-Rate Multimode Wideband (VMR-WB) Extension Audio Codec                             | 2006 | IETF | 0 |
| 1806 | RFC 4370 | Lightweight Directory Access Protocol (LDAP) Proxied Authorization Control  | 2006 | IETF | 0 |
| 1807 | RFC 4662 | A Session Initiation Protocol (SIP) Event Notification Extension for Resource Lists   | 2006 | IETF | 0 |
| 1808 | RFC 4356 | Mapping Between the Multimedia Messaging Service (MMS) and Internet Mail  | 2006 | IETF | 0 |
| 1809 | RFC 4581 | Cryptographically Generated Addresses (CGA) Extension Field Format  | 2006 | IETF | 0 |
| 1810 | RFC 4750 | OSPF Version 2 Management Information Base  | 2006 | IETF | 0 |
| 1811 | RFC 4563 | The Key ID Information Type for the General Extension Payload in Multimedia Internet KEYing (MIKEY)   | 2006 | IETF | 0 |
| 1812 | RFC 4553 | Structure-Agnostic Time Division Multiplexing (TDM) over Packet (SAToP)   | 2006 | IETF | 0 |
| 1813 | RFC 4537 | Kerberos Cryptosystem Negotiation Extension   | 2006 | IETF | 0 |
| 1814 | RFC 4448 | Encapsulation Methods for Transport of Ethernet over MPLS Networks  | 2006 | IETF | 0 |
| 1815 | RFC 4558 | Node-ID Based Resource Reservation Protocol (RSVP) Hello: A Clarification Statement   | 2006 | IETF | 0 |
| 1816 | RFC 4604 | Using Internet Group Management Protocol Version 3 (IGMPv3) and Multicast Listener Discovery Protocol Version 2 (MLDv2) for Source-Specific Multicast | 2006 | IETF | 0 |
| 1817 | RFC 4425 | RTP Payload Format for Video Codec 1 (VC-1)   | 2006 | IETF | 0 |
| 1818 | RFC 4789 | Simple Network Management Protocol (SNMP) over IEEE 802 Networks  | 2006 | IETF | 0 |
| 1819 | RFC 4625 | Fibre Channel Routing Information MIB   | 2006 | IETF | 0 |
| 1820 | RFC 4738 | MIKEY-RSA-R: An Additional Mode of Key Distribution in Multimedia Internet KEYing (MIKEY)   | 2006 | IETF | 0 |
| 1821 | RFC 4574 | The Session Description Protocol (SDP) Label Attribute  | 2006 | IETF | 0 |
| 1822 | RFC 4393 | MIME Type Registrations for 3GPP2 Multimedia Files  | 2006 | IETF | 0 |
| 1823 | RFC 4489 | A Method for Generating Link-Scoped IPv6 Multicast Addresses  | 2006 | IETF | 0 |
| 1824 | RFC 4432 | RSA Key Exchange for the Secure Shell (SSH) Transport Layer Protocol  | 2006 | IETF | 0 |
| 1825 | RFC 4644 | Network News Transfer Protocol (NNTP) Extension for Streaming Feeds   | 2006 | IETF | 0 |
| 1826 | RFC 4256 | Generic Message Exchange Authentication for the Secure Shell Protocol (SSH)   | 2006 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1827 | RFC 4522 | Lightweight Directory Access Protocol (LDAP): The Binary Encoding Option  | 2006 | IETF | 0 |
| 1828 | RFC 4469 | Internet Message Access Protocol (IMAP) CATENATE Extension  | 2006 | IETF | 0 |
| 1829 | RFC 4422 | Simple Authentication and Security Layer (SASL)   | 2006 | IETF | 0 |
| 1830 | RFC 4368 | Multiprotocol Label Switching (MPLS) Label-Controlled Asynchronous Transfer Mode (ATM) and Frame-Relay Management Interface Definition                | 2006 | IETF | 0 |
| 1831 | RFC 4706 | Definitions of Managed Objects for Asymmetric Digital Subscriber Line 2 (ADSL2)   | 2006 | IETF | 0 |
| 1832 | RFC 4515 | Lightweight Directory Access Protocol (LDAP): String Representation of Search Filters   | 2006 | IETF | 0 |
| 1833 | RFC 4359 | The Use of RSA/SHA-1 Signatures within Encapsulating Security Payload (ESP) and Authentication Header (AH)  | 2006 | IETF | 0 |
| 1834 | RFC 4682 | Multimedia Terminal Adapter (MTA) Management Information Base for PacketCable-and IP-Cablecom-Compliant Devices                                       | 2006 | IETF | 0 |
| 1835 | RFC 4591 | Frame Relay over Layer 2 Tunneling Protocol Version 3 (L2TPv3)  | 2006 | IETF | 0 |
| 1836 | RFC 4606 | Generalized Multi-Protocol Label Switching (GMPLS) Extensions for Synchronous Optical Network (SONET) and Synchronous Digital Hierarchy (SDH) Control | 2006 | IETF | 0 |
| 1837 | RFC 4538 | Request Authorization through Dialog Identification in the Session Initiation Protocol (SIP)  | 2006 | IETF | 0 |
| 1838 | RFC 4626 | MIB for Fibre Channel's Fabric Shortest Path First (FSPF) Protocol  | 2006 | IETF | 0 |
| 1839 | RFC 4502 | Remote Network Monitoring Management Information Base - Obsoletes: 2021; Updates: 3273; Version 2   | 2006 | IETF | 0 |
| 1840 | RFC 4396 | RTP Payload Format for 3rd Generation Partnership Project (3GPP) Timed Text   | 2006 | IETF | 0 |
| 1841 | RFC 4648 | The Base16, Base32, and Base64 Data Encodings   | 2006 | IETF | 0 |
| 1842 | RFC 4343 | Domain Name System (DNS) Case Insensitivity Clarification   | 2006 | IETF | 0 |
| 1843 | RFC 4382 | MPLS/BGP Layer 3 Virtual Private Network (VPN) Management Information Base  | 2006 | IETF | 0 |
| 1844 | RFC 4488 | Suppression of Session Initiation Protocol (SIP) REFER Method Implicit Subscription   | 2006 | IETF | 0 |
| 1845 | RFC 4666 | Signaling System 7 (SS7) Message Transfer Part 3 (MTP3) - User Adaptation Layer (M3UA)  | 2006 | IETF | 0 |
| 1846 | RFC 4681 | TLS User Mapping Extension  | 2006 | IETF | 0 |
| 1847 | RFC 4468 | Message Submission BURL Extension   | 2006 | IETF | 0 |
| 1848 | RFC 4516 | Lightweight Directory Access Protocol (LDAP): Uniform Resource Locator  | 2006 | IETF | 0 |
| 1849 | RFC 4421 | RTP Payload Format for Uncompressed Video: Additional Colour Sampling Modes   | 2006 | IETF | 0 |
| 1850 | RFC 4523 | Lightweight Directory Access Protocol (LDAP) Schema Definitions for X.509 Certificates  | 2006 | IETF | 0 |
| 1851 | RFC 4527 | Lightweight Directory Access Protocol (LDAP) Read Entry Controls  | 2006 | IETF | 0 |
| 1852 | RFC 4710 | Real-time Application Quality-of-Service Monitoring (RAQMON) Framework  | 2006 | IETF | 0 |
| 1853 | RFC 4582 | The Binary Floor Control Protocol (BFCP)  | 2006 | IETF | 0 |
| 1854 | RFC 3977 | Network News Transfer Protocol (NNTP)   | 2006 | IETF | 0 |
| 1855 | RFC 4444 | Management Information Base for Intermediate System to Intermediate System (IS-IS)  | 2006 | IETF | 0 |
| 1856 | RFC 4543 | The Use of Galois Message Authentication Code (GMAC) in IPsec ESP and AH  | 2006 | IETF | 0 |
| 1857 | RFC 4295 | Mobile IPv6 Management Information Base   | 2006 | IETF | 0 |
| 1858 | RFC 4727 | Experimental Values in IPv4, IPv6, ICMPv4, ICMPv6, UDP, and TCP Headers   | 2006 | IETF | 0 |
| 1859 | RFC 4730 | A Session Initiation Protocol (SIP) Event Package for Key Press Stimulus (KPML)   | 2006 | IETF | 0 |
| 1860 | RFC 4607 | Source-Specific Multicast for IP  | 2006 | IETF | 0 |
| 1861 | RFC 4331 | Quota and Size Properties for Distributed Authoring and Versioning (DAV) Collections  | 2006 | IETF | 0 |
| 1862 | RFC 4430 | Kerberized Internet Negotiation of Keys (KINK)  | 2006 | IETF | 0 |
| 1863 | RFC 4649 | Dynamic Host Configuration Protocol for IPv6 (DHCPv6) Relay Agent Remote-ID Option  | 2006 | IETF | 0 |
| 1864 | RFC 4344 | The Secure Shell (SSH) Transport Layer Encryption Modes   | 2006 | IETF | 0 |
| 1865 | RFC 4575 | A Session Initiation Protocol (SIP) Event Package for Conference State  | 2006 | IETF | 0 |
| 1866 | RFC 4509 | Use of SHA-256 in DNSSEC Delegation Signer (DS) Resource Records (RRs)  | 2006 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1867 | RFC 4667 | Layer 2 Virtual Private Network (L2VPN) Extensions for Layer 2 Tunneling Protocol (L2TP)   | 2006 | IETF | 0 |
| 1868 | RFC 4740 | Diameter Session Initiation Protocol (SIP) Application   | 2006 | IETF | 0 |
| 1869 | RFC 4694 | Number Portability Parameters for the "tel" URI  | 2006 | IETF | 0 |
| 1870 | RFC 4364 | BGP/MPLS IP Virtual Private Networks (VPNs)  | 2006 | IETF | 0 |
| 1871 | RFC 4227 | Using the Simple Object Access Protocol (SOAP) in Blocks Extensible Exchange Protocol (BEEP)   | 2006 | IETF | 0 |
| 1872 | RFC 4524 | COSINE LDAP/X.500 Schema   | 2006 | IETF | 0 |
| 1873 | RFC 4517 | Lightweight Directory Access Protocol (LDAP): Syntaxes and Matching Rules  | 2006 | IETF | 0 |
| 1874 | RFC 4361 | Node-specific Client Identifiers for Dynamic Host Configuration Protocol Version Four (DHCPv4)   | 2006 | IETF | 0 |
| 1875 | RFC 4583 | Session Description Protocol (SDP) Format for Binary Floor Control Protocol (BFCP) Streams   | 2006 | IETF | 0 |
| 1876 | RFC 4711 | Real-time Application Quality-of-Service Monitoring (RAQMON) MIB   | 2006 | IETF | 0 |
| 1877 | RFC 4683 | Internet X.509 Public Key Infrastructure Subject Identification Method (SIM)   | 2006 | IETF | 0 |
| 1878 | RFC 4528 | Lightweight Directory Access Protocol (LDAP) Assertion Control   | 2006 | IETF | 0 |
| 1879 | RFC 4385 | Pseudowire Emulation Edge-to-Edge (PWE3) Control Word for Use over an MPLS PSN   | 2006 | IETF | 0 |
| 1880 | RFC 4505 | Anonymous Simple Authentication and Security Layer (SASL) Mechanism  | 2006 | IETF | 0 |
| 1881 | RFC 4442 | Bootstrapping Timed Efficient Stream Loss-Tolerant Authentication (TESLA)  | 2006 | IETF | 0 |
| 1882 | RFC 4194 | The S Hexdump Format   | 2005 | IETF | 0 |
| 1883 | RFC 4010 | Use of the SEED Encryption Algorithm in Cryptographic Message Syntax (CMS)   | 2005 | IETF | 0 |
| 1884 | RFC 4314 | IMAP4 Access Control List (ACL) Extension  | 2005 | IETF | 0 |
| 1885 | RFC 4213 | Basic Transition Mechanisms for IPv6 Hosts and Routers   | 2005 | IETF | 0 |
| 1886 | RFC 4239 | Internet Voice Messaging (IVM)   | 2005 | IETF | 0 |
| 1887 | RFC 4262 | X.509 Certificate Extension for Secure/Multipurpose Internet Mail Extensions (S/MIME) Capabilities   | 2005 | IETF | 0 |
| 1888 | RFC 4178 | The Simple and Protected Generic Security Service Application Program Interface (GSS-API) Negotiation Mechanism  | 2005 | IETF | 0 |
| 1889 | RFC 4104 | Policy Core Extension Lightweight Directory Access Protocol Schema (PCELS)   | 2005 | IETF | 0 |
| 1890 | RFC 3961 | Encryption and Checksum Specifications for Kerberos 5  | 2005 | IETF | 0 |
| 1891 | RFC 4030 | The Authentication Suboption for the Dynamic Host Configuration Protocol (DHCP) Relay Agent Option   | 2005 | IETF | 0 |
| 1892 | RFC 4077 | A Negative Acknowledgement Mechanism for Signaling Compression   | 2005 | IETF | 0 |
| 1893 | RFC 4021 | Registration of Mail and MIME Header Fields  | 2005 | IETF | 0 |
| 1894 | RFC 4309 | Using Advanced Encryption Standard (AES) CCM Mode with IPsec Encapsulating Security Payload (ESP)  | 2005 | IETF | 0 |
| 1895 | RFC 4283 | Mobile Node Identifier Option for Mobile IPv6 (MIPv6)  | 2005 | IETF | 0 |
| 1896 | RFC 4145 | TCP-Based Media Transport in the Session Description Protocol (SDP)  | 2005 | IETF | 0 |
| 1897 | RFC 4055 | Additional Algorithms and Identifiers for RSA Cryptography for use in the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | 2005 | IETF | 0 |
| 1898 | RFC 4220 | Traffic Engineering Link Management Information Base   | 2005 | IETF | 0 |
| 1899 | RFC 4130 | MIME-Based Secure Peer-to-Peer Business Data Interchange Using HTTP, Applicability Statement 2 (AS2)   | 2005 | IETF | 0 |
| 1900 | RFC 3996 | Internet Printing Protocol (IPP): The "ippget" Delivery Method for Event Notifications   | 2005 | IETF | 0 |
| 1901 | RFC 4261 | Common Open Policy Service (COPS) Over Transport Layer Security (TLS)  | 2005 | IETF | 0 |
| 1902 | RFC 4162 | Addition of SEED Cipher Suites to Transport Layer Security (TLS)   | 2005 | IETF | 0 |
| 1903 | RFC 4019 | Robust Header Compression (ROHC): Profiles for User Datagram Protocol (UDP) Lite   | 2005 | IETF | 0 |
| 1904 | RFC 3962 | Advanced Encryption Standard (AES) Encryption for Kerberos 5   | 2005 | IETF | 0 |
| 1905 | RFC 4075 | Simple Network Time Protocol (SNTP) Configuration Option for DHCPv6  | 2005 | IETF | 0 |
| 1906 | RFC 4032 | Update to the Session Initiation Protocol (SIP) Preconditions Framework  | 2005 | IETF | 0 |
| 1907 | RFC 4193 | Unique Local IPv6 Unicast Addresses  | 2005 | IETF | 0 |



|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 1908 | RFC 4287 | The Atom Syndication Format  | 2005 | IETF | 0 |
| 1909 | RFC 4129 | Digital Private Network Signaling System (DPNSS)/ Digital Access Signaling System 2 (DASS 2) Extensions to the IUA Protocol                            | 2005 | IETF | 0 |
| 1910 | RFC 3998 | Internet Printing Protocol (IPP): Job and Printer Administrative Operations  | 2005 | IETF | 0 |
| 1911 | RFC 4217 | Securing FTP with TLS  | 2005 | IETF | 0 |
| 1912 | RFC 4238 | Voice Message Routing Service  | 2005 | IETF | 0 |
| 1913 | RFC 4073 | Protecting Multiple Contents with the Cryptographic Message Syntax (CMS)   | 2005 | IETF | 0 |
| 1914 | RFC 4304 | Extended Sequence Number (ESN) Addendum to IPsec Domain of Interpretation (DOI) for Internet Security Association and Key Management Protocol (ISAKMP) | 2005 | IETF | 0 |
| 1915 | RFC 4150 | Transport Performance Metrics MIB  | 2005 | IETF | 0 |
| 1916 | RFC 4188 | Definitions of Managed Objects for Bridges   | 2005 | IETF | 0 |
| 1917 | RFC 4308 | Cryptographic Suites for IPsec   | 2005 | IETF | 0 |
| 1918 | RFC 4044 | Fibre Channel Management MIB   | 2005 | IETF | 0 |
| 1919 | RFC 4303 | IP Encapsulating Security Payload (ESP) - Part of STD 1  | 2005 | IETF | 0 |
| 1920 | RFC 3981 | IRIS: The Internet Registry Information Service (IRIS) Core Protocol   | 2005 | IETF | 0 |
| 1921 | RFC 4109 | Algorithms for Internet Key Exchange version 1 (IKEv1)   | 2005 | IETF | 0 |
| 1922 | RFC 4280 | Dynamic Host Configuration Protocol (DHCP) Options for Broadcast and Multicast Control Servers   | 2005 | IETF | 0 |
| 1923 | RFC 4124 | Protocol Extensions for Support of Diffserv-aware MPLS Traffic Engineering   | 2005 | IETF | 0 |
| 1924 | RFC 3947 | Negotiation of NAT-Traversal in the IKE  | 2005 | IETF | 0 |
| 1925 | RFC 4237 | Voice Messaging Directory Service  | 2005 | IETF | 0 |
| 1926 | RFC 4006 | Diameter Credit-Control Application  | 2005 | IETF | 0 |
| 1927 | RFC 4211 | Internet X.509 Public Key Infrastructure Certificate Request Message Format (CRMF)   | 2005 | IETF | 0 |
| 1928 | RFC 4103 | RTP Payload for Text Conversation  | 2005 | IETF | 0 |
| 1929 | RFC 4114 | E.164 Number Mapping for the Extensible Provisioning Protocol (EPP)  | 2005 | IETF | 0 |
| 1930 | RFC 4149 | Definition of Managed Objects for Synthetic Sources for Performance Monitoring Algorithms  | 2005 | IETF | 0 |
| 1931 | RFC 3963 | Network Mobility (NEMO) Basic Support Protocol   | 2005 | IETF | 0 |
| 1932 | RFC 4298 | RTP Payload Format for BroadVoice Speech Codecs  | 2005 | IETF | 0 |
| 1933 | RFC 4015 | The Eifel Response Algorithm for TCP   | 2005 | IETF | 0 |
| 1934 | RFC 4191 | Default Router Preferences and More-Specific Routes  | 2005 | IETF | 0 |
| 1935 | RFC 4302 | IP Authentication Header   | 2005 | IETF | 0 |
| 1936 | RFC 3982 | IRIS: A Domain Registry (dreg) Type for the Internet Registry Information Service (IRIS)   | 2005 | IETF | 0 |
| 1937 | RFC 4184 | RTP Payload Format for AC-3 Audio  | 2005 | IETF | 0 |
| 1938 | RFC 4286 | Multicast Router Discovery   | 2005 | IETF | 0 |
| 1939 | RFC 4311 | IPv6 Host-to-Router Load Sharing   | 2005 | IETF | 0 |
| 1940 | RFC 4043 | Internet X.509 Public Key Infrastructure Permanent Identifier  | 2005 | IETF | 0 |
| 1941 | RFC 4279 | Pre-Shared Key Ciphersuites for Transport Layer Security (TLS)   | 2005 | IETF | 0 |
| 1942 | RFC 4171 | Internet Storage Name Service (iSNS)   | 2005 | IETF | 0 |
| 1943 | RFC 4001 | Textual Conventions for Internet Network Addresses   | 2005 | IETF | 0 |
| 1944 | RFC 4122 | A Universally Unique Identifier (UUID) URN Namespace   | 2005 | IETF | 0 |
| 1945 | RFC 3948 | UDP Encapsulation of IPsec ESP Packets   | 2005 | IETF | 0 |
| 1946 | RFC 3957 | Authentication, Authorization, and Accounting (AAA) Registration Keys for Mobile IPv4  | 2005 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1947 | RFC 4014 | Remote Authentication Dial-In User Service (RADIUS) Attributes Suboption for the Dynamic Host Configuration Protocol (DHCP) Relay Agent Information Option                | 2005 | IETF | 0 |
| 1948 | RFC 4113 | Management Information Base for the User Datagram Protocol (UDP)  | 2005 | IETF | 0 |
| 1949 | RFC 4070 | Definitions of Managed Object Extensions for Very High Speed Digital Subscriber Lines (VDSL) Using Multiple Carrier Modulation (MCM) Line Coding                          | 2005 | IETF | 0 |
| 1950 | RFC 4201 | Link Bundling in MPLS Traffic Engineering (TE)  | 2005 | IETF | 0 |
| 1951 | RFC 4040 | RTP Payload Format for a 64 kbit/s Transparent Call   | 2005 | IETF | 0 |
| 1952 | RFC 3927 | Dynamic Configuration of IPv4 Link-Local Addresses  | 2005 | IETF | 0 |
| 1953 | RFC 4095 | Attaching Meaning to Solicitation Class Keywords  | 2005 | IETF | 0 |
| 1954 | RFC 3953 | Telephone Number Mapping (ENUM) Service Registration for Presence Services  | 2005 | IETF | 0 |
| 1955 | RFC 4236 | HTTP Adaptation with Open Pluggable Edge Services (OPES)  | 2005 | IETF | 0 |
| 1956 | RFC 4002 | IANA Registration for Enumservice â webâ and â ftâ  | 2005 | IETF | 0 |
| 1957 | RFC 4168 | The Stream Control Transmission Protocol (SCTP) as a Transport for the Session Initiation Protocol (SIP)  | 2005 | IETF | 0 |
| 1958 | RFC 4102 | Registration of the text/red MIME Sub-Type  | 2005 | IETF | 0 |
| 1959 | RFC 4069 | Definitions of Managed Object Extensions for Very High Speed Digital Subscriber Lines (VDSL) Using Single Carrier Modulation (SCM) Line Coding                            | 2005 | IETF | 0 |
| 1960 | RFC 3970 | A Traffic Engineering (TE) MIB  | 2005 | IETF | 0 |
| 1961 | RFC 4312 | The Camellia Cipher Algorithm and Its Use With IPsec  | 2005 | IETF | 0 |
| 1962 | RFC 4039 | Rapid Commit Option for the Dynamic Host Configuration Protocol version 4 (DHCPv4)  | 2005 | IETF | 0 |
| 1963 | RFC 4319 | Definitions of Managed Objects for High Bit-Rate DSL - 2nd generation (HDSL2) and Single-Pair High-Speed Digital Subscriber Line (SHDSL) Lines                            | 2005 | IETF | 0 |
| 1964 | RFC 3987 | Internationalized Resource Identifiers (IRIs)   | 2005 | IETF | 0 |
| 1965 | RFC 3931 | Layer Two Tunneling Protocol - Version 3 (L2TPv3)   | 2005 | IETF | 0 |
| 1966 | RFC 3983 | Using the Internet Registry Information Service (IRIS) over the Blocks Extensible Exchange Protocol (BEEP)  | 2005 | IETF | 0 |
| 1967 | RFC 4268 | Entity State MIB  | 2005 | IETF | 0 |
| 1968 | RFC 4165 | Signaling System 7 (SS7) Message Transfer Part 2 (MTP2) - User Peer-to-Peer Adaptation Layer (M2PA)   | 2005 | IETF | 0 |
| 1969 | RFC 4023 | Encapsulating MPLS in IP or Generic Routing Encapsulation (GRE)   | 2005 | IETF | 0 |
| 1970 | RFC 3993 | Subscriber-ID Suboption for the Dynamic Host Configuration Protocol (DHCP) Relay Agent Option   | 2005 | IETF | 0 |
| 1971 | RFC 4004 | Diameter Mobile IPv4 Application  | 2005 | IETF | 0 |
| 1972 | RFC 4208 | Generalized Multiprotocol Label Switching (GMPLS) User-Network Interface (UNI): Resource ReserVation Protocol-Traffic Engineering (RSVP-TE) Support for the Overlay Model | 2005 | IETF | 0 |
| 1973 | RFC 4196 | The SEED Cipher Algorithm and Its Use with IPsec  | 2005 | IETF | 0 |
| 1974 | RFC 4141 | SMTP and MIME Extensions for Content Conversion   | 2005 | IETF | 0 |
| 1975 | RFC 4064 | Experimental Message, Extensions, and Error Codes for Mobile IPv4   | 2005 | IETF | 0 |
| 1976 | RFC 3994 | Indication of Message Composition for Instant Messaging   | 2005 | IETF | 0 |
| 1977 | RFC 4318 | Definitions of Managed Objects for Bridges with Rapid Spanning Tree Protocol  | 2005 | IETF | 0 |
| 1978 | RFC 3958 | Domain-Based Application Service Location Using SRV RRs and the Dynamic Delegation Discovery Service (DDDS)   | 2005 | IETF | 0 |
| 1979 | RFC 4088 | Uniform Resource Identifier (URI) Scheme for the Simple Network Management Protocol (SNMP)  | 2005 | IETF | 0 |
| 1980 | RFC 4025 | A Method for Storing IPsec Keying Material in DNS   | 2005 | IETF | 0 |
| 1981 | RFC 4243 | Vendor-Specific Information Suboption for the Dynamic Host Configuration Protocol (DHCP) Relay Agent Option   | 2005 | IETF | 0 |
| 1982 | RFC 4037 | Open Pluggable Edge Services (OPES) Callout Protocol (OCP) Core   | 2005 | IETF | 0 |
| 1983 | RFC 4266 | The gopher URI Scheme   | 2005 | IETF | 0 |
| 1984 | RFC 4108 | Using Cryptographic Message Syntax (CMS) to Protect Firmware Packages   | 2005 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 1985 | RFC 4003 | GMPLS Signaling Procedure for Egress Control  | 2005 | IETF | 0 |
| 1986 | RFC 4142 | Full-mode Fax Profile for Internet Mail (FFPIM)   | 2005 | IETF | 0 |
| 1987 | RFC 4060 | RTP Payload Formats for European Telecommunications Standards Institute (ETSI) European Standard ES 202 050, ES 202 211, and ES 202 212 Distributed Speech Recognition Encoding | 2005 | IETF | 0 |
| 1988 | RFC 3949 | File Format for Internet Fax - Obsoletes: 2301  | 2005 | IETF | 0 |
| 1989 | RFC 3972 | Cryptographically Generated Addresses (CGA)   | 2005 | IETF | 0 |
| 1990 | RFC 4011 | Policy Based Management MIB   | 2005 | IETF | 0 |
| 1991 | RFC 4112 | Electronic Commerce Modeling Language (ECML) Version 2 Specification  | 2005 | IETF | 0 |
| 1992 | RFC 4036 | Management Information Base for Data Over Cable Service Interface Specification (DOCSIS) Cable Modem Termination Systems for Subscriber Management                              | 2005 | IETF | 0 |
| 1993 | RFC 4265 | Definition of Textual Conventions for Virtual Private Network (VPN) Management  | 2005 | IETF | 0 |
| 1994 | RFC 4315 | IMAP4 Access Control List (ACL) Extension   | 2005 | IETF | 0 |
| 1995 | RFC 4248 | The telnet URI Scheme   | 2005 | IETF | 0 |
| 1996 | RFC 3995 | Internet Printing Protocol (IPP): Event Notifications and Subscriptions   | 2005 | IETF | 0 |
| 1997 | RFC 4242 | Information Refresh Time Option for Dynamic Host Configuration Protocol for IPv6 (DHCPv6)   | 2005 | IETF | 0 |
| 1998 | RFC 4087 | IP Tunnel MIB   | 2005 | IETF | 0 |
| 1999 | RFC 4231 | Identifiers and Test Vectors for HMAC-SHA-224, HMAC-SHA-256, HMAC-SHA-384, and HMAC-SHA-512   | 2005 | IETF | 0 |
| 2000 | RFC 4028 | Session Timers in the Session Initiation Protocol (SIP)   | 2005 | IETF | 0 |
| 2001 | RFC 4106 | The Use of Galois/Counter Mode (GCM) in IPsec Encapsulating Security Payload (ESP)  | 2005 | IETF | 0 |
| 2002 | RFC 3670 | Information Model for Describing Network Device QoS Datapath Mechanisms   | 2004 | IETF | 0 |
| 2003 | RFC 3826 | The Advanced Encryption Standard (AES) Cipher Algorithm in the SNMP User-based Security Model   | 2004 | IETF | 0 |
| 2004 | RFC 3687 | Lightweight Directory Access Protocol (LDAP) and X.500 Component Matching Rules   | 2004 | IETF | 0 |
| 2005 | RFC 3885 | SMTP Service Extension for Message Tracking   | 2004 | IETF | 0 |
| 2006 | RFC 3959 | The Early Session Disposition Type for the Session Initiation Protocol (SIP)  | 2004 | IETF | 0 |
| 2007 | RFC 3939 | Calling Line Identification for Voice Mail Messages   | 2004 | IETF | 0 |
| 2008 | RFC 3911 | The Session Initiation Protocol (SIP) "Join" Header   | 2004 | IETF | 0 |
| 2009 | RFC 3812 | Multiprotocol Label Switching (MPLS) Traffic Engineering (TE) Management Information Base (MIB)   | 2004 | IETF | 0 |
| 2010 | RFC 3758 | Stream Control Transmission Protocol (SCTP) Partial Reliability Extension   | 2004 | IETF | 0 |
| 2011 | RFC 3709 | Internet X.509 Public Key Infrastructure: Logotypes in X.509 Certificates   | 2004 | IETF | 0 |
| 2012 | RFC 3894 | Sieve Extension: Copying Without Side Effects   | 2004 | IETF | 0 |
| 2013 | RFC 3828 | The Lightweight User Datagram Protocol (UDP-Lite)   | 2004 | IETF | 0 |
| 2014 | RFC 3883 | Detecting Inactive Neighbors over OSPF Demand Circuits (DC)   | 2004 | IETF | 0 |
| 2015 | RFC 3861 | Address Resolution for Instant Messaging and Presence   | 2004 | IETF | 0 |
| 2016 | RFC 3853 | S/MIME Advanced Encryption Standard (AES) Requirement for the Session Initiation Protocol (SIP)   | 2004 | IETF | 0 |
| 2017 | RFC 3938 | Video-Message Message-Context   | 2004 | IETF | 0 |
| 2018 | RFC 3736 | Stateless Dynamic Host Configuration Protocol (DHCP) Service for IPv6   | 2004 | IETF | 0 |
| 2019 | RFC 3912 | WHOIS Protocol Specification - Obsoletes: 954, 812  | 2004 | IETF | 0 |
| 2020 | RFC 3813 | Multiprotocol Label Switching (MPLS) Label Switching Router (LSR) Management Information Base (MIB)   | 2004 | IETF | 0 |
| 2021 | RFC 3896 | Definitions of Managed Objects for the DS3/E3 Interface Type - Obsoletes RFC 2496   | 2004 | IETF | 0 |
| 2022 | RFC 3893 | Session Initiation Protocol (SIP) Authenticated Identity Body (AIB) Format  | 2004 | IETF | 0 |
| 2023 | RFC 3854 | Securing X.400 Content with Secure/Multipurpose Internet Mail Extensions (S/MIME)   | 2004 | IETF | 0 |
| 2024 | RFC 3862 | Common Presence and Instant Messaging (CPIM): Message Format  | 2004 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 2025 | RFC 3779 | X.509 Extensions for IP Addresses and AS Identifiers  | 2004 | IETF | 0 |
| 2026 | RFC 3880 | Call Processing Language (CPL): A Language for User Control of Internet Telephony Services  | 2004 | IETF | 0 |
| 2027 | RFC 3803 | Content Duration MIME Header Definition - Obsoletes: 2424   | 2004 | IETF | 0 |
| 2028 | RFC 3737 | IANA Guidelines for the Registry of Remote Monitoring (RMON) MIB modules  | 2004 | IETF | 0 |
| 2029 | RFC 3915 | Domain Registry Grace Period Mapping for the Extensible Provisioning Protocol (EPP)   | 2004 | IETF | 0 |
| 2030 | RFC 3814 | Multiprotocol Label Switching (MPLS) Forwarding Equivalence Class To Next Hop Label Forwarding Entry (FEC-To-NHLFE) Management Information Base (MIB) | 2004 | IETF | 0 |
| 2031 | RFC 3855 | Transporting Secure/Multipurpose Internet Mail Extensions (S/MIME) Objects in X.400   | 2004 | IETF | 0 |
| 2032 | RFC 3762 | Telephone Number Mapping (ENUM) Service Registration for H.323  | 2004 | IETF | 0 |
| 2033 | RFC 3676 | The Text/Plain Format and DelSp Parameters  | 2004 | IETF | 0 |
| 2034 | RFC 3863 | Presence Information Data Format (PIDF)   | 2004 | IETF | 0 |
| 2035 | RFC 3878 | Alarm Reporting Control Management Information Base (MIB)   | 2004 | IETF | 0 |
| 2036 | RFC 3834 | Recommendations for Automatic Responses to Electronic Mail  | 2004 | IETF | 0 |
| 2037 | RFC 3722 | String Profile for Internet Small Computer Systems Interface (iSCSI) Names  | 2004 | IETF | 0 |
| 2038 | RFC 3802 | Toll Quality Voice - 32 kbit/s Adaptive Differential Pulse Code Modulation (ADPCM) MIME Sub-type Registration - Obsoletes: 2422                       | 2004 | IETF | 0 |
| 2039 | RFC 3739 | Internet X.509 Public Key Infrastructure: Qualified Certificates Profile  | 2004 | IETF | 0 |
| 2040 | RFC 3922 | Mapping the Extensible Messaging and Presence Protocol (XMPP) to Common Presence and Instant Messaging (CPIM)   | 2004 | IETF | 0 |
| 2041 | RFC 3680 | A Session Initiation Protocol (SIP) Event Package for Registrations   | 2004 | IETF | 0 |
| 2042 | RFC 3764 | enumservice registration for Session Initiation Protocol (SIP) Addresses-of-Record  | 2004 | IETF | 0 |
| 2043 | RFC 3815 | Definitions of Managed Objects for the Multiprotocol Label Switching (MPLS), Label Distribution Protocol (LDP)  | 2004 | IETF | 0 |
| 2044 | RFC 3891 | The Session Initiation Protocol (SIP) "Replaces" Header   | 2004 | IETF | 0 |
| 2045 | RFC 3839 | MIME Type Registrations for 3rd Generation Partnership Project (3GPP) Multimedia files  | 2004 | IETF | 0 |
| 2046 | RFC 3966 | The tel URI for Telephone Numbers   | 2004 | IETF | 0 |
| 2047 | RFC 3877 | Alarm Management Information Base (MIB)   | 2004 | IETF | 0 |
| 2048 | RFC 3942 | Reclassifying Dynamic Host Configuration Protocol version 4 (DHCPv4) Options - Updates RFC 2132   | 2004 | IETF | 0 |
| 2049 | RFC 3865 | A No Soliciting Simple Mail Transfer Protocol (SMTP) Service Extension  | 2004 | IETF | 0 |
| 2050 | RFC 3700 | Internet Official Protocol Standards - Part of STD 1  | 2004 | IETF | 0 |
| 2051 | RFC 3856 | A Presence Event Package for the Session Initiation Protocol (SIP)  | 2004 | IETF | 0 |
| 2052 | RFC 3804 | Voice Profile for Internet Mail (VPIM) Addressing   | 2004 | IETF | 0 |
| 2053 | RFC 3788 | Security Considerations for Signaling Transport (SIGTRAN) Protocols   | 2004 | IETF | 0 |
| 2054 | RFC 3925 | Vendor-Identifying Vendor Options for Dynamic Host Configuration Protocol version 4 (DHCPv4)  | 2004 | IETF | 0 |
| 2055 | RFC 3744 | Web Distributed Authoring and Versioning (WebDAV) Access Control Protocol   | 2004 | IETF | 0 |
| 2056 | RFC 3686 | Using Advanced Encryption Standard (AES) Counter Mode With IPsec Encapsulating Security Payload (ESP)   | 2004 | IETF | 0 |
| 2057 | RFC 3801 | Voice Profile for Internet Mail - version 2 (VPIMv2) - Obsoletes: 2421  | 2004 | IETF | 0 |
| 2058 | RFC 3924 | Cisco Architecture for Lawful Intercept in IP Networks  | 2004 | IETF | 0 |
| 2059 | RFC 3840 | Indicating User Agent Capabilities in the Session Initiation Protocol (SIP)   | 2004 | IETF | 0 |
| 2060 | RFC 3816 | Definitions of Managed Objects for RObust Header Compression (ROHC)   | 2004 | IETF | 0 |
| 2061 | RFC 3928 | Lightweight Directory Access Protocol (LDAP) Client Update Protocol (LCUP)  | 2004 | IETF | 0 |
| 2062 | RFC 3876 | Returning Matched Values with the Lightweight Directory Access Protocol version 3 (LDAPv3)  | 2004 | IETF | 0 |
| 2063 | RFC 3866 | Language Tags and Ranges in the Lightweight Directory Access Protocol (LDAP)  | 2004 | IETF | 0 |
| 2064 | RFC 3851 | Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.1 Message Specification   | 2004 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2065 | RFC 3727 | ASN.1 Module Definition for the LDAP and X.500 Component Matching Rules  | 2004 | IETF | 0 |
| 2066 | RFC 3848 | ESMTP and LMTP Transmission Types Registration   | 2004 | IETF | 0 |
| 2067 | RFC 3805 | Printer MIB v2   | 2004 | IETF | 0 |
| 2068 | RFC 3841 | Caller Preferences for the Session Initiation Protocol (SIP)   | 2004 | IETF | 0 |
| 2069 | RFC 3890 | A Transport Independent Bandwidth Modifier for the Session Description Protocol (SDP)  | 2004 | IETF | 0 |
| 2070 | RFC 3745 | MIME Type Registrations for JPEG 2000 (ISO/IEC 15444)  | 2004 | IETF | 0 |
| 2071 | RFC 3691 | Internet Message Access Protocol (IMAP) UNSELECT command   | 2004 | IETF | 0 |
| 2072 | RFC 3923 | End-to-End Signing and Object Encryption for the Extensible Messaging and Presence Protocol (XMPP)   | 2004 | IETF | 0 |
| 2073 | RFC 3857 | A Watcher Information Event Template-Package for the Session Initiation Protocol (SIP)   | 2004 | IETF | 0 |
| 2074 | RFC 3868 | Signalling Connection Control Part User Adaptation Layer (SUA)   | 2004 | IETF | 0 |
| 2075 | RFC 3767 | Securely Available Credentials Protocol  | 2004 | IETF | 0 |
| 2076 | RFC 3820 | Internet X.509 Public Key Infrastructure (PKI) Proxy Certificate Profile   | 2004 | IETF | 0 |
| 2077 | RFC 3909 | Lightweight Directory Access Protocol (LDAP) Cancel Operation  | 2004 | IETF | 0 |
| 2078 | RFC 3728 | Definitions of Managed Objects for Very High Speed Digital Subscriber Lines (VDSL)   | 2004 | IETF | 0 |
| 2079 | RFC 3807 | V5.2-User Adaptation Layer (V5UA)  | 2004 | IETF | 0 |
| 2080 | RFC 3903 | Session Initiation Protocol (SIP) Extension for Event State Publication  | 2004 | IETF | 0 |
| 2081 | RFC 3842 | A Message Summary and Message Waiting Indication Event Package for the Session Initiation Protocol (SIP)   | 2004 | IETF | 0 |
| 2082 | RFC 3747 | The Differentiated Services Configuration MIB  | 2004 | IETF | 0 |
| 2083 | RFC 3772 | Point-to-Point Protocol (PPP) Vendor Protocol  | 2004 | IETF | 0 |
| 2084 | RFC 3879 | Deprecating Site Local Addresses   | 2004 | IETF | 0 |
| 2085 | RFC 3887 | Message Tracking Query Protocol  | 2004 | IETF | 0 |
| 2086 | RFC 3657 | Use of the Camellia Encryption Algorithm in Cryptographic Message Syntax (CMS)   | 2004 | IETF | 0 |
| 2087 | RFC 3873 | Stream Control Transmission Protocol (SCTP) Management Information Base (MIB)  | 2004 | IETF | 0 |
| 2088 | RFC 3858 | An Extensible Markup Language (XML) Based Format for Watcher Information   | 2004 | IETF | 0 |
| 2089 | RFC 3965 | A Simple Mode of Facsimile Using Internet Mail - Obsoletes: 2305   | 2004 | IETF | 0 |
| 2090 | RFC 3910 | The SPIRITS (Services in PSTN requesting Internet Services) Protocol   | 2004 | IETF | 0 |
| 2091 | RFC 3872 | Management Information Base for Telephony Routing over IP (TRIP)   | 2004 | IETF | 0 |
| 2092 | RFC 3898 | Network Information Service (NIS) Configuration Options for Dynamic Host Configuration Protocol for IPv6 (DHCPv6)  | 2004 | IETF | 0 |
| 2093 | RFC 3843 | RObust Header Compression (ROHC): A Compression Profile for IP   | 2004 | IETF | 0 |
| 2094 | RFC 3886 | An Extensible Message Format for Message Tracking Responses  | 2004 | IETF | 0 |
| 2095 | RFC 3776 | Using IPsec to Protect Mobile IPv6 Signaling Between Mobile Nodes and Home Agents  | 2004 | IETF | 0 |
| 2096 | RFC 3859 | Common Profile for Presence (CPP)  | 2004 | IETF | 0 |
| 2097 | RFC 3945 | Generalized Multi-Protocol Label Switching (GMPLS) Architecture  | 2004 | IETF | 0 |
| 2098 | RFC 3729 | Application Performance Measurement MIB  | 2004 | IETF | 0 |
| 2099 | RFC 3539 | Authentication, Authorization and Accounting (AAA) Transport Profile   | 2003 | IETF | 0 |
| 2100 | RFC 3620 | The TUNNEL Profile   | 2003 | IETF | 0 |
| 2101 | RFC 3638 | Applicability Statement for Reclassification of RFC 1643 to Historic Status - Part of Std 50; Obsoletes RFC 1643   | 2003 | IETF | 0 |
| 2102 | RFC 3494 | Lightweight Directory Access Protocol version 2 (LDAPv2) to Historic Status - Obsoletes RFC 1484, RFC 1485, RFC 1487, RFC 1777, RFC 1778, RFC 1779, RFC 1781, and RFC 2559 | 2003 | IETF | 0 |
| 2103 | RFC 3585 | IPsec Configuration Policy Information Model   | 2003 | IETF | 0 |
| 2104 | RFC 3486 | Compressing the Session Initiation Protocol (SIP)  | 2003 | IETF | 0 |
| 2105 | RFC 3594 | PacketCable Security Ticket Control Sub-Option for the DHCP CableLabs Client Configuration (CCC) Option  | 2003 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2106 | RFC 3503 | Message Disposition Notification (MDN) profile for Internet Message Access Protocol (IMAP)   | 2003 | IETF | 0 |
| 2107 | RFC 3596 | DNS Extensions to Support IP Version 6 - Obsoletes: 3152, 1886   | 2003 | IETF | 0 |
| 2108 | RFC 3459 | Critical Content Multi-purpose Internet Mail Extensions (MIME) Parameter   | 2003 | IETF | 0 |
| 2109 | RFC 3565 | Use of the Advanced Encryption Standard (AES) Encryption Algorithm in Cryptographic Message Syntax (CMS)   | 2003 | IETF | 0 |
| 2110 | RFC 3640 | RTP Payload Format for Transport of MPEG-4 Elementary Streams  | 2003 | IETF | 0 |
| 2111 | RFC 3537 | Wrapping a Hashed Message Authentication Code (HMAC) key with a Triple-Data Encryption Standard (DES) Key or an Advanced Encryption Standard (AES) Key | 2003 | IETF | 0 |
| 2112 | RFC 3611 | RTP Control Protocol Extended Reports (RTCP XR)  | 2003 | IETF | 0 |
| 2113 | RFC 3435 | Media Gateway Control Protocol (MGCP) Version 1.0 - Obsoletes RFC 2705; Updated by RFC 3661  | 2003 | IETF | 0 |
| 2114 | RFC 3590 | Source Address Selection for the Multicast Listener Discovery (MLD) Protocol   | 2003 | IETF | 0 |
| 2115 | RFC 3510 | Internet Printing Protocol/1.1: IPP URL Scheme   | 2003 | IETF | 0 |
| 2116 | RFC 3478 | Graceful Restart Mechanism for Label Distribution Protocol   | 2003 | IETF | 0 |
| 2117 | RFC 3637 | Definitions of Managed Objects for the Ethernet WAN Interface Sublayer   | 2003 | IETF | 0 |
| 2118 | RFC 3566 | The AES-XCBC-MAC-96 Algorithm and Its Use With IPsec   | 2003 | IETF | 0 |
| 2119 | RFC 3608 | Session Initiation Protocol (SIP) Extension Header Field for Service Route Discovery During Registration   | 2003 | IETF | 0 |
| 2120 | RFC 3591 | Definitions of Managed Objects for the Optical Interface Type  | 2003 | IETF | 0 |
| 2121 | RFC 3648 | Web Distributed Authoring and Versioning (WebDAV) Ordered Collections Protocol   | 2003 | IETF | 0 |
| 2122 | RFC 3480 | Signalling Unnumbered Links in CR-LDP (Constraint-Routing Label Distribution Protocol)   | 2003 | IETF | 0 |
| 2123 | RFC 3573 | Signaling of Modem-On-Hold status in Layer 2 Tunneling Protocol (L2TP)   | 2003 | IETF | 0 |
| 2124 | RFC 3635 | Definitions of Managed Objects for the Ethernet-like Interface Types   | 2003 | IETF | 0 |
| 2125 | RFC 3101 | The OSPF Not-So-Stubby Area (NSSA) Option  | 2003 | IETF | 0 |
| 2126 | RFC 3545 | Enhanced Compressed RTP (CRTP) for Links with High Delay, Packet Loss and Reordering   | 2003 | IETF | 0 |
| 2127 | RFC 3456 | Dynamic Host Configuration Protocol (DHCPv4) Configuration of IPsec Tunnel Mode  | 2003 | IETF | 0 |
| 2128 | RFC 3527 | Link Selection sub-option for the Relay Agent Information Option for DHCPv4  | 2003 | IETF | 0 |
| 2129 | RFC 3606 | Definitions of Supplemental Managed Objects for ATM Interface  | 2003 | IETF | 0 |
| 2130 | RFC 3479 | Fault Tolerance for the Label Distribution Protocol (LDP)  | 2003 | IETF | 0 |
| 2131 | RFC 3646 | DNS Configuration options for Dynamic Host Configuration Protocol for IPv6 (DHCPv6)  | 2003 | IETF | 0 |
| 2132 | RFC 3554 | On the Use of Stream Control Transmission Protocol (SCTP) with IPsec   | 2003 | IETF | 0 |
| 2133 | RFC 3319 | Dynamic Host Configuration Protocol (DHCPv6) Options for Session Initiation Protocol (SIP) Servers   | 2003 | IETF | 0 |
| 2134 | RFC 3634 | Key Distribution Center (KDC) Server Address Sub-option for the Dynamic Host Configuration Protocol (DHCP) CableLabs Client Configuration (CCC) Option | 2003 | IETF | 0 |
| 2135 | RFC 3557 | RTP Payload Format for European Telecommunications Standards Institute (ETSI) European Standard ES 201 108 Distributed Speech Recognition Encoding     | 2003 | IETF | 0 |
| 2136 | RFC 3605 | Real Time Control Protocol (RTCP) attribute in Session Description Protocol (SDP)  | 2003 | IETF | 0 |
| 2137 | RFC 3477 | Signalling Unnumbered Links in Resource ReSerVation Protocol - Traffic Engineering (RSVP-TE)   | 2003 | IETF | 0 |
| 2138 | RFC 3526 | More Modular Exponential (MODP) Diffie-Hellman groups for Internet Key Exchange (IKE)  | 2003 | IETF | 0 |
| 2139 | RFC 3645 | Generic Security Service Algorithm for Secret Key Transaction Authentication for DNS (GSS-TSIG)  | 2003 | IETF | 0 |
| 2140 | RFC 3498 | Definitions of Managed Objects for Synchronous Optical Network (SONET) Linear Automatic Protection Switching (APS) Architectures                       | 2003 | IETF | 0 |
| 2141 | RFC 3578 | Mapping of Integrated Services Digital Network (ISDN) User Part (ISUP) Overlap Signalling to the Session Initiation Protocol (SIP)                     | 2003 | IETF | 0 |
| 2142 | RFC 3602 | The AES-CBC Cipher Algorithm and Its Use with IPsec  | 2003 | IETF | 0 |
| 2143 | RFC 3524 | Mapping of Media Streams to Resource Reservation Flows   | 2003 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2144 | RFC 3644 | Policy Quality of Service (QoS) Information Model  | 2003 | IETF | 0 |
| 2145 | RFC 3556 | Session Description Protocol (SDP) Bandwidth Modifiers for RTP Control Protocol (RTCP) Bandwidth   | 2003 | IETF | 0 |
| 2146 | RFC 3629 | UTF-8, a transformation format of ISO 10646 - Obsoletes: 2279; Part of STD: 63   | 2003 | IETF | 0 |
| 2147 | RFC 3673 | Lightweight Directory Access Protocol version 3 (LDAPv3): All Operational Attributes   | 2003 | IETF | 0 |
| 2148 | RFC 3592 | Definitions of Managed Objects for the Synchronous Optical Network/Synchronous Digital Hierarchy (SONET/SDH) Interface Type - Obsoletes RFC 2558 | 2003 | IETF | 0 |
| 2149 | RFC 3497 | RTP Payload Format for Society of Motion Picture and Television Engineers (SMPTE) 292M Video   | 2003 | IETF | 0 |
| 2150 | RFC 3601 | Text String Notation for Dial Sequences and Global Switched Telephone Network (GSTN) / E.164 Addresses   | 2003 | IETF | 0 |
| 2151 | RFC 3520 | Session Authorization Policy Element   | 2003 | IETF | 0 |
| 2152 | RFC 3672 | Subentries in the Lightweight Directory Access Protocol (LDAP)   | 2003 | IETF | 0 |
| 2153 | RFC 3643 | Fibre Channel (FC) Frame Encapsulation   | 2003 | IETF | 0 |
| 2154 | RFC 3558 | RTP Payload Format for Enhanced Variable Rate Codecs (EVRC) and Selectable Mode Vocoders (SMV)   | 2003 | IETF | 0 |
| 2155 | RFC 3329 | Security Mechanism Agreement for the Session Initiation Protocol (SIP)   | 2003 | IETF | 0 |
| 2156 | RFC 3623 | Graceful OSPF Restart  | 2003 | IETF | 0 |
| 2157 | RFC 3581 | An Extension to the Session Initiation Protocol (SIP) for Symmetric Response Routing   | 2003 | IETF | 0 |
| 2158 | RFC 3544 | IP Header Compression over PPP   | 2003 | IETF | 0 |
| 2159 | RFC 3671 | Collective Attributes in the Lightweight Directory Access Protocol (LDAP)  | 2003 | IETF | 0 |
| 2160 | RFC 3519 | Mobile IP Traversal of Network Address Translation (NAT) Devices   | 2003 | IETF | 0 |
| 2161 | RFC 3495 | Dynamic Host Configuration Protocol (DHCP) Option for CableLabs Client Configuration   | 2003 | IETF | 0 |
| 2162 | RFC 3642 | Common Elements of Generic String Encoding Rules (GSER) Encodings  | 2003 | IETF | 0 |
| 2163 | RFC 3518 | Point-to-Point Protocol (PPP) Bridging Control Protocol (BCP) - Obsoletes RFC 2878   | 2003 | IETF | 0 |
| 2164 | RFC 3543 | Registration Revocation in Mobile IPv4   | 2003 | IETF | 0 |
| 2165 | RFC 3621 | Power Ethernet MIB   | 2003 | IETF | 0 |
| 2166 | RFC 3586 | IP Security Policy (IPSP) Requirements   | 2003 | IETF | 0 |
| 2167 | RFC 3559 | Multicast Address Allocation MIB   | 2003 | IETF | 0 |
| 2168 | RFC 3492 | Punycode: A Bootstring encoding of Unicode for Internationalized Domain Names in Applications (IDNA)   | 2003 | IETF | 0 |
| 2169 | RFC 3593 | Textual Conventions for MIB Modules Using Performance History Based on 15 Minute Intervals - Obsoletes: 2493                                     | 2003 | IETF | 0 |
| 2170 | RFC 3595 | Textual Conventions for IPv6 Flow Label  | 2003 | IETF | 0 |
| 2171 | RFC 3295 | Definitions of Managed Objects for the General Switch Management Protocol (GSMP)   | 2002 | IETF | 0 |
| 2172 | RFC 3442 | The Classless Static Route Option for Dynamic Host Configuration Protocol (DHCP) version 4 - Updates RFC 2132                                    | 2002 | IETF | 0 |
| 2173 | RFC 3407 | Session Description Protocol (SDP) Simple Capability Declaration   | 2002 | IETF | 0 |
| 2174 | RFC 3231 | Definitions of Managed Objects for Scheduling Management Operations  | 2002 | IETF | 0 |
| 2175 | RFC 3436 | Transport Layer Security over Stream Control Transmission Protocol   | 2002 | IETF | 0 |
| 2176 | RFC 3274 | Compressed Data Content Type for Cryptographic Message Syntax (CMS)  | 2002 | IETF | 0 |
| 2177 | RFC 3390 | Increasing TCP's Initial Window  | 2002 | IETF | 0 |
| 2178 | RFC 3415 | View-based Access Control Model (VACM) for the Simple Network Management Protocol (SNMP) - Part of STD: 62; Obsoletes: 2575                      | 2002 | IETF | 0 |
| 2179 | RFC 3327 | Session Initiation Protocol (SIP) Extension Header Field for Registering Non-Adjacent Contacts   | 2002 | IETF | 0 |
| 2180 | RFC 3340 | The Application Exchange Core  | 2002 | IETF | 0 |
| 2181 | RFC 3296 | Named Subordinate References in Lightweight Directory Access Protocol (LDAP) Directories   | 2002 | IETF | 0 |
| 2182 | RFC 3408 | Zero-byte Support for Bidirectional Reliable Mode (R-mode) in Extended Link-Layer Assisted RObust Header Compression (ROHC) Profile              | 2002 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 2183 | RFC 3307 | Allocation Guidelines for IPv6 Multicast Addresses  | 2002 | IETF | 0 |
| 2184 | RFC 3311 | The Session Initiation Protocol (SIP) UPDATE Method   | 2002 | IETF | 0 |
| 2185 | RFC 3282 | Content Language Headers - Obsoletes: 1766  | 2002 | IETF | 0 |
| 2186 | RFC 3437 | Layer-Two Tunneling Protocol Extensions for PPP Link Control Protocol Negotiation   | 2002 | IETF | 0 |
| 2187 | RFC 3341 | The Application Exchange (APEX) Access Service  | 2002 | IETF | 0 |
| 2188 | RFC 3284 | The VCDIFF Generic Differencing and Compression Data Format   | 2002 | IETF | 0 |
| 2189 | RFC 3190 | RTP Payload Format for 12-bit DAT Audio and 20- and 24-bit Linear Sampled Audio   | 2002 | IETF | 0 |
| 2190 | RFC 3393 | IP Packet Delay Variation Metric for IP Performance Metrics (IPPM)  | 2002 | IETF | 0 |
| 2191 | RFC 3419 | Textual Conventions for Transport Addresses   | 2002 | IETF | 0 |
| 2192 | RFC 3371 | Layer Two Tunneling Protocol "L2TP" Management Information Base   | 2002 | IETF | 0 |
| 2193 | RFC 3232 | Assigned Numbers: RFC 1700 is Replaced by an On-line Database - Part of STD 2;Obsoletes RFC 1700                            | 2002 | IETF | 0 |
| 2194 | RFC 3275 | (Extensible Markup Language) XML-Signature Syntax and Processing - Obsoletes: 3075  | 2002 | IETF | 0 |
| 2195 | RFC 3440 | Definitions of Extension Managed Objects for Asymmetric Digital Subscriber Lines  | 2002 | IETF | 0 |
| 2196 | RFC 3331 | Signaling System 7 (SS7) Message Transfer Part 2 (MTP2) - User Adaptation Layer   | 2002 | IETF | 0 |
| 2197 | RFC 3342 | The Application Exchange (APEX) Option Party Pack, Part Deux!   | 2002 | IETF | 0 |
| 2198 | RFC 3395 | Remote Network Monitoring MIB Protocol Identifier Reference Extensions  | 2002 | IETF | 0 |
| 2199 | RFC 3370 | Cryptographic Message Syntax (CMS) Algorithms   | 2002 | IETF | 0 |
| 2200 | RFC 3396 | Encoding Long Options in the Dynamic Host Configuration Protocol (DHCPv4) - Updates RFC 2131                                | 2002 | IETF | 0 |
| 2201 | RFC 3262 | Reliability of Provisional Responses in the Session Initiation Protocol (SIP) - Obsoletes RFC 2543                          | 2002 | IETF | 0 |
| 2202 | RFC 3420 | Internet Media Type message/sipfrag   | 2002 | IETF | 0 |
| 2203 | RFC 3335 | MIME-based Secure Peer-to-Peer Business Data Interchange over the Internet  | 2002 | IETF | 0 |
| 2204 | RFC 3347 | Small Computer Systems Interface protocol over the Internet (iSCSI) Requirements and Design Considerations                  | 2002 | IETF | 0 |
| 2205 | RFC 3397 | Dynamic Host Configuration Protocol (DHCP) Domain Search Option   | 2002 | IETF | 0 |
| 2206 | RFC 3253 | Versioning Extensions to WebDAV (Web Distributed Authoring and Versioning)  | 2002 | IETF | 0 |
| 2207 | RFC 3214 | LSP Modification Using CR-LDP   | 2002 | IETF | 0 |
| 2208 | RFC 3368 | The â goâ URI Scheme for the Common Name Resolution Protocol  | 2002 | IETF | 0 |
| 2209 | RFC 3297 | Content Negotiation for Messaging Services based on Email   | 2002 | IETF | 0 |
| 2210 | RFC 3425 | Internet Media Type message/sipfrag   | 2002 | IETF | 0 |
| 2211 | RFC 3246 | An Expedited Forwarding PHB (Per-Hop Behavior)  | 2002 | IETF | 0 |
| 2212 | RFC 3416 | Version 2 of the Protocol Operations for the Simple Network Management Protocol (SNMP) - Part of STD 62; Obsoletes RFC 1905 | 2002 | IETF | 0 |
| 2213 | RFC 3201 | Definitions of Managed Objects for Circuit to Interface Translation   | 2002 | IETF | 0 |
| 2214 | RFC 3336 | PPP Over Asynchronous Transfer Mode Adaptation Layer 2 (AAL2)   | 2002 | IETF | 0 |
| 2215 | RFC 3287 | Remote Monitoring MIB Extensions for Differentiated Services  | 2002 | IETF | 0 |
| 2216 | RFC 3355 | Layer Two Tunnelling Protocol (L2TP) Over ATM Adaptation Layer 5 (AAL5)   | 2002 | IETF | 0 |
| 2217 | RFC 3398 | Integrated Services Digital Network (ISDN) User Part (ISUP) to Session Initiation Protocol (SIP) Mapping                    | 2002 | IETF | 0 |
| 2218 | RFC 3380 | Internet Printing Protocol (IPP): Job and Printer Set Operations  | 2002 | IETF | 0 |
| 2219 | RFC 3367 | Common Name Resolution Protocol (CNRP)  | 2002 | IETF | 0 |
| 2220 | RFC 3219 | Telephony Routing over IP (TRIP)  | 2002 | IETF | 0 |
| 2221 | RFC 3428 | Session Initiation Protocol (SIP) Extension for Instant Messaging   | 2002 | IETF | 0 |
| 2222 | RFC 3264 | An Offer/Answer Model with the Session Description Protocol (SDP) - Obsoletes RFC 2543                                      | 2002 | IETF | 0 |
| 2223 | RFC 3339 | Date and Time on the Internet: Timestamps   | 2002 | IETF | 0 |



|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2224 | RFC 3361 | Dynamic Host Configuration Protocol (DHCP-for-IPv4) Option for Session Initiation Protocol (SIP) Servers   | 2002 | IETF | 0 |
| 2225 | RFC 3255 | Extending Point-to-Point Protocol (PPP) over Synchronous Optical Network/Synchronous Digital Hierarchy (SONET/SDH) with virtual concatenation, high order and low order payloads | 2002 | IETF | 0 |
| 2226 | RFC 3411 | An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks - Part of STD: 62; Obsoletes: 2571  | 2002 | IETF | 0 |
| 2227 | RFC 3293 | General Switch Management Protocol (GSMP) Packet Encapsulations for Asynchronous Transfer Mode (ATM), Ethernet and Transmission Control Protocol (TCP)                           | 2002 | IETF | 0 |
| 2228 | RFC 3402 | No Title   | 2002 | IETF | 0 |
| 2229 | RFC 3224 | Vendor Extensions for Service Location Protocol, Version 2   | 2002 | IETF | 0 |
| 2230 | RFC 3432 | Network performance measurement with periodic streams  | 2002 | IETF | 0 |
| 2231 | RFC 3256 | The DOCSIS (Data-Over-Cable Service Interface Specifications) Device Class DHCP (Dynamic Host Configuration Protocol) Relay Agent Information Sub-option                         | 2002 | IETF | 0 |
| 2232 | RFC 3412 | Message Processing and Dispatching for the Simple Network Management Protocol (SNMP) - Part of STD: 62; Obsoletes: 2572  | 2002 | IETF | 0 |
| 2233 | RFC 3418 | Management Information Base (MIB) for the Simple Network Management Protocol (SNMP) - Part of STD 62; Obsoletes RFC 1907   | 2002 | IETF | 0 |
| 2234 | RFC 3362 | Real-time Facsimile (T.38) - image/t38 MIME Sub-type Registration  | 2002 | IETF | 0 |
| 2235 | RFC 3403 | Dynamic Delegation Discovery System (DDDS) Part Three: The Domain Name System (DNS) Database   | 2002 | IETF | 0 |
| 2236 | RFC 3289 | Management Information Base for the Differentiated Services Architecture   | 2002 | IETF | 0 |
| 2237 | RFC 3308 | Layer Two Tunneling Protocol (L2TP) Differentiated Services Extension  | 2002 | IETF | 0 |
| 2238 | RFC 3229 | Delta encoding in HTTP   | 2002 | IETF | 0 |
| 2239 | RFC 3302 | Tag Image File Format (TIFF) - image/tiff MIME Sub-type Registration - Obsoletes: 2302   | 2002 | IETF | 0 |
| 2240 | RFC 3433 | Entity Sensor Management Information Base  | 2002 | IETF | 0 |
| 2241 | RFC 3323 | A Privacy Mechanism for the Session Initiation Protocol (SIP)  | 2002 | IETF | 0 |
| 2242 | RFC 3413 | Simple Network Management Protocol (SNMP) Applications - Part of STD: 62; Obsoletes: 2573  | 2002 | IETF | 0 |
| 2243 | RFC 3206 | The SYS and AUTH POP Response Codes  | 2002 | IETF | 0 |
| 2244 | RFC 3337 | Class Extensions for PPP over Asynchronous Transfer Mode Adaptation Layer 2 (AAL2)   | 2002 | IETF | 0 |
| 2245 | RFC 3292 | General Switch Management Protocol (GSMP) V3   | 2002 | IETF | 0 |
| 2246 | RFC 3202 | Definitions of Managed Objects for Frame Relay Service Level Definitions   | 2002 | IETF | 0 |
| 2247 | RFC 3404 | Dynamic Delegation Discovery System (DDDS) Part Four: The Uniform Resource Identifiers (URI) Resolution Application  | 2002 | IETF | 0 |
| 2248 | RFC 3230 | Instance Digests in HTTP   | 2002 | IETF | 0 |
| 2249 | RFC 3434 | Remote Monitoring MIB Extensions for High Capacity Alarms  | 2002 | IETF | 0 |
| 2250 | RFC 3042 | Enhancing TCP's Loss Recovery Using Limited Transmit   | 2001 | IETF | 0 |
| 2251 | RFC 3156 | MIME Security with OpenPGP   | 2001 | IETF | 0 |
| 2252 | RFC 3108 | Conventions for the use of the Session Description Protocol (SDP) for ATM Bearer Connections   | 2001 | IETF | 0 |
| 2253 | RFC 3173 | IP Payload Compression Protocol (IPComp)   | 2001 | IETF | 0 |
| 2254 | RFC 3074 | DHC Load Balancing Algorithm   | 2001 | IETF | 0 |
| 2255 | RFC 3144 | Remote Monitoring MIB Extensions for Interface Parameters Monitoring   | 2001 | IETF | 0 |
| 2256 | RFC 3035 | MPLS using LDP and ATM VC Switching  | 2001 | IETF | 0 |
| 2257 | RFC 3145 | L2TP Disconnect Cause Information  | 2001 | IETF | 0 |
| 2258 | RFC 3070 | Layer Two Tunneling Protocol (L2TP) over Frame Relay   | 2001 | IETF | 0 |
| 2259 | RFC 3024 | Reverse Tunneling for Mobile IP, revised   | 2001 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2260 | RFC 3140 | Per Hop Behavior Identification Codes  | 2001 | IETF | 0 |
| 2261 | RFC 3034 | Use of Label Switching on Frame Relay Networks Specification   | 2001 | IETF | 0 |
| 2262 | RFC 3081 | Mapping the BEEP Core onto TCP   | 2001 | IETF | 0 |
| 2263 | RFC 3062 | LDAP Password Modify Extended Operation  | 2001 | IETF | 0 |
| 2264 | RFC 3068 | An Anycast Prefix for 6to4 Relay Routers   | 2001 | IETF | 0 |
| 2265 | RFC 2919 | List-Id: A Structured Field and Namespace for the Identification of Mailing Lists  | 2001 | IETF | 0 |
| 2266 | RFC 3124 | The Congestion Manager   | 2001 | IETF | 0 |
| 2267 | RFC 3033 | The Assignment of the Information Field and Protocol Identifier in the Q.2941 Generic Identifier and Q.2957 User-to-user Signaling for the Internet Protocol | 2001 | IETF | 0 |
| 2268 | RFC 3122 | Extensions to IPv6 Neighbor Discovery for Inverse Discovery Specification  | 2001 | IETF | 0 |
| 2269 | RFC 3097 | RSVP Cryptographic Authentication - Updated Message Type Value   | 2001 | IETF | 0 |
| 2270 | RFC 3191 | Minimal GSTN address format in Internet Mail - Obsoletes: 2303; Updates: 2846  | 2001 | IETF | 0 |
| 2271 | RFC 3165 | Definitions of Managed Objects for the Delegation of Management Scripts  | 2001 | IETF | 0 |
| 2272 | RFC 3118 | Authentication for DHCP Messages   | 2001 | IETF | 0 |
| 2273 | RFC 3192 | Minimal FAX address format in Internet Mail - Obsoletes: 2304; Updates: 2846   | 2001 | IETF | 0 |
| 2274 | RFC 3059 | Attribute List Extension for the Service Location Protocol   | 2001 | IETF | 0 |
| 2275 | RFC 3161 | Internet X.509 Public Key Infrastructure Time-Stamp Protocol (TSP)   | 2001 | IETF | 0 |
| 2276 | RFC 3056 | Connection of IPv6 Domains via IPv4 Clouds - Part of STD 1   | 2001 | IETF | 0 |
| 2277 | RFC 3115 | Mobile IP Vendor/Organization-Specific Extensions  | 2001 | IETF | 0 |
| 2278 | RFC 3193 | Securing L2TP using IPsec  | 2001 | IETF | 0 |
| 2279 | RFC 3084 | COPS Usage for Policy Provisioning (COPS-PR)   | 2001 | IETF | 0 |
| 2280 | RFC 3159 | Structure of Policy Provisioning Information (SPPI)  | 2001 | IETF | 0 |
| 2281 | RFC 3055 | Management Information Base for the PINT Services Architecture   | 2001 | IETF | 0 |
| 2282 | RFC 3111 | Service Location Protocol Modifications for IPv6   | 2001 | IETF | 0 |
| 2283 | RFC 3049 | TN3270E Service Location and Session Balancing   | 2001 | IETF | 0 |
| 2284 | RFC 3153 | PPP Multiplexing   | 2001 | IETF | 0 |
| 2285 | RFC 3185 | Reuse of CMS Content Encryption Keys   | 2001 | IETF | 0 |
| 2286 | RFC 3080 | The Blocks Extensible Exchange Protocol Core   | 2001 | IETF | 0 |
| 2287 | RFC 3195 | Reliable Delivery for syslog   | 2001 | IETF | 0 |
| 2288 | RFC 2981 | Event MIB  | 2000 | IETF | 0 |
| 2289 | RFC 2894 | Router Renumbering for IPv6  | 2000 | IETF | 0 |
| 2290 | RFC 2749 | COPS usage for RSVP  | 2000 | IETF | 0 |
| 2291 | RFC 2946 | Telnet Data Encryption Option  | 2000 | IETF | 0 |
| 2292 | RFC 2862 | RTP Payload Format for Real-Time Pointers  | 2000 | IETF | 0 |
| 2293 | RFC 2954 | Definitions of Managed Objects for Frame Relay Service - Obsoletes RFC 1604  | 2000 | IETF | 0 |
| 2294 | RFC 2935 | Internet Open Trading Protocol (IOTP) HTTP Supplement  | 2000 | IETF | 0 |
| 2295 | RFC 3006 | Integrated Services in the Presence of Compressible Flows  | 2000 | IETF | 0 |
| 2296 | RFC 2947 | Telnet Encryption: DES3 64 bit Cipher Feedback   | 2000 | IETF | 0 |
| 2297 | RFC 2750 | RSVP Extensions for Policy Control   | 2000 | IETF | 0 |
| 2298 | RFC 2864 | The Inverted Stack Table Extension to the Interfaces Group MIB   | 2000 | IETF | 0 |
| 2299 | RFC 2982 | Distributed Management Expression MIB  | 2000 | IETF | 0 |
| 2300 | RFC 2937 | The Name Service Search Option for DHCP  | 2000 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 2301 | RFC 2744 | Generic Security Service API Version 2 : C-bindings - Obsoletes RFC 1509  | 2000 | IETF | 0 |
| 2302 | RFC 2856 | Textual Conventions for Additional High Capacity Data Types   | 2000 | IETF | 0 |
| 2303 | RFC 3014 | Notification Log MIB  | 2000 | IETF | 0 |
| 2304 | RFC 2846 | GSTN Address Element Extensions in E-mail Services  | 2000 | IETF | 0 |
| 2305 | RFC 2938 | Identifying Composite Media Features  | 2000 | IETF | 0 |
| 2306 | RFC 2872 | Application and Sub Application Identity Policy Element for Use with RSVP   | 2000 | IETF | 0 |
| 2307 | RFC 3030 | SMTP Service Extensions for Transmission of Large and Binary MIME Messages  | 2000 | IETF | 0 |
| 2308 | RFC 2948 | Telnet Encryption: DES3 64 bit Output Feedback  | 2000 | IETF | 0 |
| 2309 | RFC 2873 | TCP Processing of the IPv4 Precedence Field   | 2000 | IETF | 0 |
| 2310 | RFC 2769 | Routing Policy System Replication   | 2000 | IETF | 0 |
| 2311 | RFC 2912 | Indicating Media Features for MIME Content  | 2000 | IETF | 0 |
| 2312 | RFC 2576 | Coexistence between Version 1, Version 2, and Version 3 of the Internet-standard Network Management Framework - Obsoletes RFC 1908 and RFC 2089 | 2000 | IETF | 0 |
| 2313 | RFC 2984 | Use of the CAST-128 Encryption Algorithm in CMS   | 2000 | IETF | 0 |
| 2314 | RFC 2940 | Definitions of Managed Objects for Common Open Policy Service (COPS) Protocol Clients   | 2000 | IETF | 0 |
| 2315 | RFC 3017 | XML DTD for Roaming Access Phone Book   | 2000 | IETF | 0 |
| 2316 | RFC 2790 | Host Resources MIB - Obsoletes RFC 1514   | 2000 | IETF | 0 |
| 2317 | RFC 2847 | LIPKEY - A Low Infrastructure Public Key Mechanism Using SPKM   | 2000 | IETF | 0 |
| 2318 | RFC 2782 | A DNS RR for specifying the location of services (DNS SRV)  | 2000 | IETF | 0 |
| 2319 | RFC 2949 | Telnet Encryption: CAST-128 64 bit Output Feedback  | 2000 | IETF | 0 |
| 2320 | RFC 2854 | The <code>text/html</code> Media Type - Obsoletes RFC 2070, RFC 1980, RFC 1942, RFC 1867, and RFC 1866  | 2000 | IETF | 0 |
| 2321 | RFC 2941 | Telnet Authentication Option  | 2000 | IETF | 0 |
| 2322 | RFC 3020 | Definitions of Managed Objects for Monitoring and Controlling the UNI/NNI Multilink Frame Relay Function  | 2000 | IETF | 0 |
| 2323 | RFC 2739 | Calendar Attributes for vCard and LDAP  | 2000 | IETF | 0 |
| 2324 | RFC 2848 | The PINT Service Protocol: Extensions to SIP and SDP for IP Access to Telephone Call Services   | 2000 | IETF | 0 |
| 2325 | RFC 2913 | MIME Content Types in Media Feature Expressions   | 2000 | IETF | 0 |
| 2326 | RFC 2987 | Registration of Charset and Languages Media Features Tags   | 2000 | IETF | 0 |
| 2327 | RFC 2784 | Generic Routing Encapsulation (GRE)   | 2000 | IETF | 0 |
| 2328 | RFC 2879 | Content Feature Schema for Internet Fax (V2)  | 2000 | IETF | 0 |
| 2329 | RFC 2950 | Telnet Encryption: CAST-128 64 bit Cipher Feedback  | 2000 | IETF | 0 |
| 2330 | RFC 3011 | The IPv4 Subnet Selection Option for DHCP   | 2000 | IETF | 0 |
| 2331 | RFC 2920 | SMTP Service Extension for Command Pipelining - Part of STD: 60; Obsoletes: 2197  | 2000 | IETF | 0 |
| 2332 | RFC 2996 | Format of the RSVP DCLASS Object  | 2000 | IETF | 0 |
| 2333 | RFC 2849 | The LDAP Data Interchange Format (LDIF) - Technical Specification   | 2000 | IETF | 0 |
| 2334 | RFC 2942 | Telnet Authentication: Kerberos Version 5   | 2000 | IETF | 0 |
| 2335 | RFC 3021 | Using 31-Bit Prefixes on IPv4 Point-to-Point Links  | 2000 | IETF | 0 |
| 2336 | RFC 2745 | RSVP Diagnostic Messages  | 2000 | IETF | 0 |
| 2337 | RFC 2997 | Specification of the Null Service Type  | 2000 | IETF | 0 |
| 2338 | RFC 2815 | Integrated Service Mappings on IEEE 802 Networks  | 2000 | IETF | 0 |
| 2339 | RFC 2955 | Definitions of Managed Objects for Monitoring and Controlling the Frame Relay/ATM PVC Service Interworking Function                             | 2000 | IETF | 0 |
| 2340 | RFC 2788 | Network Services Monitoring MIB   | 2000 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2341 | RFC 2883 | An Extension to the Selective Acknowledgement (SACK) Option for TCP                                      | 2000 | IETF | 0 |
| 2342 | RFC 2863 | The Interfaces Group MIB - Obsoletes RFC 2233  | 2000 | IETF | 0 |
| 2343 | RFC 2852 | Deliver By SMTP Service Extension  | 2000 | IETF | 0 |
| 2344 | RFC 2986 | PKCS #10: Certification Request Syntax Specification Version 1.7   | 2000 | IETF | 0 |
| 2345 | RFC 2943 | TELNET Authentication Using DSA  | 2000 | IETF | 0 |
| 2346 | RFC 2746 | RSVP Operation Over IP Tunnels   | 2000 | IETF | 0 |
| 2347 | RFC 2890 | Key and Sequence Number Extensions to GRE  | 2000 | IETF | 0 |
| 2348 | RFC 2959 | Real-Time Transport Protocol Management Information Base   | 2000 | IETF | 0 |
| 2349 | RFC 2789 | Mail Monitoring MIB  | 2000 | IETF | 0 |
| 2350 | RFC 2814 | SBM (Subnet Bandwidth Manager): A Protocol for RSVP-based Admission Control over IEEE 802-style networks | 2000 | IETF | 0 |
| 2351 | RFC 3003 | The audio/mpeg Media Type  | 2000 | IETF | 0 |
| 2352 | RFC 2930 | Secret Key Establishment for DNS (TKEY RR)   | 2000 | IETF | 0 |
| 2353 | RFC 2855 | DHCP for IEEE 1394   | 2000 | IETF | 0 |
| 2354 | RFC 2944 | Telnet Authentication: SRP   | 2000 | IETF | 0 |
| 2355 | RFC 2747 | RSVP Cryptographic Authentication  | 2000 | IETF | 0 |
| 2356 | RFC 2891 | LDAP Control Extension for Server Side Sorting of Search Results   | 2000 | IETF | 0 |
| 2357 | RFC 2742 | Definitions of Managed Objects for Extensible SNMP Agents  | 2000 | IETF | 0 |
| 2358 | RFC 2794 | Mobile IP Network Access Identifier Extension for IPv4   | 2000 | IETF | 0 |
| 2359 | RFC 3004 | The User Class Option for DHCP   | 2000 | IETF | 0 |
| 2360 | RFC 2931 | DNS Request and Transaction Signatures ( SIG(0)s )   | 2000 | IETF | 0 |
| 2361 | RFC 2819 | Remote Network Monitoring Management Information Base - Part of Std 59; Obsoletes RFC 1757               | 2000 | IETF | 0 |
| 2362 | RFC 2945 | The SRP Authentication and Key Exchange System   | 2000 | IETF | 0 |
| 2363 | RFC 2857 | The Use of HMAC-RIPEDM-160-96 within ESP and AH  | 2000 | IETF | 0 |
| 2364 | RFC 2748 | The COPS (Common Open Policy Service) Protocol   | 2000 | IETF | 0 |
| 2365 | RFC 2734 | IPv4 over IEEE 1394  | 1999 | IETF | 0 |
| 2366 | RFC 2671 | Extension Mechanisms for DNS (EDNS0)   | 1999 | IETF | 0 |
| 2367 | RFC 2585 | Internet X.509 Public Key Infrastructure Operational Protocols: FTP and HTTP                             | 1999 | IETF | 0 |
| 2368 | RFC 2687 | PPP in a Real-time Oriented HDLC-like Framing  | 1999 | IETF | 0 |
| 2369 | RFC 2605 | Directory Server Monitoring MIB  | 1999 | IETF | 0 |
| 2370 | RFC 2615 | PPP over SONET/SDH - Obsoletes RFC 1619  | 1999 | IETF | 0 |
| 2371 | RFC 2735 | NHRP Support for Virtual Private Networks  | 1999 | IETF | 0 |
| 2372 | RFC 2634 | Enhanced Security Services for S/MIME  | 1999 | IETF | 0 |
| 2373 | RFC 2584 | Definitions of Managed Objects for APPN/HPR in IP Networks   | 1999 | IETF | 0 |
| 2374 | RFC 2677 | Definitions of Managed Objects for the NBMA Next Hop Resolution Protocol (NHRP)                          | 1999 | IETF | 0 |
| 2375 | RFC 2561 | Base Definitions of Managed Objects for TN3270E Using SMIv2  | 1999 | IETF | 0 |
| 2376 | RFC 2507 | IP Header Compression  | 1999 | IETF | 0 |
| 2377 | RFC 2688 | Integrated Services Mappings for Low Speed Networks  | 1999 | IETF | 0 |
| 2378 | RFC 2609 | Service Templates and Service: Schemes   | 1999 | IETF | 0 |
| 2379 | RFC 2580 | Conformance Statements for SMIv2 - Part of STD 58; Obsoletes RFC 1904                                    | 1999 | IETF | 0 |
| 2380 | RFC 2532 | Extended Facsimile Using Internet Mail   | 1999 | IETF | 0 |
| 2381 | RFC 2480 | Gateways and MIME Security Multiparts  | 1999 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 2382 | RFC 2711 | IPv6 Router Alert Option  | 1999 | IETF | 0 |
| 2383 | RFC 2603 | ILMI-Based Server Discovery for NHRP  | 1999 | IETF | 0 |
| 2384 | RFC 2640 | Internationalization of the File Transfer Protocol  | 1999 | IETF | 0 |
| 2385 | RFC 2530 | Indicating Supported Media Features Using Extensions to DSN and MDN   | 1999 | IETF | 0 |
| 2386 | RFC 2712 | Addition of Kerberos Cipher Suites to Transport Layer Security (TLS)  | 1999 | IETF | 0 |
| 2387 | RFC 2610 | DHCP Options for Service Location Protocol  | 1999 | IETF | 0 |
| 2388 | RFC 2564 | Application Management MIB  | 1999 | IETF | 0 |
| 2389 | RFC 2678 | IPPM Metrics for Measuring Connectivity   | 1999 | IETF | 0 |
| 2390 | RFC 2602 | ILMI-Based Server Discovery for MARS  | 1999 | IETF | 0 |
| 2391 | RFC 2645 | ON-DEMAND MAIL RELAY (ODMR) SMTP with Dynamic IP Addresses  | 1999 | IETF | 0 |
| 2392 | RFC 2608 | Service Location Protocol, Version 2  | 1999 | IETF | 0 |
| 2393 | RFC 2495 | Definitions of Managed Objects for the DS1, E1, DS2 and E2 Interface Types - Obsoletes RFC 1406                       | 1999 | IETF | 0 |
| 2394 | RFC 2679 | A One-way Delay Metric for IPPM   | 1999 | IETF | 0 |
| 2395 | RFC 2508 | Compressing IP/UDP/RTP Headers for Low-Speed Serial Links   | 1999 | IETF | 0 |
| 2396 | RFC 2563 | DHCP Option to Disable Stateless Auto-Configuration in IPv4 Clients   | 1999 | IETF | 0 |
| 2397 | RFC 2651 | The Architecture of the Common Indexing Protocol (CIP)  | 1999 | IETF | 0 |
| 2398 | RFC 2658 | RTP Payload Format for PureVoice(tm) Audio  | 1999 | IETF | 0 |
| 2399 | RFC 2675 | IPv6 Jumbograms   | 1999 | IETF | 0 |
| 2400 | RFC 2562 | Definitions of Protocol and Managed Objects for TN3270E Response Time Collection Using SMIPv2 (TN3270E-RT-MIB)        | 1999 | IETF | 0 |
| 2401 | RFC 2579 | Textual Conventions for SMIPv2 - Part of STD 58; Obsoletes RFC 1903   | 1999 | IETF | 0 |
| 2402 | RFC 2512 | Accounting Information for ATM Networks   | 1999 | IETF | 0 |
| 2403 | RFC 2601 | ILMI-Based Server Discovery for ATMARP  | 1999 | IETF | 0 |
| 2404 | RFC 2578 | Structure of Management Information Version 2 (SMIPv2) - Part of STD 58; Obsoletes RFC 1902                           | 1999 | IETF | 0 |
| 2405 | RFC 2686 | The Multi-Class Extension to Multi-Link PPP   | 1999 | IETF | 0 |
| 2406 | RFC 2720 | Traffic Flow Measurement: Meter MIB   | 1999 | IETF | 0 |
| 2407 | RFC 2653 | CIP Transport Protocols   | 1999 | IETF | 0 |
| 2408 | RFC 2738 | Corrections to "A Syntax for Describing Media Feature Sets"   | 1999 | IETF | 0 |
| 2409 | RFC 2597 | Assured Forwarding PHB Group  | 1999 | IETF | 0 |
| 2410 | RFC 2680 | A One-way Packet Loss Metric for IPPM   | 1999 | IETF | 0 |
| 2411 | RFC 2513 | Managed Objects for Controlling the Collection and Storage of Accounting Information for Connection-Oriented Networks | 1999 | IETF | 0 |
| 2412 | RFC 2557 | MIME Encapsulation of Aggregate Documents, such as HTML (MHTML)   | 1999 | IETF | 0 |
| 2413 | RFC 2725 | Routing Policy System Security  | 1999 | IETF | 0 |
| 2414 | RFC 2623 | NFS Version 2 and Version 3 Security Issues and the NFS Protocol's Use of RPCSEC_GSS and Kerberos V5                  | 1999 | IETF | 0 |
| 2415 | RFC 2514 | Definitions of Textual Conventions and OBJECT-IDENTITIES for ATM Management   | 1999 | IETF | 0 |
| 2416 | RFC 2652 | MIME Object Definitions for the Common Indexing Protocol (CIP)  | 1999 | IETF | 0 |
| 2417 | RFC 2661 | Layer Two Tunneling Protocol "L2TP"   | 1999 | IETF | 0 |
| 2418 | RFC 2730 | Multicast Address Dynamic Client Allocation Protocol (MADCAP)   | 1999 | IETF | 0 |
| 2419 | RFC 2484 | PPP LCP Internationalization Configuration Option   | 1999 | IETF | 0 |
| 2420 | RFC 2485 | DHCP Option for The Open Group's User Authentication Protocol   | 1999 | IETF | 0 |
| 2421 | RFC 2545 | Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing   | 1999 | IETF | 0 |
| 2422 | RFC 2594 | Definitions of Managed Objects for WWW Services   | 1999 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2423 | RFC 2681 | A Round-trip Delay Metric for IPPM   | 1999 | IETF | 0 |
| 2424 | RFC 2726 | PGP Authentication for RIPE Database Updates   | 1999 | IETF | 0 |
| 2425 | RFC 2662 | Definitions of Managed Objects for the ADSL Lines  | 1999 | IETF | 0 |
| 2426 | RFC 2589 | Lightweight Directory Access Protocol (v3): Extensions for Dynamic Directory Services                        | 1999 | IETF | 0 |
| 2427 | RFC 2494 | Definitions of Managed Objects for the DS0 and DS0 Bundle Interface Type                                     | 1999 | IETF | 0 |
| 2428 | RFC 2684 | Multiprotocol Encapsulation over ATM Adaptation Layer 5 - Obsoletes RFC 1483                                 | 1999 | IETF | 0 |
| 2429 | RFC 2529 | Transmission of IPv6 over IPv4 Domains without Explicit Tunnels - Part of STD 1                              | 1999 | IETF | 0 |
| 2430 | RFC 2728 | The Transmission of IP Over the Vertical Blanking Interval of a Television Signal                            | 1999 | IETF | 0 |
| 2431 | RFC 2631 | Diffie-Hellman Key Agreement Method  | 1999 | IETF | 0 |
| 2432 | RFC 2685 | Virtual Private Networks Identifier  | 1999 | IETF | 0 |
| 2433 | RFC 2250 | RTP Payload Format for MPEG1/MPEG2 Video   | 1998 | IETF | 0 |
| 2434 | RFC 2369 | The Use of URLs as Meta-Syntax for Core Mail List Commands and their Transport through Message Header Fields | 1998 | IETF | 0 |
| 2435 | RFC 2451 | The ESP CBC-Mode Cipher Algorithms   | 1998 | IETF | 0 |
| 2436 | RFC 2160 | Carrying PostScript in X.400 and MIME  | 1998 | IETF | 0 |
| 2437 | RFC 2431 | RTP Payload Format for BT.656 Video Encoding   | 1998 | IETF | 0 |
| 2438 | RFC 2371 | Transaction Internet Protocol Version 3.0  | 1998 | IETF | 0 |
| 2439 | RFC 2404 | The Use of HMAC-SHA-1-96 within ESP and AH   | 1998 | IETF | 0 |
| 2440 | RFC 2455 | Definitions of Managed Objects for APPN  | 1998 | IETF | 0 |
| 2441 | RFC 2163 | Using the Internet DNS to Distribute MIXER Conformant Global Address Mapping (MCGAM)                         | 1998 | IETF | 0 |
| 2442 | RFC 2435 | RTP Payload Format for JPEG-compressed Video   | 1998 | IETF | 0 |
| 2443 | RFC 2390 | Inverse Address Resolution Protocol - Obsoletes: 1293  | 1998 | IETF | 0 |
| 2444 | RFC 2331 | ATM Signalling Support for IP over ATM - UNI Signalling 4.0 Update   | 1998 | IETF | 0 |
| 2445 | RFC 2332 | NBMA Next Hop Resolution Protocol (NHRP)   | 1998 | IETF | 0 |
| 2446 | RFC 2164 | Use of an X.500/LDAP directory to support MIXER address mapping  | 1998 | IETF | 0 |
| 2447 | RFC 2266 | Definitions of Managed Objects for IEEE 802.12 Repeater Devices  | 1998 | IETF | 0 |
| 2448 | RFC 2389 | Feature negotiation mechanism for the File Transfer Protocol   | 1998 | IETF | 0 |
| 2449 | RFC 2456 | Definitions of Managed Objects for APPN TRAPS  | 1998 | IETF | 0 |
| 2450 | RFC 2289 | A One-Time Password System - Part of STD 61;Obsoletes: 1938  | 1998 | IETF | 0 |
| 2451 | RFC 2380 | RSVP over ATM Implementation Requirements  | 1998 | IETF | 0 |
| 2452 | RFC 2428 | FTP Extensions for IPv6 and NATs   | 1998 | IETF | 0 |
| 2453 | RFC 2287 | Definitions of System-Level Managed Objects for Applications   | 1998 | IETF | 0 |
| 2454 | RFC 2349 | TFTP Timeout Interval and Transfer Size Options - Obsoletes: 1784; Updates: 1350                             | 1998 | IETF | 0 |
| 2455 | RFC 2381 | Interoperation of Controlled-Load Service and Guaranteed Service with ATM                                    | 1998 | IETF | 0 |
| 2456 | RFC 2247 | Using Domains in LDAP/X.500 Distinguished Names  | 1998 | IETF | 0 |
| 2457 | RFC 2333 | NHRP Protocol Applicability Statement  | 1998 | IETF | 0 |
| 2458 | RFC 2392 | Content-ID and Message-ID Uniform Resource Locators  | 1998 | IETF | 0 |
| 2459 | RFC 2348 | TFTP Blocksize Option - Obsoletes: 1783; Updates: 1350   | 1998 | IETF | 0 |
| 2460 | RFC 2405 | The ESP DES-CBC Cipher Algorithm With Explicit IV  | 1998 | IETF | 0 |
| 2461 | RFC 2457 | Definitions of Managed Objects for Extended Border Node  | 1998 | IETF | 0 |
| 2462 | RFC 2334 | Server Cache Synchronization Protocol (SCSP)   | 1998 | IETF | 0 |
| 2463 | RFC 2397 | The "data" URL scheme  | 1998 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 2464 | RFC 2410 | The NULL Encryption Algorithm and Its Use With IPsec  | 1998 | IETF | 0 |
| 2465 | RFC 2384 | POP URL Scheme  | 1998 | IETF | 0 |
| 2466 | RFC 2347 | TFTP Option Extension - Obsoletes: 1782; Updates: 1350  | 1998 | IETF | 0 |
| 2467 | RFC 2293 | Representing Tables and Subtrees in the X.500 Directory   | 1998 | IETF | 0 |
| 2468 | RFC 2335 | A Distributed NHRP Service Using SCSP   | 1998 | IETF | 0 |
| 2469 | RFC 2473 | Generic Packet Tunneling in IPv6 Specification  | 1998 | IETF | 0 |
| 2470 | RFC 2417 | Definitions of Managed Objects for Multicast over UNI 3.0/3.1 based ATM Networks  | 1998 | IETF | 0 |
| 2471 | RFC 2157 | Mapping between X.400 and RFC-822/MIME Message Bodies   | 1998 | IETF | 0 |
| 2472 | RFC 2387 | The MIME Multipart/Related Content-type   | 1998 | IETF | 0 |
| 2473 | RFC 2156 | MIXER (Mime Internet X.400 Enhanced Relay): Mapping between X.400 and RFC 822/MIME - Obsoletes RFC 987, RFC 1026, RFC 1138, RFC 1148, RFC 1327, RFC 1495; Updates RFC 822 | 1998 | IETF | 0 |
| 2474 | RFC 2294 | Representing the O/R Address hierarchy in the X.500 Directory Information Tree  | 1998 | IETF | 0 |
| 2475 | RFC 2439 | BGP Route Flap Damping  | 1998 | IETF | 0 |
| 2476 | RFC 2419 | The PPP DES Encryption Protocol, Version 2 (DESE-bis)   | 1998 | IETF | 0 |
| 2477 | RFC 2158 | X.400 Image Body Parts  | 1998 | IETF | 0 |
| 2478 | RFC 2315 | PKCS #7: Cryptographic Message Syntax Version 1.5   | 1998 | IETF | 0 |
| 2479 | RFC 2363 | PPP Over FUNI   | 1998 | IETF | 0 |
| 2480 | RFC 2444 | The One-Time-Password SASL Mechanism  | 1998 | IETF | 0 |
| 2481 | RFC 2159 | A MIME Body Part for FAX  | 1998 | IETF | 0 |
| 2482 | RFC 2420 | The PPP Triple-DES Encryption Protocol (3DESE)  | 1998 | IETF | 0 |
| 2483 | RFC 2311 | S/MIME Version 2 Message Specification  | 1998 | IETF | 0 |
| 2484 | RFC 2427 | Multiprotocol Interconnect over Frame Relay - Part of STD 55; Obsoletes RFC 1490 and RFC 1294   | 1998 | IETF | 0 |
| 2485 | RFC 2320 | Definitions of Managed Objects for Classical IP and ARP Over ATM Using SMIPv2 (IPOA-MIB)  | 1998 | IETF | 0 |
| 2486 | RFC 2364 | PPP Over AAL5   | 1998 | IETF | 0 |
| 2487 | RFC 2079 | Definition of an X.500 Attribute Type and an Object Class to Hold Uniform Resource Identifiers (URIs)   | 1997 | IETF | 0 |
| 2488 | RFC 2125 | The PPP Bandwidth Allocation Protocol (BAP) The PPP Bandwidth Allocation Control Protocol (BACP)  | 1997 | IETF | 0 |
| 2489 | RFC 2218 | A Common Schema for the Internet White Pages Service  | 1997 | IETF | 0 |
| 2490 | RFC 2207 | RSVP Extensions for IPSEC Data Flows  | 1997 | IETF | 0 |
| 2491 | RFC 2080 | RIPng for IPv6  | 1997 | IETF | 0 |
| 2492 | RFC 2126 | ISO Transport Service on top of TCP (ITOT)  | 1997 | IETF | 0 |
| 2493 | RFC 2122 | VEMMI URL Specification   | 1997 | IETF | 0 |
| 2494 | RFC 2243 | OTP Extended Responses  | 1997 | IETF | 0 |
| 2495 | RFC 2083 | PNG (Portable Network Graphics) Specification Version 1.0   | 1997 | IETF | 0 |
| 2496 | RFC 2193 | IMAP4 Mailbox Referrals   | 1997 | IETF | 0 |
| 2497 | RFC 2206 | RSVP Management Information Base using SMIPv2   | 1997 | IETF | 0 |
| 2498 | RFC 2231 | MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations  | 1997 | IETF | 0 |
| 2499 | RFC 2242 | NetWare/IP Domain Name and Information  | 1997 | IETF | 0 |
| 2500 | RFC 2067 | IP over HIPPI - Obsoletes: 1374   | 1997 | IETF | 0 |
| 2501 | RFC 2127 | ISDN Management Information Base using SMIPv2   | 1997 | IETF | 0 |
| 2502 | RFC 2113 | IP Router Alert Option  | 1997 | IETF | 0 |
| 2503 | RFC 2183 | Communicating Presentation Information in Internet Messages: The Content-Disposition Header Field   | 1997 | IETF | 0 |
| 2504 | RFC 2241 | DHCP Options for Novell Directory Services  | 1997 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 2505 | RFC 2128 | Dial Control Management Information Base using SMIPv2   | 1997 | IETF | 0 |
| 2506 | RFC 2108 | Definitions of Managed Objects for IEEE 802.3 Repeater Devices using SMIPv2   | 1997 | IETF | 0 |
| 2507 | RFC 2203 | RPCSEC GSS Protocol Specification   | 1997 | IETF | 0 |
| 2508 | RFC 2214 | Integrated Services Management Information Base Guaranteed Service Extensions using SMIPv2  | 1997 | IETF | 0 |
| 2509 | RFC 2238 | Definitions of Managed Objects for HPR using SMIPv2   | 1997 | IETF | 0 |
| 2510 | RFC 2097 | The PPP NetBIOS Frames Control Protocol (NBFCP)   | 1997 | IETF | 0 |
| 2511 | RFC 2177 | IMAP4 IDLE command  | 1997 | IETF | 0 |
| 2512 | RFC 2198 | RTP Payload for Redundant Audio Data  | 1997 | IETF | 0 |
| 2513 | RFC 2213 | Integrated Services Management Information Base using SMIPv2  | 1997 | IETF | 0 |
| 2514 | RFC 2142 | MAILBOX NAMES FOR COMMON SERVICES, ROLES AND FUNCTIONS  | 1997 | IETF | 0 |
| 2515 | RFC 2232 | Definitions of Managed Objects for DLUR using SMIPv2  | 1997 | IETF | 0 |
| 2516 | RFC 2215 | General Characterization Parameters for Integrated Service Network Elements   | 1997 | IETF | 0 |
| 2517 | RFC 2091 | Triggered Extensions to RIP to Support Demand Circuits  | 1997 | IETF | 0 |
| 2518 | RFC 2195 | IMAP/POP AUTHorize Extension for Simple Challenge/Response  | 1997 | IETF | 0 |
| 2519 | RFC 2212 | Specification of Guaranteed Quality of Service  | 1997 | IETF | 0 |
| 2520 | RFC 2228 | FTP Security Extensions   | 1997 | IETF | 0 |
| 2521 | RFC 2087 | IMAP4 QUOTA extension   | 1997 | IETF | 0 |
| 2522 | RFC 2115 | Management Information Base for Frame Relay DTEs Using SMIPv2 - Obsoletes RFC 1315  | 1997 | IETF | 0 |
| 2523 | RFC 2227 | Simple Hit-Metering and Usage-Limiting for HTTP   | 1997 | IETF | 0 |
| 2524 | RFC 2211 | Specification of the Controlled-Load Network Element Service  | 1997 | IETF | 0 |
| 2525 | RFC 2085 | HMAC-MD5 IP Authentication with Replay Prevention   | 1997 | IETF | 0 |
| 2526 | RFC 2210 | The Use of RSVP with IETF Integrated Services   | 1997 | IETF | 0 |
| 2527 | RFC 2221 | IMAP4 Login Referrals   | 1997 | IETF | 0 |
| 2528 | RFC 2077 | The Model Primary Content Type for Multipurpose Internet Mail Extensions  | 1997 | IETF | 0 |
| 2529 | RFC 2226 | IP Broadcast over ATM Networks  | 1997 | IETF | 0 |
| 2530 | RFC 2017 | Definition of the URL MIME External-Body Access-Type  | 1996 | IETF | 0 |
| 2531 | RFC 1929 | Username/Password Authentication for SOCKS V5   | 1996 | IETF | 0 |
| 2532 | RFC 2049 | Multipurpose Internet Mail Extensions (MIME) Part Five: Conformance Criteria and Examples - Obsoletes RFC 1521, RFC 1522, and RFC 1590; | 1996 | IETF | 0 |
| 2533 | RFC 1982 | Serial Number Arithmetic  | 1996 | IETF | 0 |
| 2534 | RFC 2050 | INTERNET REGISTRY IP ALLOCATION GUIDELINES - Obsoletes RFC 1466   | 1996 | IETF | 0 |
| 2535 | RFC 2020 | Definitions of Managed Objects for IEEE 802.12 Interfaces   | 1996 | IETF | 0 |
| 2536 | RFC 2056 | Uniform Resource Locators for Z39.50  | 1996 | IETF | 0 |
| 2537 | RFC 1990 | The PPP Multilink Protocol (MP) - Obsoletes RFC 1717  | 1996 | IETF | 0 |
| 2538 | RFC 1985 | SMTP Service Extension for Remote Message Queue Starting  | 1996 | IETF | 0 |
| 2539 | RFC 2018 | TCP Selective Acknowledgment Options - Obsoletes RFC 1072   | 1996 | IETF | 0 |
| 2540 | RFC 2022 | Support for Multicast over UNI 3.0/3.1 based ATM Networks   | 1996 | IETF | 0 |
| 2541 | RFC 2024 | Definitions of Managed Objects for Data Link Switching using SMIPv2   | 1996 | IETF | 0 |
| 2542 | RFC 1995 | Incremental Zone Transfer in DNS  | 1996 | IETF | 0 |
| 2543 | RFC 1961 | GSS-API Authentication Method for SOCKS Version 5   | 1996 | IETF | 0 |
| 2544 | RFC 2051 | Definitions of Managed Objects for APPC using SMIPv2  | 1996 | IETF | 0 |



|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2545 | RFC 2047 | MIME (Multipurpose Internet Mail Extensions) Part Three: Message Header Extensions for Non-ASCII Text - Obsoletes RFC 1521, RFC 1522, and RFC 1590; Updated by RFC 2184 and RFC 2231 | 1996 | IETF | 0 |
| 2546 | RFC 1996 | A Mechanism for Prompt Notification of Zone Changes (DNS NOTIFY)   | 1996 | IETF | 0 |
| 2547 | RFC 1962 | The PPP Compression Control Protocol (CCP)   | 1996 | IETF | 0 |
| 2548 | RFC 2030 | Simple Network Time Protocol (SNTP) Version 4 for IPv4, IPv6 and OSI - Obsoletes RFC 1769  | 1996 | IETF | 0 |
| 2549 | RFC 2034 | SMTP Service Extension for Returning Enhanced Error Codes  | 1996 | IETF | 0 |
| 2550 | RFC 2005 | Applicability Statement for IP Mobility Support  | 1996 | IETF | 0 |
| 2551 | RFC 2029 | RTP Payload Format of Sunâs CellB Video Encoding   | 1996 | IETF | 0 |
| 2552 | RFC 1964 | The Kerberos Version 5 GSS-API Mechanism   | 1996 | IETF | 0 |
| 2553 | RFC 2006 | The Definitions of Managed Objects for IP Mobility Support using SMIPv2  | 1996 | IETF | 0 |
| 2554 | RFC 1928 | SOCKS Protocol Version 5   | 1996 | IETF | 0 |
| 2555 | RFC 1981 | Path MTU Discovery for IP version 6  | 1996 | IETF | 0 |
| 2556 | RFC 2004 | Minimal Encapsulation within IP  | 1996 | IETF | 0 |
| 2557 | RFC 1968 | The PPP Encryption Control Protocol (ECP)  | 1996 | IETF | 0 |
| 2558 | RFC 2043 | The PPP SNA Control Protocol (SNACP)   | 1996 | IETF | 0 |
| 2559 | RFC 2048 | Multipurpose Internet Mail Extensions (MIME) Part Four: Registration Procedures - Obsoletes RFC 1521, RFC 1522, and RFC 1590; Updated by RFC 3023                                    | 1996 | IETF | 0 |
| 2560 | RFC 2015 | MIME Security with Pretty Good Privacy (PGP)   | 1996 | IETF | 0 |
| 2561 | RFC 1864 | The Content-MD5 Header Field - Obsoletes: 1544   | 1995 | IETF | 0 |
| 2562 | RFC 1767 | MIME Encapsulation of EDI Objects  | 1995 | IETF | 0 |
| 2563 | RFC 1772 | Application of the Border Gateway Protocol in the Internet - Obsoletes: 1655   | 1995 | IETF | 0 |
| 2564 | RFC 1847 | Security Multiparts for MIME: Multipart/Signed and Multipart/Encrypted   | 1995 | IETF | 0 |
| 2565 | RFC 1755 | ATM Signaling Support for IP over ATM  | 1995 | IETF | 0 |
| 2566 | RFC 1870 | SMTP Service Extension for Message Size Declaration - Part of Std 10; Obsoletes: 1653  | 1995 | IETF | 0 |
| 2567 | RFC 1833 | Binding Protocols for ONC RPC Version 2  | 1995 | IETF | 0 |
| 2568 | RFC 1752 | The Recommendation for the IP Next Generation Protocol   | 1995 | IETF | 0 |
| 2569 | RFC 1829 | The ESP DES-CBC Transform  | 1995 | IETF | 0 |
| 2570 | RFC 1659 | Definitions of Managed Objects for RS-232-like Hardware Devices using SMIPv2 - Obsoletes: 1317   | 1994 | IETF | 0 |
| 2571 | RFC 1740 | MIME Encapsulation of Macintosh files - MacMIME  | 1994 | IETF | 0 |
| 2572 | RFC 1592 | Simple Network Management Protocol Distributed Protocol Interface Version 2.0 - Obsoletes RFC 1228   | 1994 | IETF | 0 |
| 2573 | RFC 1660 | Definitions of Managed Objects for Parallel-printer-like Hardware Devices using SMIPv2 - Obsoletes: 1318   | 1994 | IETF | 0 |
| 2574 | RFC 1582 | Extensions to RIP to Support Demand Circuits   | 1994 | IETF | 0 |
| 2575 | RFC 1724 | RIP Version 2 MIB Extension - Obsoletes: 1389  | 1994 | IETF | 0 |
| 2576 | RFC 1572 | Telnet Environment Option  | 1994 | IETF | 0 |
| 2577 | RFC 1661 | Point-to-Point Protocol (PPP) - Part of Std 51; Obsoletes: 1548  | 1994 | IETF | 0 |
| 2578 | RFC 1722 | RIP Version 2 Protocol Applicability Statement - Part of Std 57;   | 1994 | IETF | 0 |
| 2579 | RFC 1662 | PPP in HDLC-Like Framing - Part of Std 51; Obsoletes: 1549   | 1994 | IETF | 0 |
| 2580 | RFC 1658 | Definitions of Managed Objects for Character Stream Devices using SMIPv2 - Obsoletes: 1316   | 1994 | IETF | 0 |
| 2581 | RFC 1694 | Definitions of Managed Objects for SMDS Interfaces using SMIPv2 - Obsoletes RFC 1304   | 1994 | IETF | 0 |
| 2582 | RFC 1652 | SMTP Service Extension for 8bit-MIMEtransport - Obsoletes: 1426  | 1994 | IETF | 0 |
| 2583 | RFC 1748 | IEEE 802.5 MIB using SMIPv2 - Obsoletes RFC 1743 and RFC 1231; Updated by RFC 1749   | 1994 | IETF | 0 |
| 2584 | RFC 1598 | PPP in X.25  | 1994 | IETF | 0 |

|      |          |   |      |      |   |
|------|----------|---|------|------|---|
| 2585 | RFC 1629 | Guidelines for OSI NSAP Allocation in the Internet - Obsoletes: 1237  | 1994 | IETF | 0 |
| 2586 | RFC 1663 | PPP Reliable Transmission   | 1994 | IETF | 0 |
| 2587 | RFC 1575 | An Echo Function for CLNP (ISO 8473) - Obsoletes: 1139  | 1994 | IETF | 0 |
| 2588 | RFC 1618 | PPP over ISDN   | 1994 | IETF | 0 |
| 2589 | RFC 1697 | Relational Database Management System (RDBMS) Management Information Base (MIB) using SMIPv2                        | 1994 | IETF | 0 |
| 2590 | RFC 1473 | The Definitions of Managed Objects for the IP Network Control Protocol of the Point-to-Point Protocol               | 1993 | IETF | 0 |
| 2591 | RFC 1559 | DECnet Phase IV MIB Extensions - Obsoletes: 1289  | 1993 | IETF | 0 |
| 2592 | RFC 1390 | Transmission of IP and ARP over FDDI Networks - Part of STD: 36   | 1993 | IETF | 0 |
| 2593 | RFC 1472 | The Definitions of Managed Objects for the Security Protocols of the Point-to-Point Protocol                        | 1993 | IETF | 0 |
| 2594 | RFC 1510 | Kerberos Network Authentication Service (V5)  | 1993 | IETF | 0 |
| 2595 | RFC 1542 | Clarifications and Extensions for the Bootstrap Protocol - Obsoletes: 1532  | 1993 | IETF | 0 |
| 2596 | RFC 1471 | The Definitions of Managed Objects for the Link Control Protocol of the Point-to-Point Protocol                     | 1993 | IETF | 0 |
| 2597 | RFC 1420 | SNMP over IPX   | 1993 | IETF | 0 |
| 2598 | RFC 1413 | Identification Protocol   | 1993 | IETF | 0 |
| 2599 | RFC 1534 | Interoperation Between DHCP and BOOTP   | 1993 | IETF | 0 |
| 2600 | RFC 1372 | Telnet Remote Flow Control Option   | 1992 | IETF | 0 |
| 2601 | RFC 1350 | TFTP Protocol (Revision 2) - Part of Std 33; Obsoletes: RFC 783   | 1992 | IETF | 0 |
| 2602 | RFC 1377 | The PPP OSI Network Layer Control Protocol (OSINLCP)  | 1992 | IETF | 0 |
| 2603 | RFC 1382 | SNMP MIB Extension for the X.25 Packet Layer  | 1992 | IETF | 0 |
| 2604 | RFC 1381 | SNMP MIB Extension for X.25 LAPB  | 1992 | IETF | 0 |
| 2605 | RFC 1356 | Multiprotocol Interconnect on X.25 and ISDN in the Packet Mode - Obsoletes: 877                                     | 1992 | IETF | 0 |
| 2606 | RFC 1108 | U.S. Department of Defense Security Options for the Internet Protocol - Obsoletes RFC 1038                          | 1991 | IETF | 0 |
| 2607 | RFC 1201 | Transmitting IP Traffic over ARCNET Networks - Part of STD 46;Obsoletes: RFC 1051                                   | 1991 | IETF | 0 |
| 2608 | RFC 1212 | Concise MIB Definitions - Part of Std 16  | 1991 | IETF | 0 |
| 2609 | RFC 1256 | ICMP Router Discovery Messages  | 1991 | IETF | 0 |
| 2610 | RFC 1288 | The Finger User Information Protocol - Obsoletes: RFC 1196, RFC 1194, RFC 742                                       | 1991 | IETF | 0 |
| 2611 | RFC 1277 | Encoding Network Addresses to support operation over non-OSI lower layers   | 1991 | IETF | 0 |
| 2612 | RFC 1209 | The Transmission of IP Datagrams over the SMDS Service - Part of Std 52;  | 1991 | IETF | 0 |
| 2613 | RFC 1166 | Internet Numbers - Obsoletes RFC 1117, RFC 1062, and RFC 1020   | 1990 | IETF | 0 |
| 2614 | RFC 1184 | Telnet Linemode Option - Obsoletes: RFC 1116  | 1990 | IETF | 0 |
| 2615 | RFC 1157 | Simple Network Management Protocol (SNMP) - Part of Std 15; Obsoletes: 1098   | 1990 | IETF | 0 |
| 2616 | RFC 1191 | Path MTU Discovery - Obsoletes: RFC 1063  | 1990 | IETF | 0 |
| 2617 | RFC 1188 | A Proposed Standard for the Transmission of IP Datagrams over FDDI Networks - Obsoletes: RFC 1103                   | 1990 | IETF | 0 |
| 2618 | RFC 1195 | Use of OSI IS-IS for Routing in TCP/IP and Dual Environments  | 1990 | IETF | 0 |
| 2619 | RFC 1149 | A Standard for the Transmission of IP Datagrams on Avian Carriers - Updated by RFC 2549                             | 1990 | IETF | 0 |
| 2620 | RFC 1155 | Structure and Identification of Management Information for TCP/IP-Based Internets - Part of Std 16; Obsoletes: 1065 | 1990 | IETF | 0 |
| 2621 | RFC 1144 | Compressing TCP/IP Headers for Low-Speed Serial Links   | 1990 | IETF | 0 |
| 2622 | RFC 1088 | A Standard for the Transmission of IP Datagrams over NetBIOS Networks - Part of Std 48;                             | 1989 | IETF | 0 |
| 2623 | RFC 1112 | Host Extensions for IP Multicasting - Part of Std 5; Obsoletes: 988, 1054   | 1989 | IETF | 0 |
| 2624 | RFC 1132 | A Standard for the Transmission of 802.2 Packets over IPX Networks - Part of Std 49;                                | 1989 | IETF | 0 |
| 2625 | RFC 1096 | Telnet X Display Location Option  | 1989 | IETF | 0 |

|      |          |  |      |      |   |
|------|----------|--|------|------|---|
| 2626 | RFC 1091 | Telnet Terminal-Type Option  | 1989 | IETF | 0 |
| 2627 | RFC 1055 | A NONSTANDARD FOR TRANSMISSION OF IP DATAGRAMS OVER SERIAL LINES: SLIP - Part of Std 47;                   | 1988 | IETF | 0 |
| 2628 | RFC 1042 | A Standard for the Transmission of IP Datagrams over IEEE 802 Networks - Part of STD 43;Obsoletes: RFC-948 | 1988 | IETF | 0 |
| 2629 | RFC 1073 | Telnet Window Size Option  | 1988 | IETF | 0 |
| 2630 | RFC 1043 | TELNET Data Entry Terminal Option DODIIS Implementation  | 1988 | IETF | 0 |
| 2631 | RFC 1041 | Telnet 3270 Regime Option  | 1988 | IETF | 0 |
| 2632 | RFC 1079 | Telnet Terminal Speed Option   | 1988 | IETF | 0 |
| 2633 | RFC 1053 | Telnet X.3 PAD Option  | 1988 | IETF | 0 |
| 2634 | RFC 1006 | ISO Transport Service on Top of the TCP Version: 3 - Part of Std 35; Obsoletes: RFC 983                    | 1987 | IETF | 0 |
| 2635 | RFC 1001 | PROTOCOL STANDARD FOR A NetBIOS SERVICE ON A TCP/UDP TRANSPORT: CONCEPTS AND METHODS - Part of Std 19      | 1987 | IETF | 0 |
| 2636 | RFC 1000 | The Request for Comments Reference Guide - Obsoletes RFC 999   | 1987 | IETF | 0 |
| 2637 | RFC 1002 | PROTOCOL STANDARD FOR A NetBIOS SERVICE ON A TCP/UDP TRANSPORT: DETAILED SPECIFICATIONS - Part of Std 19   | 1987 | IETF | 0 |
| 2638 | RFC 933  | OUTPUT MARKING TELNET OPTION   | 1985 | IETF | 0 |
| 2639 | RFC 946  | TELNET TERMINAL LOCATION NUMBER OPTION   | 1985 | IETF | 0 |
| 2640 | RFC 895  | A Standard for the Transmission of IP Datagrams over Experimental Ethernet Networks - Part of Std 42;      | 1984 | IETF | 0 |
| 2641 | RFC 907  | HOST ACCESS PROTOCOL SPECIFICATION - Part of Std 40;   | 1984 | IETF | 0 |
| 2642 | RFC 903  | A Reverse Address Resolution Protocol - Part of Std 38   | 1984 | IETF | 0 |
| 2643 | RFC 927  | TACACS User Identification Telnet Option   | 1984 | IETF | 0 |
| 2644 | RFC 919  | Broadcasting Internet Datagrams - Part of Std 5  | 1984 | IETF | 0 |
| 2645 | RFC 922  | Broadcasting Internet Datagrams in the Presence of Subnets - Part of Std 5                                 | 1984 | IETF | 0 |
| 2646 | RFC 894  | Standard for the Transmission of IP Datagrams over Ethernet Networks - Part of Std 41                      | 1984 | IETF | 0 |
| 2647 | RFC 863  | Discard Protocol - Part of Std 21  | 1983 | IETF | 0 |
| 2648 | RFC 857  | TELNET ECHO OPTION - Part of STD 28,Obsoletes: NIC 15390   | 1983 | IETF | 0 |
| 2649 | RFC 856  | TELNET BINARY TRANSMISSION - Part of Std 27;Obsoletes: NIC 15389   | 1983 | IETF | 0 |
| 2650 | RFC 865  | Quote of the Day Protocol - Part of Std 23   | 1983 | IETF | 0 |
| 2651 | RFC 859  | TELNET STATUS OPTION - Part of STD 30;Obsoletes: RFC 651 (NIC 31154)                                       | 1983 | IETF | 0 |
| 2652 | RFC 867  | Daytime Protocol - Part of Std 25  | 1983 | IETF | 0 |
| 2653 | RFC 885  | TELNET END OF RECORD OPTION  | 1983 | IETF | 0 |
| 2654 | RFC 858  | TELNET SUPPRESS GO AHEAD OPTION - Part of STD: 28,Obsoletes: NIC 15392                                     | 1983 | IETF | 0 |
| 2655 | RFC 855  | TELNET Option Specifications - Part of Std 8; Obsoletes: NIC 18640   | 1983 | IETF | 0 |
| 2656 | RFC 866  | Active Users - Part of Std 24  | 1983 | IETF | 0 |
| 2657 | RFC 868  | Time Protocol - Part of Std 26   | 1983 | IETF | 0 |
| 2658 | RFC 860  | TELNET TIMING MARK OPTION - Part of STD 31;Obsoletes: NIC 16238  | 1983 | IETF | 0 |
| 2659 | RFC 891  | DCN Local-Network Protocols - Part of Std 44;  | 1983 | IETF | 0 |
| 2660 | RFC 862  | Echo Protocol - Part of Std 20   | 1983 | IETF | 0 |
| 2661 | RFC 861  | TELNET EXTENDED OPTIONS - LIST OPTION - Part of STD 32;Obsoletes: NIC 16239                                | 1983 | IETF | 0 |
| 2662 | RFC 779  | TELNET SEND-LOCATION Option  | 1981 | IETF | 0 |
| 2663 | RFC 768  | User Datagram Protocol - Part of Std 6   | 1980 | IETF | 0 |
| 2664 | RFC 749  | Telnet SUPDUP-OUTPUT Option  | 1978 | IETF | 0 |
| 2665 | RFC 726  | Remote Controlled Transmssion and Echoing Telnet Option  | 1977 | IETF | 0 |

|      |         |   |      |      |   |
|------|---------|---|------|------|---|
| 2666 | RFC 727 | TELNET Logout Option                        | 1977 | IETF | 0 |
| 2667 | RFC 735 | Revised TELNET Byte Macro Option            | 1977 | IETF | 0 |
| 2668 | RFC 736 | TELNET SUPDUP Option                        | 1977 | IETF | 0 |
| 2669 | RFC 301 | BBN IMP (#5) AND NCC SCHEDULE MARCH 4, 1971 | 1972 | IETF | 0 |

**Hercules Ebooks Institute**

**[www.herculesebooks.com](http://www.herculesebooks.com) [info@herculesebooks.com](mailto:info@herculesebooks.com) +989141908737**