Standards Manager Web Standards List KSC-Kennedy Space Center

| Id | Number | Title | Year | Organization | Page |
|----|---------------------------------|--|------|--------------|------|
| 1 | GP-364 REV 40 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2018 | KSC | |
| 2 | E-166 REV C W/CHG 4 | INSTALLATION AND ASSEMBLY, ELECTRICAL GROUND SUPPORT EQUIPMENT (GSE), SPECIFICATION FOR | 2017 | KSC | |
| 3 | GP-364 REV 39 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2017 | KSC | |
| 4 | E-165 REV E CHANGE 4 | ELECTRICAL GROUND SUPPORT EQUIPMENT FABRICATION, SPECIFICATION FOR | 2017 | KSC | |
| 5 | DF-107 REV F | TECHNICAL DOCUMENTATION STYLE GUIDE | 2017 | KSC | |
| 6 | GP-364 REV 38 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2016 | KSC | |
| 7 | SPEC-P-0016 REV B CANC | MINIMUM REQUIREMENTS FOR GARMENT SNAP FASTENER, SPECIFICATION FOR | 2016 | KSC | |
| 8 | SPEC-P-0015 REV C CANC | MINIMUM REQUIREMENTS FOR GARMENTS USED IN CLEANROOM ENVIRONMENTS FOR HAZARDOUS OPERATIONS, SPECIFICATION FOR | 2016 | KSC | |
| 9 | DE-512-SM REV L W/CHG 5 | FACILITY SYSTEMS, GROUND SUPPORT SYSTEMS, AND GROUND SUPPORT EQUIPMENT GENERAL DESIGN REQUIREMENTS | 2016 | KSC | |
| 10 | STD-F-0004 REV G | FIRE PROTECTION DESIGN, STANDARD FOR | 2016 | KSC | |
| 11 | GP-435 VOL I REV G W/CHG | ENGINEERING DRAWING PRACTICES - VOLUME 1 OF II - AEROSPACE AND GROUND SUPPORT EQUIPMENT | 2015 | KSC | |
| 12 | GP-364 REV 37 W/CHG 1 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2015 | KSC | |
| 13 | DE-512-SM REV L W/CHG 4 | FACILITY SYSTEMS, GROUND SUPPORT SYSTEMS, AND GROUND SUPPORT EQUIPMENT GENERAL DESIGN REQUIREMENTS | 2015 | KSC | |
| 14 | STD-132 REV D W/CHG 1 | POTTING AND MOLDING ELECTRICAL CABLE ASSEMBLY TERMINATIONS, STANDARD FOR | 2015 | KSC | |
| 15 | STD-132 REV D W/CHG 2 | POTTING AND MOLDING ELECTRICAL CABLE ASSEMBLY TERMINATIONS, STANDARD FOR | 2015 | KSC | |
| 16 | SPEC-Z-0006 REV B CANC NO | INDUCTION BRAZING, AEROSPACE TUBING FITTINGS, SPECIFICATION FOR | 2015 | KSC | |
| 17 | STD-SF-0004 REV C CANC | GROUND PIPING SYSTEMS COLOR CODING AND IDENTIFICATION, SAFETY STANDARD FOR | 2015 | KSC | |
| 18 | GP-364 REV 37 W/CHG 2 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2015 | KSC | |
| 19 | GP-364 REV 37 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2015 | KSC | |
| 20 | DF-107 REV E | TECHNICAL DOCUMENTATION STYLE GUIDE | 2015 | KSC | |
| 21 | STD-Z-0017 | ENGINEERING ANALYSIS, THERMAL/FLUID, STANDARD FOR | 2014 | KSC | |

| 22 | STD-Z-0015 | ENGINEERING ANALYSIS, STANDARD FOR | 2014 | KSC | |
|----|---------------------------------|--|------|-----|--|
| 23 | STD-Z-0017 | ENGINEERING ANALYSIS, THERMAL/FLUID, STANDARD FOR | 2014 | KSC | |
| 24 | E-165 REV E CHANGE 2 | ELECTRICAL GROUND SUPPORT EQUIPMENT FABRICATION, SPECIFICATION FOR | 2014 | KSC | |
| 25 | E-166 REV C W/CHG 2 | INSTALLATION AND ASSEMBLY, ELECTRICAL GROUND SUPPORT EQUIPMENT (GSE) SPECIFICATION FOR | 2014 | KSC | |
| 26 | GP-364 REV 36 W/CHG 3 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2014 | KSC | |
| 27 | GP-364 REV 36 W/CHG 4 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2014 | KSC | |
| 28 | GP-364 REV 36 W/CHG 1 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2014 | KSC | |
| 29 | E-165 REV E CHANGE 3 | ELECTRICAL GROUND SUPPORT EQUIPMENT FABRICATION, SPECIFICATION FOR | 2014 | KSC | |
| 30 | GP-364 REV 36 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2014 | KSC | |
| 31 | GP-435 VOL I REV G | ENGINEERING DRAWING PRACTICES - VOLUME 1 OF II - AEROSPACE AND GROUND SUPPORT EQUIPMENT | 2014 | KSC | |
| 32 | E-166 REV C W/CHG 3 | INSTALLATION AND ASSEMBLY, ELECTRICAL GROUND SUPPORT EQUIPMENT (GSE), SPECIFICATION FOR | 2014 | KSC | |
| 33 | DE-512-SM REV L W/CHG 3 | FACILITY SYSTEMS, GROUND SUPPORT SYSTEMS, AND GROUND SUPPORT EQUIPMENT GENERAL DESIGN REQUIREMENTS | 2014 | KSC | |
| 34 | STD-Z-0015 | ENGINEERING ANALYSIS, STANDARD FOR | 2014 | KSC | |
| 35 | E-165 REV E CHANGE 1 | ELECTRICAL GROUND SUPPORT EQUIPMENT FABRICATION, SPECIFICATION FOR | 2013 | KSC | |
| 36 | STD-E-0022 | Bonding, Grounding, Shielding, Electromagnetic Interference, Lightning and Transient Protection, Design Requirements for Ground Systems | 2013 | KSC | |
| 37 | GP-864 VOL IIA REV B W/CH | ELECTRICAL GROUND SUPPORT EQUIPMENT CABLE HANDBOOK | 2013 | KSC | |
| 38 | GP-364 REV 35 W/CHG 1 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2013 | KSC | |
| 39 | STD-E-0012 REV F | FACILITY GROUNDING AND LIGHTNING PROTECTION, STANDARD FOR | 2013 | KSC | |
| 40 | GP-364 REV 35 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2013 | KSC | |
| 41 | E-166 REV C W/CHG 1 | INSTALLATION AND ASSEMBLY, ELECTRICAL GROUND SUPPORT EQUIPMENT (GSE) SPECIFICATION FOR | 2013 | KSC | |
| 42 | NE-10074 | ELECTRICAL GROUND SUPPORT EQUIPMENT (EGSE) QUALIFICATION TEST PLAN | 2013 | KSC | |
| 43 | STD-E-0022 W/CHG 1 | Bonding, Grounding, Shielding, Electromagnetic Interference, Lightning and Transient Protection, Design Requirements for Ground Systems - Incorporated Change 1 08/15/2016 | 2013 | KSC | |
| 44 | GP-364 REV 35 W/CHG 2 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2013 | KSC | |
| 45 | GP-364 REV 34 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2012 | KSC | |
| 46 | GP-425 REV G W/AMD 3 | FLUID FITTING ENGINEERING STANDARDS | 2012 | KSC | |

| 47 | KTI-5210 REV C | MATERIAL SELECTION LIST FOR OXYGEN SERVICES | 2012 | KSC | |
|----|---------------------------|---|------|-----|--|
| 48 | | FACILITY SYSTEMS, GROUND SUPPORT SYSTEMS, AND GROUND SUPPORT EQUIPMENT GENERAL DESIGN REQUIREMENTS | 2012 | KSC | |
| 49 | STD-F-0005 | KSC FLOORING STANDARD | 2010 | KSC | |
| 50 | SPEC-P-0027 | TUBING, SUPERAUSTENITIC STEEL, CORROSION RESISTANT, UNS N08367 AND UNS S31254, SEAMED, BRIGHT ANNEALED, PASSIVATED, SPECIFICATION FOR | 2010 | KSC | |
| 51 | SPEC-E-0002 REV A | MODULAR ELECTRICAL ENCLOSURES, RACKS, CONSOLES, AND ACCESSORIES, SPECIFICATION FOR | 2010 | KSC | |
| 52 | GP-364 REV 32 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2010 | KSC | |
| 53 | STD-F-0005 | KSC Flooring Standard | 2010 | KSC | |
| 54 | STD-F-0004 REV F | FIRE PROTECTION DESIGN, STANDARD FOR | 2010 | KSC | |
| 55 | GP-425 REV G W/AMD 2 | FLUID FITTING ENGINEERING STANDARDS | 2009 | KSC | |
| 56 | SPEC-F-0006 REV B | HEAT AND BLAST PROTECTION COATING MATERIALS AND APPLICATION METHODS, SPECIFICATION FOR | 2009 | KSC | |
| 57 | C-123 REV J | SURFACE CLEANLINESS OF GROUND SUPPORT EQUIPMENT FLUID SYSTEMS, SPECIFICATION FOR | 2009 | KSC | |
| 58 | E-166 REV C | INSTALLATION AND ASSEMBLY, ELECTRICAL GROUND SUPPORT EQUIPMENT (GSE) SPECIFICATION FOR | 2009 | KSC | |
| 59 | STD-E-0011 REV H | ELECTRICAL POWER RECEPTACLES AND PLUGS, STANDARD FOR | 2009 | KSC | |
| 60 | STD-Z-0005 REV B W/CHG | DESIGN OF PNEUMATIC GROUND SUPPORT EQUIPMENT, STANDARD FOR | 2009 | KSC | |
| 61 | STD-Z-0004 REV F W/CHG | STRUCTURAL DESIGN, STANDARD FOR | 2009 | KSC | |
| 62 | E-165 REV E | ELECTRICAL GROUND SUPPORT EQUIPMENT FABRICATION, SPECIFICATION FOR | 2009 | KSC | |
| 63 | GP-425 REV G AMD 3 | FLUID FITTING ENGINEERING STANDARDS | 2009 | KSC | |
| 64 | STD-E-0002 REV E | HAZARDPROOFING OF ELECTRICALLY ENERGIZED EQUIPMENT, STANDARD FOR | 2009 | KSC | |
| 65 | GP-864 VOL IIA REV B | ELECTRICAL GROUND SUPPORT EQUIPMENT CABLE HANDBOOK | 2009 | KSC | |
| 66 | MMA-1985-79 REV 6 | STANDARD TEST METHOD FOR EVALUATING TRIBOELECTRIC CHARGE GENERATION AND DECAY | 2008 | KSC | |
| 67 | STD-E-0001 REV C | DESIGN OF ELECTRICAL CONTROL AND MONITORING SYSTEMS, EQUIPMENT (GSE), AND PANELS, STANDARD FOR | 2008 | KSC | |
| 68 | SPEC-E-0031 REV B | CABLES, ELECTRICAL, GENERAL SPECIFICATION FOR | 2008 | KSC | |
| 69 | SPEC-E-0024 REV A | CABLE, ELECTRICAL, SHIELDED, JACKETED, FOR HARNESS ASSEMBLIES, GENERAL SPECIFICATION FOR | 2008 | KSC | |
| 70 | NE-9187 | SENSORS, TRANSDUCERS AND SIGNAL CONDITIONING SYSTEMS SELECTION PROCESS | 2008 | KSC | |
| 71 | STD-132 REV D | POTTING AND MOLDING ELECTRICAL CABLE ASSEMBLY TERMINATIONS, STANDARD FOR | 2008 | KSC | |
| 72 | S-126 REV B | SEALING OF ELECTRICAL COMPONENTS, SPECIFICATION FOR | 2008 | KSC | |

| 73 | STD-E-0002 REV D | HAZARD PROOFING OF ELECTRICALLY ENERGIZED EQUIPMENT, STANDARD FOR | 2007 | KSC | |
|----|---------------------------------|--|------|-----|--|
| 74 | GP-425 REV G W/AMD 1 | FLUID FITTING ENGINEERING STANDARDS | 2007 | KSC | |
| 75 | DF-107 REV D | TECHNICAL DOCUMENTATION STYLE GUIDE | 2005 | KSC | |
| 76 | DF-107 REV C | TECHNICAL DOCUMENTATION STYLE GUIDE | 2004 | KSC | |
| 77 | DE-512-SM REV K | FACILITY, SYSTEM, AND EQUIPMENT GENERAL DESIGN REQUIREMENTS | 2004 | KSC | |
| 78 | KTI-5210 REV B | MATERIAL SELECTION LIST FOR ALL OXYGEN AND AIR SERVICES | 2004 | KSC | |
| 79 | STD-F-0004 REV E | FIRE PROTECTION DESIGN, STANDARD FOR | 2003 | KSC | |
| 80 | GP-435 VOL I REV F W/CHG | ENGINEERING DRAWING PRACTICES VOLUME 1 OF II AEROSPACE AND GROUND SUPPORT EQUIPMENT | 2003 | KSC | |
| 81 | DE-512-SM REV J | FACILITY, SYSTEM, AND EQUIPMENT GENERAL DESIGN REQUIREMENTS | 2002 | KSC | |
| 82 | SPEC-P-0025 | PROPYLENE GLYCOL MONOMETHYL ETHER (PGME) 1-METHOXY-2-PROPANOL, SPECIFICATION FOR | 2002 | KSC | |
| 83 | | PROPELLANTS, RECOVERED HALON-1301, SPECIFICATION FOR | 2002 | KSC | |
| 84 | STD-Z-0004 REV F | STRUCTURAL DESIGN, STANDARD FOR | 2002 | KSC | |
| 85 | STD-E-0021 | KSC TELECOMMUNICATION PREMISES DISTRIBUTION SYSTEMS, DESIGN OF, STANDARD FOR | 2002 | KSC | |
| 86 | STD-E-0012 REV E | FACILITY GROUNDING AND LIGHTNING PROTECTION, STANDARD FOR | 2001 | KSC | |
| 87 | SPEC-P-0022 | SOLVENT, CLEANING, 1,3-DICHLORO-1,1,2,2,3-PENTAFLUOROPROPANE, HCFC-225G, SPECIFICATION FOR | 2001 | KSC | |
| 88 | SPEC-P-0024 | REFRIGERANT, HCFC-124, 2-CHLORO-1,1,1,2-TETRAFLUOROETHANE, SPECIFICATION FOR | 2001 | KSC | |
| 89 | SPEC-P-0021 | SOLVENT, CLEANING, 1,1,1,2,3,4,4,5,5,5-DECAFLUOROPENTANE, SPECIFICATION FOR | 2001 | KSC | |
| 90 | SPEC-P-0020 | SOLVENT, CLEANING, 3,3-DICHLORO-1,1,1,2,2-PENTAFLUOROPROPANE (45 PLUS/MINUS 5 WT PERCENT) AND 1,3-DICHLORO-1,1,2,2,3-PENTAFLULOROPROPANE (55 PLUS/MINUS 5 WT PERCENT), HCFC-225, SPECIFICATION FOR | 2001 | KSC | |
| 91 | GP-364 REV 22 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 2000 | KSC | |
| 92 | SPEC-Z-0019 REV E | AGE CONTROL OF ELASTOMERIC PARTS SPECIFICATION FOR | 2000 | KSC | |
| 93 | C-123 REV H CHG NOTICE 6 | SURFACE CLEANLINESS OF FLUID SYSTEMS, SPECIFICATION FOR | 2000 | KSC | |
| 94 | STD-E-0013 REV E CANC NOT | FACILITY LIGHTNING PROTECTION DESIGN, STANDARD FOR | 2000 | KSC | |
| 95 | STD-E-0011 REV G | ELECTRICAL POWER RECEPTACLES AND PLUGS, STANDARD FOR | 2000 | KSC | |
| 96 | | ENGINEERING DRAWING PRACTICES VOLUME II OF II FACILITIES | 1999 | KSC | |
| 97 | GP-864 VOL | ELECTRICAL GROUND SUPPORT EQUIPMENT CABLES HANDBOOK, KENNEDY APPROVED PARTS LIST (DAPL) | 1999 | KSC | |
| 98 | C-123 REV H CHG NOTICE 5 | SURFACE CLEANLINESS OF FLUID SYSTEMS, SPECIFICATION FOR | 1999 | KSC | |

| 99 | GP-364 REV 21 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 1999 | KSC | |
|-----|---------------------------------|---|------|-----|--|
| 100 | SPEC-P-0019 | SOLVENT, CLEANING, 1,1,1,2,3,4,4,5,5, 5-DECAFLUOROPENTANE (62 WT%) AND TRANS-1, 2-DICHLOROETHYLENE (38 WT%), VERTREL MCA, SPECIFICATION FOR | 1999 | KSC | |
| 101 | SPEC-Z-0020 REV A CANC NO | WELDING OF AEROSPACE GROUND SUPPORT EQUIPMENT AND RELATED FACILITIES | 1999 | KSC | |
| 102 | GP-364 REV 20 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 1998 | KSC | |
| 103 | STD-E-0002 REV C | HAZARDPROOFING OF ELECTRICALLY ENERGIZED EQUIPMENT, STANDARD FOR | 1998 | KSC | |
| 104 | STD-F-0004 REV D CHG NOTI | FIRE PROTECTION DESIGN, STANDARD FOR | 1998 | KSC | |
| 105 | KC-104 REV D | FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARED TUBE CONNECTION FOR SEAL RING | 1997 | KSC | |
| 106 | SPEC-P-0005 REV A CANC NO | LONG FORM SPARE PARTS PROVISIONING, GENERAL SPECIFICATION FOR | 1997 | KSC | |
| 107 | SPEC-P-0006 REV A CANC NO | AIR CONDITIONING UNIT - PORTABLE, TRAILER MOUNTED, ELECTRICALLY DRIVEN, SELF-CONTAINED, NOMINAL, 40 TON CAPACITY | 1997 | KSC | |
| 108 | SPEC-P-0004 REV A CANC NO | SHORT FORM SPARE PARTS PROVISIONING, GENERAL SPECIFICATION FOR | 1997 | KSC | |
| 109 | SPEC-F-0019 REV A CANC NO | CIF M6-342, BUILT-UP ROOF REPAIR, SPECIFICATION FOR | 1997 | KSC | |
| 110 | SPEC-F-0015 REV A CANC NO | HONEYCOMB PANELLING FOR MSS FLOORS, WALKWAYS, AND ROOFS | 1997 | KSC | |
| 111 | SPEC-F-0007 REV A CANC NO | PUMPS, 25,000 AND 35,000, PIPING, AND FLAP GATES, SPECIFICATION FOR | 1997 | KSC | |
| 112 | KC-152 REV A | UNION, BUTTWELD REDUCER | 1997 | KSC | |
| 113 | KC-175 REV C | ORIFICE, UNION, FLARED TUBE FOR SEAL RING | 1997 | KSC | |
| 114 | KC-150 REV H | CAP, CAP ASSEMBLY PRESSURE SEAL FLARED TUBE FITTING | 1997 | KSC | |
| 115 | KC-176 REV B | ORIFICE, UNION, BLKHD, FLARED TUBE FOR SEAL RING | 1997 | KSC | |
| 116 | SPEC-E-0028 REV A CANC NO | ELEVATOR ELECTRIC TRAVELING CABLE, PROCUREMENT OF, SPECIFICATION FOR | 1997 | KSC | |
| 117 | SPEC-E-0026/3 REV B CANC | AUTOMATIC FIRE DETECTION SYSTEMS SUPPLEMENTAL, SPECIFICATION FOR | 1997 | KSC | |
| 118 | SPEC-E-0018 REV B | AC POWER WIRE, GENERAL PURPOSE, SINGLE CONDUCTOR, 600 VOLT, 60 HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1997 | KSC | |
| 119 | P-127 REV A CANC NOTICE | PACKAGING, PACKING, MARKING, FOR SHIPMENT AND STORAGE OF GROUND SUPPORT EQUIPMENT, GENERAL SPECIFICATION FOR | 1997 | KSC | |
| 120 | KC-118 REV E | ELBOW - FLARED TUBE 90 DEG., FOR SEAL RING | 1997 | KSC | |
| 121 | KC-144 REV F | REDUCER, FLARED TUBE 3/8" BULKHEAD AND UNIVERSAL FOR SEAL RING | 1997 | KSC | |

| 122 | SPEC-E-0026 REV B CANC NO | ELECTRICAL FACILITIES INSTALLATIONS, SPECIFICATION FOR | 1997 | KSC | |
|-----|---------------------------------|--|------|-----|--|
| 123 | SPEC-E-0019 REV B | AC POWER CABLE, GENERAL PURPOSE, MULTICONDUCTOR, 600 VOLT, 60 HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1997 | KSC | |
| 124 | SPEC-E-0026/1 REV B CANC | ELECTRICAL WORK INTERIOR SUPPLEMENTAL, SPECIFICATION FOR | 1997 | KSC | |
| 125 | STD-132 REV C | POTTING AND MOLDING ELECTRICAL CABLE ASSEMBLY TERMINATIONS, STANDARD FOR | 1997 | KSC | |
| 126 | SPEC-E-0026/2 REV B CANC | ELECTRICAL WORK EXTERIOR SUPPLEMENTAL, SPECIFICATION FOR | 1997 | KSC | |
| 127 | E-1004 REV A CANC NOTICE | REFURBISHMENT OF GEODESIC DOME K7-1205G, KSC TECHNICAL SPECIFICATION FOR | 1997 | KSC | |
| 128 | GP-364 REV 19 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 1997 | KSC | |
| 129 | KC-115 REV E | BUSHING - SCREW THREAD EXPANDER FOR SEAL RING | 1997 | KSC | |
| 130 | KC-164 REV F | BUSHING - SCREW THREAD REDUCER FOR SEAL RING | 1997 | KSC | |
| 131 | STD-E-0017 REV A CANC NOT | ELEVATOR ELECTRIC TRAVELING CABLE APPLICATIONS, STANDARD FOR | 1997 | KSC | |
| 132 | SPEC-P-0010 REV A CANC NO | ROADWAY REHABILITATION ASPHALTIC CONCRETE LEVELING AND SURFACE COURSES, SPECIFICATIONS FOR | 1997 | KSC | |
| 133 | SPEC-P-0007 REV A CANC NO | GLASS, LAMINATED, FLAT, TINTED, SPECIFICATION FOR | 1997 | KSC | |
| 134 | KC-105 REV D | FITTING END, STANDARD DIMENSIONS FOR FLARED TUBE CONNECTION FOR SEAL RING | 1997 | KSC | |
| 135 | KC-131 REV F | ELBOW ASSY, 90 DEG., FLARED TUBE & DECEMBER 1981 SWIVEL END, FOR SEAL RING | 1997 | KSC | |
| 136 | SPEC-P-0008 REV A CANC NO | REPAINTING OF 500 FOOT WEATHER TOWER J6-490A, SPECIFICATIONS FOR | 1997 | KSC | |
| 137 | SPEC-P-0009 REV A CANC NO | SPECIFICATION FOR PAVEMENT MARKINGS | 1997 | KSC | |
| 138 | SPEC-Z-0019 REV D ADOPTIO | AGE CONTROL OF ELASTOMERIC PARTS, SPECIFICATION FOR | 1997 | KSC | |
| 139 | STD-S-0003 REV A CANC NOT | COLOR CODE FOR SHOP MACHINERY AND EQUIPMENT | 1997 | KSC | |
| 140 | C-123 REV H CHG NOTICE 2 | SURFACE CLEANLINESS OF FLUID SYSTEMS, SPECIFICATION FOR | 1997 | KSC | |
| 141 | STD-F-0003 REV A CANC NOT | PROTECTIVE COATING AND IDENTIFICATION OF HIGH-PRESSURE GAS MOBILE EQUIPMENT, STANDARD FOR | 1997 | KSC | |
| 142 | GP-425 REV G | FLUID FITTING ENGINEERING STANDARDS | 1997 | KSC | |

| 143 | SPEC-E-0001 REV B CANC NO | APPLICATION OF COATING, CONFORMAL (POLYURETHANE), PRINTED CIRCUIT ASSEMBLIES, SPECIFICATION FOR | 1996 | KSC | |
|-----|---------------------------------|--|------|-----|--|
| 144 | STD-128 REV B CANC NOTICE | TEST REPORTS, PREPARATION OF STANDARD FOR | 1996 | KSC | |
| 145 | STD-P-0007 | KSC NETBIOS NAMING FOR NETWORKS CENTER DOMAIN, WORKGROUP, WORKSTATION, AND USER REGISTRATION, STANDARD FOR | 1996 | KSC | |
| 146 | STD-F-0002 REV A CANC NOT | COATING OF MARINE EQUIPMENT, STANDARD FOR | 1996 | KSC | |
| 147 | SPEC-E-0020 REV C | AC POWER CABLE, MINERAL-INSULATED, 600-VOLT, 60-HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1996 | KSC | |
| 148 | SPEC-E-0021 REV B | AC POWER CABLE, INTERLOCKED-ARMORED, 600-VOLT, 60-HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1996 | KSC | |
| 149 | C-133 REV A CANC NOTICE | CAPACITORS, FIXED, TANTALUM (POLARIZED, SINTERED-SLUG) (STYLE KCL65), SPECIFICATION | 1996 | KSC | |
| 150 | SPEC-E-0022 REV B | AC POWER CABLE, 5,000-VOLT, 60-HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1996 | KSC | |
| 151 | SPEC-E-0023 REV C | AC POWER CABLE, 15,000-VOLT, 60 HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1996 | KSC | |
| 152 | M-117 REV A CANC NOTICE | MOTORS, ALTERNATING CURRENT, INTEGRAL HORSEPOWER FOR GROUND SUPPORT EQUIPMENT, SPECIFICATION | 1996 | KSC | |
| 153 | STD-SP-0002 REV A CANC NO | PROVISIONING TECHNICAL DOCUMENTATION, DETAIL STANDARD FOR | 1996 | KSC | |
| 154 | STD-E-0014 REV B | WIRE AND CABLE APPLICATIONS, STANDARD FOR | 1996 | KSC | |
| 155 | SPEC-E-0017 REV C | ELECTRICAL POWER CABLE, INSTALLATION OF, SPECIFICATION FOR | 1996 | KSC | |
| 156 | STD-SP-0001 REV A CANC NO | SHUTTLE PROVISIONING PROCEDURE, GENERAL STANDARD FOR | 1996 | KSC | |
| 157 | STD-Z-0008 REV C | DESIGN OF GROUND LIFE SUPPORT SYSTEMS AND EQUIPMENT, STANDARD FOR | 1996 | KSC | |
| 158 | SPEC-Z-0003 REV D CANC NO | WELDING OF AUSTENITIC STAINLESS STEEL, CARBON STEEL, ALUMINUM ALLOY, NICKEL ALLOY, AND LOW-EXPANSION ALLOY PIPE, TUBING AND ASSOCIATED FITTINGS, SPECIFICATION FOR | 1996 | KSC | |
| 159 | SPEC-Z-0004 REV F CANC NO | WELDING OF STRUCTURAL CARBON STEEL, LOW ALLOY STEEL, AUSTENITIC STAINLESS STEEL, AND ALUMINUM ALLOYS, SPECIFICATION FOR | 1996 | KSC | |
| 160 | SPEC-Z-0016 REV B CANC NO | AUTOMATIC WELDING, STAINLESS STEEL PIPE AND TUBING, INVAR 36 PIPE, CARBON STEEL PIPE, AND ALUMINUM PIPE, SPECIFICATION FOR | 1996 | KSC | |
| 161 | DF-107 REV B | TECHNICAL DOCUMENTATION STYLE GUIDE | 1995 | KSC | |
| 162 | GP-364 REV 18 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 1995 | KSC | |

| 163 | STD-Z-0006 REV B | DESIGN OF HYPERLIC PROPELLANTS GROUND SUPPORT EQUIPMENT, DESIGN OF, STANDARD FOR | 1995 | KSC | |
|-----|---------------------------------|---|------|-----|--|
| 164 | STD-P-0006 | QUICK RELEASE PINS AND PIN TETHERS, STANDARD FOR | 1995 | KSC | |
| 165 | SPEC-Z-0005 REV A CANC N | BRAZING - STEEL, COPPER, ALUMINUM, NICKEL, AND MAGNESIUM ALLOYS, SPECIFICATION FOR | 1995 | KSC | |
| 166 | SPEC-Z-0006 REV A CANC NO | INDUCTION BRAZING, AEROSPACE TUBING FITTINGS, SPECIFICATION FOR | 1995 | KSC | |
| 167 | SPEC-P-0018 | PROPELLANTS, RECOVERED NITROGEN TETROXIDE SOLUTION, SPECIFICATION FOR | 1995 | KSC | |
| 168 | SPEC-M-0025 REV A CANC NO | METEOROLOGICAL INSTRUMENTATION SYSTEMS AT KSC, SPECIFICATION FOR | 1995 | KSC | |
| 169 | SPEC-M-0021 REV B CANC NO | LIGHTNING WARNING SYSTEM KSC DATA PROCESSOR, SPECIFICATION FOR | 1995 | KSC | |
| 170 | SPEC-M-0013 REV A CANC NO | MEASUREMENT SYSTEMS DIVISION INSTRUMENTATION AT THE METEOROLOGICAL PREDICTION CENTER, SPECIFICATION FOR | 1995 | KSC | |
| 171 | SPEC-M-0007 REV C CANC NO | LIGHTNING INSTRUMENTATION SYSTEMS AT KSC, SPECIFICATION FOR | 1995 | KSC | |
| 172 | C-123 REV H | SURFACE CLEANLINESS OF FLUID SYSTEMS, SPECIFICATION FOR | 1995 | KSC | |
| 173 | STD-E-0013 REV D | FACILITY LIGHTNING PROTECTION DESIGN, STANDARD FOR | 1995 | KSC | |
| 174 | E-165 REV D | ELECTRICAL GROUND-SUPPORT EQUIPMENT FABRICATION, SPECIFICATION FOR | 1995 | KSC | |
| 175 | STD-E-0001 REV B | DESIGN OF ELECTRICAL CONTROL AND MONITOR SYSTEMS, EQUIPMENT (GSE), AND PANELS, STANDARD FOR | 1995 | KSC | |
| 176 | W-151 REV B CANC NOTICE | SOLDERLESS WRAP PROCESS, ELECTRICAL CONNECTIONS, SPECIFICATION FOR | 1995 | KSC | |
| 177 | S-178 REV A CANC NOTICE | SOLDERING, AUTOMATIC WAVE, OF PRINTED CIRCUIT ASSEMBLIES, PROCEDURE FOR | 1995 | KSC | |
| 178 | SPEC-Z-0020 | WELDING OF AEROSPACE GROUND SUPPORT EQUIPMENT AND RELATED FACILITIES | 1995 | KSC | |
| 179 | SPEC-Q-0001 REV C CANC NO | COATINGS, CONFORMAL, PROTECTIVE, ENVIRONMENTAL, FOR PRINTED-CIRCUIT ASSEMBLIES, SPECIFICATION FOR | 1995 | KSC | |
| 180 | SPEC-E-0031 REV A | CABLES, ELECTRICAL, GENERAL SPECIFICATION FOR | 1995 | KSC | |
| 181 | STD-6 REV D | CARDHOLDER ATTACHMENTS AND ROOM NUMBERS, STANDARD FOR | 1995 | KSC | |
| 182 | W-167 REV B | WIRING PROGRAMMING SYSTEM PATCHBOARDS, SPECIFICATION FOR | 1994 | KSC | |
| 183 | SPEC-E-0011 REV A CANC NO | CAPACITORS, FIXED, TANTALUM, POLARIZED, ETCHED FOIL (STYLE KCL21), SPECIFICATION FOR | 1994 | KSC | |
| 184 | C-109 REV B CANC NOTICE | CAPACITORS, FIXED, TANTALUM (POLARIZED, PLAIN FOIL) (STYLE KCL31) | 1994 | KSC | |

| 185 | SPEC-M-0012 REV B CANC NO | PLATINUM TEMPERATURE TRANSDUCER, SPECIFICATION FOR | 1994 | KSC | |
|-----|---------------------------------|---|------|-----|--|
| 186 | C-113 REV E CANC NOTICE | CAPACITORS, FIXED, POLARIZED, TANTALUM FOIL (STYLE KCL51 AND KCL53) | 1994 | KSC | |
| 187 | C-123 REV G | SURFACE CLEANLINESS OF FLUID SYSTEMS, SPECIFICATION FOR | 1994 | KSC | |
| 188 | SPEC-P-0017 | PROPELLANTS, RECOVERED HYDRAZINE FAMILY FUELS, SPECIFICATION FOR | 1994 | KSC | |
| 189 | R-105 REV B CANC NOTICE | RESISTORS, FIXED, WIREWOUND (POWER TYPE) (STYLE KRW67/68/69) | 1994 | KSC | |
| 190 | R-104 REV E CANC NOTICE | RESISTOR, FIXED, POWER, WIREWOUND (CHASSIS MOUNT) (STYLE KRE65/70/75) | 1994 | KSC | |
| 191 | SPEC-M-0022 REV A CANC NO | CORONA CURRENT DETECTOR, SPECIFICATION FOR | 1994 | KSC | |
| 192 | STD-P-0004 REV B CANC NOT | KSC STANDARD FOR THE PREPARATION OF PROCESS SPECIFICATIONS | 1994 | KSC | |
| 193 | SPEC-M-0023 REV A CANC NO | REMOTE CALIBRATE AND REMOTE GAIN CHANGE AMPLIFIER SYSTEM, SPECIFICATION FOR | 1994 | KSC | |
| 194 | E-166 REV B | INSTALLATION AND ASSEMBLY, ELECTRICAL GROUND-SUPPORT EQUIPMENT, SPECIFICATION FOR | 1994 | KSC | |
| 195 | GP-364 REV 17 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 1994 | KSC | |
| 196 | STD-P-0005 REV B CANC NOT | KSC STANDARD FOR THE PREPARATION OF MATERIAL SPECIFICATIONS | 1994 | KSC | |
| 197 | SPEC-P-0002 REV A CANC NO | CONTRACT END ITEM DETAIL SPECIFICATION (CRYOGENIC ACCELEROMETER AND IMPEDANCE UNIT) PERFORMANCE/DESIGN AND PRODUCT CONFIGURATION REQUIREMENTS | 1994 | KSC | |
| 198 | STD-C-0001 REV D | STANDARD FOR PROTECTIVE COATING OF CARBON STEEL, STAINLESS STEEL, AND ALUMINUM ON LAUNCH STRUCTURES, FACILITIES, AND GROUND SUPPORT EQUIPMENT | 1994 | KSC | |
| 199 | TM-584 REV C | CORROSION CONTROL AND TREATMENT MANUAL | 1994 | KSC | |
| 200 | STD-Z-0009 REV C W/AMD 1 | CRYOGENIC GROUND SUPPORT EQUIPMENT, DESIGN OF, STANDARD FOR | 1994 | KSC | |
| 201 | STD-E-0010 REV A | SOLDERING OF ELECTRICAL CONNECTIONS (HAND OR MACHINE), STANDARD FOR | 1994 | KSC | |
| 202 | MTB-175-88 | PROCEDURE FOR CASUAL EXPOSURE OF MATERIALS TO HYPERLIC FLUIDS | 1994 | KSC | |
| 203 | | PACKAGING, PACKING, MARKING FOR SHIPMENT AND STORAGE OF MOTORS AND MOTOR DRIVE SETS | 1994 | KSC | |
| 204 | P-116 REV A CANC NOTICE | PACKAGING AND MARKING FOR CABLES AND HARNESSES PROCEDURE FOR | 1994 | KSC | |
| 205 | SPEC-E-00025 REV A CANC N | HEADSET, MICROPHONE AND CORD ASSEMBLY, SPECIFICATION FOR | 1994 | KSC | |

| 206 | F-124 REV E | SPECIFICATION FOR FITTINGS, FLARED TUBE | 1994 | KSC | |
|-----|---------------------------------|---|------|-----|--|
| 207 | P-127/2 REV A CANC NOTICE | RACKS, CONSOLES, PANELS, AND DISTRIBUTORS, PACKAGING, MARKING AND STORAGE OF | 1994 | KSC | |
| 208 | SPEC-Z-0007 REV E | TUBING, STEEL, CORROSION RESISTANT, TYPES 304 AND 316, SEAMLESS, ANNEALED, SPECIFICATION FOR | 1994 | KSC | |
| 209 | SPEC-M-0008 REV B CANC NO | CRYOGENIC STRAIN GAGE PRESSURE TRANSDUCER, SPECIFICATION FOR | 1994 | KSC | |
| 210 | STD-E-0016 REV A CANC NOT | ELECTRICAL HOOKUP WIRE APPLICATIONS, STANDARD FOR | 1994 | KSC | |
| 211 | SPEC-Z-0007 REV D CHG NOT | TUBING, STEEL, CORROSION RESISTANT, TYPES 304 AND 316, SEAMLESS, ANNEALED, SPECIFICATION FOR | 1993 | KSC | |
| 212 | SO-S-9 REV J | COMPRESSED GAS TRAILERS AND MOVABLE STORAGE UNITS, RETEST AND REFURBISHMENT OF, STANDARD FOR | 1993 | KSC | |
| 213 | SPEC-Z-0002 REV B CANC NO | WELDING ALUMINUM ALLOY PIPE, TUBING, AND ASSOCIATED FITTINGS, SPECIFICATION FOR | 1993 | KSC | |
| 214 | GP-986 REV A | DESIGN CRITERIA FOR REUSABLE SPACE VEHICLE UMBILICAL SYSTEMS | 1993 | KSC | |
| 215 | SPEC-Z-0004 REV E | WELDING OF STRUCTURAL CARBON STEEL, LOW ALLOY STEEL, AUSTENITIC STAINLESS STEEL, AND ALUMINUM ALLOYS, SPECIFICATION FOR | 1993 | KSC | |
| 216 | GP-364 REV 16 | INDEX OF KENNEDY SPACE CENTER SPECIFICATIONS AND STANDARDS | 1993 | KSC | |
| 217 | STD-E-0006 REV B | INSTRUMENTATION AND COMMUNICATIONS CABLE APPLICATIONS, STANDARD FOR | 1993 | KSC | |
| 218 | STD-E-0009 REV B W/CHG | CABLE NUMBERING, OUTSIDE PLANT COMMUNICATION SYSTEM, STANDARD FOR (INCLUDES CHANGE 1 DATED 5/26/2000) | 1993 | KSC | |
| 219 | STD-E-0009 REV B | CABLE NUMBERING, OUTSIDE PLANT COMMUNICATION SYSTEM, STANDARD FOR | 1993 | KSC | |
| 220 | KC-157 REV E | TEE, PIPE HUB | 1992 | KSC | |
| 221 | SPEC-Z-0004 REV D CHG NOT | WELDING OF STRUCTURAL CARBON STEEL, LOW ALLOY STEEL, AUSTENITIC STAINLESS STEEL, AND ALUMINUM ALLOYS, SPECIFICATION FOR | 1992 | KSC | |
| 222 | KC-158 REV E | CROSS, PIPE HUB | 1992 | KSC | |
| 223 | STD-152-2 REV C | GRAPHICAL SYMBOLS FOR DRAWINGS: PART 2: GROUND SUPPORT EQUIPMENT, STANDARD FOR | 1992 | KSC | |
| 224 | | HUB, BLIND PIPE | 1992 | KSC | |
| 225 | | HUB, BUTTWELD | 1992 | KSC | |
| 226 | STD-152-1 REV C | GRAPHIC SYMBOLS FOR DRAWINGS, PART 1: FACILITIES, STANDARD FOR | 1992 | KSC | |
| 227 | KC-162 REV F | RING, PIPE HUB SEAL | 1992 | KSC | |
| 228 | STD-C-0001 REV C | STANDARD FOR PROTECTIVE COATING OF CARBON STEEL, STAINLESS STEEL, AND ALUMINUM ON LAUNCH STRUCTURES, FACILITIES, AND GROUND SUPPORT EQUIPMENT | 1992 | KSC | |
| 229 | SPEC-P-0014 REV A | MINIMUM REQUIREMENTS FOR GARMENTS USED IN NON-CLEANROOM ENVIRONMENTS, SPECIFICATION FOR - (includes Amendment 1: October 6, 1997) | 1992 | KSC | |

| 230 | STD-E-0015 REV B | MARKING OF GROUND SUPPORT EQUIPMENT, STANDARD FOR | 1992 | KSC | |
|-----|---------------------------------|--|------|-----|--|
| 231 | STD-F-0004 REV D | FIRE PROTECTION DESIGN, STANDARD FOR | 1992 | KSC | |
| 232 | STD-E-0015 REV B W/CHG | MARKING OF GROUND SUPPORT EQUIPMENT, STANDARD FOR (INCLUDES CHANGE 1 DATED 11/25/92) | 1992 | KSC | |
| 233 | STD-P-0001 REV B | PREPARATION OF EQUIPMENT OR SYSTEM PROCUREMENT/ PERFORMANCE SPECIFICATIONS, STANDARD FOR | 1992 | KSC | |
| 234 | KC-166 REV C | HUB, TAPPED BLIND | 1992 | KSC | |
| 235 | SPEC-Z-0003 REV C | WELDING OF AUSTENITIC STAINLESS STEEL, CARBON STEEL, ALUMINUM ALLOY, NICKEL ALLOY, AND LOW-EXPANSION ALLOY PIPE, TUBING AND ASSOCIATED FITTINGS, SPECIFICATION FOR | 1992 | KSC | |
| 236 | KC-167 REV C | HUB, TAPPED | 1992 | KSC | |
| 237 | STD-164 REV B | ENVIRONMENTAL TEST METHODS FOR GROUND SUPPORT EQUIPMENT, STANDARD FOR | 1992 | KSC | |
| 238 | KC-168 REV D | HUB, PRESSURE TAPPED | 1992 | KSC | |
| 239 | SPEC-Z-0017 REV B CANC NO | RESUSCITATOR, MINIATURE, TYPE I, SPECIFICATION FOR | 1992 | KSC | |
| 240 | GP-425 REV F (4) | FLUID FITTING ENGINEERING STANDARDS | 1992 | KSC | |
| 241 | KC-149 REV A | ELBOW, 45 DEG., BUTTWELD TUBE | 1992 | KSC | |
| 242 | SPEC-Z-0012 REV A CANC NO | COVERALLS, TOXIC FUEL HANDLERS SPECIFICATION FOR | 1992 | KSC | |
| 243 | SPEC-P-0014 REV A | MINIMUM REQUIREMENTS FOR GARMENTS USED IN NON-CLEANROOM ENVIRONMENTS, SPECIFICATION FOR | 1992 | KSC | |
| 244 | KC-155 REV F | CLAMP ASSEMBLY | 1992 | KSC | |
| 245 | STD-6 REV C | CARDHOLDER ATTACHMENTS AND ROOM NUMBERS, STANDARD FOR | 1992 | KSC | |
| 246 | SPEC-P-0015 REV B | MINIMUM REQUIREMENTS FOR GARMENTS USED IN CLEANROOM ENVIRONMENTS FOR HAZARDOUS OPERATIONS, SPECIFICATION FOR | 1992 | KSC | |
| 247 | KC-156 REV E | ELBOW, 90 DEG. PIPE HUB | 1992 | KSC | |
| 248 | SPEC-P-0016 REV A | GARMENT SNAP FASTENER, MINIMUM REQUIREMENTS FOR, SPECIFICATION FOR | 1992 | KSC | |
| 249 | KC-154 REV D | TUBING, FLARED STANDARD DIMENSIONS FOR | 1991 | KSC | |
| 250 | SPEC-Z-0009 REV A | LUBRICATION, THREAD, CORROSION-RESISTANT STEEL AND ALUMINUM ALLOY TUBE FITTINGS, SPECIFICATION FOR | 1991 | KSC | |
| 251 | F-124 REV D | SPECIFICATION FOR FITTINGS, FLARED TUBE | 1991 | KSC | |
| 252 | KC-174 REV D | PLUG, HEX HEAD | 1991 | KSC | |
| 253 | SPEC-F-0006- AMPL-7 | PRODUCTS APPROVED UNDER KSC SPECIFICATION KSC-SPEC-F-0006 | 1991 | KSC | |
| 254 | KC-170 REV B | UNION, ADJUSTABLE END | 1991 | KSC | |
| 255 | | SLEEVE, FLARED TUBE FITTING | 1991 | KSC | |
| 256 | SPEC-Z-0007 REV D | TUBING, STEEL, CORROSION RESISTANT, TYPES 304 AND 316, SEAMLESS, ANNEALED, SPECIFICATION FOR | 1991 | KSC | |
| 257 | STD-Z-0008 REV B | DESIGN OF GROUND LIFE SUPPORT SYSTEMS AND EQUIPMENT, STANDARD FOR | 1991 | KSC | |

| 258 | KC-108 REV G | ELBOW ASSY, 90 DEG., FLARED TUBE & Amp; MALE ADJUSTABLE END, FOR SEAL RING | 1990 | KSC | |
|-----|---------------------|--|------|-----|--|
| 259 | | REDUCER - ADAPTER FLARED TUBE TO BOSS FOR SEAL RING | 1990 | KSC | |
| 260 | | TEE-ASSY, FLARED TUBE FEMALE SWIVEL END ON RUN, FOR SEAL RING | 1990 | KSC | |
| 261 | | PNEUMATIC AND HYDRAULIC MECHANICAL COMPONENTS, ELECTRICAL DESIGN, STANDARD FOR | 1990 | KSC | |
| 262 | | ELBOW ASSY, 45 DEG., FLARED TUBE & Camp; FEMALE SWIVEL END, FOR SEAL RING | 1990 | KSC | |
| 263 | | REDUCER-ADAPTER, CONICAL END FITTING AND FLARED FOR SEAL RING | 1990 | KSC | |
| 264 | | ADAPTER, FLARED TUBE 3/8" BULKHEAD TO BOSS FOR SEAL RING | 1990 | KSC | |
| 265 | | TEE ASSY, FLARED TUBE, FEMALE SWIVEL END ON OUTLET, FOR SEAL RING | 1990 | KSC | |
| 266 | | DIMENSION TOLERANCES FOR HUB STYLE FLANGE FITTINGS | 1990 | KSC | |
| 267 | S-126 REV A | SEALING OF ELECTRICAL COMPONENTS, SPECIFICATION FOR | 1990 | KSC | |
| 268 | KC-135 REV E | EXPANDER - ADAPTER FLARED TUBE TO BOSS, FOR SEAL RING | 1990 | KSC | |
| 269 | KC-110 REV G | TEE ASSY, FLARED TUBE, MALE ADJUSTABLE END ON RUN, FOR RING SEAL | 1990 | KSC | |
| 270 | STD-Z-0012 REV B | FLAME DEFLECTOR DESIGN, STANDARD FOR | 1990 | KSC | |
| 271 | KC-136 REV F | STANDARD DIMENSIONS FOR FITTING END, STRAIGHT THREAD | 1990 | KSC | |
| 272 | KC-163 REV C | PIPE CONNECTION ASSY INSTALLATION OF | 1990 | KSC | |
| 273 | KC-137 REV F | FITTING END, SWIVEL FLARED TUBE CONNECTOR, STANDARD DIMENSIONS FOR | 1990 | KSC | |
| 274 | KC-111 REV G | TEE ASSY, FLARED TUBE MALE ADJUSTABLE END ON OUTLET, FOR SEAL RING | 1990 | KSC | |
| 275 | KC-141 REV E | CONICAL END, STANDARD DIMENSIONS FOR | 1990 | KSC | |
| 276 | KC-169 REV A | COUPLING ASSEMBLY, BLKHD SUPER PRESSURE PORT | 1990 | KSC | |
| 277 | KC-117 REV E | CROSS - FLARED TUBE FOR SEAL RING | 1990 | KSC | |
| 278 | KC-142 REV D | NUT, COUPLING | 1990 | KSC | |
| 279 | KC-116 REV E | NIPPLE - FLARED TUBE & DIPE THREAD FOR SEAL RING | 1990 | KSC | |
| 280 | KC-113 REV F | ELBOW - FLARED TUBE BULKHEAD UNIVERSAL 90 DEG. FOR SEAL RING | 1990 | KSC | |
| 281 | KC-165 REV E | WIRE, RETAINING SWIVEL NUT | 1990 | KSC | |
| 282 | KC-139 REV C | SWIVEL NUT, FLARED TUBE FITTING | 1990 | KSC | |
| 283 | KC-114 REV E | TEE - FLARED TUBE BULKHEAD ON RUN, FOR SEAL RING | 1990 | KSC | |
| 284 | KC-140 REV G | WASHER FLARED TUBE FITTING ADJUSTABLE END | 1990 | KSC | |
| 285 | KC-138 REV D | FITTING END, ADJUSTABLE, STANDARD DIMENSIONS FOR | 1990 | KSC | |
| 286 | KC-112 REV E | ADAPTER, FLARED TUBE & amp; BOSS FOR SEAL RING | 1990 | KSC | |
| 287 | KC-119 REV E | TEE - FLARED TUBE, INTERNAL THREAD ON RUN, FOR SEAL RING | 1990 | KSC | |
| 288 | KC-171 REV A | UNION ASSEMBLY, DOUBLE SWIVEL NUT | 1990 | KSC | |
| 289 | STD-E-0013 REV C | FACILITY LIGHTNING PROTECTION DESIGN, STANDARD FOR | 1990 | KSC | |
| 290 | KC-145 | SPUD, BUTTWELD TUBE | 1990 | KSC | |
| 291 | KC-121 REV E | TEE - FLARED TUBE WITH PIPE THREAD ON RUN, FOR SEAL RING | 1990 | KSC | |
| 292 | KC-147 | ELBOW, 90 DEG. BUTTWELD TUBE | 1990 | KSC | |
| 293 | KC-173 REV A | COUPLING, TUBE | 1990 | KSC | |
| 294 | KC-120 REV E | TEE - FLARED TUBE, INTERNAL THREAD ON SIDE, FOR SEAL RING | 1990 | KSC | |
| 295 | KC-146 | UNION, BUTTWELD TUBE | 1990 | KSC | |
| 296 | KC-172 REV A | ADAPTER, SWIVEL NUT | 1990 | KSC | |

| 297 | KC-151 | SPUD, BUTTWELD TUBE REDUCER - ADAPTER | 1990 | KSC | |
|-----|---------------------------------|---|------|-----|--|
| 298 | KC-125 REV F | REDUCER - EXTERNAL THREAD FLARED TUBE FOR SEAL RING | 1990 | KSC | |
| 299 | KC-126 REV D | UNION, FLARED TUBE FOR SEAL RING | 1990 | KSC | |
| 300 | KC-122 REV D | TEE - FLARED TUBE WITH PIPE THREAD ON SIDE, FOR SEAL RING | 1990 | KSC | |
| 301 | KC-148 | TEE, BUTTWELD TUBE | 1990 | KSC | |
| 302 | KC-123 REV D | TEE - FLARED TUBE FOR SEAL RING | 1990 | KSC | |
| 303 | KC-124 REV G | UNION, FLARED TUBE 3/8" BULKHEAD AND UNIVERSAL FOR SEAL RING | 1990 | KSC | |
| 304 | STD-Z-0012 REV C CANC NOT | FLAME DEFLECTOR DESIGN, STANDARD FOR | 1990 | KSC | |
| 305 | KC-127 REV E | TEE - FLARED TUBE & amp; BULKHEAD UNIVERSAL ON SIDE FOR SEAL RING | 1990 | KSC | |
| 306 | KC-153 | CROSS, BUTTWELD TUBE | 1990 | KSC | |
| 307 | KC-128 REV E | ELBOW - FLARED TUBE BULKHEAD UNIVERSAL, 45 DEG., FOR SEAL RING | 1990 | KSC | |
| 308 | KC-129 REV E | ELBOW ASSY, 45 DEG., FLARED TUBE & Amp; MALE ADJUSTABLE END FOR SEAL RING | 1990 | KSC | |
| 309 | KC-103 REV E | SEAL RING | 1990 | KSC | |
| 310 | KC-130 REV E | PLUG, FLARED TUBE FOR SEAL RING | 1990 | KSC | |
| 311 | STD-141 REV A | LOAD TEST IDENTIFICATION AND DATA MARKING, STANDARD FOR | 1989 | KSC | |
| 312 | STD-C-0001 REV B CHG NOTI | STANDARD FOR PROTECTIVE COATING OF CARBON STEEL, STAINLESS STEEL, AND ALUMINUM ON LAUNCH STRUCTURES, FACILITIES, AND GROUND SUPPORT EQUIPMENT | 1989 | KSC | |
| 313 | STD-E-0011 REV F | ELECTRICAL POWER RECEPTACLES AND PLUGS, STANDARD FOR | 1989 | KSC | |
| 314 | SPEC-E-0031 | CABLES, ELECTRICAL, GENERAL SPECIFICATION FOR | 1989 | KSC | |
| 315 | SPEC-P-0015 REV A | MINIMUM REQUIREMENTS FOR GARMENTS USED IN CLEANROOM ENVIRONMENTS FOR HAZARDOUS OPERATIONS, SPECIFICATION FOR | 1989 | KSC | |
| 316 | SPEC-Z-0004 REV C | WELDING OF STRUCTURAL CARBON STEEL, LOW ALLOY STEEL, AUSTENITIC STAINLESS STEEL, AND ALUMINUM ALLOYS, SPECIFICATION FOR | 1989 | KSC | |
| 317 | STD-P-0002 REV A | PREPARATION OF COMPONENT PROCUREMENT/PERFORMANCE SPECIFICATIONS, STANDARD FOR | 1988 | KSC | |
| 318 | STD-Z-0013 | POTABLE WATER CROSS-CONNECTION CONTROL DESIGN FOR FACILITIES, STANDARD FOR | 1988 | KSC | |
| 319 | SPEC-F-0009 REV A | SIGNS AT JOHN F. KENNEDY SPACE CENTER, DESIGN, FABRICATION, AND ERECTION OF, SPECIFICATION FOR | 1988 | KSC | |
| 320 | STD-G-0003 REV B | LAUNCH SUPPORT AND FACILITY COMPONENTS, QUALIFICATION OF, STANDARD FOR | 1988 | KSC | |
| 321 | STD-128 REV A | TEST REPORTS, PREPARATION OF STANDARD FOR | 1988 | KSC | |
| 322 | STD-Z-0005 REV B | PNEUMATIC GROUND SUPPORT EQUIPMENT, DESIGN OF, STANDARD FOR | 1988 | KSC | |
| 323 | STD-C-0001 REV B | STANDARD FOR PROTECTIVE COATING OF CARBON STEEL, STAINLESS STEEL, AND ALUMINUM ON LAUNCH STRUCTURES, FACILITIES, AND GROUND SUPPORT EQUIPMENT | 1987 | KSC | |
| 324 | STD-E-0002 REV B | HAZARDPROOFING OF ELECTRICALLY ENERGIZED EQUIPMENT, STANDARD FOR | 1987 | KSC | |
| 325 | SPEC-P-0016 | MINIMUM REQUIREMENTS FOR GARMENT SNAP FASTENER, SPECIFICATION FOR | 1986 | KSC | |
| 326 | SO-CC-0005 | EXTERNAL CLEANING AND CORROSION CONTROL OF PROPELLANTS MOBILE EQUIPMENT | 1986 | KSC | |

| 327 | SPEC-G-0002 REV B | COMPILING CONSTRUCTION COST ESTIMATES, SPECIFICATION FOR | 1986 | KSC | |
|-----|----------------------|--|------|-----|--|
| 328 | SPEC-P-0006 | AIR CONDITIONING UNIT - PORTABLE, TRAILER MOUNTED, ELECTRICALLY DRIVEN, SELF-CONTAINED, NOMINAL, 40 TON CAPACITY | 1986 | KSC | |
| 329 | STD-C-0001 REV A | STANDARD FOR PROTECTIVE COATING OF CARBON STEEL, STAINLESS STEEL, AND ALUMINUM ON LAUNCH STRUCTURES, FACILITIES, AND GROUND SUPPORT EQUIPMENT | 1985 | KSC | |
| 330 | E-1004 | REFURBISHMENT OF GEODESIC DOME K7-1205G, KSC TECHNICAL SPECIFICATION FOR | 1985 | KSC | |
| 331 | STD-E-0013 REV B | FACILITY LIGHTNING PROTECTION DESIGN, STANDARD FOR | 1985 | KSC | |
| 332 | STD-Z-0008 REV A | DESIGN OF GROUND LIFE SUPPORT SYSTEMS AND EQUIPMENT, STANDARD FOR | 1984 | KSC | |
| 333 | SPEC-E-0023 REV B | AC POWER CABLE, 15,000-VOLT, 60-HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1984 | KSC | |
| 334 | STD-CV-0001 | SOFTWARE STANDARDS FOR APPLICATION SOFTWARE FOR THE REAL TIME DATA SUBSYSTEM | 1984 | KSC | |
| 335 | STD-F-0004 REV B | FIRE PROTECTION DESIGN, STANDARD FOR | 1984 | KSC | |
| 336 | DD-818-TR | SUMMARY OF MEASUREMENTS OF KSC LAUNCH-INDUCED ENVIRONMENTAL EFFECTS (STS-1 THROUGH STS-11) | 1984 | KSC | |
| 337 | C-123 REV F (2) | SURFACE CLEANLINESS OF FLUID SYSTEMS, SPECIFICATION FOR | 1984 | KSC | |
| 338 | SPEC-Z-0010 REV C | WELDING OF EXTRA HIGH STRENGTH (>90 KSI UTS) QUENCHED AND TEMPERED LOW-ALLOY STEELS, SPECIFICATION FOR | 1983 | KSC | |
| 339 | SPEC-Z-0003 REV B | WELDING OF AUSTENITIC STAINLESS STEEL, CARBON STEEL, ALUMINUM ALLOY, NICKEL ALLOY, AND LOW-EXPANSION ALLOY PIPE, TUBING AND ASSOCIATED FITTINGS, SPECIFICATION FOR | 1983 | KSC | |
| 340 | STD-Z-0010 REV A | ENVIRONMENTAL CONTROL SYSTEMS, GROUND COOLANT SYSTEMS, COOLANT SERVICING SYSTEMS AND GROUND SUPPORT EQUIPMENT, DESIGN OF, STANDARD FOR | 1983 | KSC | |
| 341 | SO-S-12 | REFURBISHMENT OF FUEL SERVICING TANK TRUCK CHASSIS | 1982 | KSC | |
| 342 | SO-S-14 | PROTECTIVE COATING OF PROPELLANT EQUIPMENT | 1982 | KSC | |
| 343 | SO-S-13 | REFURBISHMENT OF FUEL SERVICING TANK TRUCK REFUELER PROGRESS MODEL 72 G | 1982 | KSC | |
| 344 | STD-Z-0002 REV B | LIFTING AND HOISTING EQUIPMENT, STANDARD FOR | 1982 | KSC | |
| 345 | SO-S-15 | REFURBISHMENT OF LIQUID TANKER LT-32 | 1982 | KSC | |
| 346 | SO-S-16 | RETEST AND REFURBISHMENT OF COMPRESSED GAS TRAILERS TYPE 1, MANUFACTURED BY DOUGLAS AIRCRAFT CORPORATION | 1982 | KSC | |
| 347 | STD-SF-0002 REV B | SAFETY STANDARD FOR COMPRESSED GAS CYLINDERS | 1982 | KSC | |
| 348 | STD-SF-0004 REV B | SAFETY STANDARD FOR GROUND PIPING SYSTEMS COLOR CODING AND IDENTIFICATION | 1982 | KSC | |
| 349 | SPEC-Z-0011 REV A | SILICONE RUBBER ABLATIVE MATERIAL TO GROUND SUPPORT EQUIPMENT, APPLICATION OF, SPECIFICATION FOR | 1982 | KSC | |
| 350 | STD-132 REV B | POTTING AND MOLDING ELECTRICAL CABLE ASSEMBLY TERMINATIONS, STANDARD FOR | 1982 | KSC | |
| 351 | STD-SF-0005 REV A | SAFETY STANDARD FOR FORKLIFT TRUCKS | 1982 | KSC | |
| 352 | E-165 REV C | ELECTRICAL GROUND-SUPPORT EQUIPMENT FABRICATION, SPECIFICATION FOR | 1982 | KSC | |
| 353 | SO-S-4 REV C | RETEST AND REFURBISHMENT OF TYPE "K" COMPRESSED GAS CYLINDERS FOR GASEOUS AIR, HELIUM, HYDROGEN, NITROGEN, AND OXYGEN SERVICE | | KSC | |

| | | | | 1 | |
|-----|---------------------------------|---|------|-----|--|
| 354 | SPEC-P-0011 | PARTICULATE SCREENING REVERIFICATION SAMPLE REQUIREMENTS ON SPACE SHUTTLE GROUND SYSTEMS, SPECIFICATION FOR | 1981 | KSC | |
| 355 | SO-S-6 REV B | REFURBISHMENT OF LIQUID TANKERS | 1981 | KSC | |
| 356 | SPEC-Z-0004 REV B | WELDING OF STRUCTURAL CARBON STEEL, LOW ALLOY STEEL, AUSTENITIC STAINLESS STEEL, AND ALUMINUM ALLOYS, SPECIFICATION FOR | 1981 | KSC | |
| 357 | SO-S-10 | REFURBISHMENT OF LIQUID HYDROGEN RAILCARS | 1981 | KSC | |
| 358 | SO-S-11 | LIQUID HYDROGEN VACUUM-JACKETED NASA/AF BAYONET ADAPTER | 1981 | KSC | |
| 359 | STD-SF-0001 REV D CHG NOT | LIFTING DEVICES AND EQUIPMENT SAFETY STANDARD | 1981 | KSC | |
| 360 | 79K21680 | PATCH DISTRIBUTOR CLEANING AND ALIGNMENT PROCEDURES | 1981 | KSC | |
| 361 | STD-E-0011 REV E | ELECTRICAL POWER RECEPTACLES AND PLUGS, STANDARD FOR | 1980 | KSC | |
| 362 | SO-S-9 REV D | RETEST AND REFURBISHMENT OF COMPRESSED GAS TRAILERS AND MOVABLE STORAGE UNITS, STANDARD FOR | 1980 | KSC | |
| 363 | SPEC-E-0026/3 REV A | AUTOMATIC FIRE DETECTION SYSTEMS SUPPLEMENTAL, SPECIFICATION FOR | 1980 | KSC | |
| 364 | SPEC-E-0026/1 REV A | ELECTRICAL WORK INTERIOR SUPPLEMENTAL, SPECIFICATION FOR | 1980 | KSC | |
| 365 | SPEC-E-0026 REV A | ELECTRICAL FACILITIES INSTALLATIONS, SPECIFICATION FOR | 1980 | KSC | |
| 366 | SPEC-E-0026/2 REV A | ELECTRICAL WORK EXTERIOR SUPPLEMENTAL, SPECIFICATION FOR | 1980 | KSC | |
| 367 | C-123 REV F (1) | SURFACE CLEANLINESS OF FLUID SYSTEMS, SPECIFICATION FOR | 1980 | KSC | |
| 368 | C-123 REV F | SURFACE CLEANLINESS OF FLUID SYSTEMS, SPECIFICATION FOR | 1979 | KSC | |
| 369 | SPEC-Z-0019 REV C | AGE CONTROL OF ELASTOMERIC PARTS, SPECIFICATION FOR | 1979 | KSC | |
| 370 | SPEC-P-0012 | REFRACTORY CONCRETE, SPECIFICATION FOR | 1979 | KSC | |
| 371 | SPEC-Z-0002 REV A (2) | WELDING ALUMINUM ALLOY PIPE, TUBING, AND ASSOCIATED FITTINGS, SPECIFICATION FOR | 1978 | KSC | |
| 372 | STD-118 REV B | PREPARATION OF FAILURE MODE AND EFFECTS ANALYSIS AND SINGLE FAILURE POINT ANALYSIS | 1978 | KSC | |
| 373 | SPEC-Z-0016 (1) | AUTOMATIC WELDING, STAINLESS STEEL PIPE AND TUBING, INVAR 36 PIPE, CARBON STEEL PIPE, AND ALUMINUM PIPE, SPECIFICATION FOR | 1978 | KSC | |
| 374 | SPEC-Z-0008 REV C | FABRICATION AND INSTALLATION OF FLARED TUBE ASSEMBLIES AND INSTALLATION OF FITTINGS AND FITTING ASSEMBLIES, SPECIFICATION FOR | 1978 | KSC | |
| 375 | SPEC-Z-0007 REV C | TUBING, STEEL, CORROSION RESISTANT, TYPES 304 AND 316, SEAMLESS, ANNEALED, SPECIFICATION FOR | 1978 | KSC | |
| 376 | STD-E-0014 REV A | WIRE AND CABLE APPLICATIONS, STANDARD FOR | 1977 | KSC | |
| 377 | | ELECTRICAL CABLE TYPE G | 1977 | KSC | |
| 378 | | ELECTRICAL CABLE TYPE USE | 1977 | KSC | |
| 379 | SPEC-E-0020 REV B | AC POWER CABLE, MINERAL-INSULATED, 600-VOLT, 60-HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1977 | KSC | |

| 380 | SPEC-G-0003 | GROUND SUPPORT EQUIPMENT COST ESTIMATING, SPECIFICATION FOR | 1977 | KSC | |
|-----|---------------------------|---|------|-----|--|
| 381 | SPEC-E-0021 REV A | AC POWER CABLE, INTERLOCKED-ARMORED, 600-VOLT, 60-HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1977 | KSC | |
| 382 | SO-SC-0001 REV A | HOSE ASSEMBLIES, FLEXIBLE, METAL, REINFORCED, PROCUREMENT OF | 1977 | KSC | |
| 383 | SPEC-E-0022/1 REV A | ELECTRICAL CABLE, 5,000 VOLT TYPE CLP | 1977 | KSC | |
| 384 | SPEC-E-0018/8 REV A | ELECTRICAL WIRE, TYPE TFE | 1977 | KSC | |
| 385 | STD-152-2 REV A | GRAPHIC SYMBOLS FOR DRAWINGS PART 2 GROUND SUPPORT EQUIPMENT, STANDARD FOR | 1977 | KSC | |
| 386 | SPEC-E-0018/7 REV A | ELECTRICAL WIRE, TYPE SA | 1977 | KSC | |
| 387 | SPEC-E-0019 REV A | AC POWER CABLE, GENERAL PURPOSE, MULTICONDUCTOR, 600 VOLT, 60 HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1977 | KSC | |
| 388 | SPEC-E-0018/9 REV A | ELECTRICAL WIRE, TYPE XHHW | 1977 | KSC | |
| 389 | SPEC-E-0019/1 REV A | ELECTRICAL CABLE TYPE SO | 1977 | KSC | |
| 390 | SPEC-E-0019/2 REV A | ELECTRICAL CABLE TYPE STO | 1977 | KSC | |
| 391 | SPEC-E-0019/3 REV A | ELECTRICAL CABLE TYPE W | 1977 | KSC | |
| 392 | SPEC-E-0022 REV A | AC POWER CABLE, 5,000-VOLT, 60-HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1977 | KSC | |
| 393 | F-124 REV C | SPECIFICATION FOR FITTINGS, FLARED TUBE | 1977 | KSC | |
| 394 | SPEC-E-0018/1 REV A | ELECTRICAL WIRE, TYPE TW | 1977 | KSC | |
| 395 | SPEC-E-0018/2 REV A | ELECTRICAL WIRE, TYPE THW | 1977 | KSC | |
| 396 | SPEC-E-0018 REV A | AC POWER WIRE, GENERAL PURPOSE, SINGLE CONDUCTOR, 600 VOLT, 60 HERTZ, PROCUREMENT OF, SPECIFICATION FOR | 1977 | KSC | |
| 397 | SPEC-E-0017 REV B | ELECTRICAL POWER CABLE, INSTALLATION OF, SPECIFICATION FOR | 1977 | KSC | |
| 398 | STD-SP-0002 CHG NOTICE | PROVISIONING TECHNICAL DOCUMENTATION, DETAIL STANDARD FOR | 1977 | KSC | |
| 399 | SPEC-E-0018/3 REV A | ELECTRICAL WIRE, TYPE THWN-THHN | 1977 | KSC | |
| 400 | | ELECTRICAL WIRE, TYPE USE | 1977 | KSC | |
| 401 | | ELECTRICAL WIRE, TYPE RHW | 1977 | KSC | |
| 402 | | ELECTRICAL WIRE, TYPE RHH | 1977 | KSC | |
| 403 | STD-152-1 REV A | GRAPHIC SYMBOLS FOR DRAWINGS PART 1 FACILITIES, STANDARD FOR | 1977 | KSC | |
| 404 | STD-P-0004 | KSC STANDARD FOR THE PREPARATION OF PROCESS SPECIFICATIONS | 1976 | KSC | |

| 405 | STD-P-0005 | KSC STANDARD FOR THE PREPARATION OF MATERIAL SPECIFICATIONS | 1976 | KSC | |
|-----|---------------------------------|--|------|-----|--|
| 406 | STD-P-0001 CHG NOTICE | PREPARATION OF EQUIPMENT OR SYSTEM PROCUREMENT/ PERFORMANCE SPECIFICATIONS, STANDARD FOR | 1976 | KSC | |
| 407 | STD-P-0002 CHG NOTICE | PREPARATION OF COMPONENT PROCUREMENT/PERFORMANCE SPECIFICATIONS, STANDARD FOR | 1976 | KSC | |
| 408 | STD-SP-0001 | SHUTTLE PROVISIONING PROCEDURE, GENERAL STANDARD FOR | 1976 | KSC | |
| 409 | STD-E-0002 REV A | HAZARDPROOFING OF ELECTRICALLY ENERGIZED EQUIPMENT, STANDARD FOR | 1976 | KSC | |
| 410 | SPEC-M-0007 REV B | LIGHTNING INSTRUMENTATION SYSTEMS AT KSC, SPECIFICATION FOR | 1976 | KSC | |
| 411 | SPEC-F-0009 | DESIGN, FABRICATION, AND ERECTION OF SIGNS AT JOHN F. KENNEDY SPACE CENTER, SPECIFICATION FOR | 1976 | KSC | |
| 412 | STD-Z-0011 | TRAILER/EQUIPMENT TIE-DOWNS, STANDARD FOR | 1975 | KSC | |
| 413 | SPEC-Z-0005 (2) | BRAZING - STEEL, COPPER, ALUMINUM, NICKEL, AND MAGNESIUM ALLOYS, SPECIFICATION FOR | 1975 | KSC | |
| 414 | SPEC-Z-0001 REV A | SPECIFICATION FOR PIPE, 36% NICKEL, IRON-BASE (INVAR 36) - (Includes Amendment 1: August 30, 1976) | 1975 | KSC | |
| 415 | SPEC-Z-0001 REV A | SPECIFICATION FOR PIPE, 36% NICKEL, IRON-BASE (INVAR 36) | 1975 | KSC | |
| 416 | SPEC-Z-0001 REV B CANC NO | PIPE, 36% NICKEL, IRON-BASE (INVAR 36), SPECIFICATION FOR | 1975 | KSC | |
| 417 | SPEC-Z-0002 REV A (1) | WELDING ALUMINUM ALLOY PIPE, TUBING, AND ASSOCIATED FITTINGS, SPECIFICATION FOR | 1975 | KSC | |
| 418 | SPEC-E-0028 | ELEVATOR ELECTRIC TRAVELING CABLE, PROCUREMENT OF, SPECIFICATION FOR | 1974 | KSC | |
| 419 | SPEC-E-0028/1 | ELEVATOR ELECTRIC TRAVELING CABLE TYPE E 30 CONDUCTOR | 1974 | KSC | |
| 420 | SPEC-Q-0001 REV B | COATINGS, CONFORMAL, PROTECTIVE, ENVIRONMENTAL, FOR PRINTED-CIRCUIT ASSEMBLIES, SPECIFICATION FOR | 1974 | KSC | |
| 421 | E-166 REV A | INSTALLATION AND ASSEMBLY, ELECTRICAL GROUND-SUPPORT EQUIPMENT, SPECIFICATION FOR | 1974 | KSC | |
| 422 | SPEC-M-0025 | METEOROLOGICAL INSTRUMENTATION SYSTEMS AT KSC, SPECIFICATION FOR | 1974 | KSC | |
| 423 | STD-E-0017 | ELEVATOR ELECTRIC TRAVELING CABLE APPLICATIONS, STANDARD FOR | 1974 | KSC | |
| 424 | SPEC-P-0009 REV AM-1 | PAVEMENT MARKINGS, SPECIFICATION FOR STANDARDS AND THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES | 1974 | KSC | |
| 425 | SPEC-E-0028/3 | ELEVATOR ELECTRIC TRAVELING CABLE TYPE E 42 CONDUCTOR | 1974 | KSC | |
| 426 | SPEC-E-0028/2 | ELEVATOR ELECTRIC TRAVELING CABLE TYPE E 34 CONDUCTOR | 1974 | KSC | |
| 427 | SPEC-E-0028/4 | ELEVATOR ELECTRIC TRAVELING CABLE TYPE E 71 CONDUCTOR | 1974 | KSC | |
| 428 | SPEC-E-0028/5 | ELEVATOR ELECTRIC TRAVELING CABLE TYPE E 77 CONDUCTOR | 1974 | KSC | |
| 429 | | ELEVATOR ELECTRIC TRAVELING CABLE TYPE EO 56 CONDUCTOR | 1974 | | |
| 430 | | ELEVATOR ELECTRIC TRAVELING CABLE TYPE EO 82 CONDUCTOR | 1974 | | |
| 431 | | ELEVATOR ELECTRIC TRAVELING CABLE TYPE EN 101 CONDUCTOR | | KSC | |
| 432 | W-167 REV A | WIRING PROGRAMMING SYSTEM PATCHBOARDS, SPECIFICATION FOR | | KSC | |
| 433 | SPEC-E-0001 REV A | APPLICATION OF COATING, CONFORMAL (POLYURETHANE), PRINTED CIRCUIT ASSEMBLIES, SPECIFICATION FOR | | KSC | |

| 434 | STD-E-0006 REV A | INSTRUMENTATION AND COMMUNICATIONS CABLE APPLICATIONS, STANDARD FOR | 1974 | KSC | |
|-----|---------------------------------|---|------|-----|---|
| 435 | STD-Z-0007 REV A CANC NOT | HYDROCARBON FUEL GROUND SUPPORT EQUIPMENT, DESIGN OF, STANDARD FOR | 1973 | KSC | |
| 436 | SPEC-M-0021 REV A | LIGHTNING WARNING SYSTEM KSC DATA PROCESSOR, SPECIFICATION FOR | 1973 | KSC | |
| 437 | SO-H-5 REV A | HOSE, 10,000 PSIG, FLEXIBLE METALLIC, GASEOUS OXYGEN SERVICE | 1973 | KSC | |
| 438 | SPEC-Z-0002 REV A | WELDING ALUMINUM ALLOY PIPE, TUBING, AND ASSOCIATED FITTINGS, SPECIFICATION FOR | 1972 | KSC | |
| 439 | SPEC-Z-0017 REV A | RESUSCITATOR, MINIATURE, TYPE I, SPECIFICATION FOR | 1972 | KSC | |
| 440 | SPEC-Z-0009 | LUBRICATION, THREAD, CORROSION-RESISTANT STEEL AND ALUMINUM ALLOY TUBE FITTINGS, SPECIFICATION FOR | 1972 | KSC | |
| 441 | SPEC-E-0029 | COMPOUND, POTTING AND MOLDING, ELASTOMERIC, SPECIFICATION FOR | 1972 | KSC | |
| 442 | SPEC-M-0009 REV B | SELF-POWERED THERMOCOUPLE REFERENCE JUNCTION, SPECIFICATION FOR | 1972 | KSC | |
| 443 | STD-Z-0003 | INTEGRITY OF STRUCTURES, ESTABLISHING AND MAINTAINING, STANDARD FOR | 1972 | KSC | |
| 444 | SO-S-7 REV A | REPAIR OF ELEVATOR ROLLER GUIDES, SPECIFICATION FOR | 1971 | KSC | |
| 445 | SPEC-P-0010 | ROADWAY REHABILITATION ASPHALTIC CONCRETE LEVELING AND SURFACE COURSES, SPECIFICATIONS FOR | 1971 | KSC | |
| 446 | SPEC-E-0025 | HEADSET, MICROPHONE AND CORD ASSEMBLY, SPECIFICATION FOR | 1971 | KSC | |
| 447 | SPEC-M-0024 | A PORTABLE DATA ACQUISITION SYSTEM INCLUDING INCREMENTING TAPE RECORDER WRITING COMPUTER COMPATIBLE MAGNETIC TAPE, SPECIFICATION FOR | 1971 | KSC | |
| 448 | SO-S-3 REV A | HEATER, GASEOUS NITROGEN | 1971 | KSC | |
| 449 | SPEC-P-0007 | GLASS, LAMINATED, FLAT, TINTED, SPECIFICATION FOR | 1970 | KSC | |
| 450 | SPEC-E-0024/3 | CABLE, ELECTRICAL, SHIELDED, JACKETED TYPE TTSI, DETAIL SPECIFICATION FOR | 1970 | KSC | |
| 451 | STD-E-0016 | ELECTRICAL HOOKUP WIRE APPLICATIONS, STANDARD FOR | 1970 | KSC | |
| 452 | SPEC-M-0023 | REMOTE CALIBRATE AND REMOTE GAIN CHANGE AMPLIFIER SYSTEM, SPECIFICATION FOR | 1970 | KSC | |
| 453 | SPEC-E-0024/2 | CABLE, ELECTRICAL, SHIELDED, JACKETED TYPE PTSI, DETAIL SPECIFICATION FOR | 1970 | KSC | |
| 454 | SPEC-E-0024 | CABLE, ELECTRICAL, SHIELDED, JACKETED FOR HARNESS ASSEMBLIES, GENERAL SPECIFICATION FOR - (Incorporates Supplement 1 and KSC-SPEC-E-0024/1 - KSC-SPEC-E-0024/6) | 1970 | KSC | |
| 455 | SPEC-M-0022 | CORONA CURRENT DETECTOR, SPECIFICATION FOR | 1970 | KSC | |
| 456 | SPEC-Z-0014 CHG NOTICE 1 | VALVE, RELIEF TOXIC FUEL HANDLERS COVERALLS, SPECIFICATION FOR | 1970 | KSC | |
| 457 | SPEC-E-0024/1 | CABLE, ELECTRICAL, SHIELDED, JACKETED TYPE SSI, DETAIL SPECIFICATION FOR | 1970 | KSC | |
| 458 | SO-902 | BURST DISC ASSEMBLY, 10,000 PSIG WORKING PRESSURE, 9/16 INCH GASEOUS NITROGEN AND HELIUM SERVICE | 1970 | KSC | |
| 459 | SO-H-3 | HOSE, 10,000 PSIG, FLEXIBLE METALLIC, GASEOUS NITROGEN AND HELIUM SERVICE | 1970 | KSC | |
| 460 | SPEC-E-0024/4 | CABLE, ELECTRICAL, SHIELDED, JACKETED TYPE QTSI, DETAIL SPECIFICATION FOR | 1970 | KSC | |
| 461 | SO-901 | BURST DISC ASSEMBLY, 6,000 PSIG WORKING PRESSURE, 1/2 INCH, GASEOUS NITROGEN AND HELIUM SERVICE | 1970 | KSC | |
| 462 | SPEC-E-0024/6 | CABLE, ELECTRICAL, SHIELDED, JACKETED TYPE 6TSI, DETAIL SPECIFICATION FOR | 1970 | KSC | |
| 463 | SPEC-E-0024/5 | CABLE, ELECTRICAL, SHIELDED, JACKETED TYPE 5TSI, DETAIL SPECIFICATION FOR | 1970 | KSC | |
| 464 | SPEC-Z-0012 | COVERALLS, TOXIC FUEL HANDLERS SPECIFICATION FOR | 1970 | KSC | L |

| 465 | SPEC-M-0012 REV A | PLATINUM TEMPERATURE TRANSDUCER, SPECIFICATION FOR | 1970 | KSC |
|-----|--------------------------------|---|------|-----|
| 466 | SPEC-M-0008 REV A | CRYOGENIC STRAIN GAGE PRESSURE TRANSDUCER, SPECIFICATION FOR | 1969 | KSC |
| 467 | SPEC-F-0019 | CIF M6-342, BUILT-UP ROOF REPAIR, SPECIFICATION FOR | 1969 | KSC |
| 468 | STD-F-0003 | PROTECTIVE COATING AND IDENTIFICATION OF HIGH-PRESSURE GAS MOBILE EQUIPMENT, STANDARD FOR | 1969 | KSC |
| 469 | SPEC-E-0016 | ELECTRICAL POWER CABLE, PROCUREMENT OF, GENERAL SPECIFICATION FOR | 1969 | KSC |
| 470 | SPEC-F-0006 REV A W/AM 1 | HEAT AND BLAST PROTECTION COATING MATERIALS, SPECIFICATION FOR | 1969 | KSC |
| 471 | STD-E-0015 | MARKING OF GROUND SUPPORT EQUIPMENT, STANDARD FOR | 1969 | KSC |
| 472 | SPEC-Z-0013 | PENETRANT, MAGNETIC PARTICLE AND ULTRASONIC INSPECTION REQUIREMENTS FOR, SPECIFICATION FOR | 1969 | KSC |
| 473 | SPEC-Z-0016 | AUTOMATIC WELDING, STAINLESS STEEL PIPE AND TUBING, INVAR 36 PIPE, CARBON STEEL PIPE, AND ALUMINUM PIPE, SPECIFICATION FOR | 1969 | KSC |
| 474 | STD-F-0002 | COATING OF MARINE EQUIPMENT, STANDARD FOR | 1968 | KSC |
| 475 | SPEC-P-0004 | SHORT FORM SPARE PARTS PROVISIONING, GENERAL SPECIFICATION FOR | 1968 | KSC |
| 476 | STD-128 (1) | TEST REPORTS, PREPARATION OF STANDARD FOR | 1968 | KSC |
| 477 | SPEC-P-0005 | LONG FORM SPARE PARTS PROVISIONING, GENERAL SPECIFICATION FOR | 1968 | KSC |
| 478 | SPEC-E-0012 | HEAT AND BLAST PROTECTION COATING MATERIALS FOR ELECTRICAL CABLES, SPECIFICATION FOR | 1968 | KSC |
| 479 | STD-E-0010 | SOLDERING OF ELECTRICAL CONNECTIONS (HAND OR MACHINE), STANDARD FOR | 1968 | KSC |
| 480 | SPEC-M-0013 | MEASUREMENT SYSTEMS DIVISION INSTRUMENTATION AT THE METEOROLOGICAL PREDICTION CENTER, SPECIFICATION FOR | 1968 | KSC |
| 481 | STD-E-0009 REV A | CABLE NUMBERING, OUTSIDE PLANT COMMUNICATION SYSTEM, STANDARD FOR | 1968 | KSC |
| 482 | SPEC-Z-0006 | INDUCTION BRAZING, AEROSPACE TUBING FITTINGS, SPECIFICATION FOR | 1968 | KSC |
| 483 | SPEC-Z-0005 | BRAZING - STEEL, COPPER, ALUMINUM, NICKEL, AND MAGNESIUM ALLOYS, SPECIFICATION FOR | 1968 | KSC |
| 484 | SPEC-E-0002 | MODULAR ENCLOSURES (CABINETS, CONSOLES) AND ACCESSORIES, RADIO FREQUENCY INTERFERENCE SHIELDED | 1967 | KSC |
| 485 | SPEC-P-0002 | CONTRACT END ITEM DETAIL SPECIFICATION (CRYOGENIC ACCELEROMETER AND IMPEDANCE UNIT) PERFORMANCE/DESIGN AND PRODUCT CONFIGURATION REQUIREMENTS | 1967 | KSC |
| 486 | SPEC-E-0011 | CAPACITORS, FIXED, TANTALUM, POLARIZED, ETCHED FOIL (STYLE KCL21), SPECIFICATION FOR | 1967 | KSC |
| 487 | SPEC-E-0009 | CAPACITORS, FIXED, TANTALUM, NONPOLAR, ETCHED FOIL, (STYLE KCL23), SPECIFICATION FOR | 1967 | KSC |
| 488 | SPEC-E-0010 | CAPACITORS, FIXED, PLASTIC DIELECTRIC, NONMETALLIC CASE (STYLE KCTM), SPECIFICATION FOR | 1967 | KSC |
| 489 | SPEC-E-0002 | MODULAR ENCLOSURES (CABINETS, CONSOLES) AND ACCESSORIES, RADIO FREQUENCY INTERFERENCE SHIELDED, SPECIFICATION FOR - (Includes Amendment 1: April 1, 1967) | 1967 | KSC |
| 490 | STD-S-0003 | COLOR CODE FOR SHOP MACHINERY AND EQUIPMENT | 1967 | KSC |
| 491 | P-127 | PACKAGING, PACKING, MARKING, FOR SHIPMENT AND STORAGE OF GROUND SUPPORT EQUIPMENT, GENERAL SPECIFICATION FOR | 1966 | KSC |
| 492 | P-127/1 | PACKAGING, PACKING, MARKING FOR SHIPMENT AND STORAGE OF MOTORS AND MOTOR DRIVE SETS | 1966 | KSC |
| 493 | STD-141 | LOAD TEST IDENTIFICATION AND DATA MARKING, STANDARD FOR | 1966 | KSC |
| 494 | C-133 | CAPACITORS, FIXED, TANTALUM (POLARIZED, SINTERED-SLUG) (STYLE KCL65), SPECIFICATION | 1966 | KSC |
| 495 | D-327 | DRAWINGS, ENGINEERING AND ASSOCIATED LISTS | 1966 | KSC |
| 496 | STD-122 | DETERMINING CRITICALITY NUMBERS FOR PRIORITY I, II AND III COMPONENTS | 1966 | KSC |

| 497 | C-111 REV A | CAPACITORS, FIXED, SOLID, TANTALUM (STYLE KCS13) | 1966 | KSC | |
|-----|-------------|--|------|-----|--|
| 498 | C-110 REV A | CAPACITORS, FIXED, TANTALUM (POLARIZED, ETCHED FOIL) (STYLE KCL33) | 1966 | KSC | |
| 499 | C-109 REV A | CAPACITORS, FIXED, TANTALUM (POLARIZED, PLAIN FOIL) (STYLE KCL31) | 1966 | KSC | |
| 500 | R-105 REV A | RESISTORS, FIXED, WIREWOUND (POWER TYPE) (STYLE KRW67/68/69) | 1966 | KSC | |
| 501 | C-182 | GAS CLEANLINESS REQUIREMENTS FOR OPERATIONAL GASEOUS NITROGEN, HELIUM, AND HYDROGEN SYSTEMS AT COMPLEX 39, SPECIFICATION FOR | 1966 | KSC | |
| 502 | S-178 | SOLDERING, AUTOMATIC WAVE, OF PRINTED CIRCUIT ASSEMBLIES, PROCEDURE FOR | 1966 | KSC | |
| 503 | R-148 | RESISTORS, COMPOSITION CARBON (STYLES KRC07/20/ 32/42) | 1966 | KSC | |
| 504 | S-126 | SEALING OF ELECTRICAL COMPONENTS, SPECIFICATION FOR | 1965 | KSC | |
| 505 | M-117 | MOTORS, ALTERNATING CURRENT, INTEGRAL HORSEPOWER FOR GROUND SUPPORT EQUIPMENT, SPECIFICATION | 1965 | KSC | |
| 506 | STD-129 | TEST PROCEDURE, PREPARATION OF | 1965 | KSC | |
| 507 | STD-128 | TEST REPORTS, PREPARATION OF STANDARD FOR | 1965 | KSC | |
| 508 | P-127/2 | RACKS, CONSOLES, PANELS, AND DISTRIBUTORS, PACKAGING, MARKING AND STORAGE OF | 1965 | KSC | |
| 509 | P-116 | PACKAGING AND MARKING FOR CABLES AND HARNESSES PROCEDURE FOR | 1964 | KSC | |
| 510 | W-151 REV A | SOLDERLESS WRAP PROCESS, ELECTRICAL CONNECTIONS, SPECIFICATION FOR | 1964 | KSC | |
| 511 | C-113 REV D | CAPACITORS, FIXED, POLARIZED, TANTALUM FOIL (STYLE KCL51 AND KCL53) | 1964 | KSC | |
| 512 | R-104 REV D | RESISTOR, FIXED, POWER, WIREWOUND (CHASSIS MOUNT) (STYLE KRE65/70/75) | 1964 | KSC | |
| 513 | R-102 | RESISTORS, FIXED, FILM (HIGH STABILITY) (STYLES KRN55/60/65/70C) | 1964 | KSC | |
| 514 | R-103 | RESISTORS, FIXED, FILM GENERAL PURPOSE (STYLES KRL07/20/32/42) | 1964 | KSC | |

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737